Beta

General programme

EN

2014

www.beta-tools.com

Robur BetaWORK Beta SHOP in shop Beta Collection

BETA: THE HISTORY OF ITALIAN TOOLS

1923 - Alessandro Ciceri founded “Alessandro Ciceri & Figli”, to manufacture iron and steel casts.

1939 - The trademark Beta was registered and the Company became involved mainly in manufacturing professional tools.

1960 - Beta Utensili employed two hundred people, exported their products and stood out as an up-and-coming manufacturer of professional tools.

1969 - The revolutionary orange sheet metal “Tank” trolley was developed; from that moment orange would result in a unique style for the trademark Beta.

1971 - Beta Utensili entered the motor racing world, with a view to testing and developing their products.

1975 - The Company scored their first Formula 1 victory with the orange **Beta Utensili March** driven by Vittorio Brambilla, who won the Austrian Grand Prix in Zeltweg, in the pouring rain.

1980 - Beta Utensili further penetrated the main European markets, progressively establishing branches in France, Britain, Holland, Spain and Poland.

1995 - It took the Company no more than 8 months to have their **Quality System** certified in accordance with the **ISO 9001** standards.

2000 - launch of the new Beta Utensili catalogue testified to ongoing growth. The range of available products was doubled and the over 10,000 coded items were divided into 20 product ranges.

2002 - Beta Utensili’s range was further expanded, being supplemented with safety footwear as well as with work and free-time wear, namely the “Beta Work” range.

2014 - Ongoing growth leading to today: a product range – distributed worldwide – which exceeds 10,000 coded items and satisfies the most demanding professionals’ requirements.

Beta Utensili
manufactures its products in Italy,
in the factories in Sovico (Monza e Brianza), Castiglione d'Adda (Lodi) and Sulmona (L'Aquila), and has over 550 staff.

Beta Utensili respects the environment, accurately selecting such materials and processes as to minimize the impact on the ecosystem.

Beta Utensili is active worldwide, through a high-performance logistic structure and a global distribution network which includes 7 foreign branches, in France, Britain, Holland, Spain, Poland, China and Brazil, and over 200 importers and distributors.

Beta Utensili is synonymous with quality, on the basis of stringent tests on their products and company processes, in accordance with the ISO9001 standards.

Beta Utensili has been a winner for forty years. An indissoluble link - supported by the best professionals involved in achieving outstanding results - which has long been sealed by partnerships with prestigious teams, including Ferrari, Jordan, McLaren and Minardi in Formula 1, and Honda, Suzuki, Kawasaki and Yamaha in MotoGP.

BETA UTENSILI S.p.A. - 20845 Sovico (MB) - Italy
Via A.Volta, 18 - Tel. +39.039.2077.1 - Telefax +39.039.2010742
www.beta-tools.com - info@beta-tools.com

Robur Wire rope accessories: 67039 Sulmona (AQ) - Italy
Zona industriale - C.da S. Nicola
Tel. +39.0864.2504.1 - Telefax +39.0864.253132
www.roburitaly.com - info@roburitaly.com

Beta Index

CONTAINERS AND ASSORTMENTS

203÷248

249÷309

WRENCHES

10÷15

20÷23

82÷86

SOCKETS AND ACCESSORIES

50÷56

62÷82

TORQUE WRENCHES AND MULTIPLIERS

43÷44

44÷50

SCREWDRIVERS, MALE-END WRENCHES AND BITS

16÷20

56÷62

85÷86

104÷114

PLIERS AND NIPPERS

93÷97

92-93, 101-102

165

HAMMERS AND CHISELS

9-10

117÷120

152

DRILLING AND THREADING TOOLS



30÷33

33÷34

34÷41

41÷43

PULLERS

120-121

135÷142

MEASURING AND MARKING TOOLS

147÷152

CUTTING AND GENERAL MAINTENANCE TOOLS

147÷152

96÷98

114

129

142-143

152÷162

165÷172

PLUMBING TOOLS

23÷30

ELECTRONICS AND MICROMECHANICS

91-92

117÷120

107-108

167-168

ELECTROTECHNICS

99÷101

107

143÷146

163

171

1000V INSULATED TOOLS

176÷179

STAINLESS STEEL

180-181

SPARKPROOF TOOLS

182÷188

VEHICLE REPAIR

51

87÷91

96

100

115÷118

122÷141

147

153

158

161÷164

171÷173

PNEUMATIC TOOLS AND ACCESSORIES

189÷202

ROBUR WIRE ROPE ACCESSORIES

370÷389

SAFETY FOOTWEAR (AND TECHNICAL SOCKS)

332÷353

WORKWEAR

354÷369

DISPLAY UNITS FOR SALES POINTS

318÷331

BLISTER PACK RANGE

309÷317

BETA COLLECTION

390÷399

Key



Most used symbols		Example
•	**Sets**	
B	= in plastic wallet	42/B6
BV	= empty wallet	42/BV6
C	= in case	900/C11
D	= in hanging pack	1293/D6
S	= in box	42/S17
SP	= with display	42/SP17
SPV	= empty display	42/SPV1
SC	= with compact support	96/SC9
SCV	= compact support, empty	96/SC9
	Assortments	
AS	= with tools in inches	5915VU/AS
E	= Electronics/Electrotechnics	5980ET/A
I	= Plumbing	5980ID
MT	= Earth-moving	5902MT
U	= Universal	5915VU3
SBK	= Motorcycle Repairs	5940SBK
VG	= Automotive	5904VG/5T
VI	= Industry	5902VI
	Sockets	
A	= hexagon profile	910A
B	= bi-hex profile	910B
ES	= grooved profile	920ES
FTX	= for TORX® screws	910FTX

Most used symbols		Example
PT	= for 5-star head screws	910PT
X	= reversible ratchet in cases	920A/C12X
	Screwdrivers and bits	
LP	= for slotted head screws	920LP
PE	= for hexagon screws	920PE
PH	= for cross head PHILLIPS® screws	920PH
PZ	= for cross head POZIDRIV® - SUPADRIV® screws	1299PZ
RTX	= for TAMPER RESISTANT TORX® screws	1298RTX
SP	= for SPANNER screws	861SP
TRW	= for TRI-WING® screws	861TRW
TQS	= for TORQ-SET® screws	861TQS
TX	= for TORX® head screws	920TX
XZN	= for XZN® screws	920XZN
	Miscellaneous	
AS	= sizes in inches	42AS
BA	= spark-proof tools	42BA
BM	= bi-material handle	1150BM
C	= empty metal container	C25
INOX	= tools made of stainless steel	42 INOX
L	= long series	952L
MQ	= 1000V insulated tools	1150MQ
MP	= bright finish	42MP
R	= spare part	338R

The pictures are given by way of example.
Beta Utensili reserve the right to update and enhance their product range without notice.

Beta RECOMMENDS
using the tools correctly and complying with personal protection standards.

30
drift punches

Ø mm	L mm		
2	125	10	000300020
3	125	10	000300030
4	150	10	000300040
5	150	10	000300050
6	150	10	000300060

31
pin punches

Ø mm	L mm	L1 mm		
2	110	22	10	000310002
3	128	35	10	000310003
4	146	45	10	000310004
5	164	55	10	000310005
6	182	65	5	000310006
8	200	80	5	000310008
10	220	95	5	000310010

31/B6

31/SP6

31/B6 2-3-4-5-6-8 mm	1	000310020
42/BV6	1	000420051
31/SP6 2-3-4-5-6-8 mm	1	000310030
31/SPV	1	000310031

31BM
pin punches with handles

Ø mm	L mm	L1 mm		
2	168	42	2	000310402
3	180	52	2	000310403
4	191	62	2	000310404
5	200	72	2	000310405
6	221	82	2	000310406
8	235	94	2	000310408



31BM/S6 2-3-4-5-6-8 mm	1	000310421

31L
pin punches, long series

Ø mm	L mm	L1 mm		
4	175	80	5	000310104
5	175	80	5	000310105
6	175	80	5	000310106

31SE
punches for spring pins



Ø mm	D mm	L mm	L1 mm		
4	2,4	175	80	5	000310204
5	3,0	175	80	5	000310205
6	3,6	175	80	5	000310206

31/B6-LSE 31L: 4-5-6 mm 31SE: 4-5-6 mm	1	000310320
31/BV-LSE	1	000310022

32
centre punches

Ø mm	L mm	L1 mm		
3	100	44	10	000320100
4	125	52	10	000320125
5	150	62	10	000320150

32AU
automatic centre punches

Ø mm	L mm	L1 mm		
3	150	23	2	000320160

32AUR
spare tip for automatic centre punch

Ø mm		
3	5	000320170

34
flat chisels

L mm	A mm	L1 mm		
125	14,5	45	5	000340001
150	17,0	58	5	000340002
175	21,5	68	5	000340003

35
flat chisels, ribbed type

L mm	A mm		
100	14,5	5	000350001
125	17,0	5	000350002
150	20,5	5	000350003
200	23,0	5	000350004
250	28,5	2	000350005
300	34,0	2	000350006

35PM
flat chisels, ribbed type
with hand guards

L mm	A mm		
200	23,0	2	000350014
250	28,5	2	000350015
300	34,0	2	000350016

35PMR
spare hand guards

L mm		
200	1	000350024
250	1	000350025
300	1	000350026

36
cape chisels

L mm	A mm	L1 mm		
125	4	44	5	000360001
150	6	53	5	000360002

37

cape chisels, ribbed type

L mm	A mm	L1 mm		
150	6	45	5	000370001
200	8	55	3	000370002

37PM

cape chisel, ribbed type
with hand guard

L mm	A mm		
200	8	2	000370012

37PMR

spare hand guard

L mm		
200	1	000370022

38/B6 38/SP6

38/B6 30: 2-3 mm 32: 4 mm 34: 125-150 mm 36: 150 mm	1	000380006
42/BV6	1	000420051
38/SP6 30: 2-3 mm 32: 4 mm 34: 125-150 mm 36: 150 mm	1	000380009
38/SPV	1	000380019

42

combination wrenches,
open and offset ring ends

DIN 3113 UNI-ISO 7738

mm	L mm		
5,5x5,5	95	5	000420005
6x6	95	5	000420006
7x7	105	5	000420007
8x8	116	5	000420008
9x9	127	5	000420009
10x10	137	5	000420010
11x11	148	5	000420011
12x12	158	5	000420012
13x13	169	5	000420013
14x14	180	5	000420014
15x15	190	5	000420015
16x16	201	5	000420016
17x17	212	5	000420017
18x18	222	5	000420018
19x19	233	5	000420019
20x20	243	3	000420020
21x21	254	3	000420021
22x22	264	3	000420022
23x23	275	3	000420023
24x24	285	3	000420024
25x25	296	2	000420025
26x26	307	2	000420026
27x27	317	2	000420027
28x28	328	2	000420028
29x29	338	2	000420029
30x30	349	2	000420030
32x32	370	2	000420032
34x34	391	1	000420034
35x35	412	1	000420035
36x36	412	1	000420036
38x38	433	1	000420038
41x41	465	1	000420041

42/B6 6-7-8-10-11-13 mm	1	000420049
42/BV6	1	000420051
42/B9 6-7-8-10-11-13-14-17-19 mm	1	000420064
42/BV9	1	000420056

42/S15 6-7-8-10-11-12-13-14 17-19-22-24-27-30-32 mm	1	000420066
42/S17 6-7-8-9-10-11-12-13-14-15 16-17-18-19-20-21-22 mm	1	000420065
42/S26 6-7-8-9-10-11-12-13-14 15-16-17-18-19-20-21 22-23-24-25-26-27-28 29-30-32 mm	1	000420070

42/SC9I-E

set of 9 combination wrenches, open and offset ring ends, with compact support

42/SC9I 8-10-11-12-13-14-15-17-19 mm	1	000420087
42/SCV9I	1	000420103
42/SC9E 8-10-11-12-13-16-17-18-19 mm	1	000420088
42/SCV9E	1	000420104

42/SP17 6-7-8-9-10-11-12-13-14-15 16-17-18-19-20-21-22 mm	1	000420075
42/SPV1	1	000420080
42/SP25 6-7-8-9-10-11-12-13-14 15-16-17-18-19-20-21 22-23-24-25-26-27-28 30-32 mm	1	000420085
42/SPV2	1	000420090

42/SP15



42/SPV...

42/SP15 6-7-8-9-10-11-12-13-14-15 16-17-19-22-24 mm	1	000420078
42/SPV7 42: 8-10-11-13-14-17-19 mm 55: 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm	1	000420097
42/SPV11 42MP: 8-9-10-11-12-13 14-15-16-17-19 mm 142-142SN: 8-9-10-11-12-13 14-15-16-17-19 mm	1	000420100
42/SPV15 42: 6-7-8-9-10-11-12-13-14 15-16-17-19-22-24 mm	1	000420102

42AS

combination wrenches,
open and offset ring ends

"	L mm		
1/4x1/4	95	2	000420106
5/16x5/16	116	2	000420108
3/8x3/8	137	2	000420110
7/16x7/16	148	2	000420111
1/2x1/2	169	2	000420113
9/16x9/16	180	2	000420114
5/8x5/8	201	2	000420116
11/16x11/16	212	2	000420117
3/4x3/4	233	2	000420119
13/16x13/16	254	2	000420121
7/8x7/8	264	2	000420122
15/16x15/16	285	2	000420124
1x1	296	2	000420125
1.1/16x1.1/16	317	2	000420127
1.1/8x1.1/8	338	2	000420129
1.1/4x1.1/4	370	2	000420132
1.5/16x1.5/16	391	1	000420133
1.3/8x1.3/8	412	1	000420135
1.7/16x1.7/16	412	1	000420136
1.1/2x1.1/2	433	1	000420138

42AS/B9 1 000420155
1/4-5/16-3/8-7/16-1/2
9/16-5/8-11/16-3/4

42AS/13 1 000420163
1/4-5/16-3/8-7/16-1/2-9/16-5/8
11/16-3/4-13/16-7/8-15/16-1

42MP

combination wrenches, open and offset
ring ends, bright chrome-plated

DIN 3113 UNI-ISO 7738

mm	L mm		
6x6	95	5	000420606
7x7	105	5	000420607
8x8	116	5	000420608
9x9	127	5	000420609
10x10	137	5	000420610
11x11	148	5	000420611
12x12	158	5	000420612
13x13	169	5	000420613
14x14	180	5	000420614
15x15	190	5	000420615
16x16	201	5	000420616
17x17	212	5	000420617
18x18	222	5	000420618
19x19	233	5	000420619
20x20	243	3	000420620
21x21	254	3	000420621
22x22	264	3	000420622
24x24	285	3	000420624
27x27	317	3	000420627
30x30	349	3	000420630
32x32	370	3	000420632

42MP/B9 1 000420651
6-7-8-10-11-13-14-17-19 mm
42/BV9 1 000420056



42MP/S17 1 000420652
6-7-8-9-10-11-12-13-14-15
16-17-18-19-20-21-22 mm
42MP/S21 1 000420653
6-7-8-9-10-11-12-13-14
15-16-17-18-19-20-21-22
24-27-30-32 mm

42LMP

combination wrenches, open and offset
ring ends, long series, bright chrome-plated

mm	L mm		
8x8	148	2	000420508
9x9	167	2	000420509
10x10	172	2	000420510
11x11	186	2	000420511
12x12	197	2	000420512
13x13	207	2	000420513
14x14	223	2	000420514
15x15	233	2	000420515
16x16	243	2	000420516
17x17	261	2	000420517
18x18	270	2	000420518
19x19	280	2	000420519
21x21	301	2	000420521
22x22	318	2	000420522
24x24	338	2	000420524
27x27	376	2	000420527
30x30	394	2	000420530
32x32	435	2	000420532

42LMP/S14 1 000420551
8-9-10-11-12-13-14
15-16-17-18-19-21-22 mm
42LMP/S18 1 000420552
8-9-10-11-12-13-14
15-16-17-18-19-21-22
24-27-30-32 mm

45

combination wrenches,
open and offset ring ends, heavy series

DIN 3113 UNI-ISO 7738

mm	L mm		
46x46	520	1	000450046
50x50	560	1	000450050
55x55	610	1	000450055
60x60	660	1	000450060
65x65	710	1	000450065
70x70	760	1	000450070
75x75	810	1	000450075
80x80	860	1	000450080

52

single open end wrenches

UNI 6733 DIN 3114

mm	L mm		
10	119	5	000520010
11	119	5	000520011
12	119	5	000520012
13	145	5	000520013
14	145	5	000520014
15	145	5	000520015
16	159	5	000520016
17	159	5	000520017
18	159	5	000520018
19	175	5	000520019
20	175	5	000520020
21	175	5	000520021
22	196	2	000520022
23	196	2	000520023
24	196	2	000520024
25	215	2	000520025
26	215	2	000520026
27	215	2	000520027
28	240	2	000520028
30	240	2	000520030
32	270	2	000520032
34	270	1	000520034
35	295	1	000520035
36	295	1	000520036
38	295	1	000520038
40	335	1	000520040
41	335	1	000520041
42	335	1	000520042
45	370	1	000520045
46	370	1	000520046
48	370	1	000520048
50	415	1	000520050
52	415	1	000520052
55	415	1	000520055
60	490	1	000520060
65	490	1	000520065
70	490	1	000520070

53

single open end wrenches DIN 894

mm	L mm		
36	317	1	000530036
38	320	1	000530038
41	342	1	000530041
46	396	1	000530046
50	412	1	000530050
55	457	1	000530055
60	492	1	000530060
65	528	1	000530065
70	572	1	000530070
75	608	1	000530075
80	645	1	000530080
85	690	1	000530085
90	690	1	000530090
95	847	1	000530095
100	847	1	000530100
105	1000	1	000530105
110	1000	1	000530110
115	1000	1	000530115
120	1000	1	000530120
125	1000	1	000530125
130	1000	1	000530130
135	1000	1	000530135

55

double open end wrenches

UNI-ISO 10102 DIN 3110

mm	L mm		
4x5	101	5	000550003
5x5,5	101	5	000550006
5,5x7	120	5	000550009
• **6x7**	120	5	000550012
7x8	140	5	000550018
• **8x9**	140	5	000550021
8x10	140	5	000550024
• **10x11**	155	5	000550030
10x12	155	5	000550033
10x13	170	5	000550035
• **12x13**	170	5	000550042
12x14	170	5	000550045
13x14	185	5	000550047
13x17	189	5	000550051
• **14x15**	185	5	000550054
14x17	189	5	000550057
• **16x17**	202	5	000550060
17x19	220	2	000550063
• **18x19**	220	2	000550066
19x22	236	2	000550069
• **20x22**	236	2	000550075
• **21x23**	245	2	000550078
22x24	245	2	000550081
• **24x26**	262	2	000550087
24x27	262	2	000550090
• **25x28**	272	2	000550096
• **27x29**	284	2	000550099
27x30	284	2	000550102
27x32	297	2	000550105
• **30x32**	297	2	000550108
32x36	325	1	000550114
34x36	325	1	000550117
35x38	375	1	000550120
36x41	375	1	000550123
41x46	425	1	000550129
46x50	475	1	000550132
50x55	500	1	000550135
55x60	500	1	000550138

55/B6 6x7-8x9-10x11-12x13 14x15-16x17 mm	1	000550150
55/BV6	1	000550151
55/B8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000550158
55/BV8	1	000550159
55/B12 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	1	000550162
55/BV12	1	000550163

55/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000550174
55/S12 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	1	000550178
55/S12X 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x27 25x28-30x32 mm	1	000550179
55/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000550182

55/SP7

55/SP13

55/SP7 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm	1	000550167
42/SPV7 42: 8-10-11-13-14-17-19 mm 55: 6x7-8x9-10x11-12x13 14x15-16x17-18x19 mm	1	000420097
55/SP13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000550186
55/SPV	1	000550190

55AS

double open end wrenches

"	L mm		
1/4x9/32	120	2	000550203
1/4x5/16	120	2	000550206
5/16x11/32	140	2	000550209
5/16x3/8	140	2	000550212
3/8x7/16	155	2	000550215
7/16x1/2	170	2	000550218
1/2x9/16	170	2	000550221
9/16x5/8	185	2	000550224
19/32x11/16	189	2	000550227
5/8x11/16	202	2	000550230
5/8x3/4	202	2	000550233
11/16x13/16	220	2	000550242
3/4x7/8	236	2	000550245
25/32x13/16	236	2	000550244
7/8x15/16	245	2	000550251
15/16x1	262	1	000550257
1x1.1/8	272	1	000550259
1.1/16x1.1/4	284	1	000550267
1.1/8x1.5/16	297	1	000550266
1.5/16x1.1/2	325	1	000550269
1.3/8x1.1/2	375	1	000550272
1.7/16x1.5/8	375	1	000550275



55AS/5 5/16x11/32-3/8x7/16 1/2x9/16-5/8x11/16 3/4x7/8	1	000550290
55AS/7 5/16x11/32-3/8x7/16 1/2x9/16-5/8x3/4 11/16x13/16 7/8x15/16-1.1/8x1.5/16	1	000550295
55AS/11 1/4x9/32-5/16x11/32 3/8x7/16-1/2x9/16 19/32x11/16-5/8x3/4 25/32x13/16-7/8x15/16 1x1.1/8-1.1/16x1.1/4 1.1/8x1.5/16	1	000550300

55MP

double open end wrenches,
bright chrome-plated

UNI-ISO 10102 DIN 3110

mm	L mm		
6x7	120	2	000550603
8x9	140	2	000550606
10x11	155	2	000550609
12x13	170	2	000550612
14x15	185	2	000550615
16x17	202	2	000550618
18x19	220	2	000550621
20x22	236	2	000550624
21x23	245	2	000550627
24x26	262	1	000550630
25x28	272	1	000550633
27x29	284	1	000550636
30x32	297	1	000550639



55MP/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000550650
55MP/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000550651

58

open end slogging wrenches

DIN 133

mm	L mm		
24	177	1	000580024
27	180	1	000580027
30	190	1	000580030
32	190	1	000580032
36	215	1	000580036
41	235	1	000580041
46	255	1	000580046
50	275	1	000580050
55	300	1	000580055
60	320	1	000580060
65	342	1	000580065
70	375	1	000580070
75	375	1	000580075
80	408	1	000580080
85	408	1	000580085
90	445	1	000580090
95	445	1	000580095
100	485	1	000580100
105	485	1	000580105
110	510	1	000580110
115	510	1	000580115
120	545	1	000580120
125	545	1	000580125
130	575	1	000580130
135	575	1	000580135
★**140**	575	1	000580140
★**145**	640	1	000580145
★**150**	640	1	000580150
★**155**	640	1	000580155
★**160**	640	1	000580160
★**165**	715	1	000580165
★**170**	715	1	000580170
★**175**	715	1	000580175
★**180**	715	1	000580180
★**185**	715	1	000580185
★**190**	800	1	000580190
★**195**	800	1	000580195
★**200**	800	1	000580200
★**210**	800	1	000580210
★**220**	800	1	000580220
★**230**	800	1	000580230

73

small double open end wrenches

UNI 6737

mm	L mm		
4x4	78	5	000730040
4,5x4,5	78	5	000730045
5x5	78	5	000730050
5,5x5,5	86	5	000730055
6x6	86	5	000730060
7x7	86	5	000730070
8x8	97	5	000730080
9x9	97	5	000730090
10x10	108	5	000730100
11x11	108	5	000730110
12x12	124	5	000730120
13x13	124	5	000730130
14x14	124	5	000730140

73/B13 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	1	000730200
73/BV	1	000730201

73/S13 4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm	1	000730210

78

ring slogging wrenches

DIN 7444

mm	L mm		
24	162	1	000780024
27	180	1	000780027
30	190	1	000780030
32	190	1	000780032
36	205	1	000780036
41	225	1	000780041
46	235	1	000780046
50	250	1	000780050
55	265	1	000780055
60	275	1	000780060
65	295	1	000780065
70	325	1	000780070
75	325	1	000780075
80	350	1	000780080
85	350	1	000780085
90	390	1	000780090
95	390	1	000780095
100	420	1	000780100
105	420	1	000780105
110	450	1	000780110
115	450	1	000780115

mm	L mm		
120	490	1	000780120
125	480	1	000780125
130	520	1	000780130
135	520	1	000780135
★**140**	520	1	000780140
★**145**	580	1	000780145
★**150**	580	1	000780150
★**155**	580	1	000780155
★**160**	650	1	000780160
★**165**	650	1	000780165
★**170**	650	1	000780170
★**175**	650	1	000780175
★**180**	650	1	000780180
★**185**	695	1	000780185
★**190**	695	1	000780190
★**195**	695	1	000780195
★**200**	695	1	000780200
★**210**	740	1	000780210
★**215**	740	1	000780215
★**220**	740	1	000780220
★**230**	740	1	000780230

78AS

ring slogging wrenches

"	L mm		
★**1.1/4**	197	1	000780332
★**1.5/16**	197	1	000780333
★**1.3/8**	223	1	000780335
★**1.7/16**	223	1	000780336
★**1.1/2**	223	1	000780338
★**1.5/8**	223	1	000780341
★**1.11/16**	225	1	000780343
★**1.13/16**	240	1	000780346
★**1.7/8**	250	1	000780348
★**2**	250	1	000780350
★**2.1/16**	250	1	000780352
★**2.3/16**	275	1	000780355
★**2.3/8**	270	1	000780360
★**2.9/16**	302	1	000780365
★**2.3/4**	350	1	000780370
★**2.15/16**	350	1	000780375
★**3.1/8**	354	1	000780380

80

double swivel end socket wrenches

mm	L mm		
6x7	170	3	000800006
8x9	176	3	000800008
8x10	179	3	000800009
10x11	182	3	000800010
12x13	228	3	000800012
14x15	232	3	000800014
13x17	231	3	000800015
16x17	234	2	000800016
18x19	285	2	000800018
19x22	287	2	000800019
20x22	289	2	000800020
21x23	289	2	000800021
24x27	405	2	000800024
30x32	413	2	000800030



80/S8 6x7-8x9-10x11-12x13-14x15 16x17-18x19-20x22 mm	1	000800051
80/S11 6x7-8x9-10x11-12x13 14x15-16x17-18x19-20x22 21x23-24x27-30x32 mm	1	000800056

83

half-moon ring wrenches

ISO 3318

mm	L mm		
8x10	126	3	000830008
10x12	137	3	000830010
11x13	138	3	000830011
14x17	183	3	000830014
15x17	184	2	000830015
16x18	196	2	000830016
19x22	231	2	000830019

83/S3 11x13-14x17-19x22 mm	1	000830081
83/S5 10x12-11x13-15x17 16x18-19x22 mm	1	000830085

83AS

half-moon ring wrenches

"	L mm		
7/16x1/2	138	2	000830111
9/16x5/8	183	2	000830114
3/4x7/8	230	2	000830119

83AS/3 7/16x1/2-9/16x5/8 3/4x7/8	1	000830181

90

double ended deep offset ring wrenches

UNI 6740 DIN 838 ISO 10104

mm	L mm		
6x7	165	5	000900006
8x9	180	5	000900012
8x10	180	5	000900015
10x11	195	5	000900018
10x12	195	5	000900021
11x13	215	5	000900024
12x13	215	5	000900027
12x14	215	5	000900030
14x15	230	5	000900033
14x17	250	5	000900036
16x17	250	5	000900039
17x19	265	5	000900042
18x19	265	5	000900045
19x22	285	3	000900048
20x22	285	3	000900051
21x23	305	2	000900057
22x24	305	2	000900060
24x26	325	2	000900063
24x27	325	2	000900067
25x28	340	2	000900070
27x29	355	2	000900073
27x30	355	2	000900076
27x32	375	2	000900078
30x32	375	2	000900080
32x36	395	1	000900088
34x36	415	1	000900089
35x38	415	1	000900091
36x41	435	1	000900094
41x46	460	1	000900097
46x50	500	1	000900100

90/B8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000900154
90/BV8	1	000900155

90/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm	1	000900162
90/S12 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	1	000900166
90/S12X 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x27 25x28-30x32 mm	1	000900167
90/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000900170

90/SP13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	000900174
55/SPV	1	000550190

90AS

double ended deep offset ring wrenches

"	L mm		
1/4x5/16	165	2	000900203
5/16x11/32	180	2	000900206
5/16x3/8	180	2	000900209
3/8x7/16	195	2	000900212
7/16x1/2	215	2	000900215
1/2x9/16	230	2	000900218
9/16x5/8	230	2	000900221
5/8x11/16	250	2	000900224
5/8x3/4	265	2	000900227
11/16x3/4	265	1	000900230
11/16x13/16	265	1	000900233
3/4x7/8	285	1	000900237
13/16x7/8	285	1	000900240
7/8x15/16	305	1	000900243
15/16x1	325	1	000900252
1.1/16x1.1/4	375	1	000900258
1.1/8x1.5/16	375	1	000900261

90AS/8 1/4x5/16-5/16x11/32 3/8x7/16-1/2x9/16 5/8x11/16-11/16x3/4 13/16x7/8-15/16x1	1	000900298
90AS/10 1/4x5/16-5/16x11/32 3/8x7/16-1/2x9/16 5/8x11/16-11/16x3/4 13/16x7/8-15/16x1 1.1/16x1.1/4-1.1/8x1.5/16	1	000900300

91
heavy duty offset ring wrenches

mm	Ø mm		
24	38	1	000910024
27	41	1	000910027
30	48	1	000910030
32	49	1	000910032
36	54	1	000910036
41	62	1	000910041
46	69	1	000910046
50	76	1	000910050
55	81	1	000910055
60	90	1	000910060
65	98	1	000910065
70	105	1	000910070
75	110	1	000910075
80	125	1	000910080
85	125	1	000910085
90	140	1	000910090
95	140	1	000910095
100	143	1	000910100
105	146	1	000910105

92
tubes for item 91

	L mm	91 mm	Ø mm		
92/1	460	24÷30	19	1	000920010
92/2	610	32÷41	22	1	000920020
92/3	760	46÷55	25	1	000920030
92/4	860	60÷105	30	1	000920040

93
double-ended offset ring wrench
for scaffolding bolts

mm	L mm		
21x22	310	3	000930021

93C
ratcheting double-ended offset ring wrenches
for scaffolding bolts

mm	L mm		
17x19	315	1	000930117
19x22	315	1	000930119
19x24	360	1	000930120
21x22	315	1	000930121

94
flare nut open ring wrenches

DIN 3118

mm	L mm		
○**8x10**	140	2	000940008
○**9x11**	153	2	000940009
○**10x11**	153	2	000940010
○**11x13**	175	2	000940011
○**12x14**	175	2	000940012
14x15	175	2	000940014
14x17	195	2	000940015
17x19	212	2	000940017
19x22	228	2	000940019
22x24	242	2	000940022
24x27	260	2	000940024
30x32	300	2	000940030
36x41	320	1	000940036

94/S6 8x10-10x11-11x13-12x14 17x19-19x22 mm		1	000940050
94/S10 8x10-9x11-10x11-11x13 12x14-17x19-19x22 22x24-24x27-30x32 mm		1	000940052

95
double ended flat ring wrenches

DIN 837 ISO 10103

mm	L mm		
6x7	120	3	000950161
8x9	135	3	000950162
10x11	150	3	000950163
12x13	165	3	000950164
14x15	185	3	000950165
16x17	210	3	000950166
17x19	225	3	000950167
18x19	225	2	000950168
20x22	240	2	000950169
21x23	255	2	000950170
24x26	270	2	000950171
25x28	285	2	000950172
27x29	315	2	000950173
30x32	335	2	000950174

95/S8 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22 mm		1	000950177
95/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm		1	000950179

95FTX
double-ended straight wrenches,
for Torx® head screws

⌬	L mm		
E6xE8	115	2	000950306
E10xE12	143	2	000950310
E14xE18	177	2	000950314
E20xE24	224	2	000950320



95FTX/S4 E6xE8-E10xE12 E14xE18-E20xE24		1	000950325

96

offset hexagon key wrenches
chrome-plated

mm	L mm	L1 mm		
1,5	45	15	20	000960015
2	50	17	20	000960020
2,5	57	20	20	000960025
3	64	22	20	000960030
3,5	68	25	20	000960035
4	72	28	20	000960040
4,5	78	30	20	000960045
5	83	32	20	000960050
6	94	37	20	000960060
7	99	40	10	000960070
8	105	43	10	000960080
9	111	46	10	000960090
10	119	49	10	000960100
11	126	52	10	000960110
12	134	56	10	000960120
13	142	62	10	000960130
14	151	69	10	000960140
16	165	75	5	000960160
17	174	79	5	000960170
19	196	88	5	000960190
22	216	100	3	000960220
24	242	112	1	000960240
27	271	125	1	000960270
30	309	140	1	000960300
32	341	155	1	000960312
36	385	174	1	000960316

96/ST6 3 000960370
2,5-3-4-5-6-8 mm

96/BGS7 1 000960367
1,5-2-2,5-3-4-5-6 mm

96/BG7 1 000960368
2,5-3-4-5-6-8-10 mm

96/B8 5 000960386
2-2,5-3-4-5-6-8-10 mm
96/B10 5 000960380
1,5-2-2,5-3-4-5-6-8-10-12 mm
96N/BV 1 000960651

96/SC9 1 000960374
1,5-2-2,5-3-4-5-6-8-10 mm
96/SCV 1 000960985

96/SC12 1 000960395
2-2,5-3-3,5-4-4,5-5
6-7-8-9-10 mm
96/SCV12 1 000960975

96N

offset hexagon key wrenches,
burnished

mm	L mm	L1 mm		
0,9	32	10	20	000960409
1,3	44	12	20	000960413
1,5	46	15	20	000960415
2	51	17	20	000960420
2,5	57	20	20	000960425
3	64	22	20	000960430
3,5	68	25	20	000960435
4	72	28	20	000960440
4,5	78	30	20	000960445
5	83	32	20	000960450
6	94	37	20	000960460
7	99	40	10	000960470
8	105	43	10	000960480
9	111	46	10	000960490
10	119	49	10	000960500
11	126	52	10	000960510
12	134	56	10	000960520
13	142	62	10	000960530
14	151	69	10	000960540
16	165	72	5	000960560
17	174	79	5	000960570
19	194	88	5	000960590

96N/ST6 3 000960640
2,5-3-4-5-6-8 mm

96N/G7 3 000960645
2,5-3-4-5-6-8-10 mm
96N/G7A 3 000960643
1,5-2-2,5-3-4-5-6 mm

96N/B10 5 000960650
1,5-2-2,5-3-4-5-6
8-10-12 mm
96N/BV 1 000960651

96N/SC9 1 000960644
1,5-2-2,5-3-4-5-6-8-10 mm
96N/SCV 1 000960986

96N/SC12 1 000960661
2-2,5-3-3,5-4-4,5-5
6-7-8-9-10 mm
96N/SCV12 1 000960976

96AS

offset hexagon key wrenches, burnished

"	L mm	L1 mm			
1/30	44	14	20	000960698
1/20	44	15	20	000960701
1/16	46	16	20	000960702
5/64	50	18	20	000960704
3/32	53	19	20	000960706
7/64	57	21	20	000960708
1/8	60	22	20	000960710
9/64	64	24	20	000960712
5/32	68	25	20	000960714
3/16	75	29	20	000960716
7/32	82	32	20	000960718
1/4	89	35	20	000960720
5/16	103	40	10	000960724
3/8	117	44	10	000960728
7/16	132	49	10	000960730
1/2	149	54	10	000960732

96AS/T7 3 000960740
3/32-1/8-5/32
3/16-7/32-1/4-5/16

96AS/G7 **19** 3 000960745
3/32-1/8-5/32
3/16-1/4-5/16-3/8

96AS/BG7 1 000960747
3/32-1/8-5/32-3/16
1/4-5/16-3/8

96AS/B11 1 000960749
1/20-1/16-5/64-3/32
1/8-5/32-3/16-7/32
1/4-5/16-3/8

96N/BV 1 000960651

96LC

offset hexagon key wrenches, long series, chrome-plated

mm	L mm	L1 mm		
2	101	17	20	000960320
2,5	113	20	20	000960321
3	127	22	20	000960322
3,5	138	25	20	000960323
4	142	28	20	000960324
4,5	154	28	20	000960325
5	163	32	20	000960326
6	184	37	20	000960327
7	194	40	10	000960328
8	205	43	10	000960329
9	216	46	10	000960330
10	231	49	10	000960331
12	259	56	10	000960332

96LC/SC8 1 000960334
2-2,5-3-4-5-6-8-10 mm
96LC/SCV 1 000960983

96LC/SC12 1 000960337
2-2,5-3-3,5-4-4,5-5
6-7-8-9-10 mm
96LC/SCV12 1 000960977

96L

offset hexagon key wrenches, long series, burnished

mm	L mm	L1 mm		
2	99	15	20	000960820
2,5	110	17	20	000960825
3	124	19	20	000960830
3,5	135	21	20	000960835
4	138	24	20	000960840
4,5	150	25	20	000960845
5	158	27	20	000960850
6	178	31	20	000960860
7	187	33	10	000960870
8	197	35	10	000960880
9	207	37	10	000960890
10	221	39	10	000960900
12	247	44	10	000960920

96L/SC8 1 000960924
2-2,5-3-4-5-6-8-10 mm
96L/SCV 1 000960987

96L/SC12 1 000960929
2-2,5-3-3,5-4-4,5-5
6-7-8-9-10 mm
96L/SCV12 1 000960978

96BPC

ball head offset hexagon key wrenches chrome-plated



mm	L mm	L1 mm		
1,5	79	13	10	000960340
2	84	15	10	000960341
2,5	89	17	10	000960342
3	99	19	10	000960343
4	108	24	10	000960344
5	126	27	10	000960345
6	148	31	10	000960346
7	157	33	5	000960353
8	168	35	5	000960347
10	187	39	5	000960348

96BPC/SC9 1 000960354
1,5-2-2,5-3-4-5-6-8-10 mm
96BPC/SCV 1 000960984

96BP

ball head offset hexagon key wrenches
burnished



mm	L mm	L1 mm		
1,5	79	13	10	000960960
2	84	15	10	000960961
2,5	89	17	10	000960962
3	99	19	10	000960963
4	108	24	10	000960965
5	126	27	10	000960967
6	148	31	10	000960968
8	168	35	5	000960970
10	187	39	5	000960972

96BP/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	1	000960974
96BP/SCV	1	000960988

96LBP

ball head offset hexagon key wrenches,
extra-long model



mm	L mm	L1 mm		
1,5	90	15	5	000961340
2	100	17	5	000961341
2,5	112	20	5	000961342
3	127	22	5	000961343
4	144	27	5	000961344
5	163	32	5	000961345
6	184	37	5	000961346
8	204	44	2	000961348
10	230	49	2	000961350

96LBP/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	1	000961354
96 LBP/SCV	1	000961984

96BP/AS

ball head offset hexagon wrenches
burnished



"	L mm	L1 mm		
3/32	89	17	10	000960989
1/8	98	18	10	000960990
5/32	108	24	10	000960991
3/16	126	26	10	000960992
7/32	139	28	10	000960993
1/4	152	31	10	000960994
5/16	168	34	5	000960995
3/8	190	39	5	000960996

96BP/AS8 3/32-1/8-5/32-3/16-7/32 1/4-5/16-3/8	1	000960997
96BP/ASBV	1	000960998

96BPA

ball head offset hexagon key wrenches, 110°,
extra-short side model

mm	L mm	L1 mm		
1,5	71	9	5	000961960
2	86	11	5	000961961
2,5	96	13	5	000961962
3	104	15	5	000961963
4	116	17	5	000961964
5	132	19	5	000961965
6	155	21	5	000961966
8	176	24	2	000961968
10	200	27	2	000961970

96BPA/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	1	000961974
96BPA/SCV	1	000961988

96T

offset hexagon key wrenches,
with high torque handles



mm	L mm	L1 mm		
2	139	52	5	000960934
2,5	153	55	5	000960935
3	153	55	5	000960936
3,5	179	70	5	000960937
4	179	70	5	000960938
4,5	200	84	5	000960939
5	200	84	5	000960940
6	221	103	5	000960941
7	236	106	3	000960942
8	255	117	3	000960943
10	285	132	3	000960945

96T/S6 2-2,5-3-4-5-6 mm	1	000960952
96T/S11 2-2,5-3-3,5-4-4,5-5-6-7-8-10 mm	1	000960951

96T/SP11 2-2,5-3-3,5-4-4,5-5 6-7-8-10 mm	1	000960957
96T/SPV	1	000960958

96T/AS

offset hexagon key wrenches,
with high torque handles



"	L mm	L1 mm		
3/32	153	55	2	000960669
7/64	153	55	2	000960670
1/8	179	70	2	000960671
9/64	179	70	2	000960672
5/32	200	84	2	000960673
3/16	200	84	2	000960674
7/32	221	103	2	000960675
1/4	236	106	2	000960676
5/16	255	117	2	000960678
3/8	285	132	2	000960680

96TAS/10 3/32-7/64-1/8-9/64-5/32 3/16-7/32-1/4-5/16-3/8	1	000960683

96TBP

ball head offset hexagon key wrenches
with high torque handles

mm	L mm	L1 mm		
2,5	153	55	3	000960685
3	153	55	3	000960686
4	179	70	3	000960687
5	200	84	3	000960688
6	221	103	3	000960689
8	255	117	2	000960690

96TBP/S6 2,5-3-4-5-6-8 mm	1	000960694

97TX

offset key wrenches,
for Torx® head screws

	L mm	L1 mm		
T6	42	16	5	000970006
T7	48	16	5	000970007
T8	48	16	5	000970008
T9	48	16	5	000970009
T10	51	17	5	000970010
T15	54	18	5	000970015
T20	57	19	5	000970020
T25	60	20	5	000970025
T27	64	21	5	000970027
T30	70	24	5	000970030
T40	76	26	5	000970040
T45	83	29	5	000970045
T50	95	32	5	000970050
T55	108	35	5	000970055
T60	120	38	5	000970060

97TX/ST8 T9-T10-T15-T20-T25 T27-T30-T40	1	000970640

97TX/G8 T9-T10-T15-T20-T25 T27-T30-T40	1	000970645

97TX/BG8 T9-T10-T15-T20-T25-T27-T30-T40	1	000970368

97TX/SC8 T9-T10-T15-T20-T25 T27-T30-T40	1	000970064
97TX/SCV	1	000970985

97TX/B13 T6-T7-T8-T9-T10-T15-T20 T25-T27-T30-T40-T45-T50	1	000970650
96N/BV	1	000960651

97BTX

ball head offset key wrenches,
for Torx® head screws



	L mm	L1 mm		
T9	80	16	5	000970109
T10	86	17	5	000970110
T15	90	18	5	000970115

	L mm	L1 mm		
T20	95	19	5	000970120
T25	100	20	5	000970125
T27	105	21	5	000970127
T30	114	24	5	000970130
T40	124	26	5	000970140
T45	133	28	5	000970145
T50	152	32	3	000970150
T55	164	35	3	000970155

97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40	1	000970164
97BTX/SCV	1	000970983

97BTX/B8 T9-T10-T15-T20-T25 T27-T30-T40	1	000970159
96N/BV	1	000960651

97RTX

offset key wrenches
for Tamper Resistant Torx® head screws

	L mm	L1 mm		
T9	56	16	5	000970209
T10	62	17	5	000970210
T15	72	17	5	000970215
T20	83	18	5	000970220
T25	90	18	5	000970225
T27	100	20	5	000970227
T30	105	24	5	000970230
T40	112	26	5	000970240

97RTX/SC8 T9-T10-T15-T20-T25 T27-T30-T40	1	000970263
97RTX/SCV	1	000970984

97RTX/B8 T9-T10-T15-T20-T25 T27-T30-T40	1	000970260
96N/BV	1	000960651

97TTX

offset key wrenches with handles
for Torx® head screws



	L mm	L1 mm		
T6	130	52	3	000970706
T7	130	52	3	000970707
T8	139	52	3	000970708
T9	139	52	3	000970709
T10	179	70	3	000970710
T15	179	70	3	000970715
T20	179	70	3	000970720
T25	179	70	3	000970725
T27	200	84	3	000970727
T30	200	84	3	000970730
T40	221	103	3	000970740
T45	236	106	2	000970745
T50	255	117	2	000970750

97TTX/D6 T10-T15-T20-T25-T30-T40	1	000970791
97TTX/S13 T6-T7-T8-T9-T10-T15-T20-T25 T27-T30-T40-T45-T50	1	000970813

97TTX/SP11 T8-T9-T10-T15-T20-T25 T27-T30-T40-T45-T50	1	000970840
96T/SPV	1	000960958

98XZN

offset key wrenches with XZN® profile

	L mm	L1 mm		
M5	72	25	5	000980005
M6	80	28	5	000980006
M8	90	32	5	000980008
M10	100	36	5	000980010
M12	112	40	5	000980012
M14	125	45	5	000980014
M16	140	55	5	000980016

98XZN/B5 M5-M6-M8-M10-M12	1	000980650
96N/BV	1	000960651

99

hook wrenches with square noses,
for ring nuts UNI/ISO 2982, 2983

UNI 6752

	A mm		
12-14	1,5	3	000990012
16-18-20	1,8	3	000990016
22-25-28	1,8	3	000990022
30-32	2,1	3	000990030
34-36-38	2,4	3	000990034
40-42	2,4	3	000990040
45-50	2,5	3	000990045
52-55-58	2,5	3	000990052
62-65	3,1	3	000990062
68-70-75	3,1	3	000990068
80-85-90	3,8	2	000990080
92-95	4,3	2	000990092
98-100	4,3	2	000990098
105-110-115	4,4	1	000990105
120-125-130	4,9	1	000990120
135-145	6,0	1	000990135
155-165	6,0	1	000990155

99SQ

hook wrenches with square noses
for ring nuts

	B mm		
15-35	2,7	2	000990215
35-50	3,5	2	000990235
50-80	4,7	2	000990250
80-120	6,2	2	000990280
120-180	7,8	2	000990290

99ST

hook wrenches with round noses
for ring nuts

	Ø mm	B mm		
15-35	3,0	2,5	2	000990315
35-50	4,0	4,5	2	000990335
50-80	5,0	5,0	2	000990350
80-120	6,0	7,0	2	000990380
120-180	8,0	9,0	2	000990390

99 VN/...

spare nose for item 99ST

99VN/15	15-35	1	000990295
99VN/35	35-50	1	000990296
99VN/50	50-80	1	000990297
99VN/80	80-120	1	000990298
99VN/120	120-180	1	000990299

100

round pin wrench for ring nuts
with front holes

	Ø mm	L mm	Ø min-max mm		
4,9-5,9	250	18÷100	1	001000001
6,9-7,9				

100/KIT

spare pins for item 100

100/KIT	1	001000010

111

adjustable wrenches with scales, chrome-plated

- **Right-hand rotation of pin**
- **With mm and inch scale**

DIN 3117 ISO 6787

	L mm	A max mm		
100	15	3	001110010
150	24	3	001110015
200	28	3	001110020
250	34	3	001110025
300	35	3	001110030
380	45	3	001110038
450	54	2	001110045
600	62	1	001110060

111N

adjustable wrenches with scales, phosphatized

- **Left-hand rotation of pin**
- **With mm and inch scale**

DIN 3117 ISO 6787

L mm	A max mm		
100	15	3	001110210
150	24	3	001110215
200	28	3	001110220
250	34	3	001110225
300	35	3	001110230
380	45	3	001110238
450	54	2	001110245

111G

adjustable wrenches with scales chrome-plated

- **Right-hand rotation of pin**
- **Mm and inch scale**
- **Ergonomic handle**

L mm	A max		
200	28	3	001110620
250	34	3	001110625
300	35	2	001110630

120

ratchet opening single ended bi-hex wrenches



mm	L mm		
10	135	1	001200010
11	135	1	001200011
12	135	1	001200012
13	135	1	001200013
14	135	1	001200014
17	185	1	001200017
19	185	1	001200019
22	230	1	001200022
24	230	1	001200024
27	230	1	001200027
30	320	1	001200030
32	320	1	001200032

120/B6 10-11-13 17-19-22 mm	1	001200050
120/BV	1	001200051

123E1/4

bit holder adaptor, 1/4", for 10 mm ratcheting wrenches

⬡ mm	L mm		
10	20,6	1	001230010

123Q1/4

quick release adaptor, 1/4", for 10 mm ratcheting wrenches



⬡ mm	L mm		
10	17,5	1	001230310

123Q3/8

quick release adaptor, 3/8", for 13 mm ratcheting wrenches

⬡ mm	L mm		
13	22,5	1	001230313

123Q1/2

quick release adaptor, 1/2", for 19 mm ratcheting wrenches



⬡ mm	L mm		
19	30,5	1	001230319

123/K4

kit with 4 adapters for ratchet wrenches:
1 bit adapter
3 quick release adapters

123/K4	1	001230504

142

reversible ratcheting combination wrenches

mm	L mm		
6x6	136	3	001420006
7x7	136	3	001420007
8x8	136	3	001420008
9x9	143	3	001420009
10x10	159	3	001420010
11x11	168	3	001420011
12x12	174	3	001420012
13x13	180	3	001420013
14x14	190	2	001420014
15x15	200	2	001420015
16x16	216	2	001420016
17x17	233	2	001420017
18x18	239	2	001420018
19x19	248	2	001420019
22x22	285	1	001420022
24x24	325	1	001420024
27x27	355	1	001420027
30x30	420	1	001420030
32x32	420	1	001420032

142/B6 8-10-13-14-17-19 mm	1	001420066
142/BV6	1	001420076
142/B9 8-10-11-12-13-14-15-17-19 mm	1	001420069
142/BV9	1	001420079

142/S15 6-7-8-9-10-11-12-13 14-15-16-17-18-19-22 mm	1	001420074
142/S19 6-7-8-9-10-11-12 13-14-15-16-17-18 19-22-24-27-30-32 mm	1	001420075

142/SC9I-E

set of 9 reversible ratcheting combination wrenches, with compact support

142/SC9I 8-10-11-12-13-14-15-17-19 mm	1	001420087
142/SCV9I	1	001420103
142/SC9E 8-10-11-12-13-16-17-18-19 mm	1	001420088
142/SCV9E	1	001420104

142AS

reversible ratcheting combination wrenches

"	L mm		
5/16x5/16	136	2	001420308
3/8x3/8	159	2	001420310
7/16x7/16	168	2	001420311
1/2x1/2	180	2	001420313
9/16x9/16	190	2	001420314
5/8x5/8	216	2	001420316
11/16x11/16	233	2	001420317
3/4x3/4	248	2	001420319

142AS/8 1 001420330
5/16-3/8-7/16-1/2
9/16-5/8-11/16-3/4

142C

ratcheting combination wrenches, straight short series

mm	L mm		
8x8	88	2	001420108
9x9	96	2	001420109
10x10	96	2	001420110
11x11	100	2	001420111
12x12	104	2	001420112
13x13	108	2	001420113
14x14	114	2	001420114
15x15	118	2	001420115
16x16	122	2	001420116
17x17	128	2	001420117
18x18	132	2	001420118
19x19	138	2	001420119

142C/A12 1 001420175
8-9-10-11-12-13-14
15-16-17-18-19 mm

142SN

swivel end ratcheting combination wrenches

mm	L mm		
7x7	136	2	001420207
8x8	136	2	001420208
9x9	143	2	001420209
10x10	160	2	001420210
11x11	168	2	001420211
12x12	174	2	001420212
13x13	180	2	001420213
14x14	193	2	001420214
15x15	200	2	001420215
16x16	216	2	001420216
17x17	233	2	001420217
18x18	239	2	001420218
19x19	250	2	001420219
22x22	285	1	001420222
24x24	325	1	001420224

142SN/S13 1 001420263
7-8-9-10-11-12-13-14
15-16-17-18-19 mm

188

ratcheting flat bi-hex ring wrenches for free alternator pulleys

mm	L mm		
10	240	2	001880010
15	322	2	001880015

192

reversible ratcheting double-ended flat bi-hex ring wrenches, 4 in1

mm	L mm		
8x10/12x13	160	1	001920008
16x17/18x19	230	1	001920016

192/S2 1 001920070
8x10/12x13
16x17/18x19 mm

194

reversible ratcheting wrench for bits

⬡	L mm		
1/4x5/16	128	2	001940006

195

ratcheting double-ended flat bi-hex ring wrenches

mm	L mm		
8x10	128	2	001950010
12x13	170	2	001950013
14x15	190	2	001950015
16x18	230	2	001950018
17x19	230	2	001950019

195/B5 1 001950066
8x10-12x13-14x15
16x18-17x19 mm

195/BV5 1 001950070

195AS

ratcheting double-ended flat bi-hex ring wrenches

mm	L mm		
5/16x3/8	128	2	001950606
7/16x1/2	170	2	001950611
9/16x5/8	190	2	001950614
11/16x3/4	230	2	001950617

195AS/B4 1 001950654
5/16x3/8 - 7/16x1/2 -
9/16x5/8 - 11/16x3/4

195P

reversible ratcheting double-ended offset bi-hex ring wrenches, bent at 15°

mm	L mm		
8x10	128	2	001950210
12x13	170	2	001950213
14x15	190	2	001950215
16x18	230	2	001950218
17x19	230	2	001950219

195P/B5 8x10-12x13-14x15 16x18-17x19 mm	1	001950266
195/BV5	1	001950070

195FTX

ratcheting double-ended flat bi-hex ring wrenches with Torx® head

	L mm		
E6xE8	128	2	001950406
E10xE12	170	2	001950410
E14xE18	190	2	001950414
E20xE24	230	2	001950420

195FTX/B4 E6xE8-E10xE12 E14xE18-E20xE24	1	001950501
195FTX/BV4	1	001950520

310

polywelder for PE, PP, PVC and PVDF pipes and fittings

CE

	Ø mm		
310/1	16÷50	1	003100001
310/2	16÷63	1	003100002

310B

forms for polywelder item 310

Ø mm		
16	1	003100016
20	1	003100020
25	1	003100025
32	1	003100032
40	1	003100040
50	1	003100050
63	1	003100063

310/C4

polywelder with assortment of 3 forms

310/C4 310/1+310B: Ø 20-25-32	1	003100104

410x260x82 mm - 4,8 kg

310/C8

polywelder with assortment of 7 forms

310/C8 310/2+310B: Ø 16-20-25 32-40-50-63	1	003100108

440x270x120 mm - 7,7 kg

311

heating plates for manual straight and slanted welding of PE, PP, PVC and PVDF pipes

CE



	Ø mm	Watt		
311/1	120	300	1	003110001
311/2	190	900	1	003110002

312A

gas welding handle

Ø	L mm		
M18x1	210	2	003120001

312B

gas welding handle with quick valve control lever

Ø	L mm		
M18x1	210	2	003120005

312F

fork burners

	A mm	L mm	kJ/h		
312F/40	40	240	24611	2	003120012

312G

kit with copper bit, wind guard and burner 22 mm in diameter

	L mm	kJ/h		
312G	180	9543	2	003120041

312G/RM

spare bits for item 312G

312G/RM	2	003120046

312G/RC

spare wind guard for item 312G

312G/RC		2	003120047

312BR

brass burners

Ø mm	L mm	kJ/h		
10	120	1306	2	003120051
15	160	7534	2	003120053
17	160	9041	2	003120055
20	200	25113	2	003120057

312BR/A

steel burners

Ø mm	L mm	kJ/h		
45	90	46208	2	003120145
60	110	175791	2	003120160
90	140	190859	2	003120190

312PC

curved extension bars

	L mm		
312PC/20	160	2	003120220
312PC/35	350	2	003120235
312PC/60	600	2	003120260
312PC/75	750	2	003120275

330

pipe cutters for steel gas pipes

	Ø mm - "	L mm		
330/2	10÷60 1/8"÷ 2"	380	1	003300002
330/4	60÷115 2"÷ 4"	585	1	003300004

330R/A

spare cutters for item 330 wheels for steel pipes

	Ø mm	S mm		
330R/A2	32	7	1	003300012
330R/A4	42	9	1	003300014

330R/I

spare cutter wheel for item 330 for stainless steel pipes



	Ø mm		
330R/I	32	1	003300024

331L

ratcheting pipe cutter for copper and light alloy pipes

Ø mm - "	L mm		
8÷29 5/16"÷1"1/8	180	1	003310008

332

mini pipe cutter for copper and light alloy pipes

Ø mm - "	L mm		
3÷16 1/8"÷5/8"	59	2	003320001

334

pipe cutter for copper and light alloy pipes

Ø mm - "	L mm		
3÷30 1/8"÷1"1/8	150	1	003340001

334R

spare cutter wheel for items 332 and 334 for copper and light alloy pipes



	Ø mm		
334R	18	1	003340021

334R/I

spare cutter wheel for items 332 and 334 for stainless steel pipes



	Ø mm		
334R/I	18	1	003340023

336

telescopic pipe cutter for copper and light alloy pipes

Ø mm - "	L mm		
6÷38 1/4"÷1"1/2	160	1	003360001

338

telescopic pipe cutter, fast advance
for copper, light alloys and plastic pipes

	Ø mm - "	L mm		
338	6÷67 1/4"÷2"5/8	290	1	003380001

338R

spare cutter wheel for items 336
and 338 for copper and light alloy pipes



	Ø mm		
338R	18,5	1	003380022

338R/I

spare cutter wheel for items 336
and 338 for stainless steel pipes



	Ø mm		
338R/I	21,8	1	003380023

338RP

spare cutter wheel for items 336
and 338 for plastic pipes



	Ø mm		
338RP	21,9	1	003380025

339A

telescopic pipe cutter, fast advance
for plastic pipes

	Ø mm - "	L mm		
339A	50÷127 2"÷ 5"	345	1	003390011

339A/R

spare cutter wheels for item 339A



	Ø mm		
339A/R	42	1	003390061

341

pipe cutting pliers for plastic pipes

	Ø mm	L mm		
341	0÷25	190	1	003410001

341RL

spare blade for item 341

341RL	1	003410010

341B

ratchet-type shears for plastic pipes

	Ø mm	L mm		
341B	0÷35	195	1	003410051

341B/RM

spare spring for item 341B

341B/RM	1	003410061

341B/RL

spare blade for item 341B

341B/RL	1	003410060

342

ratchet-type shears
for plastic pipes

	Ø mm - "	L mm		
342	0÷42 1"5/8	200	1	003420030

342MOL

spare spring for item 342

342MOL	1	003420033

342RL

spare blade for item 342

342RL	1	003420032

342A

ratchet-type shears for plastic pipes



	Ø mm - "	L mm		
342A	0÷50 2"	270	1	003420101

342A/MOL

spare spring for item 342A

342A/MOL	1	003420111

342A/RL

spare blade for item 342A

342A/RL	1	003420110

342P

ratchet-type shears for plastic pipes, made from magnesium alloy

Ø mm - "	L mm		
0÷50 2"	260	1	003420121

342P/RL

spare blade for item 342P

342P/RL	1	003420130

344

tube flaring pliers for lead pipes



L mm	Ø mm	Ø1 mm		
240	53	11	1	003440001

345

pipe reamer metal body



Ø mm - "	L mm		
3÷42 1/8"÷1"5/8	58	5	003450001

345U

pipe reamer for stainless steel, steel, copper and light alloys

Ø mm - "	L mm		
4÷36 5/32÷1"7/16	60	1	003450050

345SB

deburrer with revolving replacement blade

L mm		
150	5	003450010

345SB/R

spare blade for item 345SB

345SB/R	3	003450015

349

tube flaring tool with clutch, for copper and light alloy pipes

38"

Ø mm - "		
6-8-10-12-14-15-16-18 (1/8-3/16-1/4-5/16 3/8-1/2-5/8-3/4)	1	003490001

270x200x50 mm - 2,7 kg

349/SMM

metric slide for item 349

Ø mm		
6-8-10-12-14-15-16-18	1	003490011

349/SMAS

inch slide for item 349

Ø "		
1/8-3/16-1/4-5/16 3/8-1/2-5/8-3/4	1	003490012

350

tube flaring tool for copper and light alloy pipes

Ø mm	L mm	A mm		
4-4,75-6-8 10-12-14	175	104	1	003500001

351C

pipe cutter and tube flaring tool

351C	1	003510010

334	Ø 3÷30 mm (1/8"÷1"1/8)
350	Ø 4÷14 mm
351P	Ø 4-4,75-6-8-10-12-14 mm

225x150x45 mm - 1,6 kg

351P

inserts for tube flaring tool item 350

	Ø mm		
351P4	4	5	003510101
351P4,75	4,75	5	003510102
351P6	6	5	003510103
351P8	8	5	003510104
351P10	10	5	003510105
351P12	12	5	003510106
351P14	14	5	003510107

352

tube flaring tool for copper and light alloy pipes

Ø mm	A mm		
4,75-5-6-8-10-12-14	124	1	003520001

352C

pipe cutter and tube flaring tool

352R/S 003520049

352C		1	003520010

334 Ø 3÷30 mm (1/8"÷1"1/8)
352 Ø 4,75÷14 mm
352P Ø 4,75x0,7-5x0,7-6x0,7-8x0,7-10x0,7 mm
Ø 4,75x1-5x1-6x1-8x1-10x1 mm
352PR

418x160x59 mm - 3,3 kg

352PR

compressor for tube flaring tool item 352

352PR	5	003520050

352P

inserts for tube flaring tool item 352

	ØxS mm		
352P1/0,7	4,75x0,7	5	003520051
352P2/0,7	5x0,7	5	003520052
352P3/0,7	6x0,7	5	003520053
352P4/0,7	8x0,7	5	003520054
352P5/0,7	10x0,7	5	003520055
352P1/1	4,75x1,0	5	003520056
352P2/1	5x1,0	5	003520057
352P3/1	6x1,0	5	003520058
352P4/1	8x1,0	5	003520059
352P5/1	10x1,0	5	003520060

352U

adjustable tube flaring tool for copper and light alloy pipes

Ø mm - "	A mm		
5÷16	130	1	003520101
3/16÷5/8			

352C/U

pipe cutter, deburrer and adjustable tube flaring tool

352C/U		1	003520110

334 Ø 3÷30 mm (1/8"÷1"1/8)
345SB
352U Ø 5÷16 mm (3/16"÷5/8")

335x145x60 mm - 2120 g

353N

tube expanding pliers, with interchangeable forms

L mm		
380	1	003530201

353NM

forms for tube expanding pliers item 353N

Ø mm		
10	1	003530210
12	1	003530212
14	1	003530214
16	1	003530216
18	1	003530218
22	1	003530222

353N/C6

tube expanding pliers item 353N with forms item 353NM

353N/C6		1	003530300

353N
353NM Ø 10-12-14-16-18-22 mm

420x185x60 mm - 2,2 kg

355

combination spud wrench, five steps

1/2"

Ø "	L mm		
3/8"-1/2"	90	2	003550001
3/4"-1"			

357F3

three-vial spirit level



Ø "	L mm		
3/8" / 1/2"	90÷220	1	003570100

357R/F3

spare vials for item 357 F3, pair

357 R/F3	1	003570101

358

tools for chamfering plastic pipes

Ø mm		
358/1	16÷110	1	003580001
358/2	40÷250	1	003580002

358RL

spare blade for items 358/1 and 358/2

358RL	1	003580011

359

universal drain wrench

Ø "	L mm	A mm		
1"÷1"1/4	160	140	1	003590001

359CH

drain adaptor, cross-shape for item 359

Ø "	L mm		
1"1/2	74	1	003590005

360

pipe wrenches, Stillson pattern

L mm	Ø max "	Ø max mm		
250	1" gas	34	1	003600025
350	1"1/2 gas	49	1	003600035
450	2" gas	60	1	003600045
600	2"1/2 gas	76	1	003600060
900	3"1/2 gas	102	1	003600090

360R/...

spare parts kit for item 360
with moving jaw and ring nut.

360R/250	1	003600225
360R/350	1	003600235
360R/450	1	003600245
360R/600	1	003600260
360R/900	1	003600290

362

heavy duty pipe wrenches

L mm	Ø max "	Ø max mm		
200	1" gas	34	1	003620020
250	1"1/2 gas	49	1	003620025
300	2" gas	60	1	003620030
350	2" gas	60	1	003620035
450	2"1/2 gas	76	1	003620045
600	3" gas	90	1	003620060

362R/...

spare parts kit for item 362
with: fixed jaw, moving jaw; ring nut; lockpin.

362R/200	1	003620220
362R/250	1	003620225
362R/300	1	003620230
362R/350	1	003620235
362R/450	1	003620245
362R/600	1	003620260

363

heavy duty pipe wrenches
made from light alloy

L mm	Ø max "	Ø max mm		
350	2" gas	60	1	003630035
450	2"1/2 gas	76	1	003630045
600	3" gas	90	1	003630060
900	5" gas	140	1	003630090

363R/...

spare parts kit for item 363
with: fixed jaw; moving jaw; ring nut; lockpin.

363R/350	1	003630235
363R/450	1	003630245
363R/600	1	003630260
363R/900	1	003630290

365

heavy duty pipe wrenches,
offset pattern made from light alloy



L mm	Ø max "	Ø max mm		
350	2" gas	60	1	003650035
450	2"1/2 gas	76	1	003650045

365R/...

spare parts kit for item 365
with: fixed jaw; moving jaw; ring nut; lockpin.

365R/350	1	003650235
365R/450	1	003650245

366

pipe wrenches, light pattern

L mm	Ø max "	Ø max mm		
175	1" gas	34	1	003660017
225	1"1/2 gas	49	1	003660022
275	2" gas	60	1	003660027
300	2"1/2 gas	76	1	003660030
350	3" gas	90	1	003660035

374

pipe wrenches,
Swedish pattern, 45° slim jaws

L mm	Ø max "	Ø max mm		
240	1/2" gas	21	1	003740024
320	1" gas	34	1	003740032
410	1"1/2 gas	49	1	003740041
550	2" gas	60	1	003740055
630	3" gas	90	1	003740063

375

pipe wrench, Swedish pattern,
45° flat jaws

L mm	Ø max "	Ø max mm		
320	1" gas	34	1	003750032
410	1"1/2 gas	49	1	003750041
550	2" gas	60	1	003750055

376

pipe wrenches,
Swedish pattern, 90° flat jaws

L mm	Ø max "	Ø max mm		
320	1" gas	34	1	003760032
410	1"1/2 gas	49	1	003760041
550	2" gas	60	1	003760055
630	3" gas	90	1	003760063

378

pipe wrenches,
Swedish pattern, 45° slim jaws

L mm	Ø max "	Ø max mm		
250	1/2" gas	21	1	003780025
320	1" gas	34	1	003780032
410	1"1/2 gas	49	1	003780041
550	2" gas	60	1	003780055
650	3" gas	90	1	003780065

374R/...

complete spare parts kit for items 374 - 375 - 376 - 378
with ring nut and ring nut stop

374R/240 x 374/240-378/250	1	003740724
374R/320 x 374/320-376/320-378/320	1	003740732
374R/410 x 374/410-375/410-376/410-378/410	1	003740741
374R/550 x 374/550-376/550-378/550	1	003740755
374R/630 x 374/630-378/650	1	003740763

383

reversible strip pipe wrenches

	Ø max "	Ø max mm	L mm		
383/1	3" gas	90	300	2	003830001
383/2	8" gas	220	300	2	003830002

383R

spare strips for item 383

	S mm		
383R/1	27	1	003830010
383R/2	27	1	003830015

384

reversible chain pipe wrench

Ø max "	Ø max mm	L mm		
4" gas	115	300	1	003840032

384RC

spare chain for item 384

384RC	1	003840033

386A

heavy duty reversible chain pipe wrenches

	Ø max	L mm		
386A/3	4" gas 115 mm	900	1	003860003
386A/4	6" gas 168 mm	900	1	003860004
386A/5	8" gas 220 mm	1100	1	003860005
386A/6	12" gas 324 mm	1300	1	003860006

386A/RC

spare chains for item 386A

386A3/RC	1	003860013
386A4/RC	1	003860014
386A5/RC	1	003860015
386A6/RC	1	003860016

388

pipe benders for thin walled copper, light alloy and mild steel pipes



Ø mm	L mm		
6	305	1	003880006
8	315	1	003880008
10	350	1	003880010
12	360	1	003880012
14	455	1	003880014
15	465	1	003880015
16	465	1	003880016

388A

pipe bending pliers for thin walled copper and light alloy pipes

	Ø	L mm		
388A/1	6-8-10 mm	220	1	003880051
388A/2	1/4"-5/16"-3/8"	220	1	003880055

388C/C8

pipe bender with 7 forms for thin walled copper and light alloy pipes

	Ø mm		
388C/C8	10-12-14-16 18-20-22	1	003880200

400x330x110 mm - 3,6 kg

392C

adjustable drain tap pliers

Ø mm	L mm		
25÷65	260	1	003920100

392RG/C

spare jaw protectors for item 392C, pair

392RG/C	1	003920101

393

water tap wrench

L mm		
270	2	003930001

395

hinged water tap wrench

	L mm		
15÷32 mm 5/8"÷1"1/4	240	2	003950001

395T

telescopic hinged water tap wrench

	L mm		
10÷32 mm 3/8"÷1"1/4	250÷430	2	003950100

399

pivoting clamp vices

Ø	L min mm		
10÷60 mm 1/8÷2"	220	1	003990005
10÷89 mm 1/8÷3"	290	1	003990010

410

twist drills with cylindrical shanks, short series HSS, rolled

DIN 338 ISO 235

Ø mm	L mm	L1 mm		
0,50	22	6	10	004100030
1,00	34	12	10	004100040
1,25	38	16	10	004100043
1,50	40	18	10	004100046
1,75	46	22	10	004100049
2,00	49	24	10	004100052
2,25	53	27	10	004100055
2,50	57	30	10	004100058
2,75	61	33	10	004100061
3,00	61	33	10	004100064
3,20	65	36	10	004100066
3,25	65	36	10	004100067
3,50	70	39	10	004100070
3,75	70	39	10	004100073
4,00	75	43	10	004100076
4,20	75	43	10	004100078
4,25	75	43	10	004100079
4,50	80	47	10	004100082
4,75	80	47	10	004100085
5,00	86	52	10	004100088
5,25	86	52	10	004100091
5,50	93	57	10	004100094
5,75	93	57	10	004100097
6,00	93	57	10	004100100
6,25	101	63	10	004100103
6,50	101	63	10	004100106
6,75	109	69	10	004100109
7,00	109	69	10	004100112
7,50	109	69	10	004100118
8,00	117	75	10	004100124
8,50	117	75	10	004100130
9,00	125	81	5	004100136
9,50	125	81	5	004100142
10,00	133	87	5	004100148
10,50	133	87	5	004100172
11,00	142	94	5	004100184
11,50	142	94	5	004100196
12,00	151	101	5	004100210
12,50	151	101	5	004100222
13,00	151	101	5	004100234
14,00	160	108	5	004100242
15,00	169	114	5	004100250
16,00	178	120	5	004100258
17,00	186	125	3	004100262
18,00	194	130	3	004100266
19,00	202	135	3	004100270
20,00	210	140	3	004100274

410/SP19 Ø 1÷10 x 0,5 mm	1	004100419
410/SPV1	1	004100420
410/SP25 Ø 1÷13 x 0,5 mm	1	004100425
410/SPV2	1	004100426

410/SEL19 Ø 1÷10 x 0,5 mm	1	004100418

410MIX/SEL19

set of 13 twist drills, item 410, and 6 twist drills with hard metal insets

410MIX/SEL19	1	004100417

Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4
4,5 - 5 - 5,5 - 6 - 8 - 10 mm

Ø 4 - 5 - 6 - 8 - 9 - 10 mm

410A

twist drills with cylindrical shanks, short series, HSS, rolled

Ø mm	L mm	L1 mm		
13,50	160	108	5	004100281
14,00	160	108	5	004100283
14,50	169	114	5	004100285
15,00	169	114	5	004100287
15,50	178	120	5	004100289
16,00	178	120	5	004100291
16,50	186	125	3	004100292
17,00	186	125	3	004100293
17,50	194	130	3	004100294
18,00	194	130	3	004100295
18,50	202	135	3	004100296
19,00	202	135	3	004100297
19,50	210	140	3	004100298
20,00	210	140	3	004100299

410AS

twist drills with cylindrical shanks, short series HSS, rolled

ANSI B94

Ø "	L mm	L1 mm		
1/16	48	22	10	004100371
5/64	51	25	10	004100372
3/32	57	32	10	004100373
7/64	67	38	10	004100374
1/8	70	41	10	004100375
9/64	73	44	10	004100376
5/32	79	51	10	004100377
11/64	83	54	10	004100378
3/16	89	59	10	004100379
13/64	92	62	10	004100380
7/32	95	64	10	004100381
15/64	98	67	10	004100382
1/4	102	70	10	004100383
17/64	105	73	10	004100384
9/32	108	75	10	004100385

Ø "	L mm	L1 mm		
19/64	111	78	10	004100386
5/16	114	81	10	004100387
21/64	117	84	10	004100388
11/32	121	87	5	004100389
23/64	124	89	5	004100390
3/8	127	92	5	004100391

410AS/SP21 1 004100429
Ø 1/16-5/64-3/32-7/64
1/8-9/64-5/32-11/64-3/16
13/64-7/32-15/64-1/4
17/64-9/32-19/64-5/16
21/64-11/32-23/64-3/8

410AS/SPV1 1 004100430

410AS/SEL21 1 004100433
Ø 1/16-5/64-3/32-7/64
1/8-9/64-5/32-11/64-3/16
13/64-7/32-15/64-1/4
17/64-9/32-19/64-5/16
21/64-11/32-23/64-3/8

412

twist drills with cylindrical shanks, short series HSS entirely ground glossy finishing

DIN 338 ISO 235

Ø mm	L mm	L1 mm		
0,50	22	6	10	004120030
1,00	34	12	10	004120040
1,25	38	16	10	004120043
1,50	40	18	10	004120046
1,75	46	22	10	004120049
2,00	49	24	10	004120052
2,25	53	27	10	004120055
2,50	57	30	10	004120058
2,75	61	33	10	004120061
3,00	61	33	10	004120064
3,25	65	36	10	004120067
3,50	70	39	10	004120070
3,75	70	39	10	004120073
4,00	75	43	10	004120076
4,25	75	43	10	004120079

Ø mm	L mm	L1 mm		
4,50	80	47	10	004120082
4,75	80	47	10	004120085
5,00	86	52	10	004120088
5,25	86	52	10	004120091
5,50	93	57	10	004120094
5,75	93	57	10	004120097
6,00	93	57	10	004120100
6,25	101	63	10	004120103
6,50	101	63	10	004120106
6,75	109	69	10	004120109
7,00	109	69	10	004120112
7,25	109	69	5	004120115
7,50	109	69	5	004120118
7,75	117	75	5	004120121
8,00	117	75	5	004120124
8,25	117	75	5	004120127
8,50	117	75	5	004120130
8,75	125	81	5	004120133
9,00	125	81	5	004120136
9,25	125	81	5	004120139
9,50	125	81	5	004120142
9,75	133	87	5	004120145
10,00	133	87	5	004120148
10,25	133	87	5	004120149
10,50	133	87	5	004120150
10,75	142	94	5	004120151
11,00	142	94	5	004120152
11,25	142	94	5	004120153
11,50	142	94	5	004120154
11,75	142	94	5	004120155
12,00	151	94	5	004120156
12,25	151	101	5	004120157
12,50	151	101	5	004120158
12,75	151	101	5	004120159
13,00	151	101	5	004120160

412/SP19 1 004120419
Ø 1÷10 x 0,5 mm
412/SPV1 1 004120420
412/SP25 1 004120425
Ø 1÷13 x 0,5 mm
412/SPV2 1 004120426
412/SP49 1 004120449
Ø 1÷13 x 0,25 mm
412/SPV4 1 004120451

412/C150

412/C150 1 004120450

		n.
412	Ø 3 mm	20
	Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 mm	10
	Ø 5,5 - 6 - 6,5 - 7 - 7,5 - 8 - 8,5 - 9 - 9,5 - 10 mm	5

365x230x47 mm - 3,3 kg

412/SP91 1 004120452
Ø 1÷10 x 0,10 mm

412A

twist drills with cylindrical shanks, short series, HSS entirely ground burnished

DIN 338 ISO 235

Ø mm	L mm	L1 mm		
13,50	160	108	3	004120202
14,00	160	108	3	004120204
14,50	169	114	3	004120206
15,00	169	114	3	004120208
15,50	178	120	3	004120210
16,00	178	120	3	004120212
16,50	186	125	1	004120213
17,00	186	125	1	004120214
17,50	194	130	1	004120215
18,00	194	130	1	004120216
18,50	202	135	1	004120217
19,00	202	135	1	004120218
19,50	210	140	1	004120219
20,00	210	140	1	004120220

412L

twist drills with cylindrical shanks, long series, HSS entirely ground burnished

Ø mm	L mm	L1 mm		
2,00	85	56	10	004120232
2,50	95	62	10	004120234
3,00	100	66	10	004120236
3,50	112	73	10	004120238
4,00	119	78	10	004120240
4,50	126	82	10	004120242
5,00	132	87	10	004120244
5,50	139	91	10	004120246
6,00	139	91	10	004120248
6,50	148	97	5	004120250
7,00	156	102	5	004120252
8,00	165	109	5	004120256
9,00	175	115	5	004120260
10,00	184	121	5	004120264

414

twist drills with cylindrical shanks, short series, HSS-TiN entirely ground

DIN 338 ISO 235

Ø mm	L mm	L1 mm		
1,00	34	12	10	004140040
1,25	38	16	10	004140042
1,50	40	18	10	004140046
1,75	46	22	10	004140048
2,00	49	24	10	004140052
2,25	53	27	10	004140054
2,50	57	30	10	004140058
2,75	61	33	10	004140060
3,00	61	33	10	004140064
3,25	65	36	10	004140066
3,50	70	39	10	004140070
3,75	70	39	10	004140072
4,00	75	43	10	004140076
4,25	75	43	10	004140078
4,50	80	47	10	004140082
4,75	80	47	10	004140084
5,00	86	52	10	004140088
5,25	86	52	10	004140090
5,50	93	57	10	004140094
5,75	93	57	10	004140096
6,00	93	57	10	004140100
6,25	101	63	10	004140102
6,50	101	63	10	004140106
6,75	109	69	10	004140108
7,00	109	69	10	004140112
7,25	109	69	5	004140114
7,50	109	69	5	004140118
7,75	117	75	5	004140120
8,00	117	75	5	004140124
8,25	117	75	5	004140125
8,50	117	75	5	004140130
8,75	125	81	5	004140132
9,00	125	81	5	004140136
9,25	125	81	5	004140138
9,50	125	81	5	004140142
9,75	133	87	5	004140144
10,00	133	87	5	004140148
10,50	133	87	5	004140150
11,00	142	94	5	004140152
11,50	142	94	5	004140154
12,00	151	101	5	004140156
12,50	151	101	5	004140158
13,00	151	101	5	004140160

414/SP19	1	004140419
Ø 1÷10 x 0,5 mm		
414/SPV1	1	004140420
414/SP25	1	004140425
Ø 1÷13 x 0,5 mm		
414/SPV2	1	004140426
414/SP49	1	004140429
Ø 1÷13 x 0,25 mm		
414/SPV4	1	004140430

414/C116

414/C116	1	004140450

		n.
414	Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 mm	10
	Ø 5,5 - 6 - 6,5 - 7 - 7,5 - 8 mm	3
	Ø 8,5 - 9 - 9,5 - 10 mm	2

365x230x47 mm - 2,7 Kg

415

twist drills with cylindrical shanks, short series, HSS-CO 8% entirely ground

DIN 338 ISO 235

Ø mm	L mm	L1 mm		
0,50	22	6	10	004150029
1,00	34	12	10	004150040
1,25	38	16	10	004150043
1,50	40	18	10	004150046
1,75	46	22	10	004150049
2,00	49	24	10	004150052
2,25	53	27	10	004150055
2,50	57	30	10	004150058
2,75	61	33	10	004150061
3,00	61	33	10	004150064
3,25	65	36	10	004150067
3,50	70	39	10	004150070
3,75	70	39	10	004150073
4,00	75	43	10	004150076
4,25	75	43	10	004150079
4,50	80	47	10	004150082
4,75	80	47	10	004150085
5,00	86	52	10	004150088
5,25	86	52	10	004150091
5,50	93	57	10	004150094
5,75	93	57	10	004150097
6,00	93	57	10	004150100
6,25	101	63	10	004150103
6,50	101	63	10	004150106
6,75	109	69	10	004150109
7,00	109	69	10	004150112
7,25	109	69	5	004150115
7,50	109	69	5	004150118
7,75	117	75	5	004150121
8,00	117	75	5	004150124
8,25	117	75	5	004150127
8,50	117	75	5	004150130
8,75	125	81	5	004150133
9,00	125	81	5	004150136
9,25	125	81	5	004150139
9,50	125	81	5	004150142
9,75	133	87	5	004150145
10,00	133	87	5	004150148
10,25	133	87	5	004150149
10,50	133	87	5	004150150
10,75	142	94	5	004150151
11,00	142	94	5	004150152
11,25	142	94	5	004150153
11,50	142	94	5	004150154
11,75	142	94	5	004150155
12,00	151	101	5	004150156
12,25	151	101	5	004150157
12,50	151	101	5	004150158
12,75	151	101	5	004150159
13,00	151	101	5	004150160
14,00	160	108	3	004150164
15,00	169	114	3	004150168
16,00	178	120	3	004150172
17,00	186	125	1	004150174
18,00	194	130	1	004150176
19,00	202	135	1	004150178
20,00	210	140	1	004150180

415/SP19	1	004150419
Ø 1÷10 x 0,5 mm		
415/SPV1	1	004150420
415/SP25	1	004150425
Ø 1÷13 x 0,5 mm		
415/SPV2	1	004150426
415/SP49	1	004150431
Ø 1÷13 x 0,25 mm		
415/SPV4	1	004150432

415/C116

415/C116	1	004150450

		n.
415	Ø 1 - 1,5 - 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 mm	10
	Ø 5,5 - 6 - 6,5 - 7 - 7,5 - 8 mm	3
	Ø 8,5 - 9 - 9,5 - 10 mm	2

365x230x47 mm - 2,7 kg

415/SP91	1	004150460
Ø 1÷10 x 0,10 mm		

416

drill with cylindrical shank, specially ground, with two cutter pairs



HIGHER CUTTING CAPACITY

DIN 338

Ø mm	L mm	L1 mm		
1,00	34	12	10	004160010
1,50	40	18	10	004160015
2,00	49	24	10	004160020
2,50	57	30	10	004160025
3,00	61	33	10	004160030
3,50	70	39	10	004160035
4,00	75	43	10	004160040
4,50	80	47	10	004160045
5,00	86	52	10	004160050
5,50	93	57	10	004160055
6,00	93	57	10	004160060
6,50	101	63	10	004160065
7,00	109	69	10	004160070
7,50	109	69	5	004160075
8,00	117	75	5	004160080
8,50	117	75	5	004160085
9,00	125	81	5	004160090
9,50	125	81	5	004160095
10,00	133	87	5	004160100



416/SP19 Ø 1÷10 x 0,5 mm	1	004160419

417

helical cylindrical masonry drill bits, short series, made from milled steel with hard metal plates

DIN 8039

Ø mm	L mm		
3	70	10	004170003
4	75	10	004170004
5	85	10	004170005
5L	150	5	004170105
6	100	10	004170007
6L	150	5	004170106
7	120	10	004170009
8	120	10	004170010
8L	200	5	004170113
9	120	10	004170011
10	120	10	004170012
10L	200	5	004170120
12	150	10	004170014
12L	200	5	004170125
14	150	5	004170016
16	150	5	004170018

417/SP8 Ø 3-4-5-6-8-9-10-12 mm	1	004170100

419

hammer drill bits with milled shanks and hard metal plates

DIN 8039

ØxL mm		
4x110	10	004190002
5x110	10	004190004
5x160	10	004190006
6x110	10	004190012
6x160	10	004190014
6x210	10	004190016
7x160	10	004190028
8x110	10	004190030
8x160	10	004190032
8x210	10	004190034
8x260	10	004190036
8x460	10	004190042
9x160	5	004190044
10x160	5	004190050
10x210	5	004190052
10x260	5	004190054
10x310	5	004190056
10x460	5	004190060
12x160	5	004190064
12x210	5	004190066
12x260	5	004190068
12x460	5	004190074
14x160	3	004190086
14x260	3	004190090
14x310	3	004190092
14x460	3	004190096
16x210	3	004190112
16x250	3	004190114
16x300	3	004190116
16x450	3	004190120
18x250	1	004190124
20x310	1	004190128

423

special end mills for welding HSS ground

Ø mm	L mm		
6	66	10	004230006
7	74	10	004230007
8	79	10	004230008
10	89	10	004230010

423A

special mills for spot welding, HSS ground

DIN 1412/E

Ø mm	L mm		
6,5	40	1	004230015
8,0	40	1	004230020

424

conical drill bits, HSS

	L mm	Ø mm		
424/1	58	3÷14	3	004240001
424/2	63	6÷20	3	004240002
424/3	60	16÷30	3	004240003
424/4	80	3÷22	1	004240004
424/5	102	3÷31	1	004240005
424/6	86	26÷40	1	004240006
424/7	89	36÷50	1	004240007
424/8	90	40÷61	1	004240008

424/SP3 424/1+424/2+424/3 Ø 3÷30 mm	1	004240019
424/SPV	1	004240020

425

stepped drills, HSS



	L mm	Ø mm	S mm		
425/1	70	4÷12	1	2	004250010
425/2	55	4÷12	2	2	004250012
425/3	85	4÷20	2	2	004250015
425/4	85	12÷20	1	1	004250016
425/5	97	20÷30	1	1	004250017
425/6	75	4÷30	2	1	004250020
425/7	97	30÷40	1	1	004250025
425/8	100	40÷50	1	1	004250029

425/SP3 425/1+425/3+425/6 Ø 4÷30 mm	1	004250030
425/SPV	1	004250035

426

countersinking cutters
with three cutters, HSS

DIN 335-C

GR	Ø mm	L mm		
1	4,3	44	5	004260001
2	5,3	44	5	004260002
3	6,3	44	5	004260003
4	7,3	44	5	004260004
5	8,3	50	5	004260005
6	9,4	50	5	004260006
7	10,4	54	5	004260007
8	12,4	54	5	004260008
9	15,0	56	5	004260009
10	16,5	60	5	004260010
11	20,5	63	5	004260011
12	25,0	66	5	004260012
13	28,0	71	5	004260013
14	31,0	71	5	004260014

426/SP6 GR 3-5-7-8-10-11 Ø 6,3÷20,5 mm	1	004260030
426/SPV	1	004260035

426SB

countersinking cutters, HSS

	L mm	Ø1 mm		
426/SB1	45	10 - (2÷5)	1	004260101
426/SB2	48	14 - (5÷10)	1	004260102
426/SB3	65	21 - (10÷15)	1	004260103
426/SB4	85	28 - (15÷20)	1	004260104
426/SB5	102	35 - (20÷25)	1	004260105
426/SB6	115	44 - (25÷30)	1	004260106

426SB/SP4 426/SB1-426/SB2 426/SB3-426/SB4 Ø 2÷20 mm	1	004260130
426SB/SPV1	1	004260135

426MD

rotary files, made from hard metal

cross cut HM4

	L mm	Ø mm		
426MD/CP8	63	8	1	004260512
426MD/CP12	70	12	1	004260522
426MD/CT8	63	8	1	004260513
426MD/CT12	70	12	1	004260523
426MD/F8	63	8	1	004260514
426MD/F12	70	12	1	004260524
426MD/T8	63	8	1	004260516
426MD/T12	70	12	1	004260526
426MD/S8	52	8	1	004260518
426MD/S12	55	12	1	004260528
426MD/FA8	63	8	1	004260519
426MD/FA12	70	12	1	004260529

426MD/SP10 426MD/CP-426MD/CT-426MD/F 426MD/T-426MD/S ø 8-12 mm	1	004260510

427

morse taper extractors

DIN 317

GR	L mm	A mm		
0	92	13	5	004270000
1-2	140	19	5	004270002
3	190	25	5	004270003
4	225	30	3	004270004
5-6	260	35	3	004270006

428FP

machine taps for clearance holes,
coarse pitch threads, HSS



ISO 529

M	■ mm	L mm	L1 mm		
3x0,5	2,7	56	11	10	004280003
4x0,7	3,4	63	13	10	004280004
5x0,8	4,9	70	16	10	004280005
6x1	4,9	80	19	10	004280006
8x1,25	6,2	90	22	10	004280008
10x1,5	8,0	100	24	10	004280010
12x1,75	7,0	110	29	5	004280012
14x2	9,0	110	30	5	004280014
16x2	9,0	110	30	5	004280016
18x2,5	11,0	125	34	3	004280018
20x2,5	12,0	140	34	3	004280020
22x2,5	14,5	140	34	3	004280022
24x3	14,5	160	38	3	004280024

428FC

machine taps for blind holes,
coarse pitch threads, HSS



ISO 529

M	■ mm	L mm	L1 mm		
3x0,5	2,7	56	11	10	004280103
4x0,7	3,4	63	13	10	004280104
5x0,8	4,9	70	16	10	004280105
6x1	4,9	80	19	10	004280106
8x1,25	6,2	90	22	10	004280108
10x1,5	8,0	100	24	10	004280110
12x1,75	7,0	110	29	5	004280112
14x2	9,0	110	30	5	004280114
16x2	9,0	110	30	5	004280116
18x2,5	11,0	125	34	3	004280118
20x2,5	12,0	140	34	3	004280120
22x2,5	14,5	140	34	3	004280122
24x3	14,5	160	38	3	004280124

428/C14

assortment of 14 machine taps
items 428FP + 428FC

428/C14 428FP M3÷12 428FC M3÷12	1	004280201
428/SPV	1	004280202

429FP

machine taps for clearance holes,
coarse pitch threads HSS-CO 5%

ISO 529

M	■ mm	L mm	L1 mm		
3x0,5	2,7	56	11	5	004290003
4x0,7	3,4	63	13	5	004290004
5x0,8	4,9	70	16	5	004290005
6x1	4,9	80	19	5	004290006
8x1,25	6,2	90	22	5	004290008
10x1,5	8,0	100	24	5	004290010
12x1,75	7,0	110	29	5	004290012
14x2	9,0	110	30	5	004290014

429FC

machine taps for blind holes,
coarse pitch threads HSS-CO 5%



ISO 543

M	■ mm	L mm	L1 mm		
3x0,5	2,7	56	11	5	004290103
4x0,7	3,4	63	13	5	004290104
5x0,8	4,9	70	16	5	004290105
6x1	4,9	80	19	5	004290106
8x1,25	6,2	90	22	5	004290108
10x1,5	8,0	100	24	5	004290110
12x1,75	7,0	110	29	5	004290112
14x2	9,0	110	30	5	004290114

429/C14

assortment of 14 machine taps
items 429FP + 429FC

429/C14 429FP M3÷12 429FC M3÷12	1	004290201
428/SPV	1	004280202

430

hand taps, **coarse pitch**, metric thread
made from chrome-steel



ISO 543

M	■ mm	L mm	L1 mm		
2x0,4	2,5	36	11	5	004300002
3x0,5	2,5	40	12	5	004300003
4x0,7	3,0	45	14	5	004300004
5x0,8	4,0	48	16	5	004300005
6x1	5,0	50	18	5	004300006
7x1	4,5	50	18	5	004300007
8x1,25	5,0	56	22	3	004300008
9x1,25	5,5	63	22	3	004300009
10x1,5	6,0	70	25	3	004300010
11x1,5	7,0	70	25	3	004300011
12x1,75	7,0	75	30	3	004300012
14x2	8,0	80	32	3	004300014
16x2	10,0	80	32	3	004300016
18x2,5	11,0	95	40	1	004300018
20x2,5	12,0	95	40	1	004300020
22x2,5	14,5	100	40	1	004300022
24x3	14,5	110	50	1	004300024

430/SP21 M 3-4-5-6-8-10-12	1	004300201
430/SPV	1	004300202

430ASW

hand taps, **Whitworth** thread
made from chrome-steel

DIN 352

BSW	■ mm	L mm	L1 mm		
1/8x40	2,7	40	12	5	004300031
5/32x32	3,4	45	14	5	004300032
3/16x24	4,3	48	18	5	004300033
1/4x20	4,9	50	22	5	004300034
5/16x18	4,9	56	25	3	004300035
3/8x16	5,5	70	28	3	004300036
7/16x14	6,2	70	30	3	004300037
1/2x12	7,0	75	32	3	004300038
9/16x12	9,0	80	32	1	004300039
5/8x11	9,0	80	38	1	004300040
3/4x10	11,0	95	40	1	004300041
7/8x9	14,5	100	40	1	004300042
1"x8	16,0	110	50	1	004300043

430ASC

hand taps, **UNC** thread
made from chrome-steel



ANSI B1.1

UNC	■ mm	L mm	L1 mm		
1/4x20	4,9	70	30	5	004300051
5/16x18	4,9	70	30	5	004300052
3/8x16	5,5	75	35	3	004300053
7/16x14	6,2	80	40	3	004300054
1/2x13	7,0	85	45	3	004300055
9/16x12	9,0	90	45	3	004300056
5/8x11	9,0	100	47	3	004300057
3/4x10	11,0	110	50	3	004300058
7/8x9	14,5	120	60	1	004300059
1"x8	16,0	130	60	1	004300060

431

hand taps, **coarse pitch**, metric thread HSS

DIN 352 UNI 4535

M	■ mm	L mm	L1 mm		
3x0,5	2,5	40	12	5	004310003
4x0,7	3,0	45	14	5	004310004
5x0,8	4,0	48	16	5	004310005
6x1	5,0	50	18	5	004310006
7x1	5,0	50	18	5	004310007
8x1,25	5,0	56	22	3	004310008
10x1,5	6,0	70	25	3	004310010
12x1,75	7,0	75	30	3	004310012
14x2	9,0	80	32	1	004310014
16x2	9,0	80	32	1	004310016
18x2,5	11,0	95	40	1	004310018
20x2,5	12,0	95	40	1	004310020
22x2,5	12,0	100	40	1	004310022
24x3	14,5	110	50	1	004310024

431/SP21 M 3-4-5-6-8-10-12	1	004310201
431/SPV	1	004310202

433

hand taps, **fine pitch**, metric thread made from chrome-steel



DIN 2181 UNI 4535

M	■ mm	L mm	L1 mm		
6x0,75	4,5	48	16	5	004330201
7x0,75	4,5	56	18	5	004330202
8x0,75	5,0	50	16	5	004330203
8x1	5,0	56	16	5	004330204
9x0,75	6,0	63	22	5	004330205
9x1	6,0	63	22	5	004330206
10x0,75	6,5	63	18	5	004330207
10x1	6,5	63	18	5	004330208
10x1,25	6,5	63	18	5	004330209
11x0,75	7,0	70	25	3	004330210
11x1	7,0	70	25	3	004330211
11x1,25	7,0	70	25	3	004330212
12x0,75	7,0	70	20	3	004330213
12x1	7,0	70	20	3	004330214
12x1,25	7,0	70	20	3	004330215
12x1,5	7,0	70	20	3	004330216
14x1	8,0	80	32	1	004330217
14x1,25	8,0	80	32	1	004330218
14x1,5	8,0	80	32	1	004330219
16x1	10,0	80	32	1	004330220
16x1,5	10,0	80	32	1	004330221
18x1,5	11,0	95	40	1	004330222
18x2	11,0	80	25	1	004330223
20x1,5	14,5	80	22	1	004330224
22x1,5	14,5	80	22	1	004330225
24x1,5	14,5	80	22	1	004330226
24x2	14,5	80	22	1	004330227

433ASF

hand taps, **fine pitch**, UNF thread made from chrome-steel



ANSI B1.1

UNF	■ mm	L mm	L1 mm		
1/4x28	4,9	70	30	5	004330301
5/16x24	4,9	70	30	5	004330302
3/8x24	5,5	75	35	3	004330303
7/16x20	6,2	80	40	3	004330304
1/2x20	7,0	85	45	3	004330305
9/16x18	9,0	90	45	3	004330306
5/8x18	9,0	100	47	3	004330307
3/4x16	11,0	110	50	3	004330308
7/8x14	14,5	120	60	1	004330309
1"x12	16,0	130	60	1	004330310

433ASG

hand taps, cylindrical **GAS** (BSP) thread made from chrome-steel



DIN 353 UNI 338

GAS	■ mm	L mm	L1 mm		
1/8x28	4,9	65	18	1	004330401
1/4x19	5,5	70	24	1	004330402
3/8x19	6,2	75	25	1	004330403
1/2x14	7,0	80	31	1	004330405
3/4x14	9,0	90	33	1	004330408
1"x11	11,0	100	39	1	004330410

434

hand taps, **fine pitch**, metric thread HSS

DIN 2181 UNI 4535

M	■ mm	L mm	L1 mm		
6x0,75	4,5	48	16	5	004340001
8x0,75	5,0	56	16	5	004340003
8x1	5,0	56	16	5	004340004
10x0,75	6,5	63	18	5	004340007
10x1	6,5	63	18	5	004340008
10x1,25	6,5	63	18	5	004340009
12x1	7,0	70	20	3	004340014
12x1,25	7,0	70	20	3	004340015
12x1,5	7,0	70	20	3	004340016
13x1,5	9,0	70	20	1	004340017
14x1	9,0	70	20	1	004340018
14x1,25	9,0	70	20	1	004340019
14x1,5	9,0	70	20	1	004340020
15x1,5	9,0	70	20	1	004340021
16x1	9,0	70	20	1	004340022
16x1,5	9,0	70	20	1	004340023
18x1,5	11,0	80	22	1	004340024
18x2	11,0	90	25	1	004340025
20x1,25	12,0	80	22	1	004340026
20x1,5	12,0	80	22	1	004340027
20x2	12,0	90	25	1	004340028
22x1,5	14,5	80	22	1	004340029
24x1	14,5	80	22	1	004340030
24x1,5	14,5	80	22	1	004340031
24x2	14,5	80	22	1	004340032

435

adjustable tap wrenches, steel body



DIN 1814

	□ mm	L mm		
435/0	2÷5 M2÷M8	140	3	004350007
435/1	2÷6 M3÷M10	180	2	004350009
435/1,5	2,5÷6 M3÷M12	180	2	004350011
435/2	3÷7 M4÷M12	260	2	004350013
435/3	4÷12 M5÷M20	380	1	004350020
435/4	5,5÷16 M9÷M27	490	1	004350027
435/5	7÷18 M13÷M32	620	1	004350032

435G

adjustable tap wrenches, light alloy body



DIN 1814

	□ mm	L mm		
435G/0	2÷5 M1÷M8	130	5	004350108
435G/1	2÷6 M1÷M10	190	5	004350110
435G/1,5	2÷7 M2÷M12	175	5	004350112
435G/2	3,4÷7 M4÷M12	280	5	004350114
435G/3	4,9÷12 M5÷M20	380	2	004350121
435G/4	7÷16 M11÷M27	500	2	004350127
435G/5	7÷18 M13÷M32	700	1	004350132
435G/6	11÷24 M18÷M42	800	1	004350142

436

reversible ratcheting tap wrenches



	□ mm	L mm		
436/1	2÷5 M3÷M8	85	5	004360002
436/2	4,6÷8 M5÷M12	110	5	004360004

436L

reversible ratcheting tap wrenches, long series

	□ mm	L mm		
436L/1	2÷5 M3÷M8	245	2	004360012
436L/2	4,6÷8 M5÷M12	295	2	004360014

436R

spare clamps for items 436 and 436L

436R/1	1	004360022
436R/2	1	004360024

437C

set for repairing damaged spark plug threads, M14x1.25 mm

- **Helicoids height: 8.40 - 12.40 - 16.40 mm (5 pcs/size)**

437C	1	004370100

437C/...

stainless steel helicoids for item 437C

H mm		
8.4	1	004370108
12.4	1	004370112
16.4	1	004370116

437C/RM14

male thread for spark plugs M14x1.25

437C/RM14	1	004370124

437U/09

assortment for repairing damaged threads M5-M6-M8-M10-M12

437U/09	1	004370550
M5X0,8		
M6X1,0		
M8X1,25		
M10X1,5		
M12X1,75		

370x230x55 mm - 2 Kg

437U/E-M...

stainless steel helicoids

	H mm		
M5	7.5	1	004370555
M6	9	1	004370556
M8	12	1	004370558
M10	15	1	004370560
M12	18	1	004370562

437U/PM

bits and taps for item 437U/09

M5	1	004370565
M6	1	004370566
M8	1	004370568
M10	1	004370570
M12	1	004370572

438A

set of bits for drilling, threading and countersinking, HSS

- **M3 - M4 - M5 - M6 - M8 - M10**
- **with magnetic bit holder**

438A	1	004380010

438...

bits for drilling, threading and countersinking

HSS, 1/4" drive

1/4

	S max mm		
M3	3	2	004380103
M4	4	2	004380104
M5	5	2	004380105
M6	6	2	004380106
M8	8	2	004380108
M10	10	2	004380110

440

round dies, **coarse pitch**, metric thread made from chrome-steel

DIN 223 UNI EN 22568

M	Ø mm		
2x0,4	25,4	5	004400002
3x0,5	25,4	5	004400003
4x0,7	25,4	5	004400004
5x0,8	25,4	5	004400005
6x1	25,4	5	004400006
7x1	25,4	5	004400007
8x1,25	25,4	5	004400008
9x1,25	25,4	5	004400009
10x1,5	25,4	5	004400010
12x1,75	25,4	5	004400012

440A

round dies, **coarse pitch**,
metric thread made from chrome-steel

UNI EN 22568

M	Ø mm		
10x1,5	38,1	3	004400110
11x1,5	38,1	3	004400111
12x1,75	38,1	3	004400112
14x2	38,1	3	004400114
16x2	38,1	3	004400116
18x2,5	38,1	3	004400118
20x2,5	38,1	3	004400120

440B

round dies, **coarse pitch**,
metric thread made from chrome-steel

UNI EN 22568

M	Ø mm		
18x2,5	50,8	3	004400122
20x2,5	50,8	3	004400124
22x2,5	50,8	3	004400126
24x3	50,8	3	004400128

440ASW

round dies, **Whitworth** thread
made from chrome-steel

BSW	Ø mm		
1/8x40	25,4	5	004400201
5/32x32	25,4	5	004400202
3/16x24	25,4	5	004400203
1/4x20	25,4	5	004400204
5/16x18	25,4	5	004400205
3/8x16	38,1	3	004400206
7/16x14	38,1	3	004400207
1/2x12	38,1	3	004400208
9/16x12	38,1	3	004400209
5/8x11	50,8	3	004400210
3/4x10	50,8	3	004400211
7/8x9	50,8	3	004400212
1"x8	50,8	3	004400213

440ASC

round dies, **coarse pitch**,
UNC thread made from chrome-steel

UNC	Ø mm		
1/4x20	25,4	5	004400221
5/16x18	25,4	5	004400222
3/8x16	38,1	3	004400223
7/16x14	38,1	3	004400224
1/2x13	38,1	3	004400225
9/16x12	38,1	3	004400226
5/8x11	50,8	3	004400227
3/4x10	50,8	3	004400228
7/8x9	50,8	3	004400229
1"x8	50,8	3	004400230

440ASF

round dies, **fine pitch**,
UNF thread made from chrome-steel

ANSI B1.1

UNF	Ø mm		
1/4x28	25,4	5	004400241
5/16x24	25,4	5	004400242
3/8x24	38,1	3	004400243
7/16x20	38,1	3	004400244
1/2x20	38,1	3	004400245
9/16x18	38,1	3	004400246
5/8x18	50,8	3	004400247
3/4x16	50,8	3	004400248
7/8x14	50,8	3	004400249
1"x12	50,8	3	004400250

440ASG

round dies, cylindrical **GAS** (BSP) thread
made from chrome-steel

UNI EN 22568

GAS	Ø mm		
1/8x28	38,1	3	004400255
1/4x19	38,1	3	004400256
3/8x19	38,1	3	004400257
1/2x14	50,8	3	004400259
3/4x14	50,8	3	004400260
1"x11	63,5	3	004400261

441

round dies, **fine pitch**, metric thread
made from chrome-steel

DIN EN 22568

M	Ø mm		
6x0,75	25,4	5	004410004
7x0,75	25,4	5	004410005
8x0,75	25,4	5	004410006
8x1	25,4	5	004410007
9x0,75	25,4	5	004410008
9x1	25,4	5	004410009

441A

round dies, **fine pitch**, metric thread
made from chrome-steel

DIN 223 UNI EN 22568

M	Ø mm		
10x0,75	38,1	3	004410100
10x1	38,1	3	004410101
10x1,25	38,1	3	004410102
11x0,75	38,1	3	004410103
11x1	38,1	3	004410104
11x1,25	38,1	3	004410105
12x0,75	38,1	3	004410106
12x1	38,1	3	004410107
12x1,25	38,1	3	004410108
12x1,5	38,1	3	004410109
14x1	38,1	3	004410110
14x1,25	38,1	3	004410111
14x1,5	38,1	3	004410112
16x1	38,1	3	004410113
16x1,5	38,1	3	004410114
18x1,5	38,1	3	004410115

441B

round dies, **fine pitch**, metric thread
made from chrome-steel

DIN 223 UNI EN 22568

M	Ø mm		
18x1,5	50,8	3	004410117
18x2	50,8	3	004410118
20x1,5	50,8	3	004410119
22x1,5	50,8	3	004410120
24x1,5	50,8	3	004410121
24x2	50,8	3	004410122

442

round dies, **coarse pitch**, metric thread HSS

DIN 223 UNI EN 22568

M	ØxS mm		
3x0,5	20x5	3	004420003
4x0,7	20x5	3	004420004
5x0,8	20x7	3	004420005
6x1	20x7	3	004420006
7x1	25x9	3	004420007
8x1,25	25x9	3	004420008
10x1,5	30x11	3	004420010
12x1,75	38x14	3	004420012
14x2	38x14	1	004420014
16x2	45x18	1	004420016
18x2,5	45x18	1	004420018
20x2,5	45x18	1	004420020
22x2,5	55x22	1	004420022
24x3	55x22	1	004420024

443

round dies, **fine pitch**, metric thread HSS

UNI EN 22568

M	ØxS mm		
6x0,75	20x7	1	004430107
8x0,75	25x9	1	004430110
8x1	25x9	1	004430111
10x0,75	30x11	1	004430113
10x1	30x11	1	004430114
10x1,25	30x11	1	004430115
12x1	38x10	1	004430116
12x1,25	38x10	1	004430117
12x1,5	38x10	1	004430118
13x1,5	38x10	1	004430119
14x1	38x10	1	004430120
14x1,25	38x10	1	004430121
14x1,5	38x10	1	004430122
15x1,5	38x10	1	004430123
16x1	45x14	1	004430124
16x1,5	45x14	1	004430125
18x1,5	45x14	1	004430127
20x1,25	45x14	1	004430129
20x1,5	45x14	1	004430130
20x2	45x14	1	004430131
22x1,5	55x16	1	004430132
24x1	55x16	1	004430133
24x1,5	55x16	1	004430135
24x2	55x16	1	004430136

444

die stocks, steel body

DIN 225

	Ø mm	L mm		
444	20x5	215	5	004440005
444/0	20x7	215	5	004440007
444/1	25,4	225	5	004440025
444/1A	25x9	225	5	004440027
444/1B	30x11	300	5	004440030
444/C	38x10	315	3	004440033
444/1C	38x14	315	3	004440035
444/2	38,1X14	360	3	004440038
444/1D	45x14	455	1	004440045
444/2D	45x18	455	1	004440046
444/3	50,8	555	1	004440050
444/4	55x16	555	1	004440055
444/5A	63,5	630	1	004440057

444G

die stocks, light alloy body

UNI EN 22568

	Ø mm	L mm		
444G/A	16x5	160	5	004440103
444G	20x5	200	5	004440105
444G/0	20x7	200	5	004440107
444G/1	25,4	210	5	004440125
444G/1A	25x9	224	5	004440127
444G/1B	30x11	280	5	004440130
444G/C	38x10	315	3	004440133
444G/1C	38x14	315	3	004440135
444G/2	38,1	320	3	004440138
444G/1D	45x14	450	1	004440145
444G/2D	45x18	450	1	004440146
444G/3	50,8	500	1	004440150
444G/4	55x16	560	1	004440155
444G/5A	63,5	620	1	004440163
444G/6	65x18	630	1	004440165

446/C30

assortment of chrome-steel taps
and dies, metric thread,
and accessories in wooden case

446/C30	1	004460055

325x220x35 mm - 3,2 Kg

430 M mm	440 M mm		
3x0,5	3x0,5	435/1,5	444/1
4x0,7	4x0,7		
5x0,8	5x0,8		
6x1	6x1		
8x1,25	8x1,25		
10x1,5	10x1,5		
12x1,75	12x1,75		

446/C48

assortment of chrome-steel taps
and dies, metric thread,
and accessories in wooden case

446/C48	1	004460057

580x300x50 mm - 5 Kg

430 M mm	440 M mm	440A M mm		
3x0,5	3x0,5	10x1,5	435/1	444/1
4x0,7	4x0,7	12x1,75	435/3	444/2
5x0,8	5x0,8	14x2		
6x1	6x1	16x2		
8x1,25	8x1,25	18x2,5		
10x1,5		20x2,5		
12x1,75				
14x2				
16x2				
18x2,5				
20x2,5				

446/C110

assortment of chrome-steel taps
and dies, metric thread,
and accessories for car repair jobs
in wooden case

446/C110 1 004460060

500x337x60 mm - 8,1 Kg

430 M mm	433 M mm	440/440A M mm	441/441A M mm
2x0,4	6x0,75	2x0,4	6x0,75
3x0,5	7x0,75	3x0,5	7x0,75
4x0,7	8x0,75	4x0,7	8x0,75
5x0,8	8x1	5x0,8	8x1
6x1	9x0,75	6x1	9x0,75
7x1	9x1	7x1	9x1
8x1,25	10x0,75	8x1,25	10x0,75
9x1,25	10x1	9x1,25	10x1
10x1,5	10x1,25	10x1,5	10x1,25
11x1,5	11x0,75	11x1,5	11x0,75
12x1,75	11x1	12x1,75	11x1
14x2	11x1,25	14x2	11x1,25
16x2	12x0,75	16x2	12x0,75
	12x1		12x1
	12x1,25		12x1,25
	12x1,5		12x1,5
	14x1		14x1
	14x1,25		14x1,25
	14x1,5		14x1,5
	16x1		16x1
	16x1,5		16x1,5
	18x1,5		18x1,5

435/0	444/1	436/1
435/3	444/2	

446ASF/C29

assortment of chrome-steel taps
and dies, **UNF** thread,
and accessories in wooden case

446ASF/C29 1 004460070

660x410x50 mm - 6 Kg

433ASF	440ASF		
1/4	1/4	435/1,5	444/1
5/16	5/16	435/3	444/2
3/8	3/8		444/3
7/16	7/16		
1/2	1/2		
9/16	9/16		
5/8	5/8		
3/4	3/4		

446ASC/C37

assortment of chrome-steel taps
and dies, **UNC** thread,
and accessories in wooden case

446ASC/C37 1 004460080

660x410x50 mm - 6,7 Kg

430ASC	440ASC		
1/4	1/4	435/1,5	444/1
5/16	5/16	435/3	444/2
3/8	3/8		444/3
7/16	7/16		
1/2	1/2		
9/16	9/16		
5/8	5/8		
3/4	3/4		

446ASW/C36

assortment of chrome-steel taps
and dies, **Whitworth** thread,
and accessories in wooden case

446ASW/C36 1 004460075

525x310x50 mm - 3,4 Kg

430ASW	440ASW		
1/8	1/8	435/1,5	444/1
5/32	5/32	435/2	444/2
3/16	3/16		
1/4	1/4		
5/16	5/16		
3/8	3/8		
7/16	7/16		
1/2	1/2		

446ASG/C23

assortment of chrome-steel taps
and dies, cylindrical **GAS** thread,
and accessories in wooden case

446ASG/C23 1 004460085

700x430x70 mm - 9,8 Kg

433ASG	440ASG		
1/8	1/8	435/3	444/2
1/4	1/4	435/5	444/3
3/8	3/8		444/5A
1/2	1/2		
3/4	3/4		
1"	1"		

447/C37

assortment of HSS taps and dies,
metric thread,
and accessories in metal case

447/C37	1	004470055

380x185x35 mm - 3,9 Kg

431 M mm	442 M mm	435/0	444
3x0,5	3x0,5	435/2	444/0
4x0,7	4x0,7		444/1A
5x0,8	5x0,8		444/1B
6x1	6x1		444/1C
8x1,25	8x1,25		
10x1,5	10x1,5		
12x1,75	12x1,75		

436/1	0,5x3x75

447/C53

assortment of HSS taps and dies,
metric thread,
and accessories in metal case

447/C53	1	004470060

500x235x50 mm - 9 Kg

431 M mm	442 M mm	435/1,5	444	436/1
3x0,5	3x0,5	435/3	444/0	
4x0,7	4x0,7		444/1A	
5x0,8	5x0,8		444/1B	
6x1	6x1		444/1C	
8x1,25	8x1,25		444/2D	
10x1,5	10x1,5			
12x1,75	12x1,75			
14x2	14x2			
16x2	16x2			
18x2,5	18x2,5			
20x2,5	20x2,5			

447/C70

assortment of HSS taps and dies,
metric thread, and accessories
for car repair jobs industrial maintenance
in wooden case

447/C70	1	004470065

510x340x70 mm - 7,5 Kg

431 M mm	434 M mm	442 M mm	443 M mm
3x0,5	8x1	3x0,5	8x1
4x0,7	10x1,25	4x0,7	10x1,25
5x0,8	12x1,25	5x0,8	12x1,25
6x1	12x1,5	6x1	12x1,5
7x1	14x1,25	7x1	14x1,25
8x1,25	14x1,5	8x1,25	14x1,5
10x1,5	16x1,5	10x1,5	16x1,5
12x1,75		12x1,75	
14x2		14x2	
16x2		16x2	

435/0	444	436/1
435/3	444/0	
	444/1A	
	444/1B	
	444/1C	
	444/1D	

450

holesaws HSS, Bimetal



HSS-Co 8%

Ø mm	Ø "	A mm		
16	(5/8)	57	1	004500016
17	(11/16)	57	1	004500017
19	(3/4)	51	1	004500019
20	-	51	1	004500020
21	(13/16)	51	1	004500021
22	(7/8)	51	1	004500022
24	(15/16)	51	1	004500024
25	(1")	51	1	004500025
27	(1"1/16)	51	1	004500027
29	(1"1/8)	51	1	004500029
30	(1"3/16)	51	1	004500030
32	(1"1/4)	51	1	004500032
33	(1"5/16)	51	1	004500033
35	(1"3/8)	51	1	004500035
37	(1"7/16)	51	1	004500037
38	(1"1/2)	44	1	004500038
40	(1"9/16)	44	1	004500040
41	(1"5/8)	44	1	004500041
43	(1"11/16)	44	1	004500043
44	(1"3/4)	44	1	004500044
46	(1"13/16)	44	1	004500046
48	(1"7/8)	44	1	004500048
51	(2")	44	1	004500051
52	(2"1/16)	44	1	004500052
54	(2"1/8)	44	1	004500054
57	(2"1/4)	44	1	004500057
59	(2"5/16)	44	1	004500059
60	(2"3/8)	44	1	004500060
64	(2"1/2)	44	1	004500064
65	(2"9/16)	44	1	004500065
67	(2"5/8)	44	1	004500067
68	-	44	1	004500068
70	(2"3/4)	44	1	004500070
73	(2"7/8)	44	1	004500073
76	(3")	44	1	004500076
79	(3"1/8)	44	1	004500079
83	(3"1/4)	44	1	004500083
86	(3"3/8)	44	1	004500086
89	(3"1/2)	44	1	004500089
92	(3"5/8)	44	1	004500092
95	(3"3/4)	44	1	004500095
98	(3"7/8)	44	1	004500098
102	(4")	44	1	004500102
105	(4"1/8)	44	1	004500105
108	(4"1/4)	44	1	004500108
111	(4"3/8)	44	1	004500111
114	(4"1/2)	44	1	004500114
121	(4"3/4)	44	1	004500121
127	(5")	44	1	004500127
140	(5"1/2)	44	1	004500140
152	(6")	44	1	004500152

450AL

arbors for holesaws



	Ø mm	L mm		
450AL/1	16÷30	54	1	004500210
450AL/2	32÷152	70	1	004500215

450AD

adaptors for arbors item 450AL/1

	Ø mm		
450AD	32÷51	1	004500230

Beta SHOP in shop

450PA/1

pilot drills for arbors item 450AL/1, HSS

Ø x L mm		
6,35x105	1	004500252

450PA/2

pilot drills for arbors item 450AL/2, HSS



Ø x L mm		
6,35x80	1	004500253

450PR

extension for holesaws

L mm		
305	1	004500255

450/C9

assortment of holesaws and accessories for electricians

HSS-Co 8%

450/C9	1	004500305

450	Ø 22 - 29 - 35 - 44 - 51 - 64 mm
450AL	/1 - /2
450AD	

220x160x60 mm - 1,1 Kg

450/C13

assortment of holesaws and accessories for **installers**

HSS-Co 8%

450/C13	1	004500310

450	Ø 19 - 22 - 29 - 35 - 38 44 - 51 - 57 - 64 mm
450AL	/1 - /2
450PA/1	
450AD	

215x180x65 mm - 1,4 Kg

450/C21

assortment of holesaws and accessories for **industrial use**

HSS-Co 8%

450/C21	1	004500315

450	Ø 19 - 22 - 29 - 35 - 38 44 - 51 - 57 - 64 - 76 83 - 92 - 95 - 105 - 114 mm
450AL	/1 - /2
450PA	/1 - /2
450PR	
450AD	

420x280x60 mm - 5,2 Kg

451

hole cutters HSS, entirely ground



Ø mm	L mm	D mm		
12	85	8	1	004510012
13	85	8	1	004510013
14	85	8	1	004510014
15	85	10	1	004510015
16	85	10	1	004510016
17	85	10	1	004510017
18	85	10	1	004510018
19	85	10	1	004510019
20	85	10	1	004510020
21	85	10	1	004510021
22	85	10	1	004510022
23	85	10	1	004510023
24	85	10	1	004510024
25	85	10	1	004510025
26	90	10	1	004510026
27	90	10	1	004510027
28	90	10	1	004510028
29	90	10	1	004510029
30	90	10	1	004510030
31	90	10	1	004510031
32	90	10	1	004510032
33	90	10	1	004510033
34	90	10	1	004510034
35	90	10	1	004510035
36	85	10	1	004510036
37	85	10	1	004510037
38	85	10	1	004510038
39	85	10	1	004510039
40	85	10	1	004510040
41	85	10	1	004510041
42	85	10	1	004510042
43	85	10	1	004510043
44	85	10	1	004510044
45	85	10	1	004510045
46	85	10	1	004510046
47	85	10	1	004510047
48	85	10	1	004510048
49	85	10	1	004510049
50	85	10	1	004510050

451GA

arbors for hole cutters item 451

M	Ø mm	L mm	D mm		
10x1,25	12÷14	57	8	1	004510101
12x1,25	15÷34	57	10	1	004510102
14x1,5	35÷50	57	10	1	004510105

451PA

pilot drill for hole cutters item 451 HSS

Ø mm	L mm		
6	53	1	004510103

451PR

extension for hole cutters item 451

M	Ø mm	L mm	Ø1 mm		
12x1,25	15÷34	400	13	1	004510104
14x1,5	35÷50	400	13	1	004510108

452

hole cutters with hard metal insets



Ø mm	Ø1 mm	L mm		
15	10	90	1	004520015
16	10	90	1	004520016
17	10	90	1	004520017
18	10	90	1	004520018
19	10	90	1	004520019
20	10	90	1	004520020
21	10	95	1	004520021
22	10	95	1	004520022
23	10	95	1	004520023
24	10	95	1	004520024
25	10	95	1	004520025
26	10	95	1	004520026
27	10	95	1	004520027
28	10	95	1	004520028
29	10	95	1	004520029
30	10	95	1	004520030
31	10	95	1	004520031
32	10	95	1	004520032
33	10	95	1	004520033
34	10	95	1	004520034
35	10	95	1	004520035
36	10	95	1	004520036
37	10	95	1	004520037
38	10	95	1	004520038
39	13	95	1	004520039
40	13	95	1	004520040
41	13	95	1	004520041
42	13	95	1	004520042
43	13	95	1	004520043
44	13	95	1	004520044
45	13	95	1	004520045
46	13	95	1	004520046
47	13	95	1	004520047
48	13	95	1	004520048
49	13	95	1	004520049
50	13	90	1	004520050
55	13	90	1	004520055
60	13	90	1	004520060
65	13	90	1	004520065
70	13	95	1	004520070
75	13	95	1	004520075
80	13	95	1	004520080
85	13	95	1	004520085
90	13	95	1	004520090

452GA

arbors for hole cutters item 452

	Ø mm		
452GA/1	15÷21	1	004520125
452GA/2	22÷38	1	004520126
452GA/3	39÷100	1	004520127

560/C2

torque multiplier, **ratio 5:1**,
and accessories in plastic case

Nm	Kgfm	lbf.ft	□	■	kg
1300	130	960	1/2	3/4	3,8

560/C2	1	005600020
560/2	1	005600002
560/18	1	005600018
560/19	1	005600019
560/22	1	005600022

310x275x120 mm

560/C4+

torque multiplier, **ratio 5:1**, with reaction foot

Nm	Kgfm	lbf.ft	□	■	kg
2700	270	2000	3/4	1"	5

560/C4+	1	005600042
560/4	1	005600004
560/18	1	005600018
560/22	1	005600022

310x275x120 mm

560/C6

torque multipliers for right-hand and left-hand tightening in plastic case
ratio: 6.5:1

Nm	kgfm	lbf.ft	□	■	kg
1500	150	1106	1/2"	3/4"	6

560/C6	1	005600160

400x260x110 mm

560/C12

torque multipliers for right-hand and left-hand tightening in plastic case
ratio: 12:1

Nm	kgfm	lbf.ft	□	■	kg
2500	250	1844	1/2"	1"	7

560/C12	1	005600210

400x260x110 mm

561

torque multiplier, **ratio 5:1**

Nm	Kgfm	lbf.ft	□	■	kg
1000	100	740	1/2	3/4	4,6

561	1	005610001

562/1 - 562/2

torque multipliers, **ratio 5:1**



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
1700	170	1250	3/4	1"	108	95	85	220	5,3

562/1 — 1 — 005620001

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
3400	340	2500	3/4	1"	119	115	85	265	7,0

562/2 — 1 — 005620002

564/3R - 564/4R

torque multipliers, **ratio 25:1**,
with anti-wind up system

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L mm	kg
3000	300	2200	1/2	1"	108	188	155	9,2

564/3R — 1 — 005640003

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L mm	kg
6000	600	4500	1/2	1"1/2	119	235	200	15,5

564/4R — 1 — 005640004

565/1R - 565/2R - 565/3R

torque multipliers, **ratio 25:1**
with anti-wind up system

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
1700	170	1250	1/2	1"	108	125	80	215	7,7

565/1R — 1 — 005650011

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
3400	340	2500	1/2	1"	119	145	85	265	10,1

565/2R — 1 — 005650012

Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
3400	340	2500	1/2	1"1/2	119	145	85	265	10,7

565/3R — 1 — 005650013

565/4R

torque multiplier, **ratio 25:1**
with anti-wind up system



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
6000	600	4500	1/2	1"1/2	144	180	125	335	17

565/4R — 1 — 005650014

565/5R

torque multiplier, **ratio 25:1**
with anti-wind up system



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
9500	950	7000	3/4	1"1/2	184	180	155	355	25

565/5R — 1 — 005650015

567/4R

torque multiplier, **ratio 125:1**
with anti-wind up system



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
6000	600	4500	1/2	1"1/2	144	210	125	335	19

567/4R — 1 — 005670014

567/5R

torque multiplier, **ratio 125:1**
with anti-wind up system



Nm	Kgfm	lbf.ft	□	■	D mm	A mm	L min mm	L max mm	kg
9500	950	7000	1/2	1"1/2	184	210	155	350	27

567/5R — 1 — 005670015

581

slip-torque screwdriver, **ungraduated**
for right-hand and left-hand tightening
torque accuracy: ±6%
(to be used with items 588 - 682)

UNI EN 26789
ISO 6789

Nm	gfm	○	g
1,2÷6	120÷600	1/4"	275

581 — 1 — 005810001

583

slip-torque screwdriver, ungraduated
for right-hand and left-hand tightening
torque accuracy: ±6%

UNI EN 26789
ISO 6789

Nm	gfm	○	g
0,3÷1,5	30÷150	1/4"	200

583/1,5 — 1 005830015

Nm	gfm	○	g
0,6÷3	60÷300	1/4"	230

583/3 — 1 005830030

Nm	gfm	○	g
1,2÷6	120÷600	1/4"	350

583/6 — 1 005830060

583/C31

1 torque screwdriver, 8 hexagon hand sockets, 20 bits and 2 accessories

1/4

583/C31 — 1 005830931

	583/6	1.2 - 6 Nm
	900	4-5-5,5-6-7-8-9-10 mm
	860LP	0,6x4,5 - 1x5,5 - 1,2x6,5 mm
	860PH	PH1 - PH2 (x2) - PH3
	860PE	2-2,5-3-4-5 mm
	860TX	T9-T10-T15-T20-T25-T27-T30-T40
	882P/80	80 mm
	892/0	⬣ 1/4 ■ 1/4

270x120x45 mm - 1,2 kg

588

electronic digital torque meter

For testing and setting torque screwdrivers 581-583

Nm	lbf.in	□	kg
1÷10	10÷90	1/4"	2

588 — 1 005880001

**Table of fields of use
for torque wrenches and bars
at end of price list**

590 ÷ 592/4

direct reading torque wrenches
for right-hand and left-hand tightening
torque accuracy: ±4%



UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.in	■	A mm	L mm	kg
0,3÷4	0,03÷0,4	3÷35	1/4	60	253	0,52

590 — 1 005900001

Nm	Kgfm	lbf.in	■	A mm	L mm	kg
0,5÷13,5	0,05÷1,35	4÷120	1/4	60	253	0,52

590/1 — 1 005900003

Nm	Kgfm	lbf.in	■	A mm	L mm	kg
1÷27	0,1÷2,7	10÷240	3/8	70	253	0,52

592/3 — 1 005920005

Nm	Kgfm	lbf.in	■	A mm	L mm	kg
3÷40	0,3÷4	20÷360	3/8	70	253	0,52

592/4 — 1 005920007

594/8 - 594/21

direct reading torque wrenches
for right-hand and left-hand tightening
torque accuracy: ±4%

1/2"



UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg
6÷80	0,6÷8	5÷60	1/2	85	455	1,35

594/8 — 1 005940011

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg
20÷215	2÷21,5	15÷160	1/2	85	530	1,40

594/21 — 1 005940015

**Torque calibration
service
at end of price list**

596/80SL - 598/200SL

direct reading torque wrenches
for right-hand and left-hand tightening
torque accuracy: ±4%

A signal light and an intermittent sound mean the pre-set torque load is achieved.

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg
40÷800	4÷80	20÷600	3/4	115	1025	4,85

596/80SL — 1 005960020

Nm	Kgfm	lbf.ft	■	A mm	L mm	kg
200÷2000	20÷200	150÷1500	1"	135	1930	16,70

598/200SL — 1 005980022

599DGT

electronic torque wrench
with reversible ratchet, right-hand
and left-hand tightening,torque accuracy:
+/- 2% right-hand,
+/- 3% left-hand

buzzer and LED indicator for pre-settable target torque
• Power supply: 2 1.5V batteries (included)

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg		
12÷60	1,2÷6	8÷44	3/8	30	33	413	0,8		
599DGT/6								1	005990003
20÷100	2÷20	15÷80	1/2	30	37	413	1		
599DGT/10X								1	005990010
40÷200	4÷20	30÷150	1/2	40	43	520	2		
599DGT/20								1	005990020
68÷340	6,8÷34	58÷280	1/2	40	43	539	2,35		
599DGT/30								1	005990030

599DGT-A

electronic torque wrench, torque and angle readout
right-hand (accuracy: +/-2%) and left-hand (accuracy: +/-3%) tightening
in plastic case

Reversible ratchet: allows for right-hand and left-hand tightening
Dual measurement mode: peak hold and track
Dual approach/stop signal: green LEDs, and, later, red ones, matched with a buzzer, inform user that set torque or angle has been reached
Internal data storage software: up to 9 torque/angle values can be preset
Antislip bi-material handle
Power supply: 2 AA - 1.5V batteries (included)

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	kg		
20÷100	2÷10	15÷80	1/2	30	33	413	1		
599DGT-A/10								1	005990510
40÷200	4÷20	30÷150	1/2	40	43	520	2		
599DGT-A/20								1	005990520

Torque calibration service at end of price list

600

torque angle indicators



	□	■		
600/1	1/2	1/2	1	006000001
600/2	3/4	3/4	1	006000002

601

electronic torque angle indicator

LED indicators and buzzer for pre-settable angle



	□	■		
601 1/2	1/2"	1/2"	1	006010001
601 3/4	3/4"	3/4"	1	006010002

240x210x105 mm - 765 g

603

calibrated slipping torque wrenches
for right-hand tightening
torque accuracy: ±6%

ISO 6789

Nm	Kgfm	lbf.in	■	A mm	L mm	g		
1÷5	0,1÷0,5	10÷45	1/4	35	195	235		
603/5			■				1	006030005
2÷10	0,2÷1,0	18÷90	1/4	35	195	235		
603/10			■				1	006030010

604B

break-back torque bars
for right-hand and left-hand tightening
torque accuracy: ± 6%

Nm	kgfm	lbf.in	Ø mm	L mm	g		
1÷5	0,1÷0,5	10÷45	8	220	290		
604B/5			■			1	006040015
2÷10	0,2÷1,0	18÷90	8	220	300		
604B/10			■			1	006040020

606/2 - 606/2X

click-type torque wrenches
with reversible ratchets
for right-hand tightening
torque accuracy: ±4%



UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.in	■	D mm	A mm	L mm	g		
4÷20	0,4÷2	40÷180	1/4	28	25	220	400		
606/2								1	006060102

Nm	Kgfm	lbf.in	■	D mm	A mm	L mm	g		
4÷20	0,4÷2	40÷180	3/8	28	31	220	400		
606/2X								1	006060103

606/6 ÷ 606/30

click-type torque wrenches
with reversible ratchets
for right-hand tightening
torque accuracy: ±4%

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	g		
8÷60	0,8÷6	6÷44	3/8	30	33	305	595		
606/6								1	006060105

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	g		
20÷100	2÷10	15÷80	3/8	30	33	345	660		
606/10								1	006060110

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	g		
20÷100	2÷10	15÷80	1/2	30	37	345	680		
606/10X								1	006060111

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	g		
40÷200	4÷20	30÷150	1/2	40	43	440	920		
606/20								1	006060120

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	g		
60÷330	6÷33	40÷250	1/2	40	43	560	1180		
606/30								1	006060130

608/2

click-type torque bar
for right-hand and left-hand tightening
torque accuracy: ±4%

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.in	Ø mm	L mm	g		
4÷20	0,4÷2	40÷180	16	208	330		
608/2						1	006080102

611

reversible ratchets
for torque bars items 604B/5 and 604B/10
8 mm drive

■	L mm		
1/4	42,5	1	006110001

Torque calibration service at end of price list

612 ÷ 614

reversible ratchets for torque bars

Items 612 and 612X should not be used with tightening torques exceeding 100 Nm

	■	L mm		
612	3/8	66	2	006120000
612X	1/2	66	2	006120010
614	1/2	71	2	006140000
614X	3/4	71	2	006140004

614/50

push-through ratchet for torque bars

■	L mm		
614/50	1/2	71	2	006140002

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

616 - 617 - 619

fixed heads for torque bars

	■	L mm		
616	1/4	61	1	006160000
617	3/8	61	1	006170000
619	1/2	63	1	006190000

641

open jaw wrenches
for torque bars 604B/5 and 604B/10
8 mm drive

mm	L mm		
4	37	1	006410003
5	37	1	006410004
5,5	37	1	006410005
6	37	1	006410006
7	37	1	006410007
8	42	1	006410008
9	42	1	006410009
10	42	1	006410010

642

open jaw wrenches for torque bars

mm	L mm		
10	57	1	006420010
12	58	1	006420012
13	58	1	006420013
14	59	1	006420014
17	60	1	006420017
19	61	1	006420019
21	62	1	006420021
22	62	1	006420022
24	63	1	006420024
26	64	1	006420026
27	65	1	006420027
30	66	1	006420030
32	67	1	006420032

652

ring wrenches for torque bars

mm	L mm		
10	59	1	006520010
13	61	1	006520013
14	62	1	006520014
17	64	1	006520017
19	65	1	006520019
21	66	1	006520021
22	66	1	006520022
24	67	1	006520024
26	68	1	006520026
27	69	1	006520027
30	70	1	006520030
32	71	1	006520032

666

click-type torque wrenches
with reversible ratchets
for right-hand tightening
torque accuracy: ±4%



UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	g		
8÷60	0,8÷6	6÷44	3/8	30	33	305	600		
666/6								1	006660106
20÷100	2÷10	15÷80	3/8	30	33	345	680		
666/10								1	006660110
20÷100	2÷10	15÷80	1/2	30	37	350	780		
666/10X								1	006660111
40÷200	4÷20	30÷150	1/2	40	43	440	995		
666/20								1	006660120
60÷330	6÷33	40÷250	1/2	40	43	560	1260		
666/30								1	006660130

667

click-type torque wrenches
with push-through ratchets
for right-hand and left-hand tightening
torque accuracy: ±4%

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	■	D mm	A mm	L mm	g		
40÷200	4÷20	30÷150	1/2	40	43	440	960		
667/20								1	006670120
60÷330	6÷33	40÷250	1/2	40	43	560	1260		
667/30								1	006670130
80÷400	8÷40	60÷320	3/4	50	50	690	2200		
667/40								1	006670140

Spare parts
rotating mechanism of ratchets,
see table after item 929/C8

668

click-type torque bars
for right-hand and left-hand tightening
torque accuracy: ±4%

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	Ø mm	L mm	g		
8÷60	0,8÷6	6÷44	16	300	530		
668/5						1	006680105
20÷100	2÷10	15÷80	16	340	610		
668/10						1	006680110
40÷200	4÷20	30÷150	16	420	780		
668/20						1	006680120
60÷300	6÷30	40÷220	16	550	1100		
668/30						1	006680130

668RG

click-type torque bar, ungraduated
for right-hand and left-hand tightening
torque accuracy: ± 4%
(to be used with items 680 - 682)

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	Ø mm	L mm	g		
8÷60	0,8÷6	6÷44	16	288	550		
668RG/6						1	006680206
10÷100	1÷10	8÷80	16	315	600		
668RG/10						1	006680210
20÷200	2÷20	15÷150	16	405	780		
668RG/20						1	006680220
30÷300	3÷30	22÷220	16	645	1130		
668RG/30						1	006680230

669

click-type torque bars,
rectangular drive
for right-hand and left-hand tightening
torque accuracy: ± 4%

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	□ mm	L mm	g		
8÷60	0,8÷6	6÷44	9x12	300	530		
669/6						1	006690005
20÷100	2÷10	15÷80	9x12	340	610		
669/10						1	006690010
40÷200	4÷20	30÷150	9x12	420	780		
669/20						1	006690020
60÷300	6÷30	40÷220	14x18	550	1100		
669/30						1	006690030

669RG

click-type torque bar,
rectangular drive ungraduated
for right-hand and left-hand tightening
torque accuracy: ± 4%
(to be used with items 680/40 - 682)

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	□ mm	L mm	g
8÷60	0,8÷6	6÷44	9x12	288	550

669RG/6 — 1 006690106

Nm	Kgfm	lbf.ft	□ mm	L mm	g
10÷100	1÷10	8÷80	9x12	315	600

669RG/10 — 1 006690110

Nm	Kgfm	lbf.ft	□ mm	L mm	g
20÷200	2÷20	15÷150	14x18	405	780

669RG/20 — 1 006690120

Nm	Kgfm	lbf.ft	□ mm	L mm	g
30÷300	3÷30	22÷220	14x18	645	1130

669RG/30 — 1 006690130

671B/C5

torque bar item 604B/5 and accessories

1/4" ø8

671B/C5 — 1 006710001

604B/5	5 Nm
611	1/4
641	5-6-7-8 mm
○ 900	4-5-5,5-6-7-8-9-10 mm

270x120x45 mm - 1,1 kg

671B/C10

torque bar item 604B/10 and accessories

1/4" ø8

671B/C10 — 1 006710002

604B/10	10 Nm
611	1/4
641	6-7-8-10 mm
○ 900	4-5-5,5-6-7-8-9-10 mm

270x120x45 mm - 1,1 kg

671/C10

torque bar item 668/10 and accessories

3/8" ø16

671/C10 — 1 006710010

668/10	100 Nm
612	■ 3/8
617	■ 3/8
642	10-13-14-17-19 mm
652	10-13-14-17-19 mm
○ 910A	□ 3/8-8-10-11-13-14-17-19 mm
910/21	125 mm
910/22	250 mm

400x180x45 mm - 4,3 kg

671/C20

torque bar item 668/20 and accessories

1/2" ø16

671/C20 — 1 006710020

668/20	200 Nm
614	■ 1/2
619	■ 1/2
642	10-13-14-17-19 mm
652	10-13-14-17-19 mm
○ 920A	□ 1/2-10-11-13-14-17-19-22 mm
920/20	75 mm
920/21	125 mm
920/22	255 mm

510x180x45 mm - 5,5 kg

671/C30

torque bar item 668/30 and accessories

1/2" ø16

671/C30 — 1 006710030

668/30	300 Nm
614	■ 1/2
619	■ 1/2
642	13-14-17-19 mm
652	13-14-17-19 mm
○ 920A	□ 1/2-13-14-17-19-22-24-27 mm
920/20	75 mm
920/21	125 mm
920/22	255 mm

620x180x45 mm - 5,8 kg

677

break-back torque wrenches
with push-through ratchets
for right-hand and left-hand tightening
torque accuracy: ±4%

3/4"

UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg
100÷500	10÷50	70÷350	70	55	915	5,2

677/50 — 1 006770050

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg
150÷700	15÷70	100÷500	70	55	1140	6,2

677/70 — 1 006770070

Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg
300÷1000	30÷100	200÷750	70	55	1470	7,5

677/100 — 1 006770100

677/C...

torque wrenches item 677
in case

3/4"

677/C50 — 1 006770605
Nm 100÷500

677/C70 — 1 006770610
Nm 150÷700

677/C100 — 1 006770615
Nm 300÷1000

678

click-type torque wrenches
with push-through ratchets
for right-hand and left-hand tightening
torque accuracy: ±4%

3/4"



UNI EN 26789
ISO 6789

	Nm	Kgfm	lbf.ft	D mm	A mm	L mm	kg		
678/55	110÷550	11÷55	80÷405	61	55	845	3,7	1	006780055
678/100	300÷1000	30÷100	220÷750	75	60	1250	6,0	1	006780100
678/150	500÷1500	50÷150	370÷1100	75	60	1570	6,7	1	006780150

Torque calibration service at end of price list

678/C...

torque wrenches item 678 in case

3/4"

678/C55	Nm 110÷550	1	006780605
678/C100	Nm 300÷1000	1	006780610
678/C150	Nm 500÷1500	1	006780615

678/CV...

empty cases for torque wrenches
items 677 and 678

678/CV1	677/50-678/55	1	006780405
678/CV2	677/70-678/100	1	006780410
678/CV3	677/100-678/150	1	006780415

680/40

electronic digital torque meter
Dynatester 680
for checking calibration
to be used either clockwise or anticlockwise

12"

CE

	Nm	kg		
680/40	15÷400	4	1	006800040

682

electronic digital torque meter
with transducer Dynatester 682
to be used either clockwise
or anticlockwise
Remarkable reading accuracy
Supplied with serial output RS 232 for printers

CE

TECHNICAL FEATURES
Reading accuracy
± 1% of the read value
Available measuring units
Nm-dNm-cNm-Lbf.ft-Lbf.in-Ozf.in-Kgf.m-Kgf.cm-gf.cm
Supply range
90 to 264 V AC at 50/60 Hz
Dimensions 235x185x185 mm
Tolerance test according to norm ISO 6789
Acceptability range
for each torque wrench tested
Display
Menu available in 11 languages
Provided with all certificates required
Calibration certificate with UKAS traceability

	Nm	kg		
682/60	1.2÷60	5,9	1	006820006
682/400	8÷400	6,1	1	006820040
682/1500	30÷1500	6,4	1	006820150

710

impact sockets, standard series

3/8"

UNI/ISO 2725 DIN 3129

	Ø mm	L mm	Ø1 mm		
7	12,5	28	19	5	007100007
8	13,8	28	19	5	007100008
9	15,0	28	19	5	007100009
10	16,3	28	19	5	007100010
11	17,5	30	19	5	007100011
12	19,0	30	19	5	007100012
13	20,0	30	22	5	007100013
14	21,3	30	22	5	007100014
16	23,8	30	22	5	007100016
17	25,0	30	22	5	007100017
18	26,3	30	22	5	007100018
19	27,5	30	22	5	007100019
21	30,0	32	22	5	007100021
22	32,0	32	22	5	007100022

710/16

impact adaptor, 3/8" female
and 1/2" male drives

3/8"

L mm	Ø mm	□	■		
32	22	3/8	1/2	3	007100810

710/20

3/8" drive impact extension bar

3/8"

L mm	Ø mm		
75	22	3	007100821

710/21

3/8" drive impact extension bar

3/8"

L mm	Ø mm		
125	22	3	007100823

710/25

3/8" drive impact universal joint

3/8"

L mm	Ø mm		
58	24	2	007100830

710/C10

10 impact sockets

710/C10 7-8-10-11-12-13 14-17-19-22 mm	1	007100910

130x55x40 mm - 800 g

710/OR... - 710/SP...

rubber O-rings and locking pins
for impact sockets



	710 mm	710/16 L mm		
710/OR1	7÷12		10	007100921
710/OR2	13÷22	32	10	007100922
710/SP1	7÷12		10	007100911
710/SP2	13÷22	32	10	007100912

720

impact sockets, standard series

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm		
10	17,0	38	25	5	007200010
11	18,5	38	25	5	007200011
12	20,0	38	25	5	007200012
13	21,0	38	25	5	007200013
14	22,5	38	25	5	007200014
15	23,0	38	30	5	007200015
16	25,0	38	30	5	007200016
17	26,0	38	30	5	007200017
18	27,5	38	30	5	007200018
19	28,5	38	30	5	007200019
21	31,0	38	30	5	007200021
22	32,5	38	30	5	007200022
23	34,0	38	30	5	007200023
24	35,0	38	30	5	007200024
27	38,5	45	30	3	007200027
30	42,0	50	30	3	007200030
32	44,0	50	30	3	007200032
36	50,0	50	30	3	007200036

720AS

impact sockets, standard series

"	Ø mm	L mm	Ø1 mm		
3/8	17,0	38	25	3	007200210
7/16	18,2	38	25	3	007200211
1/2	20,7	38	25	3	007200213
9/16	22,0	38	25	3	007200214
5/8	24,5	38	30	3	007200216
11/16	25,7	38	30	3	007200217
3/4	28,2	38	30	3	007200219
13/16	30,7	38	30	3	007200221
7/8	32,0	38	30	3	007200222
15/16	34,5	38	30	3	007200224
1	35,7	38	30	3	007200225
1.1/16	38,2	40	30	3	007200227
1.1/8	40,7	42	30	3	007200229
1.1/4	44,5	42	30	3	007200232

720L

impact sockets, long series

UNI/ISO 2725

mm	Ø mm	L mm	Ø1 mm		
10	17,0	80	25	2	007200310
11	18,5	80	25	2	007200311
12	20,0	80	25	2	007200312
13	21,0	80	25	2	007200313
14	22,5	80	25	2	007200314
15	23,0	80	30	2	007200315
16	25,0	80	30	2	007200316
17	26,0	80	30	2	007200317
18	27,5	80	30	2	007200318
19	28,5	80	30	2	007200319
21	31,0	80	30	2	007200321
22	32,5	80	30	2	007200322
24	35,0	80	30	2	007200324
27	38,5	80	30	2	007200327
30	42,0	80	30	2	007200330
32	44,0	80	30	2	007200332
36	50,0	80	30	2	007200336

720L/S3

set of 3 impact sockets item 720L

mm		
17-19-21	1	007200355

720LS

impact sockets,
long, slim series

UNI/ISO 2725

mm	Ø mm	L mm	Ø1 mm		
10	15,5	78	24	2	007200360
11	16,7	78	24	2	007200361
12	18,0	78	24	2	007200362
13	19,2	78	24	2	007200363
14	20,5	78	24	2	007200364
15	21,7	78	24	2	007200365
16	23,0	78	24	2	007200366
17	24,2	78	29	2	007200367
18	25,5	78	29	2	007200368
19	26,7	78	29	2	007200369
21	29,2	78	29	2	007200371
22	30,5	78	29	2	007200372
24	33,0	78	29	2	007200374
27	36,7	78	29	2	007200377
30	40,5	78	29	2	007200380
32	43,0	78	29	2	007200382
36	48,0	78	29	2	007200386

720PL

impact sockets for wheel nuts,
with polymeric material insets

mm	Ø mm		
17	29,5	2	007200617
19	29,5	2	007200619
21	31,0	2	007200621
22	33,0	2	007200622
24	35,0	2	007200624

720PL/C5

impact sockets for wheel nuts,
with polymeric material insets

720PL/C5 17-19-21-22-24 mm	1	007200650

240x165x50 mm - 1,8 kg

720LPL

impact sockets for wheel nuts,
with polymeric material insets,
long series

mm	Ø mm		
17	24,3	1	007200717
19	26,2	1	007200719
21	28,5	1	007200721

720LPL/C3

impact sockets for wheel nuts, long series, with polymeric material insets

supplied with 3 spare insets

720LPL/C3 17-19-21 mm	1	007200750

270x185x60 mm - 1 kg

720IP

spare polymeric material insets for impact sockets 720PL-LPL

	mm		
720IP17	17	1	007200667
720IP19	19	1	007200669
720IP21	21	1	007200671
720IP22	22	1	007200672
720IP24	24	1	007200674

720FTX

impact sockets, for Torx® head screws

	Ø mm	L mm	Ø1 mm		
E10	14,0	38	25	3	007200410
E12	15,9	38	25	3	007200412
E14	17,7	38	25	3	007200414
E16	20,0	38	25	3	007200416
E18	22,0	38	25	3	007200418
E20	25,0	40	25	3	007200420

720FTX/SB6 E10-E12-E14 E16-E18-E20	1	007200450

720TX

impact socket drivers for Torx® head screws

	Ø mm	L mm	L1 mm		
T30	25	60	40	3	007200460
T40	25	60	40	3	007200470
T45	25	68	48	3	007200472
T50	25	68	48	3	007200474
T55	25	68	48	3	007200476
T60	25	68	48	3	007200478

720TX/C6

6 impact socket drivers for Torx® head screws

720TX/C6 T30-T40-T45 T50-T55-T60	1	007200483

275x120x65 mm - 5700 g

720ME

impact socket drivers for hexagon screws

	Ø mm	L mm	L1 mm		
5	25	60	40	3	007200505
6	25	60	40	3	007200506
8	25	60	40	3	007200508
10	25	68	48	3	007200510
12	25	68	48	3	007200512
14	25	78	58	3	007200514
17	25	78	58	3	007200517
19	25	78	58	3	007200519

720ME/C8

8 impact socket drivers for hexagon screws

720ME/C8 5-6-8-10-12 14-17-19 mm	1	007200525

270x120x45 mm - 1710 g

720/15

impact adaptor, 1/2" female and 3/8" male drives



L mm	Ø mm	□	■		
37,5	25	1/2	3/8	3	007200810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

720/16

impact adaptor, 1/2" female and 3/4" male drives



L mm	Ø mm	□	■		
44	30	1/2	3/4	3	007200814

720/20

1/2" drive impact extension bar

L mm	Ø mm		
75	30	3	007200818

720/21

1/2" drive impact extension bar

L mm	Ø mm		
125	30	3	007200822

720/25

1/2" drive impact universal joint

L mm	Ø mm		
72	30	2	007200830

720/C6

6 impact sockets

12"

720/C6 13-14-17-19-22-24 mm	1	007200910

195x80x55 mm - 1100 g

720/C12

12 impact sockets

12"

720/C12 10-11-12-13-14-17 19-22-24-27-30-32 mm	1	007200912

195x80x55 mm - 2000 g

720T

impact torsion bars
for motor vehicle wheel nuts

12"

Nm	L mm		
90	200	1	007200760
100	200	1	007200762
110	200	1	007200764
120	200	1	007200766

720T/B4	1	007200780

720/OR... - 720/SP...

rubber O-rings and locking pins
for impact sockets

12"



	720 mm	720TX		
720/OR1	10÷14	T30÷T60	10	007200923
720/OR2	15÷32		10	007200924
720/SP1	10÷14	T30÷T60	10	007200913
720/SP2	15÷32		10	007200914

727PI/16

impact bit holder for item 727/ES16
and 727/ES16TX

3/4"

Ø mm	L mm	mm	□		
44	52	16	3/4	2	007270016

727/ES16

impact hexagon bits, 16 mm drive

mm	mm	L mm		
10	16	40	2	007270110
12	16	40	2	007270112
13	16	40	2	007270113
14	16	40	2	007270114
16	16	40	2	007270116
17	16	40	2	007270117
18	16	40	2	007270118
19	16	40	2	007270119
22	16	40	2	007270122

727/ES16TX

impact bits for Torx® head screws,
16 mm drive

	mm	L mm		
T55	16	50	2	007270355
T60	16	50	2	007270360
T70	16	50	2	007270370

727PI/22

impact bit holder for item 727/ES22 and 727/
ES22TX

1"

Ø mm	L mm	mm		
54	70	22	2	007270022

727/ES22

impact hexagon bits, 22 mm drive

mm	mm	L mm		
19	22	50	2	007270219
22	22	50	2	007270222
24	22	50	2	007270224
27	22	50	2	007270227
30	22	50	2	007270230
32	22	50	2	007270232

727/ES22TX

impact bits for Torx® head screws,
22 mm drive

	mm	L mm		
T80	22	60	2	007270480
T90	22	60	2	007270490
T100	22	60	2	007270500

727/C16

12 impact bits and 4 accessories

3/4"

1"

727/C16	1	007270900

727PI/16
727/ES16 14-17-19 mm
727/ES16TX T55-T60-T70
727PI/22
727/ES22 22-24-27 mm
727/ES22TX T80-T90-T100
96BPC 3-4 mm

335x145x60 mm - 3,6 kg

727PI/32

impact bit holder
for item 727/ES32

1½"

Ø mm	L mm	⬡ mm		
86	66	32	1	007270032

727/ES32

impact hexagon bit,
32 mm drive

mm	⬢ mm	L mm		
19	32	44	2	007270519
22	32	44	2	007270522
24	32	44	2	007270524
27	32	44	2	007270527
30	32	44	2	007270530
32	32	44	2	007270532
36	32	44	2	007270536

728

impact sockets, standard series

3/4"

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm		
17	30,0	51	44	2	007280017
18	31,0	51	44	2	007280018
19	32,5	51	44	2	007280019
21	35,0	51	44	2	007280021
22	36,0	51	44	2	007280022
23	37,5	51	44	2	007280023
24	38,5	51	44	2	007280024
27	42,5	53	44	2	007280027
28	44,0	53	44	2	007280028
30	46,0	53	44	2	007280030
32	48,5	57	44	2	007280032
33	50,0	57	44	2	007280033
34	51,0	57	44	2	007280034
35	52,5	57	44	2	007280035
36	53,5	57	44	2	007280036
38	56,0	57	44	1	007280038
40	58,5	58	44	1	007280040
41	60,0	58	44	1	007280041
44	64,0	62	44	1	007280044
45	65,0	62	44	1	007280045
46	66,0	62	44	1	007280046
50	71,0	68	54	1	007280050
55	77,5	71	54	1	007280055
60	83,0	73	54	1	007280060

728FTX

impact sockets, for Torx® head screws

3/4"

⬡	Ø mm	L mm	Ø1 mm		
E20	28,5	50	44	2	007280420
E22	30,0	50	44	2	007280422
E24	32,5	50	44	2	007280424

728L

impact sockets, long series

3/4"

mm	Ø mm	L mm	Ø1 mm		
19	32,5	90	44	2	007280319
21	35,0	90	44	2	007280321
22	36,0	90	44	2	007280322
24	38,5	90	44	2	007280324
26	41,0	90	44	2	007280326
27	42,5	90	44	2	007280327
30	46,0	90	44	2	007280330
32	48,5	90	44	2	007280332
33	50,0	90	44	1	007280333
34	51,0	90	44	1	007280334
36	53,5	90	44	1	007280336
38	56,0	90	44	1	007280338
41	60,0	90	44	1	007280341
46	66,0	90	44	1	007280346
50	71,0	90	44	1	007280350
55	77,5	100	54	1	007280355

728LS

impact sockets, long slim series

3/4"

mm	Ø mm	L mm	Ø1 mm		
17	28,0	100	43	2	007280517
19	30,5	100	43	2	007280519
22	34,3	100	43	2	007280522
24	36,8	100	43	2	007280524
27	40,5	100	43	2	007280527
30	44,3	100	43	2	007280530
32	46,8	100	43	2	007280532
33	48,0	100	43	2	007280533
36	51,8	100	43	2	007280536

728LS/S3

set of 3 impact sockets item 728LS

3/4"

mm			
22-24-27	1	007280550	

728LQ

impact sockets, long series

(for ISUZU wheel nuts)

3/4"

□ mm	L mm	Ø mm	Ø1 mm		
19	90	35	43,5	1	007280619
21	90	42	43,5	1	007280621

728/15

impact adaptor, 3/4" female
and 1/2" male drives

3/4"

L mm	Ø mm	□	■		
54	44	3/4	1/2	2	007280810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

728/16

impact adaptor, 3/4" female and 1" male drives

3/4"



L mm	Ø mm	□	■		
62	44	3/4	1	2	007280813

728/21

3/4" drive impact extension bar

3/4"

L mm	Ø mm		
175	44	2	007280815

728/22

3/4" drive impact extension bar

3/4"

L mm	Ø mm		
250	44	2	007280825

728/22L

3/4" drive impact extension bar

3/4"

L mm	Ø mm		
330	44	1	007280826

728/25

3/4" drive impact universal joint

3/4"

L mm	Ø mm		
107,5	44	1	007280830

728/C10

10 impact sockets

3/4"

728/C10 17-19-22-24-27-30 32-36-41-46 mm	1	007280910

275x120x65 mm - 5,7 kg

728/OR - 728/SP

rubber O-rings and locking pins for impact sockets

3/4"



	728 mm	728FTX ○		
728/OR	17÷46	E20÷E24	10	007280926
728/SP	17÷46	E20÷E24	10	007280916

729

impact sockets, standard series

1"

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm		
24	41,5	58	54	1	007290024
27	45,0	60	54	1	007290027
30	49,0	62	54	1	007290030
32	51,5	63	54	1	007290032
33	52,5	63	54	1	007290033
34	54,0	63	54	1	007290034
36	56,5	66	54	1	007290036
38	59,0	66	54	1	007290038
41	62,5	68	54	1	007290041
46	69,0	72	54	1	007290046
50	74,0	76	54	1	007290050
55	80,0	84	54	1	007290055
60	86,5	88	54	1	007290060
65	92,5	92	54	1	007290065
70	99,0	96	54	1	007290070
75	105,0	102	63	1	007290075
80	111,5	102	63	1	007290080

729L

impact sockets, long series

1"

mm	Ø mm	L mm	Ø1 mm		
24	41,5	108	54	1	007290324
27	45,0	108	54	1	007290327
30	49,0	108	54	1	007290330
32	51,5	108	54	1	007290332
33	52,2	108	54	1	007290333
34	54,0	108	54	1	007290334
36	56,5	108	54	1	007290336
41	62,5	108	54	1	007290341
46	69,0	108	54	1	007290346
50	74,0	108	54	1	007290350
55	80,0	108	54	1	007290355
60	86,5	108	54	1	007290360
65	92,5	108	54	1	007290365
70	99,0	108	54	1	007290370
75	105,0	108	63	1	007290375
80	111,5	108	63	1	007290380

729LS

impact sockets, long slim series

1"

mm	Ø mm	L mm	Ø1 mm		
22	36,0	108	53	1	007290522
24	38,5	108	53	1	007290524
27	42,3	108	53	1	007290527
30	46,0	108	53	1	007290530
32	48,5	108	53	1	007290532
33	49,8	108	53	1	007290533
36	53,5	108	53	1	007290536

729T

impact torsion bars for wheel nuts

1"



mm	Nm	L mm		
24	350	300	1	007290724
27	450	300	1	007290757
30	500	300	1	007290730
32	450	300	1	007290732
32	600	300	1	007290762
33	600	300	1	007290763
36	600	300	1	007290736

729/15

impact adaptor, 1" female and 3/4" male drives

1"

L mm	Ø mm	□	■		
66,5	54	1	3/4	1	007290810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

729/16

impact adaptor, 1" female and 1.1/2" male drives

1"



L mm	Ø mm	□	■		
88	54,0	1	1.1/2	1	007290813

729/21

1" drive impact extension bar

1"

L mm	Ø mm	□	■		
175	54	1	1	1	007290815

729/22

1" drive impact extension bar

1"

L mm	Ø mm		
330	54	1	007290825

729/25

1" drive impact universal joint

1"

L mm	Ø mm		
130	54	1	007290830

729/OR... - 729/SP...

rubber O-rings and locking pins for impact sockets

3/4"
1"
1.1/2"



	728 mm	729-730 mm		
729/OR1	50÷60	24÷70	5	007290927
729/OR2		75÷125	5	007290928
729/SP1	50÷60	24÷70	5	007290917
729/SP2		75÷125	5	007290918

730

impact sockets, standard series

UNI/ISO 2725 DIN 3129

mm	Ø mm	L mm	Ø1 mm		
50	81	87	84	1	007300050
55	88	90	86	1	007300055
60	94	95	86	1	007300060
65	100	100	86	1	007300065
70	106	105	86	1	007300070
75	113	110	86	1	007300075
80	119	115	86	1	007300080
85	125	120	86	1	007300085
90	132	125	86	1	007300090
95	138	125	96	1	007300095
100	144	130	96	1	007300100
105	150	135	96	1	007300105
110	157	140	96	1	007300110
115	163	140	96	1	007300115
120	169	145	96	1	007300120
125	175	145	96	1	007300125

730/15

adaptor



L mm	Ø mm	□	■		
105	84,0	1.1/2	1	1	007300810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

733/15

adaptor

L mm	Ø mm	□	■		
156	127	2.1/2	1.1/2	1	007330810

851

magnetic bit holder with handle

L1 mm	L mm		
45	165	2	008510165
125	245	2	008510245

851SR

quick release bit holder with handle

L mm	L1 mm		
230	110	2	008510001

855P

reversible ratchet bit holder with articulated handle, and 7 built-in bits



L mm	L1 mm		
240	100	1	008550010

860PH	PH1 - PH2
860PZ	PZ1 - PZ2
860LP	LP 0,8X5,5 mm
860PE	4 - 5 mm

855T

T-handle bit holder with universal quick release and reversible ratchet on long side

L mm	L1 mm		
185	135	1	008550050

860LP

bits for slotted head screws, coloured

ISO 2351-1
ISO 1173 C 6,3

SxA mm	L mm		
0,5x3	25	5	008600005
0,6x4,5	25	5	008600010
0,8x5,5	25	5	008600015
1x5,5	25	5	008600020
1,2x6,5	25	5	008600025

860PH

bits for cross head Phillips® screws, coloured

ISO 2351-2
ISO 1173 C 6,3

PH	L mm		
0	25	5	008600220
1	25	5	008600225
2	25	5	008600230
3	25	5	008600245
4	25	5	008600250

860PZ

bits for cross head Pozidriv® - Supadriv® screws, coloured

ISO 2351-2
ISO 1173 C 6,3

PZ	L mm		
1	25	5	008600320
2	25	5	008600325
3	25	5	008600330
4	25	5	008600335

860PE

hexagon bits for power drivers, coloured

ISO 2351-3
ISO 1173 C 6,3

mm	L mm		
2	25	5	008600101
2,5	25	5	008600102
3	25	5	008600103
4	25	5	008600104
5	25	5	008600105
6	25	5	008600106
8	25	5	008600108
10	25	5	008600110

860TX

bits for Torx® head screws, coloured

ISO 1173 C 6,3

	L mm		
T6	25	5	008600704
T7	25	5	008600705
T8	25	5	008600710
T9	25	5	008600715
T10	25	5	008600720
T15	25	5	008600725
T20	25	5	008600730
T25	25	5	008600735
T27	25	5	008600740
T30	25	5	008600745
T40	25	5	008600750

860RTX

bits for Tamper Resistant Torx® head screws, coloured

ISO 1173 C 6,3

	L mm		
T9	25	5	008600550
T10	25	5	008600555
T15	25	5	008600560
T20	25	5	008600565
T25	25	5	008600570
T27	25	5	008600575
T30	25	5	008600580
T40	25	5	008600585

860/55

reversible bit ratchet

L mm			
100	1/4	3	008600870

860/C27

25 bits,1 connector and 1 reversible ratchet in plastic case

860/C27	1	008600880

860/55	100 mm	
860LP	0,5x3-1,0x5,5-1,2x6,5 mm	
860PH	PH1-PH2(x2)-PH3	
860PZ	PZ1-PZ2(x2)-PZ3	
860PE	2-2,5-3-4-5-6 mm	
860TX	T6-T8-T10-T15-T20-T25-T30-T40	
892/0	● 1/4 ■ 1/4	

860PHZ/A10

set of 10 bits with magnetic bit holder in plastic case

860PHZ/A10	1	008600910

			n.
860PH	PH1		1
	PH2		3
	PH3		1
860PZ	PZ1		1
	PZ2		3
	PZ3		1
882M1	⬡ 1/4 ● 1/4		

860PHZ/A31

set of 30 bits with magnetic quick release bit holder in plastic case

860PHZ/A31	1	008600912

			n.
860PH	PH1		3
	PH2		9
	PH3		3
860PZ	PZ1		3
	PZ2		9
	PZ3		3
882MSR/50	⬡ 1/4 ● 1/4		

860PE/A10

set of 10 bits with magnetic bit holder in plastic case

860PE/A10	1	008600920

			n.
860PE	2 - 2,5 mm		1
	3 - 4 - 5 - 6 mm		2
882M1	⬡ 1/4 ● 1/4		

860TX/A10

set of 10 bits with magnetic bit holder in plastic case

860TX/A10	1	008600970

			n.
860TX	T7 - T8 - T9 - T10 - T15 - T20 T25 - T27 - T30 - T40		1
882M1	⬡ 1/4 ● 1/4		

860TX/A31

set of 30 bits with magnetic quick release bit holder in plastic case

860TX/A31	1	008600972

			n.
860TX	T6 - T7 - T8		2
	T9 - T10 - T15 - T20 - T25 T27 - T30 - T40		3
882MSR/50	⬡ 1/4 ● 1/4		

860PHT/A31

set of 30 bits with magnetic quick release bit holder in plastic case

860PHT/A31		1	008600940

			n.
	860PH	PH1	3
		PH2	6
	860TX	T10 - T15 - T20 - T25 - T27 - T30 - T40	3
	882MSR/50	⎔ 1/4 ⬣ 1/4	

860RTX/A10

set of 10 bits with magnetic bit holder in plastic case

860RTX/A10		1	008600930

			n.
	860RTX	T9-T10-T15-T20-T25-T27	1
		T30-T40	2
	882M1	⎔ 1/4 ⬣ 1/4	

860MIX/A10

set of 10 bits with magnetic bit holder in plastic case

860MIX/A10		1	008600900

			n.
	860LP	0,5x3 - 1x5,5 - 1,2x6,5 mm	1
	860PH	PH1	1
		PH2	2
		PH3	1
	860PZ	PZ1 - PZ2 - PZ3	1
	882M1	⎔ 1/4 ⬣ 1/4	

860MIX/A31

set of 30 bits with magnetic quick release bit holder in plastic case

860MIX/A31		1	008600902

	860LP	0,5x3 - 0,6x4 - 0,8x5,5 - 1,0x5,5 - 1,2x6,5 mm
	860PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
	860PH	PH0 - PH1 - PH2 - PH3 - PH4
	860PZ	PZ1 - PZ2 - PZ3 - PZ4
	860RTX	T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
	882MSR/50	⎔ 1/4 ⬣ 1/4

860/C38P

1 reversible ratchet bit holder with articulated handle, 27 bits, 8 hexagon sockets and 2 accessories

860/C38P		1	008600878

	860LP	0,6x4,5 - 0,8x5,5 - 1,0x5,5 - 1,2x6,5 mm
	860PE	2-2,5-3-4(x2)-5(x2)
	860PH	PH1(x2)-PH2(x2)-PH3
	860PZ	PZ1(x2)-PZ2(x2)-PZ3
	860TX	T10-T15-T20-T25-T30-T40
	900	5-5,5-6-7-8-9-10-13 mm
	892/0	⬣ 1/4 ■ 1/4
	892/3	⬣ 1/4 ■ 1/4
	855P	240 mm

270x120x45 mm

861LP

bits for slotted head screws

ISO 2351-1

ISO 1173 C 6,3

SxA mm	L mm		
0,5x3	25	10	008610005
0,6x4,5	25	10	008610010
0,8x5,5	25	10	008610015
1x5,5	25	10	008610020
1,2x6,5	25	10	008610025
1,2x8	25	10	008610028
1,6x8	25	10	008610030

861PH

bits for cross head Phillips® screws

ISO 2351-2

ISO 1173 C 6,3

PH	L mm		
0	25	10	008610200
1	25	10	008610205
2	25	10	008610210
2L	50	10	008610213
3	25	10	008610215
4	25	10	008610220

861PH/C

bits for cross head Phillips® screws



ISO 2351-2
ISO 1173 C 6,3

PH	L mm		
0	25	200	008610250
1	25	200	008610255
2	25	200	008610260
2L	50	100	008610263
3	25	200	008610265
4	25	100	008610270

861PZ

bits for cross head Pozidriv®-Supadriv® screws

ISO 2351-2

ISO 1173 C 6,3

PZ	L mm		
1	25	10	008610300
2	25	10	008610305
2L	50	10	008610308
3	25	10	008610310
4	25	10	008610315

861PZ/C

bits for cross head Pozidriv®-Supadriv® screws

ISO 2351-2
ISO 1173 C 6,3

PZ	L mm		
1	25	200	008610350
2	25	200	008610355
2L	50	100	008610358
3	25	200	008610360
4	25	100	008610365

861PE

hexagon bits for power drivers

ISO 2351-3

ISO 1173 C 6,3

mm	L mm		
2	25	10	008610100
2,5	25	10	008610105
3	25	10	008610110
4	25	10	008610115
5	25	10	008610120
6	25	10	008610125
8	25	10	008610130
10	25	10	008610135

861TX

bits for Torx® head screws

ISO 1173 C 6,3

	L mm		
T6	25	10	008610400
T7	25	10	008610405
T8	25	10	008610410
T9	25	10	008610415
T10	25	10	008610420
T15	25	10	008610425
T20	25	10	008610430
T25	25	10	008610435
T27	25	10	008610440
T30	25	10	008610445
T40	25	10	008610450

861TX/C

bits for Torx® head screws



ISO 1173 C 6,3

	L mm		
T10	25	200	008610470
T15	25	200	008610475
T20	25	200	008610480
T25	25	200	008610485
T27	25	200	008610490
T30	25	200	008610495
T40	25	200	008610499

861RTX

bits for Tamper Resistant Torx® head screws

ISO 1173 C 6,3

	L mm		
T9	25	10	008610500
T10	25	10	008610505
T15	25	10	008610510
T20	25	10	008610515
T25	25	10	008610520
T27	25	10	008610525
T30	25	10	008610530
T40	25	10	008610535

861TRW

bits for Tri-Wing® head screws

ISO 1173 C 6,3

GR	L mm		
1	25	10	008610601
2	25	10	008610602
3	25	10	008610603
4	25	10	008610604
5	25	10	008610605
6	25	10	008610606

861TQS

bits for Torq-Set® head screws

ISO 1173 C 6,3

GR	L mm		
0	25	10	008610620
1	25	10	008610621
2	25	10	008610622
3	25	10	008610623
4	25	10	008610624
5	25	10	008610625
6	25	10	008610626
8	25	10	008610628
10	25	10	008610630

861SP

bits for Spanner screws

ISO 1173 C 6,3

SP	D mm	L mm		
4	1,5	25	10	008610650
6	2,4	25	10	008610653
8	2,8	25	10	008610656
10	3,3	25	10	008610658
12	3,9	25	10	008610660

861/C61P

61 bits and 1 magnetic quick release bit holder

861/C61P	1	008610978

861LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1,0x5,5 1,2x6,5 - 1,2x8 - 1,6x8 mm
861PE	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
861PH	PH0 - PH1 - PH2 - PH3
861PZ	PZ1 - PZ2 - PZ3
861TX	T6 - T7 - T8 - T9 - T10 - T15 T20 - T25 - T27 - T30 - T40
861RTX	T9 - T10 - T15 - T20 - T25 T27 - T30 - T40
861TRW	1 - 2 - 3 - 4 - 5 - 6
861TQS	0 - 1 - 2 - 3 - 4 - 5 - 6 - 8 - 10
861SP	4 - 6 - 8 - 10 - 12
851SR	1/4"

270x120x45 mm - 975 g

862LP

bits for slotted head screws

ISO 2351-1

ISO 1173 E 6,3

SxA mm	L mm		
0,5x3	50	5	008620005
0,6x4,5	50	5	008620010
0,8x5,5	50	5	008620015
1x5,5	50	5	008620020
1,2x6,5	50	5	008620025
1,2x8	50	5	008620030
1,6x8	50	5	008620035

862PH

bits for cross head Phillips® screws

ISO 2351-2

ISO 1173 E 6,3

PH	L mm		
1	50	5	008620200
2	50	5	008620205
3	50	5	008620210

862PH/L

bits for cross head Phillps® screws

ISO 2351-2

ISO 1173 E 6,3

PH	L mm		
1	70	5	008620230
2	70	5	008620232
3	70	5	008620234

862PZ

bits for cross head Pozidriv®-Supadriv® screws

ISO 2351-2

ISO 1173 E 6,3

PZ	L mm		
1	50	5	008620300
2	50	5	008620305
3	50	5	008620310

862PE

hexagon bits for power drivers

ISO 2351-3

ISO 1173 E 6,3

mm	L mm		
3	50	5	008620103
4	50	5	008620104
5	50	5	008620105
6	50	5	008620106
8	50	5	008620108

862TX

bits for Torx® head screws

ISO 1173 E 6,3

	L mm		
T9	50	5	008620509
T10	50	5	008620510
T15	50	5	008620515
T20	50	5	008620520
T25	50	5	008620525
T27	50	5	008620527
T30	50	5	008620530
T40	50	5	008620540

862TX/L

bits for Torx® head screws

ISO 1173 E 6,3

	L mm		
T9	70	5	008620559
T10	70	5	008620560
T15	70	5	008620565
T20	70	5	008620570
T25	70	5	008620575
T27	70	5	008620577
T30	70	5	008620580
T40	70	5	008620590

862F

magnetic bits, hexagon sockets

ISO 1173 E 6,3

mm	L mm	Ø mm		
5,5	65	11	5	008620405
6	65	11	5	008620406
7	65	11	5	008620407
8	65	13	5	008620408
10	65	15	5	008620410
12	65	18	5	008620412
13	65	18	5	008620413

862F/A7

7 magnetic bits, hexagon sockets, in plastic case

862F/A7	1	008620950	

862F 5,5-6-7-8-10-12-13 mm

866LP

bits for slotted head screws

ISO 2351-1

ISO 1173 C 8

SxA mm	L mm		
1x5,5	41	10	008660005
1,2x6,5	41	10	008660010
1,6x8	41	10	008660015
1,6x10	41	10	008660020
2x12	41	10	008660025

866PH

bits for cross head Phillips® screws

ISO 2351-2

ISO 1173 C 8

PH	L mm		
1	32	10	008660200
2	32	10	008660205
3	32	10	008660210
4	38	10	008660215

866PZ

bits for cross head Pozidriv®-Supadriv® screws

ISO 2351-2

ISO 1173 C 8

PZ	L mm		
1	32	10	008660300
2	32	10	008660305
3	32	10	008660310
4	38	10	008660315

866PE

hexagon bits for power drivers

ISO 2351-3

ISO 1173 C 8

mm	L mm		
3	30	10	008660100
4	30	10	008660105
5	30	10	008660110
6	30	10	008660115
8	30	10	008660120
10	30	10	008660125

866TX

bits for Torx® head screws

ISO 1173 C 8

	L mm		
T20	30	10	008660400
T25	30	10	008660405
T27	30	10	008660410
T30	30	10	008660415
T40	30	10	008660420
T45	30	10	008660425
T50	30	10	008660430
T55	30	10	008660435

867PE

hexagon bits

mm	L mm		
4	30	5	008670104
5	30	5	008670105
6	30	5	008670106
7	30	5	008670107
8	30	5	008670108
10	30	5	008670110
12	30	5	008670112

867PE/L

hexagon bits

mm	L mm		
4	75	5	008670154
5	75	5	008670155
6	75	5	008670156
7	75	5	008670157
8	75	5	008670158
10	75	5	008670160
12	75	5	008670162

867XZN

bits with XZN® profile



	L mm		
M5	30	5	008670205
M6	30	5	008670206
M8	30	5	008670208
M10	30	5	008670210
M12	30	5	008670212

867XZN/L

bits with XZN® profile

	L mm		
M5	75	5	008670255
M6	75	5	008670256
M8	75	5	008670258
M10	75	5	008670260
M12	75	5	008670262

867TX

bits for Torx® head screws

	L mm		
T20	30	5	008670400
T25	30	5	008670405
T30	30	5	008670410
T40	30	5	008670415
T45	30	5	008670420
T50	30	5	008670425
T55	30	5	008670430

867TX/L

bits for Torx® head screws

	L mm		
T20	75	5	008670450
T25	75	5	008670455
T30	75	5	008670460
T40	75	5	008670465
T45	75	5	008670470
T50	75	5	008670475
T55	75	5	008670480

867RTX

bits for Tamper Resistant Torx® head screws

	L mm		
T20	30	5	008670500
T25	30	5	008670505
T30	30	5	008670510
T40	30	5	008670515
T45	30	5	008670520
T50	30	5	008670525
T55	30	5	008670530

867RTX/L

bits for Tamper Resistant Torx® head screws

	L mm		
T20	75	5	008670550
T25	75	5	008670555
T30	75	5	008670560
T40	75	5	008670565
T45	75	5	008670570
T50	75	5	008670575
T55	75	5	008670580

867/...

bit holder sockets for item 867

	mm	□	L mm	Ø mm		
867/1	10	3/8"	38	17	5	008670600
867/2	10	1/2"	38	22	5	008670601

867/C52

52 hexagon bits, 10 mm and 2 accessories



867/C52	1	008670901

867PE	4-5-6-7-8-10-12 mm
867PE/L	4-5-6-7-8-10-12 mm
867XZN	M5-M6-M8-M10-M12
867XZN/L	M5-M6-M8-M10-M12
867TX	T20-T25-T30-T40-T45-T50-T55
867TX/L	T20-T25-T30-T40-T45-T50-T55
867RTX	T20-T25-T30-T40-T45-T50-T55
867RTX/L	T20-T25-T30-T40-T45-T50-T55
867/1	⎔ 10 mm - □ 3/8"
867/2	⎔ 10 mm - □ 1/2"

250x170x70 mm - 2,1 kg

882

bit holder with retaining ring for drivers

ISO 1173 C 6,3

L mm	⎔	⬢	Ø mm		
57	1/4	1/4	11	5	008820001

882M1

magnetic bit holder

ISO 1173 C 6,3

L mm	⎔	⬢	Ø mm		
50	1/4	1/4	11	5	008820006

882M

magnetic bit holder

ISO 1173 C 6,3

L mm	⬡	⬢	Ø mm		
75	1/4	1/4	11	5	008820005

882 MSR

magnetic quick release bit holder for drivers

L mm	⬡	⬢	Ø mm		
50	1/4	1/4	11	5	008820205
75	1/4	1/4	11	5	008820207

882P

magnetic bit holder extension bar

L mm	⬢	⬡	Ø mm		
80	1/4	1/4	10	5	008820080

892

adaptors for drivers

	■	⬢	L mm		
892/0	1/4	1/4	25	5	008920000
* **892/1**	1/4	5,5	50	5	008920001
* **892/2**	3/8	5,5	50	5	008920002
° **892/3**	1/4	1/4	50	5	008920003
° **892/4**	3/8	1/4	50	5	008920004
892/5	1/4	5/16	75	5	008920005
892/6	3/8	5/16	75	5	008920006

*** ISO 1173 A 5,5**
° ISO 1173 C 6,3

895

socket holder for bits
item 861 - 862 - 866

DIN 7427

	⬡	□	L mm	Ø mm		
895/1	1/4	1/4	22	12	5	008950000
895/3	1/4	3/8	30	17,3	5	008950001
895/4	5/16	3/8	38	18	5	008950002
895/5	1/4	1/2	38	22	5	008950005
895/6	5/16	1/2	38	22	5	008950003

897

flexible bit holder with handle

L mm	L1 mm		
280	154	2	008970010

897L

flexible bit holder with handle, long model

L mm	L1 mm		
500	380	2	008970015

900

hexagon hand sockets

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
4	6,8	25	11,8	10	009000040
4,5	7,4	25	11,8	10	009000045
5	8,0	25	11,8	10	009000050
5,5	8,7	25	11,8	10	009000055
6	9,3	25	11,8	10	009000060
7	10,4	25	11,8	10	009000070
8	11,8	25	12,7	10	009000080
9	12,7	25	11,8	10	009000090
10	14,2	25	12,0	10	009000100
11	15,8	25	12,5	10	009000110
12	17,2	25	13,5	10	009000120
13	18,0	25	13,5	10	009000130
14	20,0	25	15,0	10	009000140

900/SB13 1 009000150
4-4,5-5-5,5-6-7-8-9
10-11-12-13-14 mm

900MB

bi-hex hand sockets

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
4	7,7	22	11,2	5	009000160
5	8,0	25	11,8	5	009000161
5,5	8,7	25	11,8	5	009000162
6	9,3	25	11,8	5	009000163
7	10,4	25	11,8	5	009000164
8	11,8	25	12,7	5	009000165
9	12,7	25	11,8	5	009000166
10	14,2	25	12,0	5	009000167
11	15,8	25	12,5	5	009000168
12	17,2	25	13,5	5	009000169
13	18,0	25	13,5	5	009000170
14	20,0	25	15,0	5	009000171

900MB/SB12 1 009000179
4-5-5,5-6-7-8-9-10
11-12-13-14 mm

900L

hexagon hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
4	6,5	50	12,0	5	009000181
4,5	7,0	50	12,0	5	009000182
5	7,5	50	12,0	5	009000183
5,5	8,5	50	12,0	5	009000184
6	9,5	50	12,0	5	009000185
7	10,5	50	12,0	5	009000186
8	12,0	50	12,0	5	009000187
9	13,0	50	13,0	5	009000188
10	14,0	50	14,0	5	009000189
11	16,0	50	16,0	5	009000190
12	17,5	50	17,5	5	009000191
13	17,5	50	17,5	5	009000192
14	20,0	50	20,0	5	009000193

900L/SB13 1 009000203
4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm

900MB/L

bi-hex hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
5	8,0	50	12,0	5	009000211
6	9,3	50	12,0	5	009000212
7	10,9	50	12,0	5	009000213
8	11,6	50	12,0	5	009000214
9	13,0	50	12,0	5	009000215
10	14,3	50	12,8	5	009000216
11	16,0	50	14,2	5	009000217
12	17,4	50	15,5	5	009000218
13	18,0	50	16,2	5	009000219
14	19,0	50	17,1	5	009000220

900AS

hexagon hand sockets

	Ø mm	L mm	Ø1 mm		
5/32	8,8	22	11,2	5	009000349
3/16	7,7	22	11,2	5	009000340
7/32	8,8	22	11,2	5	009000345
1/4	9,6	22	11,2	5	009000350
9/32	10,2	22	11,2	5	009000355
5/16	11,3	22	11,7	5	009000360
11/32	12,7	22	11,6	5	009000365
3/8	14,0	22	12,9	5	009000370
7/16	15,3	22	14,5	5	009000375
1/2	17,5	22	16,4	5	009000380
9/16	19,0	24	17,9	5	009000385

900AS/SB11 1 009000389
3/16-7/32-5/32-1/4-9/32-5/16-11/32-3/8-7/16-1/2-9/16

900AS/MB

bi-hex hand sockets

SAE AS 954E

"	Ø mm	L mm	Ø1 mm		
3/16	8,0	22	10,0	5	009000390
7/32	8,6	22	10,0	5	009000391
1/4	9,6	22	10,0	5	009000392
9/32	10,0	22	10,0	5	009000393
5/16	11,9	22	11,9	5	009000394
11/32	12,0	22	12,0	5	009000395
3/8	13,9	22	13,9	5	009000396
7/16	15,2	22	15,2	5	009000397
1/2	17,2	22	17,2	5	009000398
9/16	19,0	24	19,0	5	009000399

900AS/L

hexagon hand sockets, long series

"	Ø mm	L mm	Ø1 mm		
3/16	7,0	50	12,0	2	009000301
7/32	8,5	50	12,0	2	009000303
1/4	9,8	50	12,0	2	009000305
9/32	10,5	50	12,0	2	009000307
5/16	12,0	50	12,0	2	009000309
11/32	13,0	50	13,0	2	009000311
3/8	14,0	50	14,0	2	009000313
7/16	16,0	50	16,0	2	009000315
1/2	17,5	50	17,5	2	009000317
9/16	20,0	50	20,0	2	009000319

900AS/MBL

bi-hex hand sockets, long series

"	Ø mm	L mm	Ø1 mm		
5/32	6,8	50	12,0	5	009000325
3/16	8,0	50	12,0	5	009000326
7/32	8,5	50	12,0	5	009000327
1/4	9,8	50	12,0	5	009000328
9/32	10,9	50	12,0	5	009000329
5/16	11,6	50	12,0	5	009000330
11/32	13,0	50	12,0	5	009000331
3/8	14,3	50	12,8	5	009000332
7/16	16,0	50	14,2	5	009000333
1/2	18,0	50	16,2	5	009000334
9/16	19,0	50	17,1	5	009000335

900FTX

hand sockets for Torx® head screws

	Ø mm	L mm	Ø1 mm		
E4	5,4	22	11,2	5	009000404
E5	6,7	22	11,2	5	009000405
E6	7,7	22	11,2	5	009000406
E7	8,3	22	11,2	5	009000407
E8	9,6	22	11,2	5	009000408
E10	11,3	22	12,0	5	009000410
E11	12,1	22	12,5	5	009000411
E12	12,9	23	12,9	5	009000412
E14	14,0	25	14,0	5	009000414

900FTX/SB9 1 009000419
E4-E5-E6-E7-E8
E10-E11-E12-E14

900LP

socket drivers for slotted head screws

SxA mm	Ø mm	L mm	L1 mm		
0,8x4	12	28	9	10	009000605
1x5,5	12	28	9	10	009000610
1,2x6,5	12	28	9	10	009000615
1,2x8	13	28	8	10	009000620
1,6x10	14	28	8	10	009000625

900PH

socket drivers
for cross head Phillips® screws



PH	Ø mm	L mm	L1 mm		
1	12	28	12	10	009000701
2	12	28	12	10	009000702
3	12	28	12	10	009000703
4	13	28	11	10	009000704

900LPH/SB7

900LPH/SB7 1 009000707

900LP 0,8x4 - 1x5,5 - 1,2x6,5 - 1,2x8
900PH PH1 - PH2 - PH3

900ME

socket drivers for hexagon screws

mm	Ø mm	L mm	L1 mm		
2,5	12	25	4,5	10	009000502
3	12	25	5,0	10	009000503
4	12	25	5,6	10	009000504
5	12	25	6,3	10	009000505
6	12	25	7,6	10	009000506
7	13	25	7,2	10	009000507
8	13	25	8,0	10	009000508
10	13	25	8,7	5	009000510

900ME/SB8 1 009000518
2,5-3-4-5-6-7-8-10 mm

900PT

socket drivers for 5-star head screws

1/4"

	Ø mm	L mm	L1 mm		
PT10	12	28	12	5	009000750
PT15	12	28	12	5	009000755
PT20	12	28	12	5	009000760
PT25	12	28	12	5	009000765
PT27	12	28	12	5	009000767
PT30	12	28	12	5	009000770

900TX

socket drivers for Torx® head screws

1/4"



	Ø mm	L mm	L1 mm		
T9	12	28	12	5	009000720
T10	12	28	12	5	009000721
T15	12	28	12	5	009000722
T20	12	28	12	5	009000723
T25	12	28	12	5	009000724
T27	12	28	12	5	009000725
T30	12	28	12	5	009000726
T40	12	28	12	5	009000727

900/16

adaptor, 1/4" female and 3/8" male drives

1/4"



UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■		
28	13,0	1/4	3/8	5	009000814

900/...

1/4" female and male drive extension bars

1/4"



UNI/ISO 3316 DIN 3123

	L mm	Ø mm		
900/20	50	11,5	5	009000818
900/20L	100	11,5	5	009000819
900/21	150	11,5	5	009000822
900/22	250	11,5	5	009000823
900/23	350	11,5	5	009000824

900AN

1/4" wobble extension bars

1/4"



	L mm	Ø mm		
900AN/50	50	11,5	3	009000825
900AN/100	100	11,5	3	009000826

900FL

1/4" flexible universal extension bar

1/4"



L mm	Ø mm		
150	12	3	009000828

900/25

1/4" drive universal joint

1/4"

UNI/ISO 3316 DIN 3123

L mm	Ø mm		
41	12,5	5	009000830

900BG/30C

1/4" drive spinner handle

1/4"

UNI/ISO 3315 DIN 3122

L mm	L1 mm		
128	20	5	009000833

900BG/30

1/4" drive spinner handle

1/4"

UNI /ISO 3315 DIN 3122

L mm	L1 mm		
176	68	5	009000834

900/32

1/4" drive flexible handle

1/4"

L mm	L1 mm		
280	154	2	009000839

900/35A

1/4" drive swivel handle

1/4"



UNI/ISO 3315 DIN 3122

L mm	L1 mm		
148	84	5	009000840

900M/35

1/4" swivel drive with metal handle

1/4"

L mm		
130	3	009000845

900/40

1/4" drive swivel T-handle

1/4"

L mm	L1 mm		
390	145	5	009000843

900/42

1/4" drive sliding T-handle

1/4"

UNI/ISO 3315 DIN 3122

L mm	A mm		
115	22	5	009000854

900/55

1/4” drive reversible ratchet, 48 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
125	25	18	5	009000870

900M/55

1/4” drive reversible ratchet with metal handle

L mm	Ø mm	A mm		
110	22	18	3	009000905

900/C11

11 hexagon sockets, 20 bits and 8 accessories

900/C11 — 1 — 009000971

861LP	0,5x3 - 0,8x5,5 1x5,5 - 1,2x6,5 mm
861PE	3 - 4 - 5 - 6 - 8 mm
861PH	0 - 1 - 2 - 3
861TX	T8 - T10 - T15 - T20 T25 - T30 - T40
895/1	
900	5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm
900/16	□ 1/4 - ■ 3/8
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1,2 kg

900/C13-5

13 hexagon sockets and 5 accessories

900/C13-5 — 1 — 009000953

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1 kg

900/C13-8

13 hexagon sockets and 8 accessories

900/C13-8 — 1 — 009000954

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
900/16	□ 1/4 - ■ 3/8
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900MB/C19

11 bi-hex sockets and 8 accessories

900MB/C19 — 1 — 009000977

900MB	5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm
900/16	□ 1/4 - ■ 3/8
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900/C24

13 hexagon sockets, 11 socket drivers and 6 accessories

900/C24 — 1 — 009000956

900	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 10 - 11 - 12 - 13 - 14 mm
900LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
900PH	PH1 - PH2 - PH3
900ME	3 - 4 - 5 - 6 - 8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900MB/C28

11 bi-hex sockets, 11 socket drivers
and 6 accessories

1/4"

900MB/C28 — 1 — 009000979

900MB	5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm
900LP	0,8x4 - 1,2x6,5 - 1,2x8 mm
900PH	PH1 - PH2 - PH3
900ME	3 - 4 - 5 - 6 - 8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900AS/C10 - /MB-C17

10 sockets and 7 accessories

1/4"

900AS/C10 — 1 — 009000961

900AS	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900AS/MB-C17 — 1 — 009000981

900AS/MB	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/35A	
900/42	
900/55	

270x120x45 mm - 1,1 kg

900AS/C17-MBM

10 bi-hex sockets
and 7 accessories
for aeronautical maintenance

1/4"

900AS/C17-MBM — 1 — 009000982

900AS/MB	3/16 - 7/32 - 1/4 - 9/32 - 5/16 11/32 - 3/8 - 7/16 - 1/2 - 9/16
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900M/35	
900/42	
900M/55	

270x120x45 mm - 1,2 kg

902R/C6

6 adaptors for socket drivers

902R/C6 — 1 — 009020814

900/16	□ 1/4 - ■ 3/8
910/15	□ 3/8 - ■ 1/4
910/16	□ 3/8 - ■ 1/2
920/15	□ 1/2 - ■ 3/8
920/16	□ 1/2 - ■ 3/4
928/15	□ 3/4 - ■ 1/2

170x100x35 mm - 600 g

910A

hexagon hand sockets

3/8"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
6	9,5	28	16,7	5	009100006
7	10,7	28	16,7	5	009100007
8	12,1	28	16,7	5	009100008
9	13,2	28	16,7	5	009100009
10	14,6	29	16,7	5	009100010
11	15,8	29	16,7	5	009100011
12	17,2	30	17,7	5	009100012
13	18,4	31	17,0	5	009100013
14	19,7	32	17,5	5	009100014
15	20,9	32	18,0	5	009100015
16	22,2	33	18,5	5	009100016
17	23,2	33	19,0	5	009100017
18	24,7	34	20,0	5	009100018
19	25,8	35	21,0	5	009100019
20	27,2	35	22,0	5	009100020
21	28,2	36	23,0	5	009100021
22	29,7	37	24,0	5	009100022

3/8"

910A/SB17 — 1 — 009100030
6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21-22 mm

910B

bi-hex hand sockets

3/8"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
6	9,5	28	16,7	5	009100106
7	10,7	28	16,7	5	009100107
8	12,1	28	16,7	5	009100108
9	13,2	28	16,7	5	009100109
10	14,6	29	16,7	5	009100110
11	15,8	29	16,7	5	009100111
12	17,2	30	17,7	5	009100112
13	18,4	31	17,0	5	009100113
14	19,7	32	17,5	5	009100114
15	20,9	32	18,0	5	009100115
16	22,2	33	18,5	5	009100116
17	23,2	33	19,0	5	009100117
18	24,7	34	20,0	5	009100118
19	25,8	35	21,0	5	009100119
20	27,2	35	22,0	5	009100120
21	28,2	36	23,0	5	009100121
22	29,7	37	24,0	5	009100122

3/8"

910B/SB17 — 1 — 009100130
6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21-22 mm

910AL

hexagon hand sockets,
long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
8	12,0	55	17	5	009100158
9	13,0	55	17	5	009100159
10	14,5	55	17	5	009100160
11	16,0	55	17	5	009100161
12	17,0	55	17	5	009100162
13	18,0	55	17	5	009100163
14	20,0	55	18	5	009100164
15	21,0	55	20	5	009100165
16	22,0	55	20	5	009100166
17	23,5	55	22	5	009100167
18	24,5	55	23	5	009100168
19	25,0	55	24	5	009100169
21	27,0	65	26	5	009100171
22	29,0	65	28	5	009100172

910AL/SB14 1 009100174
8-9-10-11-12-13-14
15-16-17-18-19-21-22 mm

910BL

bi-hex hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
8	12,0	55	17	5	009100308
9	13,0	55	17	5	009100309
10	14,5	55	17	5	009100310
11	16,0	55	17	5	009100311
12	17,0	55	17	5	009100312
13	18,0	55	17	5	009100313
14	20,0	55	18	5	009100314
15	21,0	55	20	5	009100315
16	22,0	55	20	5	009100316
17	23,5	55	22	5	009100317
18	24,5	55	23	5	009100318
19	25,0	55	24	5	009100319
21	27,0	65	26	5	009100321
22	29,0	65	28	5	009100322

910BL/SB14 1 009100340
8-9-10-11-12-13
14-15-16-17-18
19-21-22 mm

910B/SN

swivel end bi-hex hand sockets

mm	Ø mm	L mm	Ø1 mm		
10	14,5	48,5	19	5	009100230
11	15,8	49,5	19	5	009100231
12	17,0	50,0	19	5	009100232
13	18,3	51,0	19	5	009100233
14	19,5	51,0	19	5	009100234
15	20,8	53,5	19	5	009100235
16	22,0	53,5	19	5	009100236
17	23,3	54,5	19	5	009100237
18	24,5	54,5	19	5	009100238
19	25,8	56,5	19	5	009100239

910A/AS

hexagon hand sockets

"	Ø mm	L mm	Ø1 mm		
1/4	10,3	26	17,3	5	009100276
5/16	11,9	26	17,3	5	009100278
11/32	13,3	26	17,3	5	009100279
3/8	13,9	26	17,3	5	009100280
7/16	15,8	26	17,3	5	009100281
1/2	17,9	26	17,3	5	009100283
9/16	19,5	27	18,5	5	009100284
19/32	20,6	27	19,5	5	009100285
5/8	21,9	28	20,0	5	009100286
11/16	24,6	30	22,5	5	009100287
3/4	25,9	30	23,5	5	009100289
13/16	27,9	32	26,0	5	009100291
7/8	29,6	32	26,5	5	009100292

910A-AS/SB13 1 009100295
1/4-5/16-11/32-3/8-7/16
1/2-9/16-19/32-5/8-11/16
3/4-13/16-7/8

910AS

bi-hex hand sockets

"	Ø mm	L mm	Ø1 mm		
1/4	9,5	28	16,7	5	009100201
5/16	12,1	28	16,7	5	009100202
11/32	13,2	28	16,7	5	009100203
3/8	14,6	29	16,7	5	009100204
7/16	15,8	29	16,7	5	009100205
1/2	18,4	31	17,0	5	009100206
9/16	19,7	32	17,5	5	009100207
19/32	20,9	32	18,0	5	009100208
5/8	22,2	33	18,5	5	009100209
11/16	24,7	34	20,0	5	009100210
3/4	25,8	35	21,0	5	009100211
13/16	28,2	36	23,0	5	009100212
7/8	29,7	37	24,0	5	009100213

910AS/SB13 1 009100215
1/4-5/16-11/32-3/8-7/16
1/2-9/16-19/32-5/8-11/16
3/4-13/16-7/8

910AS/L

bi-hex hand sockets, long series

"	Ø mm	L mm	Ø1 mm		
1/4	10	55	17	5	009100350
5/16	12	55	17	5	009100351
3/8	14	55	17	5	009100352
7/16	16	55	17	5	009100353
1/2	18	55	17	5	009100354
9/16	20	55	18	5	009100355
19/32	21	55	20	5	009100356
5/8	22	55	20	5	009100357
11/16	23	55	22	5	009100359
3/4	25	55	24	5	009100360
13/16	27	65	26	5	009100362
7/8	29	65	28	5	009100363

910ASL/SB12 1 009100365
1/4-5/16-3/8-7/16
1/2-9/16-19/32-5/8-11/16
3/4-13/16-7/8

910AS/SN

swivel end bi-hex hand sockets

* SAE AS 954E

"	Ø mm	L mm	Ø1 mm		
* **3/8**	14,0	48,0	19	5	009100260
* **7/16**	15,8	51,0	19	5	009100261
* **1/2**	18,3	51,0	19	5	009100262
* **9/16**	19,5	51,0	19	5	009100263
* **5/8**	22,0	53,5	19	5	009100264
11/16	24,5	54,5	19	5	009100265
3/4	25,8	56,5	19	5	009100266

910FTX

hand sockets for Torx® head screws

3/8"

	Ø mm	L mm	Ø1 mm		
E4	6,2	26	17,3	5	009100404
E5	7,0	26	17,3	5	009100405
E6	8,3	26	17,3	5	009100406
E7	8,9	26	17,3	5	009100407
E8	9,9	26	17,3	5	009100408
E10	12,0	26	17,3	5	009100410
E12	14,5	26	17,3	5	009100412
E14	15,8	26	17,3	5	009100414
E16	18,0	26	17,3	5	009100416

3/8"

910FTX/SB9 — 1 009100430
E4-E5-E6-E7-E8
E10-E12-14-E16

910FTX/L

hand sockets for Torx® head screws, long series

3/8"

	Ø mm	L mm	Ø1 mm		
E4	6,2	55	17,3	5	009100440
E5	7,0	55	17,3	5	009100441
E6	8,3	55	17,3	5	009100442
E7	8,9	55	17,3	5	009100443
E8	9,9	55	17,3	5	009100444
E10	12,0	55	17,3	5	009100445

3/8"

910FTX/LSB6 — 1 009100449
E4-E5-E6
E7-E8-E10

910LP

socket drivers for slotted head screws

3/8"

SxA mm	Ø mm	L mm	L1 mm		
1x5,5	18,5	54	24	5	009100452
1,2x6,5	18,5	54	24	5	009100453
1,2x8	18,5	54	24	5	009100454
1,6x9	18,5	54	24	5	009100456

910PH

socket drivers for cross head Phillips® screws

3/8"

PH	Ø mm	L mm	L1 mm		
1	18,5	48	18	5	009100471
2	18,5	48	18	5	009100472
3	18,5	48	18	5	009100473
4	18,5	48	18	5	009100474

910LH/SB7

socket drivers for cross head Phillips® screws

3/8"

910LH/SB7 — 1 009100479

910LP	1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x9
910PH	PH1 - PH2 - PH3

910PE

socket drivers for hexagon screws

3/8"

mm	Ø mm	L mm	L1 mm		
3	18,5	50	20	5	009100490
4	18,5	50	20	5	009100492
5	18,5	50	20	5	009100494
6	18,5	50	20	5	009100496
7	18,5	50	20	5	009100497
8	18,5	50	20	5	009100498
10	18,5	50	20	5	009100500

3/8"

910PE/SB7 — 1 009100503
3-4-5-6-7-8-10 mm

910ME

socket drivers for hexagon screws

3/8"

mm	Ø mm	L mm	L1 mm		
4	18	62	15	5	009100504
5	18	62	15	5	009100505
6	18	62	15	5	009100506
7	18	62	15	5	009100507
8	19	62	15	5	009100508
10	20	62	15	5	009100510
12	20	62	15	5	009100512

910PT

socket drivers for 5-star head screws

3/8"

	Ø mm	L mm	L1 mm		
PT40	20	50	20	3	009100540
PT45	20	50	20	3	009100545
PT50	20	50	20	3	009100550

1/4"

3/8"

910PT/SB8 — 1 009100558
PT10-PT15-PT20-PT25
PT30-PT40-PT45-PT50

910TX

socket drivers for Torx® head screws

3/8"

	Ø mm	L mm	L1 mm		
T15	18,5	50	20	5	009100519
T20	18,5	50	20	5	009100520
T25	18,5	50	20	5	009100521
T27	18,5	50	20	5	009100522
T30	18,5	50	20	5	009100523
T40	18,5	50	20	5	009100524

3/8"

910TX/SB6 — 1 009100530
T15-T20-T25
T27-T30-T40

910CF

3/8" square drive crowfoot wrenches

3/8"

mm	A mm	L mm		
10	21,3	32,3	5	009100135
11	23,1	34,3	5	009100136
12	25,5	36,2	5	009100137
13	26,9	37,4	5	009100138
14	30,2	40,0	5	009100139
15	33,3	41,3	5	009100140
16	33,3	41,3	5	009100141
17	38,1	46,5	5	009100142
18	38,1	46,5	5	009100143
19	39,6	48,0	5	009100144

3/8”

910CF/SB10 10-11-12-13-14-15 16-17-18-19 mm	1	009100147

910/15

adaptor, 3/8” female
and 1/4” male drivers

3/8”



UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■		
30	17,0	3/8	1/4	5	009100810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

910/16

adaptor, 3/8” female
and 1/2” male drives

3/8”

UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■		
32	18,0	3/8	1/2	5	009100814

910/21 - 910/22

3/8” drive extension bars

3/8”

UNI/ISO 3316 DIN 3123

	L mm	Ø mm		
910/21	125	17	5	009100822
910/22	250	17	5	009100826

910AN

3/8” wobble extension bars

3/8”



	L mm	Ø mm		
910AN/75	75	17	3	009100827
910AN/125	125	17	3	009100828
910AN/250	250	17	3	009100829

910/25

3/8” drive universal joint

3/8”

UNI/ISO 3316 DIN 3123

L mm	Ø mm		
54,6	19	5	009100830

910M/35

3/8” swivel drive with metal handle

3/8”

UNI/ISO 3315 DIN 3122

L mm		
250	3	009100839

910/36A

3/8” drive swivel handle

3/8”



UNI/ISO 3315 DIN 3122

L mm	L1 mm		
255	154	3	009100845

910/40

3/8” drive swivel T-handle

3/8”

L mm	L1 mm		
420	175	3	009100850

910/42

3/8” drive sliding T-handle

3/8”



UNI/ISO 3315 DIN 3122

L mm	A mm		
210	30,5	5	009100854

910/46

3/8” square drive with speed brace

3/8”



UNI/ISO 3315 DIN 3122

L mm	L1 mm	A mm		
315	80	115	1	009100862

910/55

3/8” drive reversible ratchet 72 teeth

72
3/8”

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
200	30	33	3	009100882

910/55Q

3/8” drive reversible ratchet 48 teeth

48
3/8”

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
200	30	33	3	009100885

910M/55

3/8” drive reversible ratchet
with metal handle

3/8”



L mm	Ø mm	A mm		
178	30	26	2	009100875

910M/56

3/8" drive reversible swivel ratchet with metal handle

3/8"

L mm	Ø mm	A mm		
265	31	29	2	009100887

910.../C10

10 sockets and 2 accessories

3/8"

910A/C10 — 1 — 009100909

910A	6 - 7 - 8 - 10 - 11 - 12 13 - 14 - 17 - 19 mm
910/21	125 mm
910/55	

270x120x45 mm - 1,3 kg

910B/C10 — 1 — 009100910

910B	6 - 7 - 8 - 10 - 11 - 12 13 - 14 - 17 - 19 mm
910/21	125 mm
910/55	

270x120x45 mm - 1,3 kg

910A/C16...

16 hexagon sockets and 5 accessories

3/8"

910A/C16 — 1 — 009100936

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

335x145x60 mm - 2,3 kg

910A/C16Q — 1 — 009100932

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55Q	

335x145x60 mm - 2,3 kg

910B/C16...

16 bi-hex sockets and 5 accessories

3/8"

910B/C16 — 1 — 009100937

910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

335x145x60 mm - 2,3 kg

910B/C16Q — 1 — 009100933

910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 21 - 22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55Q	

335x145x60 mm - 2,3 kg

910A/C17

17 hexagon sockets and 9 accessories

3/8"

910A/C17 — 1 — 009100938

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
910/15	□ 3/8 - ■ 1/4
910/16	□ 3/8 - ■ 1/2
910/21	125 mm
910/22	250 mm
910/25	
910/36A	
910/42	
910/46	
910/55	

420x280x60 mm - 4,0 kg

910.../C29

17 sockets, 12 socket drivers and 5 accessories

3/8"

910A/C29 — 1 — 009100944

910A	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
910LP	1x5,5 - 1,2x6,5 - 1,2x8 mm
910PH	PH1 - PH2 - PH3
910PE	3 - 4 - 5 - 6 - 8 - 10 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

420x185x60 mm - 3,5 kg

910B/C29 — 1 — 009100945

910B	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 mm
910LP	1x5,5 - 1,2x6,5 - 1,2x8 mm
910PH	PH1 - PH2 - PH3
910PE	3 - 4 - 5 - 6 - 8 - 10 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

420x185x60 mm - 3,5 kg

910AS/C13...

13 bi-hex sockets and 5 accessories

3/8"

910AS/C13 — 1 — 009100925

910AS	1/4 - 5/16 - 11/32 - 3/8 - 7/16 1/2 - 9/16 - 19/32 - 5/8 - 11/16 3/4 - 13/16 - 7/8
910/21	125 mm
910/22	250 mm
910/42	
910/25	
910/55	

335x145x60 mm - 2,3 kg

910AS/MBM-C18

13 bi-hex sockets and 5 accessories
for aeronautical maintenance

3/8"

910AS/MBM-C18 — 1 — 009100926

910AS	1/4 - 5/16 - 11/32 - 3/8 - 7/16 1/2 - 9/16 - 19/32 - 5/8 - 11/16 3/4 - 13/16 - 7/8
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910M/55	

335x145x60 mm - 2,5 kg

920A

hexagon hand sockets

1/2"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
8	12,4	38	21,7	10	009200008
9	13,5	38	21,7	10	009200009
10	14,9	38	21,7	10	009200010
11	16,1	38	21,7	10	009200011
12	17,5	38	21,7	10	009200012
13	18,7	38	21,7	10	009200013
14	20,1	38	21,7	10	009200014
15	21,5	38	22,5	10	009200015
16	22,7	38	23,7	10	009200016
17	24,1	38	23,1	10	009200017
18	25,3	39	24,0	10	009200018
19	26,6	39	24,0	10	009200019
20	27,8	40	25,0	5	009200020
21	28,8	40	25,0	5	009200021
22	29,9	41	26,0	5	009200022
23	30,8	42	26,0	5	009200023
24	32,2	43	27,0	5	009200024
25	33,2	44	27,0	5	009200025
26	34,7	45	28,0	5	009200026
27	36,2	46	29,0	5	009200027
28	37,2	47	30,0	5	009200028
29	38,6	48	31,0	5	009200029
30	40,2	48	32,0	5	009200030
32	42,3	49	34,0	5	009200032

1/2"

920A/SB13 — 1 — 009200040
10-11-12-13-14-15-16
17-18-19-20-21-22 mm

1/2"

920A/SB8 — 1 — 009200042
23-24-25-26-27-28-30-32 mm

920B

bi-hex hand sockets

1/2"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
8	12,4	38	21,7	10	009200108
9	13,5	38	21,7	10	009200109
10	14,9	38	21,7	10	009200110
11	16,1	38	21,7	10	009200111
12	17,5	38	21,7	10	009200112
13	18,7	38	21,7	10	009200113
14	20,1	38	21,7	10	009200114
15	21,5	38	22,5	10	009200115
16	22,7	38	23,7	10	009200116
17	24,1	38	23,1	10	009200117
18	25,3	39	24,0	10	009200118
19	26,6	39	24,0	10	009200119
20	27,8	40	25,0	5	009200120
21	28,8	40	25,0	5	009200121
22	29,9	41	26,0	5	009200122
23	30,8	42	26,0	5	009200123
24	32,2	43	27,0	5	009200124
25	33,2	44	27,0	5	009200125
26	34,7	45	28,0	5	009200126
27	36,2	46	29,0	5	009200127
28	37,2	47	30,0	5	009200128
29	38,6	48	31,0	5	009200129
30	40,2	48	32,0	5	009200130
32	42,3	49	33,9	5	009200132

1/2"

920B/SB13 — 1 — 009200140
10-11-12-13-14-15-16
17-18-19-20-21-22 mm

1/2"

920B/SB8 — 1 — 009200142
23-24-25-26-27
28-30-32 mm

920AL

hexagon hand sockets,
long series

1/2"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
10	14,7	77	21	5	009200626
12	17,8	77	21	5	009200627
13	19,0	77	22	5	009200628
14	20,3	77	22	5	009200629
15	21,5	77	22	5	009200630
16	22,8	77	22	5	009200631
17	24,0	77	23	5	009200632
18	25,0	77	24	5	009200633
19	26,5	77	25	5	009200634
21	29,0	77	27	5	009200635
22	30,0	77	28	5	009200636
23	31,5	77	29	5	009200637
24	32,8	77	30	5	009200638
27	36,5	77	33	3	009200639
30	40,0	77	36	3	009200640
32	42,8	77	38	3	009200641
36	48,0	77	41	3	009200642

1/2"

920AL/SB11 — 1 — 009200644
10-12-13-14-15-16
17-18-19-21-22 mm

920BL

bi-hex hand sockets, long series

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
10	14,7	77	21	5	009200310
12	17,8	77	21	5	009200312
13	19,0	77	22	5	009200313
14	20,3	77	22	5	009200314
15	21,5	77	22	5	009200315
16	22,8	77	22	5	009200316
17	24,0	77	23	5	009200317
18	25,0	77	24	5	009200318
19	26,5	77	25	5	009200319
21	29,0	77	27	5	009200321
22	30,0	77	28	5	009200322
23	31,5	77	29	5	009200323
24	32,8	77	30	5	009200324
27	36,5	77	33	3	009200327
30	40,0	77	36	3	009200330
32	42,8	77	38	3	009200332
36	48,0	77	41	3	009200336

920BL/SB11 1 009200338
10-12-13-14-15-16-17-18
19-21-22 mm

920A/AS

hexagon hand sockets

"	Ø mm	L mm	Ø1 mm		
3/8	14,6	37	21	5	009200270
7/16	16,5	37	21	5	009200272
1/2	19,0	37	22	5	009200273
9/16	20,3	37	22	5	009200274
5/8	22,8	37	22	5	009200276
11/16	25,0	37	24	5	009200277
3/4	26,5	38	25	5	009200279
13/16	29,0	38	27	5	009200281
7/8	30,0	40	28	5	009200282
15/16	32,8	42	30	5	009200284
1	35,0	42	32	5	009200285
1.1/16	36,5	43	33	5	009200287
1.1/8	39,0	43	35	5	009200289
1.1/4	42,8	46	38	5	009200292

920A-AS/SB11 1 009200295
3/8-7/16-1/2-9/16-5/8
11/16-3/4-13/16-7/8
15/16-1

920AS

bi-hex hand sockets

"	Ø mm	L mm	Ø1 mm		
3/8	14,9	38	21,7	5	009200201
7/16	16,1	38	21,7	5	009200202
1/2	18,7	38	21,7	5	009200203
9/16	20,1	38	21,7	5	009200204
5/8	22,7	38	22,5	5	009200206
19/32	21,5	38	23,7	5	009200207
11/16	25,3	39	24,0	5	009200208
3/4	26,6	39	24,0	5	009200209
25/32	27,8	40	25,0	5	009200210
13/16	28,8	40	25,0	5	009200211
7/8	29,9	41	26,0	5	009200212
15/16	32,2	43	27,0	5	009200214
1	34,2	45	28,0	5	009200216
1.1/16	36,2	46	29,0	5	009200217
1.1/8	38,6	48	31,0	5	009200218
1.3/16	40,2	48	32,0	5	009200219
1.1/4	42,3	49	33,5	5	009200220

920AS/SB11 1 009200225
3/8-7/16-1/2-9/16-5/8
11/16-3/4-13/16-7/8
15/16-1

920AS/L

bi-hex hand sockets, long series

"	Ø mm	L mm	Ø1 mm		
1/2	19,0	77	22	2	009200352
9/16	20,3	77	22	2	009200353
5/8	22,8	77	22	2	009200355
11/16	25,0	77	24	2	009200357
3/4	26,5	77	25	2	009200358
13/16	29,0	77	27	2	009200360
7/8	30,0	77	28	2	009200361
15/16	32,8	77	30	2	009200362
1	35,0	77	32	2	009200363
1.1/16	36,5	77	33,0	2	009200364
1.1/8	37,8	77	34	2	009200365

920ASL/SB11 1 009200369
1/2-9/16-5/8-11/16
3/4-13/16-7/8-15/16
1-1.1/8-1.1/16

920FTX

hand sockets for Torx® head screws

	Ø mm	L mm	Ø1 mm		
E10	13,2	36	21	5	009200380
E12	15,0	37	21	5	009200381
E14	16,3	37	21	5	009200382
E16	18,8	37	22	5	009200383
E18	20,4	37	22	5	009200384
E20	22,9	37	22	5	009200385
E22	25,0	37	24	5	009200387
E24	26,5	40	25	5	009200388

920FTX/SB6 1 009200390
E10-E12-E14
E16-E18-E20

920FTX/C8 1 009200391
E10-E12-E14-E16
E18-E20-E22-E24

270X120X45 mm - 1 kg

920FTX/L

hand sockets for Torx® head screws, long series

	Ø mm	L mm	Ø1 mm		
E10	13,2	77	21,0	5	009200400
E12	15,0	77	21,0	5	009200401
E14	16,3	77	21,0	5	009200402
E16	18,8	77	21,8	5	009200403
E18	20,4	77	21,8	5	009200404
E20	22,9	77	22,0	5	009200405

920FTX/LSB6 1 009200409
E10-E12-E14
E16-E18-E20

920LP

socket drivers for slotted head screws



SxA mm	Ø mm	L mm	L1 mm		
1x5,5	22,5	62	24	5	009200452
1,2x6,5	22,5	62	24	5	009200453
1,2x8	22,5	62	24	5	009200454
1,6x9	22,5	62	24	5	009200456
2x12	22,5	62	24	5	009200458

920PH

socket drivers for cross head Phillips® screws

PH	Ø mm	L mm	L1 mm		
1	22,5	56	18	5	009200471
2	22,5	56	18	5	009200472
3	22,5	56	18	5	009200473
4	22,5	56	18	5	009200474

920LH/SB7

socket drivers for cross head Phillips® screws

920LH/SB7		1	009200478
920LP	1,2x6,5 - 1,2x8 1,6x9 - 2x12 mm		
920PH	PH2 - PH3 - PH4		

920PE

socket drivers for hexagon screws



mm	Ø mm	L mm	L1 mm		
3	22,5	58	20	5	009200410
4	22,5	58	20	5	009200412
5	22,5	58	20	5	009200414
5L	22,5	100	62	5	009200415
6	22,5	58	20	5	009200417
6L	22,5	100	62	5	009200418
7	22,5	58	20	5	009200420
7L	22,5	100	62	5	009200421
8	22,5	58	20	5	009200423
8L	22,5	100	62	5	009200424
9	22,5	58	20	5	009200425
9L	22,5	140	102	5	009200426
10	22,5	58	20	5	009200428
10L	22,5	140	102	5	009200429
12	23,0	58	20	5	009200432
12L	22,5	140	102	5	009200433
14	23,0	58	20	5	009200434
14L	22,5	140	102	5	009200435
17	29,5	60	22	5	009200437
19	29,5	60	22	5	009200439

920PE/SB9 4-5-6-8-10 mm 5L-6L-8L-10L mm		1	009200441

920PE/C10 4-5-6-7-8-10 12-14-17-19 mm		1	009200443

270X120X45 mm - 1,5 kg

920PE/LS4

set of 4 socket drivers item 920PE

6L-7L-8L-10L		1	009200442

920PE/AS

socket drivers for hexagon screws

"	Ø mm	L mm	L1 mm		
1/8	22,5	58	20	2	009200460
3/16	22,5	58	20	2	009200461
1/4	22,5	58	20	2	009200463
3/8	22,5	58	20	2	009200464
1/2	22,5	60	20	2	009200465
3/4	22,5	60	20	1	009200468

920BP

ball head socket drivers for hexagon screws

mm	Ø mm	L mm	L1 mm		
5L	22,5	100	62	5	009200490
5XL	22,5	240	202	1	009200495
6L	22,5	100	62	5	009200491
6XL	22,5	240	202	1	009200496
7L	22,5	100	62	5	009200492
8L	22,5	100	62	5	009200493
8XL	22,5	240	202	1	009200497
10L	22,5	140	102	5	009200494

920BP/SB8 5L-6L-7L-8L-10L mm 5XL-6XL-8XL mm		1	009200500

920ME

socket drivers for hexagon screws

mm	Ø mm	L mm	L1 mm		
5	21	75	15,5	5	009200505
6	21	75	15,5	5	009200506
7	21	75	15,5	5	009200507
8	21	75	15,5	5	009200508
10	23	75	15,5	5	009200510
12	24	75	15,5	5	009200512
14	24	75	15,5	5	009200514
17	24	75	15,5	5	009200517

920ME/SB7 1 009200519
5-6-8-10-12-14-17 mm

920ME/C7 1 009200518
5-6-8-10-12-14-17 mm

250X100X35 mm - 1,4 kg

920TX

socket drivers for Torx® head screws

T	Ø mm	L mm	L1 mm		
T20	22,5	58	20	5	009200520
T20L	22,5	120	82	3	009200530
T25	22,5	58	20	5	009200521
T25L	22,5	120	82	3	009200531
T27	22,5	58	20	5	009200522
T27L	22,5	120	82	3	009200533
T30	22,5	58	20	5	009200523
T30L	22,5	120	82	3	009200534
T40	22,5	58	20	5	009200524
T40L	22,5	120	82	3	009200535
T45	22,5	58	20	5	009200525
T45L	22,5	120	82	3	009200537
T50	22,5	58	20	5	009200526
T50L	23,0	140	102	3	009200538
T55	23,0	58	20	3	009200527
T55L	23,0	140	102	3	009200539
T60	23,0	58	20	3	009200528
T60L	23,0	140	102	3	009200540
T70L	23,0	120	82	3	009200541

920TX/SB9 1 009200532
T20-T25-T27-T30
T40-T45-T50-T55-T60

920TX/L-SB4 1 009200542
T20L-T25L-T27L-T30L

920TX/L-SB6 1 009200543
T40L -T45L-T50L-
T55L-T60L-T70L

920TX/C9 1 009200546
T20-T25-T27-T30-T40
T45-T50-T55-T60

270X120X45 mm - 1,2 kg

920RTX

socket drivers
for Tamper Resistant Torx® head screws

T	Ø mm	L mm	L1 mm		
T20	22,5	58	20	5	009200370
T25	22,5	58	20	5	009200371
T27	22,5	58	20	5	009200372
T30	22,5	58	20	5	009200373
T40	22,5	58	20	5	009200374

920RTX/SB5 1 009200378
T20-T25-T27-T30-T40

920XZN

socket drivers with XZN® profile



XZN	Ø mm	L mm	L1 mm		
M4	22,5	58	20	5	009200559
M5	22,5	58	20	5	009200560
M6	22,5	58	20	5	009200561
M6L	22,5	100	62	3	009200562
M8	22,5	58	20	5	009200563
M8L	22,5	100	62	3	009200564
M9	22,5	58	20	3	009200582
M9L	22,5	100	62	3	009200583
M10	22,5	58	20	3	009200565
M10L	22,5	100	62	3	009200566
M12	22,5	58	20	3	009200568
M12L	22,5	100	62	3	009200569
M14	23,0	58	20	3	009200571
M14L	23,0	100	62	3	009200572
M16	23,0	58	20	3	009200573
M18	23,0	58	20	3	009200574

920XZN/SB7 1 009200579
M4-M5-M6-M8
M10-M12-M14

920XZN/SB12 1 009200577
M5-M6-M8-M10-M12
M14-M16-M6L-M8L
M10L-M12L-M14L

920XZN/LS5 1 009200578
M6L-M8L-M10L
M12L-M14L

920ES

special form socket drivers



UNI 9326

Ø mm		L mm	L1 mm		
7	(6R)	58	20	5	009200587
7XL	(6R)	240	202	1	009200607
9	(8R)	58	20	5	009200589
9XL	(8R)	240	202	1	009200609
10	(8S)	58	20	5	009200590
10XL	(8S)	240	202	1	009200610
11	(10R)	58	20	5	009200591
11XL	(10R)	240	202	1	009200611
12L	(10S)	100	62	3	009200592
12XL	(10S)	240	202	1	009200612
14L	(12S)	100	62	3	009200594
14XL	(12S)	240	202	1	009200614
16L	(14R)	100	62	3	009200596
16XL	(14R)	240	202	1	009200616

920ES/SB7 1 009200598
7-9-10-11-12L-14L-16L

920ES/XL-SB7 7XL-9XL-10XL-11XL 12XL-14XL-16XL	1	009200618

920/15

adaptor, 1/2" female and 3/8" male drives

UNI/ISO 3316 DIN 3123

L mm	□	■	Ø mm		
42	1/2	3/8	22,0	5	009200810

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

920/16

adaptor, 1/2" female and 3/4" male drives

UNI/ISO 3316 DIN 3123

L mm	□	■	Ø mm		
46	1/2	3/4	26	5	009200814

920/20 - 920/21 - 920/22

1/2" drive extension bars



UNI/ISO 3316 DIN 3123

	L mm	Ø mm		
920/20	75	22	5	009200818
920/21	125	22	5	009200822
920/22	255	22	5	009200826

920AN

1/2" wobble extension bars



	L mm	Ø mm		
920AN/50	50	22	5	009200833
920AN/125	125	22	5	009200834
920AN/250	250	22	3	009200835
920AN/375	375	22	3	009200836

920/25

1/2" drive universal joint

UNI/ISO 3316 DIN 3123

L mm	Ø mm		
75	27	5	009200830

920/35A

1/2" drive swivel handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm		
285	160	3	009200846

920M/35

1/2" swivel drive with metal handle

UNI/ISO 3315 DIN 3122

L mm		
380	2	009200845

920M/35L

1/2" swivel drive with metal handle, long series

L mm		
600	1	009200843

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

920/36A

1/2" drive swivel handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm		
408	283	2	009200847

920/40

1/2" drive swivel T-handle

L mm	L1 mm		
490	230	2	009200850

920/42

1/2" drive sliding T handle



UNI/ISO 3315 DIN 3122

L mm	A mm		
305	42	5	009200854

920/44

1/2" drive offset handle

UNI/ISO 3315 DIN 3122

L mm	L1 mm		
230	60	3	009200858

920/46

1/2” drive with speed brace



UNI/ISO 3315 DIN 3122

L mm	L1 mm	A mm		
385	110	160	1	009200862

920/50

1/2” push-through drive ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
275	40	42	3	009200871

920/50F

1/2” female square drive ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
275	40	27	2	009200889

920/55

1/2" drive reversible ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
275	40	43	3	009200882

920/55Q

1/2” drive reversible ratchet, 48 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
275	40	43	3	009200885

920/55X

1/2” drive reversible ratchet, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
200	30	33	3	009200895

920/55LC

1/2” drive reversible ratchet “Locking System”, 72 teeth

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
275	40	43	2	009200896

920M/55

1/2”drive reversible ratchet with metal handle



L mm	Ø mm	A mm		
253	38	35	1	009200893

920/56A

1/2” drive swivel reversible ratchet, 72 teeth

L mm	Ø mm	A mm		
315	40	43	1	009200911

920M/56

1/2” drive reversible swivel ratchet with metal handle

L mm	Ø mm	A mm		
330	38	35,7	2	009200894

920.../C11

11 sockets and 2 accessories

920A/C11 — 1 009200921

920A — 10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm

920/22 — 255 mm

920/50

335x145x60 mm - 2,5 kg

920B/C11 — 1 009200922

920B — 10 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm

920/22 — 255 mm

920/50

335x145x60 mm - 2,5 kg

920.../C12...

12 sockets and 5 accessories

1/2"

920A/C12X — 1 — 009200933

920A	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x185x60 mm - 4,2 kg

920A/C12 — 1 — 009200931

920A	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	

420x185x60 mm - 4,2 kg

920B/C12X — 1 — 009200934

920B	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x185x60 mm - 4,0 kg

920B/C12 — 1 — 009200932

920B	10 - 11 - 12 - 13 - 14 - 17 - 19 22 - 24 - 27 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	

420x185x60 mm - 4,0 kg

920.../C20...

20 sockets and 5 accessories

1/2"

920A/C20X — 1 — 009200950

920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x185x60 mm - 5,1 kg

920A/C20 — 1 — 009200948

920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	

420x185x60 mm - 5,1 kg

920A/C20Q — 1 — 009200955

920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55Q	

420x185x60 mm - 5,1 kg

920B/C20 — 1 — 009200949

920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/50	

420x185x60 mm - 5,0 kg

920.../C20...

20 sockets and 5 accessories

1/2"

920B/C20X — 1 — 009200951

920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x185x60 mm - 5,0 kg

920.../C21...

21 sockets and 6 accessories

1/2"

920A/C21 — 1 — 009200952

920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/46	
920/50	

420x280x60 mm - 6,5 kg

920A/C21X — 1 — 009200983

920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/46	
920/55	

420x280x60 mm - 6,4 kg

920B/C21 1 009200953

920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/46	
920/50	

420x280x60 mm - 6,4 kg

920B/C21X 1 009200984

920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 25 - 26 - 27 - 28 - 30 - 32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/46	
920/55	

420x280x60 mm - 6,4 kg

920B/C30Q

30 bi-hex sockets and 5 accessories

1/2"

920B/C30Q 1 009200975

920B	8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 20 - 21 22 -23 - 24 - 26 - 27 - 30 mm
920BL	12 - 13 - 14 - 17 - 19 - 21 22 - 24 - 27 - 30 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55Q	

420x280x60 mm - 6,4 kg

920.../C33

20 sockets, 13 socket drivers
and 5 accessories

1/2"

920A/C33 1 009200985

920A	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920LP	1,2x8 - 1,6x9 - 2x12 mm
920PH	PH2 - PH3 - PH4
920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x280x60 mm - 6,7 kg

920B/C33 1 009200986

920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920LP	1,2x8 - 1,6x9 - 2x12 mm
920PH	PH2 - PH3 - PH4
920PE	4 - 5 - 6 - 8 - 10 - 12 - 14 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x280x60 mm - 6,7 kg

920/C37

37 bi-hex sockets and 5 accessories

1/2"

920/C37 1 009200988

920B	10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 - 22 -23 24 - 26 - 27 - 28 - 30 - 32 mm
920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 5/8 - 11/16 - 3/4 - 25/32 - 13/16 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 1.3/16 - 1.1/4
920/21	125 mm
920/22	255 mm
920/25	
920/42	
920/55	

420x280x60 mm - 7,5 kg

920AS/C10

10 bi-hex sockets and 2 accessories

1/2"

920AS/C10 1 009200919

920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 11/16 - 3/4 - 13/16 - 7/8 - 15/16
920/22	255 mm
920/50	

335x145x60 mm - 2,6 kg

920AS/C15

15 bi-hex sockets and 6 accessories

12"

920AS/C15	1	009200947

920AS	3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 3/4 - 13/16 - 7/8 - 15/16 - 1 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4	
920/21	125 mm	
920/22	255 mm	
920/25		
920/42		
920/46		
920/50		

420x280x60 mm - 5,9 kg

920AS/C17X

17 bi-hex sockets and 5 accessories

12"

920AS/C17X	1	009200942

920AS	3/8 - 7/16 - 1/2 - 9/16 - 19/32 - 5/8 11/16 - 3/4 - 25/32 - 13/16 - 7/8 15/16 - 1 - 1.1/16 - 1.1/8 - 1.3/16 - 1.1/4	
920/21	125 mm	
920/22	255 mm	
920/25		
920/42		
920/55		

420x185x60 mm - 4,8 kg

920AS/MBM-C21

16 bi-hex sockets and 5 accessories for aeronautical maintenance

12"

920AS/MBM-C21	1	009200944

920AS	3/8 - 7/16 - 1/2 - 9/16 19/32 - 5/8 - 11/16 - 3/4 25/32 - 13/16 - 7/8 - 15/16 1 - 1.1/16 - 1.3/16 - 1.1/4	
920M/55		
920/21	125 mm	
920/22	255 mm	
920/25		
920/42		

420x185x60 mm - 5,0 kg

920TX/C17

6 bits , 6 sockets, 5 socket drivers and 4 accessories for Torx® head screws

12"

920TX/C17	1	009200989

861TX	T8 - T10 - T15 - T20 - T25 - T27	
897		
920TX	T27 - T30 - T40 - T45 - T50	
920FTX	E10 - E12 - E14 - E16 - E18 - E20	
920/20	75 mm	
920/22	255 mm	
920/55		

420x185x60 mm - 2,9 kg

928A

hexagon hand sockets

3/4"

UNI/ISO 3316
DIN 3123

mm	Ø mm	L mm	Ø1 mm		
19	29,2	50	34	5	009280019
22	31,3	53	34	5	009280022
23	33,3	53	34	5	009280023
24	34,5	53	34	5	009280024
26	36,8	55	35	5	009280026
27	38,0	56	35	5	009280027
28	39,0	57	35	5	009280028
29	40,2	58	35	5	009280029
30	41,5	58	37	5	009280030
32	44,3	60	37	5	009280032
33	45,8	60	37	3	009280033
34	46,8	60	37	3	009280034
35	48,1	62	38	3	009280035
36	49,5	64	38	3	009280036
38	52,0	68	40	3	009280038
41	56,0	71	40	3	009280041
46	62,3	75	43	3	009280046
50	67,4	80	43	3	009280050
55	73,7	84	48	1	009280055
60	80,0	87	48	1	009280060

928B

bi-hex hand sockets

3/4"

UNI/ISO 3316
DIN 3123

mm	Ø mm	L mm	Ø1 mm		
19	29,2	50	34	5	009280119
22	31,3	53	34	5	009280122
23	33,3	53	34	5	009280123
24	34,5	53	34	5	009280124
26	36,8	55	35	5	009280126
27	38,0	56	35	5	009280127
28	39,0	57	35	5	009280128
29	40,2	58	35	5	009280129
30	41,5	58	37	5	009280130
32	44,3	60	37	5	009280132
33	45,8	60	37	3	009280133
34	46,8	60	37	3	009280134
35	48,1	62	38	3	009280135
36	49,5	64	38	3	009280136
38	52,0	68	40	3	009280138
41	56,0	71	40	3	009280141
46	62,3	75	43	3	009280146
50	67,4	80	43	3	009280150
55	73,7	84	48	1	009280155
60	80,0	87	48	1	009280160

928AS

hexagon hand sockets

"	Ø mm	L mm	Ø1 mm		
7/8	32,0	53	34	1	009280202
15/16	34,5	53	34	1	009280203
1	36,2	55	35	1	009280204
1.1/16	38,0	56	35	1	009280205
1.1/8	40,2	58	35	1	009280206
1.1/4	44,2	60	37	1	009280208
1.5/16	45,8	60	37	1	009280209
1.3/8	48,1	62	38	1	009280210
1.7/16	49,5	64	38	1	009280211
1.1/2	52,0	68	40	1	009280212
1.5/8	56,0	71	40	1	009280214
1.11/16	58,8	74	40	1	009280215
1.13/16	62,3	75	43	1	009280217
1.7/8	65,0	78	43	1	009280218
2	68,3	80	43	1	009280219
2.1/16	71,5	83	48	1	009280220

928ME

socket drivers for hexagon screws



mm	Ø mm	L mm	L1 mm		
14	35	75	15,5	2	009280514
17	35	75	15,5	2	009280517
19	35	75	15,5	2	009280519
22	35	75	22,5	2	009280522

928/15

adaptor, 3/4" female and 1/2" male drives

UNI/ISO 3316
DIN 3123

L mm	Ø mm	□	■		
51,5	34	3/4	1/2	5	009280801

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

928/16

adaptor, 3/4" female and 1" male drives

UNI/ISO 3316
DIN 3123

L mm	Ø mm	□	■		
65	34	3/4	1"	5	009280807

928/21 - 928/22

3/4" drive extension bars

UNI/ISO 3316
DIN 3123

	L mm	Ø mm		
928/21	200	34	3	009280815
928/22	380	34	3	009280825

928/25

3/4" drive universal joint

UNI/ISO 3316 DIN 3123

L mm	Ø mm		
108	40	1	009280830

928/36A

3/4" drive swivel handle

L mm		
545	1	009280844

928/42

3/4" drive slide T-handle



UNI/ISO 3315 DIN 3122

L mm	A mm		
450	62,5	3	009280850

928/55

3/4" drive reversible ratchet, 72 teeth

L mm	Ø mm	A mm		
510	58	59	2	009280862

928.../C12

assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case

928A/C12 1 009280955

928A	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

928B/C12 1 009280957

928B	22 - 24 - 27 - 30 - 32 - 34 - 36 38 - 41 - 46 - 50 - 55 mm
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

928AS/C12

assortment of 12 hexagon hand sockets and 5 accessories in sheet metal case

928AS/C12 1 009280968

928AS	7/8-15/16-1.1/16-1.1/8-1.1/4 1.5/16-1.7/16-1.1/2-1.11/16 1.13/16-1.7/8-2.1/16
928/21	200 mm
928/22	380 mm
928/25	
928/42	
928/55	

530x220x80 mm - 13,5 kg

929

hexagon hand sockets

1"

UNI/ISO 2725 DIN 3124

mm	Ø mm	L mm	Ø1 mm		
36	49,5	65	48	1	009290036
41	56,0	70	48	1	009290041
46	62,0	75	48	1	009290046
50	67,5	80	48	1	009290050
55	74,0	85	54	1	009290055
60	80,0	90	54	1	009290060
65	86,0	95	54	1	009290065
70	92,0	100	60	1	009290070
75	99,0	110	60	1	009290075
80	106,0	120	60	1	009290080

929/15

adaptor, 1" female and 3/4" male drives

1"



UNI/ISO 3316 DIN 3123

L mm	Ø mm	□	■		
65	47	1"	3/4	2	009290801

Always apply torque loads evenly and progressively to avoid breakage and any possible injury.

929/21 - 929/22

1" drive extension bars

1"



UNI/ISO 3316 DIN 3123

	L mm	Ø mm		
929/21	200	47	1	009290815
929/22	400	47	1	009290825

929/42

1" drive slide T-handle

1"

UNI/ISO 3315 DIN 3122

L mm		
535	1	009290850

929/55

1" drive slide T-handle

1"

UNI/ISO 3315 DIN 3122

L mm	Ø mm	A mm		
770	62	63	1	009290860

929/C8

8 hexagon sockets and 5 accessories

1"

929/C8			1	009290925

929	46 - 50 - 55 - 60 - 65 70 - 75 - 80 mm
929/15	□ 1" - ■ 3/4
929/21	200 mm
929/22	400 mm
929/42	
929/55	

560x290x12 mm - 29 kg

900/R55

1/4"

900/R55		1	009000871
900/55			

900M/R55

1/4"

900M/R55		1	009000888
900M/55			

910/R55

3/8"

910/R55		1	009100879
606/6-606/10-612 666/6-666/10-910/55 599DGT/6			

910M/R55

3/8"

910M/R55		1	009100888
910M/55-910M/56			

910/R55Q

3/8"

910/R55Q		1	009100877
910/55Q			

920/R50

1/2"

920/R50		1	009200866
614/50-667/20-667/30 920/50			

920/R55

1/2"

920/R55		1	009200879
606/20-606/30-666/20-666/30 920/55-920/56A- 599DGT/20-599DGT/30			

920M/R55

1/2"

920M/R55		1	009200888
920M/55-920M/56			

920/R55Q

1/2"

920/R55Q		1	009200877
920/55Q			

920/R55X

1/2"

920/R55X 606/10X-612X 666/10X-920/55X-599DGT/10X	1	009200878

920/R55LC

1/2"

920/R55LC 920/55LC "Locking System"	1	009200887

928/R55

3/4"

928/R55 928/55	1	009280859

928/R55X

3/4"

928/R55X 614X	1	009280858

929/R55

1"

929/R55 929/55	1	009290859

930

double ended bi-hex tubular socket wrenches, heavy series

UNI 6745

mm	L mm	Ø mm	Ø1 mm		
○**6x7**	100	9,5	11,0	3	009300006
○**8x9**	108	12,5	14,0	3	009300010
10x11	116	15,0	16,5	3	009300014
12x13	124	17,5	19,0	3	009300018
14x15	132	20,0	21,5	3	009300023
16x17	140	23,0	24,0	3	009300027
18x19	148	25,0	26,5	3	009300032
20x22	156	28,0	30,0	2	009300036
21x23	163	29,0	31,5	2	009300040
24x26	173	33,0	35,5	2	009300044
25x28	182	34,5	38,0	2	009300048
27x29	191	37,0	39,5	2	009300052
30x32	200	40,5	43,0	2	009300056

930/S8 6x7-8x9-10x11 12x13-14x15-16x17 18x19-20x22 mm	1	009300081
930/S12 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-30x32 mm	1	009300082
930/S13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	009300083

930/SP13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	009300084
930/SPV	1	009300095

930/C13 6x7-8x9-10x11-12x13 14x15-16x17-18x19 20x22-21x23-24x26 25x28-27x29-30x32 mm	1	009300098

932

double ended hexagon / bi-hex offset socket wrenches, bright chrome-plated



NF E 74.303

mm	Ø mm	L mm		
6x6	11,5	110	5	009320006
7x7	12,5	116	5	009320007
8x8	13,0	120	5	009320008
9x9	14,0	125	5	009320009
10x10	16,5	133	5	009320010
11x11	17,5	143	5	009320011
12x12	19,0	148	5	009320012
13x13	19,5	154	5	009320013
14x14	21,5	167	5	009320014
15x15	22,5	182	5	009320015
16x16	24,5	193	5	009320016
17x17	26,0	198	5	009320017
18x18	26,5	215	5	009320018
19x19	29,0	220	5	009320019
20x20	30,5	222	3	009320020
21x21	30,5	236	3	009320021
22x22	32,5	250	2	009320022
23x23	33,5	256	2	009320023
24x24	35,0	272	2	009320024
25x25	36,5	282	2	009320025
26x26	37,5	296	2	009320026
27x27	39,0	296	2	009320027
28x28	39,0	314	2	009320028
30x30	42,5	348	2	009320030
32x32	45,5	364	2	009320032

932/S11 6-7-8-10-11-12 13-14-17-19-22 mm	1	009320080
932/S17 6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21-22 mm	1	009320081
932/S25 6-7-8-9-10-11-12-13 14-15-16-17-18-19 20-21-22-23-24-25 26-27-28-30-32 mm	1	009320082

933

double ended offset hexagon
socket wrenches, bright chrome-plated



NF E 74.303

mm	Ø mm	L mm		
6x6	11,5	110	5	009330006
7x7	12,5	116	5	009330007
8x8	13,0	120	5	009330008
9x9	14,0	125	5	009330009
10x10	16,5	133	5	009330010
11x11	17,5	143	5	009330011
12x12	19,0	148	5	009330012
13x13	19,5	154	5	009330013
14x14	21,5	167	5	009330014
15x15	22,5	182	5	009330015
16x16	24,5	193	5	009330016
17x17	26,0	198	5	009330017
18x18	26,5	215	5	009330018
19x19	29,0	220	5	009330019
20x20	30,5	222	3	009330020
21x21	30,5	236	3	009330021
22x22	32,5	250	2	009330022
23x23	33,5	256	2	009330023
24x24	35,0	272	2	009330024
25x25	36,5	282	2	009330025
26x26	37,5	296	2	009330026
27x27	39,0	296	2	009330027
28x28	39,0	314	2	009330028
30x30	42,5	348	2	009330030
32x32	45,5	364	2	009330032

933/S11 6-7-8-10-11-12 13-14-17-19-22 mm	1	009330080
933/S17 6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21-22 mm	1	009330081
933/S25 6-7-8-9-10-11-12-13 14-15-16-17-18-19 20-21-22-23-24-25 26-27-28-30-32 mm	1	009330082

935

double ended hexagon tubular socket
wrenches, light series

UNI 6746 DIN 896

mm	L mm		
6x7	100	5	009350105
8x9	110	5	009350111
10x11	120	5	009350115
12x13	130	5	009350117
14x15	140	5	009350126
16x17	150	5	009350128
18x19	160	5	009350131
20x22	170	3	009350138
21x23	180	3	009350141
24x26	190	3	009350144
25x28	200	2	009350150
27x29	210	2	009350153
30x32	220	2	009350156



935/S8 6x7-8x9-10x11 12x13-14x15-16x17 18x19-20x22 mm	1	009350181
935/S12 6x7-8x9-10x11 12x13-14x15-16x17 18x19-20x22-21x23 24x26-25x28-30x32 mm	1	009350182
935/S13 6x7-8x9-10x11 12x13-14x15-16x17 18x19-20x22-21x23 24x26-25x28-27x29 30x32 mm	1	009350183

937

double ended hexagon / bi-hex
socket wrenches, chrome-plated



mm	Ø mm	L mm		
6x6	11,5	110	5	009370006
7x7	12,5	116	5	009370007
8x8	13,0	120	5	009370008
9x9	14,0	125	5	009370009
10x10	16,5	133	5	009370010
11x11	17,5	143	5	009370011
12x12	19,0	148	5	009370012
13x13	19,5	154	5	009370013
14x14	21,5	167	5	009370014
15x15	22,5	182	5	009370015
16x16	24,5	193	5	009370016
17x17	26,0	198	5	009370017
18x18	26,5	215	5	009370018
19x19	29,0	220	5	009370019
20x20	30,5	222	3	009370020
21x21	30,5	236	3	009370021
22x22	32,5	250	2	009370022
23x23	33,5	256	2	009370023
24x24	35,0	272	2	009370024
25x25	36,5	282	2	009370025
26x26	37,5	296	2	009370026
27x27	39,0	296	2	009370027
28x28	39,0	314	2	009370028
30x30	42,5	348	2	009370030
32x32	45,5	364	2	009370032

937/S11 6-7-8-10-11-12 13-14-17-19-22 mm	1	009370080
937/S17 6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21-22 mm	1	009370081

940

tommy bars for tubular wrenches
items 930 and 935

	mm	L mm		
940/1	6÷13	100	5	009400001
940/2	14÷22	170	5	009400002
940/3	21÷32	290	5	009400003

941

hexagon / bi-hex socket wrenches,
with high torque handles



mm	L mm	L1 mm	A1 mm		
7x7	200	91	35	2	009410107
8x8	220	107	50	2	009410108
9x9	220	109	50	2	009410109
10x10	236	111	50	2	009410110
11x11	236	114	50	2	009410111
12x12	255	122	50	2	009410112
13x13	255	124	55	2	009410113

941/S7 7-8-9-10-11-12-13 mm	1	009410170

942BX

hi-torque hexagon nut spinners
short series

UNI 6750

mm	L mm	L1 mm	A1 mm		
4	190	70	3,0	5	009420003
5	190	70	3,5	5	009420004
5,5	190	70	4,0	5	009420005
6	190	70	5,0	5	009420006
7	190	70	6,0	5	009420007
8	202	70	7,0	5	009420008
9	202	70	8,0	5	009420009
10	202	70	8,5	3	009420010
11	202	70	9,0	3	009420011
12	202	70	9,5	3	009420012
13	202	70	10,5	3	009420013
14	202	70	11,5	3	009420014

942BX/S12 1 009420030
4-5-5,5-6-7-8-9
10-11-12-13-14 mm

943BX

hi-torque hexagon nut spinners
long series

ISO 2236 UNI 6750

mm	L mm	L1 mm	A1 mm		
4	270	150	3,0	5	009430003
5	270	150	3,5	5	009430004
5,5	270	150	4,0	5	009430005
6	270	150	5,0	5	009430006
7	270	150	6,0	5	009430007
8	282	150	7,0	5	009430008
9	282	150	8,0	5	009430009
10	282	150	8,5	3	009430010
11	282	150	9,0	3	009430011
12	282	150	9,5	3	009430012
13	282	150	10,5	3	009430013
14	282	150	11,5	3	009430014

943BX/S12 1 009430030
4-5-5,5-6-7-8-9
10-11-12-13-14 mm

943BX/D6 1 009430026
5-6-7-8-10-13 mm

943FL

flexible hexagon nut spinners
with handles

mm	L mm	L1 mm	Ø mm		
5	265	150	8	2	009430304
5,5	265	150	8	2	009430305
6	265	150	9	2	009430306
7	265	150	11	2	009430307
8	265	150	12	2	009430308
10	290	175	14	2	009430310

943FL/S6 1 009430320
5-5,5-6-7-8-10 mm

944BX

deep, hi-torque hexagon nut spinners
long series

ISO 2236 UNI 6750

mm	L mm	L1 mm	A1 mm		
4	245	125	20	3	009440003
5	245	125	25	3	009440004
5,5	245	125	30	3	009440005
6	245	125	35	3	009440006
7	245	125	35	3	009440007
8	257	125	50	3	009440008
9	257	125	50	3	009440009
10	257	125	50	3	009440010
11	257	125	50	3	009440011
12	257	125	50	3	009440012
13	257	125	55	3	009440013
14	257	125	55	3	009440014

944BX/S12 1 009440062
4-5-5,5-6-7-8-9
10-11-12-13-14 mm

944BX/D6 1 009440056
5-6-7-8-10-13 mm

950

T-handle hexagon socket wrenches



UNI 6742 DIN 3112

mm	L mm	Ø mm	L1 mm		
6	210	10,1	145	3	009500006
7	212	11,2	145	3	009500007
8	220	12,4	160	3	009500008
9	223	13,5	160	3	009500009
10	230	14,9	160	3	009500010
11	233	16,1	160	3	009500011
12	240	17,5	175	3	009500012
13	244	19,7	175	3	009500013
14	250	20,1	190	3	009500014
15	254	21,5	190	3	009500015
16	260	22,7	200	3	009500016
17	264	24,1	200	3	009500017
19	274	26,6	230	3	009500019
22	290	29,9	290	2	009500022
24	300	32,2	320	2	009500024
27	315	36,2	370	2	009500027

950/S9 1 009500079
7-8-10-11-12
13-14-17-19 mm

950/S14 1 009500082
6-7-8-9-10-11-12-13
14-15-16-17-19-22 mm

951

T-handle wrenches with three hexagon male ends



mm	L mm	L1 mm	Ø mm		
2	125	63	4,0	5	009510521
2,5	150	63	4,0	5	009510525
3	150	63	4,0	5	009510530
3,5	175	76	5,5	5	009510535
4	175	76	5,5	5	009510540
4,5	195	87	6,5	5	009510545
5	195	87	6,5	5	009510550
6	215	99	8,0	5	009510560
7	230	109	9,0	5	009510570
8	250	122	10,0	5	009510580
9	265	132	11,0	5	009510590
10	280	142	12,0	5	009510610
12	305	160	15,0	3	009510620
14	330	178	17,0	3	009510640



951/S8 1 009510693
2-2,5-3-3,5-4-4,5-5-6 mm

951/S14 1 009510695
2-2,5-3-3,5-4-4,5
5-6-7-8-9-10-12-14 mm

951/SP6 1 009510696
3-4-5-6-8-10 mm

951/SPV 1 009510697

951AS

T-handle wrenches with three hexagon male ends

"	L mm	L1 mm	Ø mm		
3/32	125	63	4,0	2	009510750
7/64	150	63	4,0	2	009510751
1/8	150	63	4,0	2	009510752
9/64	175	76	5,5	2	009510753
5/32	175	76	5,5	2	009510754
3/16	195	86	6,5	2	009510755
7/32	215	99	8,0	2	009510757
1/4	230	109	9,0	2	009510758
5/16	250	122	10,0	2	009510759
3/8	280	142	12,0	2	009510760



951AS/S6 1 009510770
5/32-3/16-7/32
1/4-5/16-3/8

951TX

T-handle wrenches with three male ends for Torx® head screws



	L mm	L1 mm	Ø mm		
T6	125	63	4	3	009510806
T7	125	63	4	3	009510807
T8	125	63	4	3	009510808
T9	125	63	4	3	009510809
T10	150	63	4	3	009510810
T15	150	63	4	3	009510815
T20	175	76	5	3	009510820
T25	175	76	5	3	009510825
T27	195	87	6	3	009510827
T30	195	87	6	3	009510830
T40	215	99	7	3	009510840
T45	230	109	8	3	009510845
T50	250	122	9	3	009510850



951TX/S13 1 009510863
T6-T7-T8-T9-T10-T15-T20-T25
T27-T30-T40-T45-T50

952

T-handle wrenches with swivelling hexagon sockets



UNI 6743

mm	Ø mm	L mm		
6	9,5	395	5	009520006
7	10,7	395	5	009520007
8	12,1	395	5	009520008
9	13,2	395	5	009520009
10	14,6	400	5	009520010
11	15,8	400	5	009520011
12	17,0	400	5	009520012
13	18,7	432	5	009520013
14	19,7	432	5	009520014
15	20,9	450	3	009520015
16	22,0	450	3	009520016
17	23,4	450	3	009520017
18	24,7	450	3	009520018
19	26,0	500	3	009520019
20	27,4	500	3	009520020
21	28,5	500	3	009520021
22	29,7	500	3	009520022
24	32,4	500	3	009520024

952/S7 1 009520074
8-10-11-13-14-17-19 mm

952/S18 1 009520083
6-7-8-9-10-11-12
13-14-15-16-17
18-19-20-21-22-24 mm

952AS

T-handle wrenches with swivelling hexagon sockets



"	Ø mm	L mm		
1/4	9,5	395	2	009520256
5/16	12,1	395	2	009520258
3/8	14,6	400	2	009520260
7/16	15,8	400	2	009520261
1/2	18,7	432	2	009520263
9/16	19,7	432	2	009520264
5/8	22,0	450	2	009520266
11/16	23,4	450	2	009520267
3/4	26,0	500	2	009520269

952L

T-handle wrenches with swivelling hexagon sockets, long series



mm	Ø mm	L mm		
10	14,6	930	1	009520410
12	17,0	1063	1	009520412
13	18,7	1100	1	009520413
14	19,7	1100	1	009520414
15	20,9	1100	1	009520415
16	22,0	1100	1	009520416
17	23,4	1100	1	009520417
18	24,7	1100	1	009520418
19	26,0	1100	1	009520419

952FTX

T-handle wrenches with swivelling socket, for Torx® head screws



	Ø mm	L mm		
E6	8	392	2	009520106
E7	9	392	2	009520107
E8	10	395	2	009520108
E10	13	400	2	009520110
E12	15	440	2	009520112
E14	17	490	2	009520114
E16	19	490	2	009520116
E18	21	490	2	009520118
E20	23	490	2	009520120

952FTX/S9 1 009520141
E6-E7-E8-E10-E12
E14-E16-E18-E20

953

T-handle wrenches with swivelling hexagon male ends



UNI 6754

mm	H mm	L mm		
3	5	395	5	009530130
3,5	6	395	5	009530135
4	6	395	5	009530140
4,5	7	395	5	009530145
5	7	395	5	009530150
6	9	400	5	009530160
7	10	425	5	009530170
8	11	425	5	009530180
10	13	440	5	009530200

953/S9 1 009530301
3-3,5-4-4,5
5-6-7-8-10 mm

953TX

T-handle wrenches with swivelling end for Torx® head screws



	H mm	L mm		
T20	11	396	2	009530020
T25	11	396	2	009530025
T27	11	396	2	009530027
T30	13	400	2	009530030
T40	13	400	2	009530040
T45	13	426	2	009530045
T50	14	442	2	009530050
T55	14	442	2	009530055

953TX/S8 1 009530060
T20-T25-T27-T30
T40-T45-T50-T55

955

tubular spark-plug wrench chrome-plated, hexagon end



mm - "	D mm	L mm		
16 5/8	21	86	3	009550016
20,8 13/16	29	86	3	009550021

956C

1/2" square drive spark plug sockets chrome-plated, hexagon ends

ISO 11168

mm - "	Ø mm	L mm		
14 9/16	18,8	70	5	009560008
16 5/8	21,4	70	5	009560010
17,8 11/16	23,6	70	5	009560011
20,8 13/16	27,0	70	5	009560012

956E

3/8" square drive spark plug sockets chrome-plated, hexagon ends

ISO 11168

mm - "	Ø mm	L mm		
14 9/16	18,8	70	5	009560018
16 5/8	21,4	70	5	009560020
17,8 11/16	23,6	70	5	009560021
20,8 13/16	27,0	70	5	009560022

956L

1/2" square drive spark plug sockets, bi-hex ends, long series

mm - "	Ø mm	L mm		
14 9/16	20,2	250	2	009560214
16 5/8	24,0	250	2	009560216
17,8 11/16	24,0	250	2	009560217
20,8 13/16	28,5	250	2	009560221

957

T-handle spark plug wrenches
with swivelling sockets



ISO 11168

mm - "	Ø mm	L mm		
16	21,4	275	3	009570000
5/8				
20,8	27,0	275	3	009570001
13/16				

959

T-handle spark plug wrenches
with swivelling sockets, standard series



ISO 11168

mm - "	Ø mm	L mm		
14	18,8	483	3	009590009
9/16				
16	21,4	483	3	009590010
5/8				
20,8	27,0	527	3	009590011
13/16				

959R

rubber inset and spare spring
for items 956C - 956E - 957 - 959

959R/14 956C/14-956E/14	3	009590223
959R/16 956C/16-956E/16 957/16-959/16	3	009590224
959R/17,8 956C/17,8-956E/17,8	3	009590225
959R/20,8 956C/20,8-956E/20,8 957/20,8-959/20,8-959L	3	009590226

960

1/2" square drive socket
for Diesel engine injectors



mm	Ø mm	L mm		
27	36,5	77	5	009600027

960A

1/2" square drive socket
for Diesel engine injectors



mm	Ø mm	L mm		
27	36,5	77	3	009600017

960BT

sockets for injector electrical connections



mm	Ø mm	L mm		
25	37,0	78	1	009600125
27	39,7	78	1	009600127
29	42,0	78	1	009600129
30	43,0	78	1	009600130

960BT/B

sockets for injector electrical connections



mm	Ø mm	L mm		
29	38,5	77	1	009600128

960S

1/2" square drive socket
for Diesel engine injectors



mm	Ø mm	L mm		
22	30	82	1	009600022

960SN

Diesel engine glow plug wrenches

mm	Ø mm	□		
8	12,0	1/4	2	009600834
9	13,3	1/4	2	009600835
10	14,5	3/8	2	009600836
11	15,8	3/8	2	009600837
12	17,0	3/8	2	009600838

960SL

sockets for Lambda probes
with 1/2" female square drives



	Ø mm		
960SL85 ⬡ 22xL= 85 mm	33	3	009600085
960SL110 ⬡ 22xL= 110 mm	33	3	009600110

960F

socket for nozzle holder ring nuts

Ø mm	Ø1 mm	●1 mm	●2 mm		
28,3	22	32	22	1	009600148

960G

socket for Diesel engine injectors
of Mercedes-Benz trucks

Ø mm	Ø1 mm	● mm	L mm		
28,5	22	32	122	1	009600151

960L

socket
for nozzle holder ring nuts

Ø mm	Ø1 mm	L mm		
30	22	122	1	009600153

960M

socket
for nozzle holder ring nuts



Ø mm	Ø1 mm	L mm		
28,5	22	72	1	009600154

960H/C4

set of sockets for nozzle holder ring nuts

960H/C4	1	009600152

960PMC

Diesel injector test and calibrating hand pump

Bar max.		
400	1	009600200

960AVL

vapour extractor

Bar max.		
6	1	009600210

960KI

assortment of common rail diesel injector pullers

Allows DELPHI-BOSCH-SIEMENS-DENSO injectors to be removed

960KI	1	009600235

530x470x140 mm - 20 kg

960PI

assortment of reamers for cleaning injector seats

in plastic case

For removing residues from injector seats
- Flat reamer, Ø 19 - 15 mm, for universal injectors
- Flat reamer, Ø 17 - 17 mm, for Delphi/Bosch injectors (BMW/PSA/Renault/Ford)
- Flat reamer, Ø 19 - 17 mm, for Bosch injectors (Mercedes CDI).
- Angled reamer, Ø 21 - 17 mm, for Fiat/Iveco injectors.
- Handle

960PI	1	009600215

250x130x50 mm - 600 g

960AVE

device for testing common rail diesel electrical injectors

960AVE	1	009600245

430x310x50 mm - 2,0 kg

960K/AVE2

kit of adaptors for item 960AVE

(included in item 960AVE)

960K/AVE	1	009600249

250x150x30 mm - 523 g

960CMB

instrument for controlling compression on petrol engines

Bar		
4÷17	1	009600250

440x370x100 mm - 2,2 kg

960CMD

instrument for controlling compression on Diesel engines

Bar		
8÷40	1	009600270

440x370x100 mm - 2,4 kg

960KIT/1

3 dummy injectors and 1 dummy spark plug for item 960CMD

960KIT/1	1	009600600

240x210x45 mm - 710 g

960KC-M8

assortment of tools for removing broken or damaged glow plugs M8

- **For glow plugs with thread M8x1.0 mm**
- **Allows broken glow plugs stuck in head to be easily removed**

960 KC-M8	1 009600800

400x300x60 mm

960KPC

reversible impulse extractor with adjustable torque for glow plugs

Torque can be adjusted in 4 positions: 10-20-30-40 Nm

1/4"

960KPC	1 009600780
8-9-10-11-12 mm	

420x185x60 mm

960P

pressure/depressure tester with accessories and adaptors

960P	1 009600777

350x320x95 mm - 1,9 kg

960TP

digital pressure tester

with wireless module for Beta printer 1498ST/W

CE

Specifications:
- bar: 0-80
- Resolution: 0.1 bar
- Storage of maximum pressure value
- Backlit LCD display
- Software in 6 languages (I, EN, F, ES, PL, NL)
- Environmental pressure adjustment
- Sensor accuracy: +/- 1% (0÷60 bar)
  +/- 2% (60÷80 bar)
- Sensor can be removed and replaced

960TP	1 009600300

280x240x77 mm - 800 g

960AD/TP2

set of adaptors for item 960TP in plastic case

960AD/TP2	1 009600510

430x310x50 mm - 3,2 kg

960TAP

digital common rail high pressure tester

CE

SPECIFICATIONS:
Measuring range: 0-2000 bar / 0-29000 psi
Resolution: 1 bar
Storage of maximum pressure value
Display: Graphic LCD 64x128 pixels, backlit
Environmental pressure adjustment
Sensor accuracy: +/- 1%
Wireless data transmission to PC
Automatic engine start from tester
Overpressure limit: 3000 bar
Software in 6 languages: I-EN-F-ES-PL-NL

960TAP	1 009600350

370x310x80 mm - 1,4 kg

960W

wireless PC receiver (for items 960TP - 960TAP)

Suitable for Windows 2000 SP3, XP, Vista and 7 systems

CE

TECHNICAL DATA
Connection: USB 1.0 and 2.0
Receiving frequency: 868 Mhz
Power supply: auto-supplied via USB
Software: CD-ROM

960W	1 009600400

962

tyre levers

L mm	A mm	
300	21	5 009620003
400	25	5 009620004
500	27	3 009620005
600	27	3 009620006

963

pry bar with pointed and flat bent ends

L mm	A mm	
400	23	5 009630001

964

pry bar with pointed and leverage ends

L mm	A mm		
400	46	5	009640001

965

pry bars with flat curved ends

L mm	A mm	L1 mm		
300	16	185	2	009650013
450	20	312	2	009650014
600	20	462	2	009650016

965/S3 — 1 — 009650019

966/C3

set of 3 levers with articulated, flat, curved heads

966/C3 — 1 — 009660103
L=200-250-300 mm

355x140x65 mm - 1,8 kg

969A

hub nut locking socket

1/2"



mm	Ø mm	L mm		
35	46	76	1	009690035

969B

hub nut locking socket

1/2"

mm	Ø mm	L mm		
30	40,0	76	1	009690130
32	42,5	76	1	009690132
34	45,0	76	1	009690134
36	49,0	76	1	009690136

969/C5

set of 5 hub nut locking sockets in plastic case

1/2"

969/C5 — 1 — 009690200

969A 35
969B 30-32-34-36

970EA

impact sockets for axle nuts

3/4"

mm	⬣ mm	Ø mm		
98	36	122	1	009700398

970EB

impact sockets for axle nuts

mm	⬣ mm	Ø mm		
95	36	126	1	009700595
110	36	133	1	009700410

970Q

impact sockets for rectangular nuts

3/4"

L mm	□		
56	3/4"	1	009700756
60	3/4"	1	009700760

970B

socket for locking Fiat Daily hub nuts

1"



mm	Ø mm	L mm		
65	88	75	1	009700010

970C

octagonal impact sockets for locking hub nuts

mm	□ - ⬡		
80	41 mm	1	009700808
95	3/4"	1	009700815
100	3/4"	1	009700820
109	41 mm	1	009700829
115	3/4"	1	009700835
120	41 mm	1	009700840

970OT

oval impact sockets for locking trailer hub nuts

L mm	L1 mm	□ - ⬡		
65	61	3/4"	1	009700165
80	73	3/4"	1	009700180
96	90	3/4"	1	009700196
111	104	41 mm	1	009700211

978 - 979

four-way hexagon wheel nut wrenches



UNI/ISO 6788 DIN 3119

978 17x19x21x22 mm	2	009780001
979 17x19x22x■1/2 mm	2	009790001

982

four-way hexagon wheel nut wrench



UNI/ISO 6788 DIN 3119

24x27x32x■3/4 mm	2	009820001

983

four-wheel hexagon wheel nut wrench for cars

UNI/ISO 6788 DIN 3119

17x19x22x■1/2 mm	2	009830001

985

four-wheel hexagon wheel nut wrench for trucks

UNI/ISO 6788 DIN 3119

24x27x32x■3/4 mm	1	009850001

988/K4

set of 4 scratchproof plastic flat chisels

988/K4 A= 19-21-25-38 mm	1	009880104

989

wheel balancing weight tool

L mm		
250	2	009890001

990

straight thin knurled point spring tweezers made from stainless steel bright finish

L mm		
130	5	009900001

991

bent thin knurled point spring tweezers made from stainless steel, bright finish

L mm		
130	5	009910001

992

straight thin knurled point pin spring tweezers made from stainless steel bright finish

L mm		
150	5	009920001

993

bent thin knurled point pin spring tweezers made from stainless steel bright finish

L mm		
145	5	009930001

993PL

bent thin knurled point pin spring tweezers made from stainless steel PVC-coated

L mm		
150	5	009930010

993G

pin spring tweezers, curved round ends, knurled made from stainless steel bright finish

L mm		
160	5	009930030

994

straight large knurled point spring tweezers made from stainless steel bright finish

L mm		
150	5	009940001

994PL

straight large knurled point spring tweezers made from stainless steel PVC-coated

L mm		
150	5	009940010

994TF

spring tweezers, acid and magnetic resistant, large round noses, strong and knurled ends made from stainless steel semi-bright finish

L mm		
150	5	009940020

996

straight end spring tweezers with wide tips made from stainless steel bright finish

L mm		
150	5	009960001

998

cross knurled end spring tweezers made from stainless steel bright finish

L mm		
155	5	009980001

999

flat round end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm		
115	5	009990011

999A

extra slim short end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm		
120	5	009990015

999B

strong straight end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm		
120	5	009990017

999C

extra slim straight end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm		
110	5	009990019

999D

extra slim angled end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm		
115	5	009990021

999E

extra slim curved end spring tweezers, acid and magnetic resistant made from stainless steel semi-bright finish

L mm		
120	5	009990023

999G

extra slim straight end spring tweezers, acid and magnetic resistant with stop mechanism made from stainless steel semi-bright finish

L mm		
140	5	009990027

999/B6

set of 6 spring tweezers, acid and magnetic resistant

999/B6 999-999A-999B 999C-999D-999E	1	009990050

1008

long flat knurled nose pliers, slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm		
160	51,5	5	010080006

1008BM

long flat knurled nose pliers bi-material handles

ISO 5745

L mm	L1 mm		
160	51,5	5	010080036

1009

extra-long knurled nose pliers, slip-proof double layer PVC coated handles

L mm	L1 mm		
160	56,5	2	010090006

1009L/A

extra long needle knurled nose pliers, for special operations, slip-proof double layer PVC coated handles

L mm	L1 mm		
283	80	2	010090008

1009L/B

curved extra long knurled nose pliers,
45°, for special operations,
slip-proof double layer PVC coated handles

L mm	L1 mm		
273	73	2	010090009

1009L/C

bent extra long knurled nose pliers, 90°,
for special operations,
slip-proof double layer PVC coated handles

L mm	L1 mm		
253	45	2	010090010

1010

long round knurled nose pliers,
slip-proof double layer PVC coated handles



ISO 5745

L mm	L1 mm		
160	51,5	2	010100006

1010BM

long round knurled nose pliers
bi-material handles



ISO 5745

L mm	L1 mm		
160	51,5	2	010100036

1032

internal circlip pliers, straight pattern
PVC-coated handles

UNI 7914 DIN 5256

L mm	⊙ Ø mm		
140x0,9	8÷12	5	010320013
140x1,3	12÷25	5	010320014
180	19÷60	5	010320017
225	40÷100	3	010320021
300	85÷200	2	010320028

1033

internal circlip pliers, bent pattern,
45° PVC-coated handles

UNI 7914 DIN 5256

L mm	⊙ Ø mm		
140x0,9	8÷12	5	010330013
140x1,3	12÷25	5	010330014
180	19÷60	5	010330017
225	40÷100	3	010330021

1034

internal circlip pliers, bent pattern,
90° PVC-coated handles

UNI 7914 DIN 5256

L mm	⊙ Ø mm		
130x0,9	8÷12	5	010340013
130x1,3	12÷25	5	010340014
170	19÷60	5	010340017
210	40÷100	3	010340021
290	85÷200	2	010340028

1034L

90° curved long nose pliers
for elastic safety rings for holes,
PVC-coated handles

L mm	⊙ Ø mm		
192	40÷100	2	010340320

1036

external circlip pliers, straight pattern
PVC-coated handles

UNI 7915 DIN 5254

L mm	● Ø mm		
140x0,9	3÷10	5	010360013
140x1,3	10÷25	5	010360014
175	19÷60	5	010360017
225	40÷100	3	010360021
300	85÷200	2	010360028

1037

external circlip pliers, bent pattern,
45° PVC-coated handles

UNI 7915 DIN 5254

L mm	● Ø mm		
140x0,9	3÷10	5	010370013
140x1,3	10÷25	5	010370014
175	19÷60	5	010370017
225	40÷100	3	010370021

1038

external circlip pliers, bent pattern,
90° PVC-coated handles

UNI 7915 DIN 5254

L mm	● Ø mm		
135x0,9	3÷10	5	010380013
135x1,3	10÷25	5	010380014
175	19÷60	5	010380017
220	40÷100	3	010380021
300	85÷200	2	010380028

1039

straight point pliers for internal
and external circlips PVC-coated handles

L mm	⊙ Ø mm	● Ø mm		
150	10÷15	6÷25	2	010390015

1044

slip joint pliers overlapping joint
PVC-coated handles

· 9-position model



ISO 8976

L mm	A max mm	L1 mm		
250	48	39	5	010440250

1044F

slip joint pliers
overlapping joint
PVC-coated handles

· 9-position model



ISO 8976

L mm	A max mm	L1 mm		
250	48	39	5	010440015

1046

slip joint pliers overlapping rack-type joint
PVC-coated handles



ISO 8976

L mm	A max mm	L1 mm		
240	28	33	5	010460240
400	107	55	1	010460400

1047

slip joint pliers, push button adjustment



L mm	A max mm	L1 mm		
240	36	35	2	010470240
300	50	48	1	010470300

1047BM

slip joint pliers, push button adjustment,
bimaterial handles



L mm	A max mm	L1 mm		
240	36	35	2	010470340

1048

slip joint pliers boxed joints
PVC-coated handles

· new 9-position model



ISO 8976

L mm	A max mm	L1 mm		
175	30	29	3	010480010
250	48	39	5	010480015
300	56	47	2	010480020

1048BM

slip joint pliers, boxed joint, bimaterial handles

· new 9-position model



L mm	A max mm	L1 mm		
250	48	39	3	010480215

1048V

slip joint pliers boxed joints, orange lacquered

· new 9-position model



ISO 8976

L mm	A max mm	L1 mm		
175	30	29	3	010480110
250	48	39	5	010480115
300	56	47	2	010480120

1050

double adjustment self-locking pliers



L mm		
220	2	010500022

1051

double adjustment self-locking pliers long jaws



L mm		
255	2	010510025

1051GM

double adjustment self-locking pliers,
floating jaw



L mm		
255	2	010510250

1051L

large-capacity double adjustment self-locking pliers

L mm		
270	2	010510100

1051XL

large-capacity double adjustment self-locking pliers, extra-long jaws

L mm		
270	2	010510140

1052

adjustable self-locking pliers, concave jaws



L mm	A1 max mm		
140	22	3	010520014
190	36	3	010520019
240	42	3	010520024
300	55	2	010520030

1053

adjustable self-locking pliers, floating jaw



L mm	A1 max mm		
240	35	2	010530024

1054

adjustable self-locking pliers, straight jaws



L mm	A1 max mm		
235	40	2	010540022

1055

adjustable self-locking pliers, curved jaws



L mm	A1 max mm		
250	60	2	010550024

1056

adjustable self-locking pliers for refrigerator engineers



L mm		
190	2	010560019

1057A

automatic self-locking pliers with adjustable force



L mm		
240	2	010570124

1058

adjustable self-locking pliers, long jaws



L mm	A1 max mm	A2 max mm		
180	38	/	2	010580018
240	65	100	2	010580024
310	80	150	2	010580031

1060

adjustable self-locking pliers, fork-type jaws



L mm	A1 max mm		
200	50	2	010600020
280	80	2	010600028

1061

adjustable self-locking pliers, fork-type jaws



L mm	A1 max mm		
290	80	2	010610028

1062

adjustable self-locking pliers
with C-shaped jaws



L mm	A1 max mm		
170	50	2	010620017
290	120	2	010620029
460	250	2	010620046

1062AL

adjustable self-locking pliers,
aluminium C-shaped jaws



L mm	A1 max mm		
290	104	2	010620329

1062GM

adjustable self-locking pliers
with floating C-shaped jaws



L mm	A1 max mm		
170	45	2	010620217
290	88	2	010620229
460	260	2	010620246

1063

adjustable self-locking pliers
for tinsmiths

L mm	A1 max mm		
200	30	2	010630020

1064

adjustable self-locking pliers with chain



L mm	Ø mm		
240	150	2	010640024

1065F

hand punch steel punch and matrix



ø mm	L mm		
5	228	2	010650010
6	228	2	010650015

1065P

hand crimper steel matrix



L mm		
228	2	010650020

1077

straight wide blade tinsmith's pliers,
PVC-coated handles

L ~	A mm	L1 mm		
280	60	53	1	010770026

1078

curved wide blade tinsmith's pliers,
45° PVC-coated handles

L ~	A mm	L1 mm		
280	60	77	1	010780026

1080D

diagonal flush cutting nippers,
slip-proof double layer PVC coated handles

For cutting plastic

α	L mm	L1 mm		
15°	160	22	3	010800015
45°	160	22	3	010800045

1082

diagonal cutting nippers,
slip-proof double layer PVC coated handles

UNI/ISO 5749

L mm	L1 mm	mm		
140	20	1,6	5	010820004
160	22	1,6	5	010820006

1082BM

diagonal cutting nippers,
bi-material handles

UNI/ISO 5749

L mm	L1 mm	mm		
140	20	1,6	3	010820034
160	22	1,6	3	010820036

1084

heavy duty diagonal cutting nippers,
slip-proof double layer PVC coated handles

UNI/ISO 5749

L mm	L1 mm	mm		
140	20	1,4	5	010840004
160	22	1,6	5	010840006
180	25	1,8	3	010840008
200	28	2,0	3	010840010

1084BM

heavy duty diagonal cutting nippers
bi-material handles

UNI/ISO 5749

L mm	L1 mm	mm		
140	20	1,4	3	010840034
160	22	1,6	3	010840036
180	25	1,8	3	010840038
200	28	2,0	3	010840040

1088

heavy duty end cutting nippers,
slip-proof double layer PVC coated handles



UNI/ISO 5748

L mm	L1 mm	mm		
160	9	1,6	2	010880006
200	11	2,0	2	010880010

1088BM

heavy duty end cutting nippers,
bi-material handles



UNI/ISO 5748

L mm	L1 mm	mm		
160	9	1,6	2	010880036
200	11	2,0	2	010880040

1092V

toggle lever assisted end cutting nippers



UNI/ISO 5748

L mm	L1 mm	mm		
180	8	2,0	2	010920280
200	9	2,5	2	010920310

1094V

toggle lever assisted
diagonal cutting nippers

UNI/ISO 5749

L mm	L1 mm	mm		
200	23	2,5	2	010940200

1095N

toggle lever assisted
diagonal cutting nippers

L mm	L1 mm	mm		
195	26	1,6	2	010950010

1096

carpenter's pincers

ISO 9243

L ~	L1 mm		
160	21	5	010960016
200	23	5	010960020
250	30	5	010960025

1098

construction worker's pincers



ISO 9242 DIN 5242

L ~	L1 mm		
190	12	5	010980190
220	13	5	010980220
250	15	5	010980250
280	18	5	010980280

1098PL

construction worker's pincers,
PVC coated handles

ISO 9242 DIN 5242

L ~	L1 mm		
220	13	5	010980320
250	15	5	010980350
280	18	5	010980380

1101

bolt cutter phosphatized blades
and rubber grip handles

L mm	L "		
300	12	2	011010030
350	14	2	011010035
450	18	1	011010045
600	24	1	011010060
750	30	1	011010075
900	36	1	011010090

L mm	R = 80 Kgf=mm² Ø mm	R = 140 Kgf=mm² Ø mm	g	
300	5	4	745	
350	6	5	1043	
450	7	6	1537	
600	9	7	2540	
750	11	8	3870	
900	12	9	6170	

1101R

spare blades for item 1101

mm	1101		
300	300	1	011010130
350	350	1	011010135
450	450	1	011010145
600	600	1	011010160
750	750	1	011010175
900	900	1	011010190

1102

bolt cutters, small series

Cutting capacity
R= 80 Kgf/mm²

L ~ mm	mm		
230	4	3	011020020

1104

heavy-duty cutters for flexible steel cables, handles with thermoplastic grips

L mm	mm		
420	12	1	011040004
600	16	1	011040006

1104R

spare blades for item 1104

mm		
420	1	011040014
600	1	011040016

1105

punches made from burnished steel



Ø mm	A mm		
2	27	1	011050002
3	27	1	011050003
4	27	1	011050004
5	27	1	011050005
6	27	1	011050006
7	27	1	011050007
8	27	1	011050008
9	27	1	011050009
10	27	1	011050010
12	27	1	011050012
14	27	1	011050014
16	27	1	011050016
18	27	1	011050018
20	27	1	011050020
22	32	1	011050022
24	32	1	011050024
26	32	1	011050026
28	32	1	011050028
30	32	1	011050030
32	37	1	011050032
34	37	1	011050034
36	37	1	011050036
38	37	1	011050038
40	37	1	011050040
42	42	1	011050042
44	42	1	011050044
46	42	1	011050046
48	42	1	011050048
50	42	1	011050050

1105T30

shank for punches 1105, 3 to 30 mm

L mm		
155	1	011050201

1105T50

shank for punches 1105 2 to 50 mm

L mm		
155	1	011050202

1105AD-50

shank adaptor for item 1105T50

Ø mm		
57	1	011050210

1105/C15T

assortment of 15 punches, 3 to 30 mm

1105/C15T	1	011050251

1105 3 - 4 - 6 - 8 - 10 - 12 - 14 - 16 - 18 - 20 - 22 - 24 - 26 - 28 - 30 mm

1105T30

230x190x50 mm

1105/C29T

assortment of 29 punches, 2 to 50 mm

1105/C29T	1	011050252

1105 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 16 - 18 - 20 - 22 - 24 - 26 - 28 - 30 - 32 - 34 - 36 - 38 - 40 - 42 - 44 - 46 - 48 - 50 mm

1105T50

1105AD-50

325x280x55 mm

1112

tin snips straight wide blades

Cutting capacity
R= 60 Kgf/mm²

L ~	L1 mm	S mm	A mm		
200	50	0,5	26	2	011120020
250	62	0,8	33	2	011120025
300	76	1,0	37	2	011120030
375	105	1,2	44	1	011120037

1114

tin snips straight narrow blades

R = 60 Kgf/mm²



L ~	L1 mm	S mm	A mm		
250	58	0,5	15	1	011140265
350	76	1	22	1	011140340

1118

safety strap cutting shears

Fe = normal steel
Inox = stainless steel

L ~	L1 mm	Fe S mm	Inox S mm		
310	42	1	0,8	2	011180001

1120A

hand nibbler

Fe = normal steel

L mm	Fe S mm		
280	1,2	1	011200101

1120ARL - ARG

spare parts for item 1120A

1120ARL	1	011200110
1120ARG	1	011200120

1122

compound leverage shears,
straight blades

Inox = stainless steel

L ~	L1 mm	Inox S mm	A mm		
250	40	1	24	2	011220020

1123

right cut compound leverage shears,
curved blades

Inox = stainless steel

L ~	L1 mm	Inox S mm	A mm		
250	40	1	24	2	011230020

1124

left cut compound leverage shears,
curved blades

Inox = stainless steel

L ~	L1 mm	Inox S mm	A mm		
250	40	1	24	2	011240020

1125

compound leverage shears
for straight and right cuts

Inox = stainless steel



L ~	L1 mm	Inox S mm	A mm		
250	35	1	46	2	011250020

1126

compound leverage shears
for straight and left cuts

Inox = stainless steel



L ~	L1 mm	Inox S mm	A mm		
250	35	1	46	2	011260020

1127

telephone engineer's scissors,
straight blades

L mm	L1 mm		
150	35	5	011270001

1128BCX

electrician's scissors,
straight stainless steel blades,
with microteeth, cable cutting groove and
crimping pliers for tube terminals

tube terminal crimping: 1÷4 mm²
in jointed plastic case

L mm	L1 mm	mm²	mm²		
155	55	50	1÷4	5	011280080

1128BMX

electrician's scissors,
straight stainless steel blades,
with microteeth

L mm	L1 mm		
145	54	5	011280050

1128BSX

electrician's scissors
with graduated milling profiles with case

L mm	L1 mm		
145	50	5	011280060

1128BTX

electrician's scissors,
straight stainless steel blades,
with microteeth and cable cutting groove,
in plastic case

L mm	L1 mm		
155	55	5	011280070

1128BM

electrician's scissors, straight blades

L mm	L1 mm		
145	50	5	011280000

1129BM

electrician's scissors, curved blades

L mm	L1 mm		
145	44	5	011290000

1130BMX

multipurpose scissors,
straight stainless steel blades,
with microteeth

L mm	L1 mm		
200	58	1	011300000

1131CK

Kevlar® and fibre optics scissors

L mm	L1 mm		
203	75	1	011310001

1132

cable cutters for insulated copper
and aluminium cables,
slip-proof double layer PVC coated handles

UNI 8791

L ~	mm		
170	10	2	011320107
230	17	2	011320113

1132BM

cable cutters for insulated copper
and aluminium cables,
bi-material handles

UNI 8791

L ~	mm		
170	10	2	011320137
230	17	2	011320143

1133

cable cutter for copper cables, flexible

up to 325 mm²

L ~	mm		
600	30	1	011330001

1133RL

spare blades for item 1133

1133RL	1	011330011

1134

ratchet cable cutters burnished finish,
plastic handles

L mm	mm	mm²		
260	35	250	1	011340032

1134RL

spare blade for item 1134

1134RL	1	011340132

1134A

ratchet cable cutters burnished finish,
plastic handles

L mm	mm	mm²		
240	45	400	1	011340045

1134A/RL

spare blade for item 1134A

1134A/RL	1	011340145

1136

cable cutter for steel cables

Cutting capacity
Ø 5 mm for cable R ≤ 160 Kg/mm²
Ø 4 mm for mild steel bolts

L mm		
165	2	011360001

1142BM

wire stripping pliers,
bi-material handles

UNI 7923

L mm	mm²		
160	0,5÷6	3	011420036

1143

wire stripping pliers

L ~	mm²		
165	1÷6	1	011430001

1143R

spare blades for item 1143

1143R	1	011430011

1144

cable stripping tool

L mm	mm²		
140	6÷20	1	011440014

1144RC

spare blade for item 1144

1144RC	1	011440015

1144D

cable stripping tool

L mm	mm²		
170	4,5÷40	1	011440010

1144D/RG

spare hook for item 1144D

1144D/RG	1	011440012

1144D/RL

spare blades for item 1144D

1144D/RL	1	011440011

1145

wire stripping pliers,
self-adjusting model

L mm	mm²		
165	0,25÷1,5	1	011450018

1145RG

pair of spare jaws for item 1145

1145RG	1	011450020

1148A

wire stripping pliers, self-adjusting,
with cutting device

cutting capacity
10 mm² (8 AWG) flexible wires
1,5 mm² (16 AWG) sturdy wires

L mm	mm²		
190	0,02÷10 34÷8 AWG	1	011480100

1148A/R

spare blades for item 1148A

1148A/R	1	011480102

1148B

wire stripping pliers, self-adjusting,
with cutting device

cutting capacity
10 mm² (8 AWG) flexible wires
1,5 mm² (16 AWG) sturdy wires

L mm	mm²		
190	4÷16 12÷6 AWG	1	011480200

1148B/R

spare blades for item 1148B

1148B/R	1	011480202

1149F

front wire stripping pliers with cutting blade,
self-adjusting



L mm	mm²		
175	0,2 ÷ 6 28÷17 AWG	1	011490010

1150

combination pliers
bright chrome-plated,
slip-proof double layer PVC coated handles

ISO 5746

L mm	L1 mm	mm		
160	37	1,6	5	011500006
180	41	1,8	5	011500008
200	45	2,0	5	011500010
220	50	2,0	2	011500012

1150BM

combination pliers bright chrome-plated,
bi-material handles

ISO 5746

L mm	L1 mm	mm		
160	37	1,6	3	011500036
180	41	1,8	3	011500038
200	45	2,0	3	011500040
220	50	2,0	2	011500042

1153

adjustable pliers,
two positions, PVC-coated handles



L mm	L1 mm		
160	37	2	011530016
200	50	2	011530020

1162

extra long flat knurled nose pliers,
slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm	mm		
160	58	1,6	5	011620006
200	86	1,6	5	011620010

1162BM

extra long flat knurled nose pliers
bi-material handles

ISO 5745

L mm	L1 mm	mm		
160	58	1,6	3	011620036
200	86	1,6	3	011620040

1164

extra long bent flat knurled nose pliers,
slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm	mm		
160	54	1,6	5	011640006
200	76	1,6	5	011640010

1164BM

extra long bent flat knurled nose pliers,
bi-material handles

ISO 5745

L mm	L1 mm	mm		
160	54	1,6	3	011640036
200	76	1,6	3	011640040

1166

extra long needle knurled nose pliers,
slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm	mm		
160	56	1,6	5	011660006
200	76	1,6	5	011660010

1166BM

extra long needle knurled nose pliers,
bi-material handles

ISO 5745

L mm	L1 mm	mm		
160	56	1,6	3	011660036
200	76	1,6	3	011660040

1168

extra long bent needle knurled nose pliers,
slip-proof double layer PVC coated handles

ISO 5745

L mm	L1 mm	mm		
160	54	1,6	5	011680006
200	76	1,6	5	011680010

1168BM

extra long bent needle knurled nose pliers,
bi-material handles

ISO 5745

L mm	L1 mm	mm		
160	54	1,6	3	011680036
200	70	1,6	3	011680040

1171BM

smooth, flat short nose pliers
bi-material handles

ISO 9655

L ~	L1 mm	A mm	B mm		
125	18	12	8	2	011710101

1172BM

smooth, flat long nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm		
140	40	12	8	2	011720101

1172BM/P

smooth, flat bent long nose pliers
bi-material handles



L ~	L1 mm	A mm	B mm		
140	38	12	13	2	011720102

1173BM

round short nose pliers
bi-material handles

ISO 9655

L ~	L1 mm	A mm	B mm		
125	22	12	8	2	011730101

1175BM

smooth half-round short nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm		
140	29	12	8	2	011750101

1177BM

smooth half-round long nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm		
140	38	12	8	2	011770101

1177BM/Z

half-round long knurled nose pliers
bi-material handles

ISO 9655

L ~	L1 mm	A mm	B mm		
140	39	12	8	2	011770113

1178BM

smooth half-round long needle nose pliers
bi-material handles



ISO 9655

L ~	L1 mm	A mm	B mm		
140	37	12	8	2	011780101

1178BM/P

smooth half-round long bent
needle nose pliers
bi-material handles



L ~	L1 mm	A mm	B mm		
140	36,5	12	12	2	011780102

1182BM

diagonal semi-flush cutting nippers,
slim tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
120	11	10	1	2	011820101

1183BM

diagonal semi-flush cutting nippers,
rounded tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
120	11	10	1	2	011830101

1184BM

diagonal flush cutting nippers,
rounded tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
120	11	10	1	2	011840101
130	13	12,5	1,25	2	011840102

1185BM

diagonal flush cutting nippers,
slim tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
120	11	10	1	2	011850101
130	13	12,5	1,25	2	011850102

1186BM

diagonal flush cutting nippers,
slim tapering tips
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
120	11	10	1	2	011860101
130	13	12,5	1,25	2	011860102

1188BM

diagonal axial cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
125	12	12	1,25	2	011880101
130	17	15	2	2	011880102

1190BM

end semi-flush cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
120	12	12	1,25	2	011900113

1191BM

end flush oblique cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
130	8	12	0,8	2	011910101

1191BM/L

end flush long oblique cutting nippers
bi-material handles

ISO 9654

L mm	L1 mm	A mm	Cu mm		
130	18	12	1	2	011910110

1200MS

magnetizer/demagnetizer



1200MS	5	012000000

1201

screwdrivers for slotted head screws

SxAxL mm	L1 mm	Ø mm		
0,4x2,5x50	146	2,5	5	012010003
0,4X2,5x75	166	2,5	5	012010006
0,5x3x75	171	3,0	5	012010009
0,5x3x100	196	3,0	5	012010012
0,6x3,5X75	171	3,5	5	012010018
0,6x3,5x100	196	3,5	5	012010021
0,8x4x100	196	4,0	5	012010030
0,8x4x125	221	4,0	5	012010033
0,8x4X150	246	4,0	5	012010036
1,0x5,5x100	209	5,0	5	012010039
1,0x5,5X125	234	5,0	5	012010040
1,0x5,5x150	259	5,0	5	012010042
1,2x6,5X100	220	6,0	5	012010048
1,2x6,5x150	270	6,0	5	012010051
1,2x8x150	282	8,0	3	012010057
1,2x8X200	332	8,0	3	012010060
1,6x10x200	332	9,5	3	012010066

1201/S6	1	012010206
0,5x3x75-0,6x3,5x100 0,8x4x100-1,0x5,5x100 1,2x8x150-1,6x10x200 mm		

1201N

screwdrivers for slotted head screws,
extra-short series

ISO 2380

SxAxL mm	L1 mm	Ø mm		
0,8x4x30	86,5	4	3	012010103
1,2x6,5x30	86,5	6	3	012010106

1201DZ

screwdriver for Dzus® head screws



	L mm	L1 mm		
1201DZ	53	173	2	012010501

1202

screwdrivers for cross head Phillips® screws

UNI/ISO 8764 DIN 5262

PHxDxL mm	L1 mm		
0x3x60	156	5	012020003
0x3X100	200	5	012020006
1x4,5x80	189	5	012020009
1x4,5x120	229	5	012020012
2x6x100	220	5	012020018
2x6x150	270	5	012020021
3x8x150	282	3	012020024
4x9,5x200	332	3	012020027

1202/S4	1	012020204
PH0x3x60-PH1x4,5x120 PH2x6x150-PH3x8x150 mm		

1202N

screwdrivers for cross head Phillips® screws, extra-short series

UNI/ISO 8764 DIN 5262

PHxDxL mm	L1 mm		
1x4,5x30	86,5	3	012020103
2x6x30	86,5	3	012020106

1203/D

set of screwdrivers

1203/D5	1	012030001
1201 0,6x3,5x100-1,0x5,5x150 1,2x6,5x150 mm 1202 PH1x4,5x80-PH2x6x100 mm		
1203/D7	1	012030007
1201 0,5x3x75-0,8x4x100 1,0x5,5x100-1,2x6,5x150 mm 1202 PH0x3x60-PH1x4,5x80 PH2x6x100 mm		
1203/D8	1	012030008
1201 0,5x3x75-0,8x4x125 1,0x5,5x150-1,2x6,5x150 mm 1202 PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm		
1203/D10	1	012030010
1201 0,4x2,5x50-0,5x3x75 0,8x4x100-1,0x5,5x100 1,2x6,5x150-1,2x8x150 mm 1202 PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm		
1203/D6	1	012030006
1202 PH1x4,5x80-PH2x6x100 mm 1204 0,4x2,5x60-0,5x3x100 0,8x4x100-1,0x5x125 mm		
1203/D5PZ	1	012030003
1201 0,5x3x75-0,8x4x125 1,0x5,5x150 mm 1209PZ PZ1x4,5x80-PZ2x6x100 mm		

1203/S10

1203/S10	1	012030021
1201 0,4x2,5x50-0,5x3x75 0,8x4x125-1,0x5,5x150 1,2x6,5x150-1,2x8x150 mm 1202 PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm		

1204

screwdrivers for headless slotted screws

SxDxL mm	L1 mm		
0,4x2,5x60	156	5	012040003
0,5x3x100	196	5	012040009
0,8x4x100	196	5	012040012
1x5x125	234	5	012040018
1,2x6,5x150	270	5	012040024

1204/S5	1	012040205
0,4x2,5x60-0,5x3x100 0,8x4x100-1x5x125 1,2x6,5x150 mm		

1207TX

screwdrivers for Torx® head screws, with handles

	L mm	L1 mm	Ø mm		
T6	60	156	4	5	012070006
T7	60	156	4	5	012070007
T8	60	156	4	5	012070008
T9	60	156	4	5	012070009
T10	80	189	5	5	012070010
T15	80	189	5	5	012070015
T20	100	209	5	5	012070020
T25	100	209	5	5	012070025
T27	100	220	6	5	012070027
T30	100	220	6	5	012070030
T40	130	262	7	2	012070040
T45	130	262	8	2	012070045

1207TX/D7	1	012070207
T6-T8-T10-T15 T20-T25-T30		

1208RTX

screwdrivers for Tamper Resistant Torx® head screws, with handles

	L mm	L1 mm	Ø mm		
T9	60	156	4	5	012080009
T10	80	189	5	5	012080010
T15	80	189	5	5	012080015
T20	100	209	5	5	012080020
T25	100	209	5	5	012080025
T27	100	220	6	5	012080027
T30	100	220	6	5	012080030
T40	130	262	7	2	012080040

1208RTX/D7 1 012080207
T9-T10-T15-T20
T25-T27-T30

1209PZ

screwdrivers for cross head Pozidriv®-Supadriv® screws

UNI/ISO 8764

PZ	L mm	L1 mm		
0	60	156	5	012090000
1	80	189	5	012090003
2	100	220	5	012090006
3	150	282	3	012090009

1209PZ/S4 1 012090204
PZ0-PZ1-PZ2-PZ3

1229LP

micro-screwdrivers for headless slotted screws



D mm	L mm	L1 mm		
1,0	17	75	5	012290210
1,2	21	85	5	012290212
1,4	21	89	5	012290214
1,8	23	94	5	012290218
2,0	23	98	5	012290220
2,4	26	103	5	012290224
3,0	28	108	5	012290230

1229LP/A6 1 012290300
1,2-1,4-1,8-2-2,4-3 mm

1229PH

micro-screwdrivers for cross head Phillips® screws



PH	L mm	L1 mm		
0	26	102	5	012290250
1	29	107	5	012290251

1229LPH/A6

set of 6 micro-screwdrivers items 1229LP-1229PH

1229LPH/A6 1 012290310

1229LP	1,4-2,0-2,4-3
1229PH	0-1

1236B

offset screwdrivers for slotted head screws



UNI 7079 DIN 5200

SxA mm	L mm		
0,8x4	100	5	012360201
1x5,5	125	5	012360202
1,2x8	150	5	012360204

1238B

offset screwdrivers for cross head Phillips® screws

UNI 7083 DIN 5208

PH	L mm		
1-2	125	5	012380201
3-4	200	5	012380203

1241

screwdrivers with steel head for slotted head screws



SxAxL mm	L1 mm		
1x5,5x100	202	5	012410039
1,2x6,5x125	240	5	012410050
1,2x8x150	248	3	012410057
1,6x10x200	325	2	012410066

1242

screwdrivers with steel head for cross head Phillips® screws



UNI/ISO 8764 DIN 5262

PHxDxL mm	L1 mm		
1x4,5x100	202	5	012420209
2x6x100	215	5	012420218
3x8x150	248	3	012420221
4x11x200	325	2	012420224

1243/D7

screwdriver set

1243/D7		1	012430017
1241	1x5,5x100-1,2x6,5x125 1,2x8x150-1,6x10x200 mm		
1242	PH1x4,5x100-PH2x6x100 PH3x8x150 mm		

1250

screwholding screwdrivers
for slotted head screws



SxDxL mm	L1 mm		
0,5x3x125	190	5	012500030
0,6x4x125	225	5	012500040
0,7x5x150	255	5	012500050

1251

screwholding screwdrivers
for cross head Phillips® screws



PHxDxL mm	L1 mm		
0x4x125	225	5	012510000
1x5x150	255	5	012510010
2x6x175	280	5	012510020

1252/S5

1252/S5		1	012520001
1250	0,5x3x125-0,6x4x125 0,7x5x150 mm		
1251	PH1x5x150-PH2x6x175 mm		

1253

mains testing screwdriver 150/250V



SxAxL mm	L1 mm		
0,5x3,5x100	190	5	012530001

1253A

mains testing screwdriver 125/250V,
double insulation



SxAxL mm	L1 mm		
0,5x3x15	150	5	012530010

1254

circuit testing screwdriver 6-24V



SxAxL mm	L1 mm		
0,5x3x44	123	5	012540001

1256/C36-2

microscrewdriver with 36 interchangeable
4-mm bits and magnetic extension

1256/C36-2	1	012560100

1256TX	T3 - T4 -T5 - T6 - T7 T8 - T9 - T10 - T15
1256RTX	T6 - T7 - T8 - T9 - T10
1256LP	0,8 - 1,2 - 1,5 - 1,8 - 2 - 2,5 3 - 3,5 - 4 mm
1256PE	0,7 - 0,9 - 1,3 - 1,5 - 2 mm
1256PH	PH000 - PH00 - PH0 - PH1
1256PZ	PZ000 - PZ00 - PZ0 - PZ1
1256/20	
1256/30	

130x60x35 mm - 200 g

1256LP

4-mm bits
for slotted head screws



SxA mm	L mm		
0.25x0.8	27	5	012560001
0.25x1.2	27	5	012560002
0.3x1.5	27	5	012560003
0.35x1.8	27	5	012560004
0.4x2.0	27	5	012560005
0.4x2.5	27	5	012560006
0.5x3.0	27	5	012560007
0.6x3.5	27	5	012560008
0.8x4.0	27	5	012560009

1256PH

4-mm bits
for cross head Phillips® screws

PH	L mm		
000	27	5	012560011
00	27	5	012560012
0	27	5	012560013
1	27	5	012560014

1256PZ

4-mm bits
for slotted head Pozidriv® screws

PZ	L mm		
000	27	5	012560061
00	27	5	012560062
0	27	5	012560063
1	27	5	012560064

1256PE

4-mm bits
for hexagon head screws

mm	L mm		
0.7	27	5	012560021
0.9	27	5	012560022
1.3	27	5	012560023
1.5	27	5	012560024
2.0	27	5	012560025

1256TX

4-mm bits
for Torx® head screws

	L mm		
T3	27	5	012560041
T4	27	5	012560042
T5	27	5	012560043
T6	27	5	012560044
T7	27	5	012560045
T8	27	5	012560046
T9	27	5	012560047
T10	27	5	012560048
T15	27	5	012560049

1256RTX

4-mm bits
for Tamper Resistant Torx® head screws

	L mm		
T6	27	5	012560051
T7	27	5	012560052
T8	27	5	012560053
T9	27	5	012560054
T10	27	5	012560055

1256/20

hexagon drive extension, 4 mm

1256/20	5	012560092

1256/30

4-mm bit holder with handle

L mm		
110	2	012560097

1257LP

micro-screwdrivers
for slotted head screws

SxD mm	L mm		
0,2x1,2	60	5	012570012
0,25x1,5	60	5	012570015
0,3x1,8	60	5	012570018
0,4x2	60	5	012570020
0,4x2,5	60	5	012570024
0,5x3	60	5	012570030
0,6x3,5	60	5	012570035
0,8x4	60	5	012570040

1257LP/S8	1	012570100
0,2x1,2-0,25x1,5 0,3x1,8-0,4x2-0,4x2,5 0,5x3-0,6x3,5-0,8x4 mm		

1257PH

micro-screwdrivers
for cross-head Phillips® screws

PH	L mm		
00	60	5	012570060
0	60	5	012570063
1	60	5	012570066

1257LPH/S8

1257LPH/S8	1	012570110
1257PH PH00-PH0-PH1 1257LP 0,4x2-0,4x2,5-0,5x3 0,6x3,5-0,8x4 mm		

1257ES

micro-screwdrivers hexagon male ends

mm	L mm		
0,9	60	5	012570045
1,3	60	5	012570046
1,5	60	5	012570047
2	60	5	012570048
2,5	60	5	012570049
3	60	5	012570050

1257ESB/S8

1257ESB/S8	1	012570130
1257ES 0,9-1,3-1,5-2-2,5-3 mm 1257BE 4-5 mm		

1257TX

micro-screwdrivers for Torx®
head screws

	L mm		
T5	60	5	012570075
T6	60	5	012570076
T7	60	5	012570077
T8	60	5	012570078
T9	60	5	012570079
T10	60	5	012570080
T15	60	5	012570081
T20	60	5	012570082

1257TX/S8	1	012570120
T5-T6-T7-T8 T9-T10-T15-T20		

1257BE

micro-screwdrivers hexagon socket wrenches

mm	L mm		
3,2	60	5	012570085
4	60	5	012570086
5	60	5	012570087
5,5	60	5	012570088

1260

screwdrivers for slotted head screws

ISO 2380

SxAxL mm	L1 mm	Ø mm		
0,4x2,5x50	150	2,5	5	012600003
0,4x2,5x75	175	2,5	5	012600006
0,5x3x75	175	3,0	5	012600009
0,5x3x100	200	3,0	5	012600012
0,6x3,5x75	175	3,5	5	012600018
0,6x3,5x100	200	3,5	5	012600021
0,8x4x100	208	4,0	5	012600030
0,8x4x125	233	4,0	5	012600033
0,8x4x150	258	4,0	5	012600036
1x5,5x100	208	5,0	5	012600039
1x5,5x125	233	5,0	5	012600040
1x5,5x150	258	5,0	5	012600042
1,2x6,5x100	219	6,0	5	012600048
1,2x6,5x125	244	6,0	5	012600050
1,2x6,5x150	269	6,0	5	012600051
1,2x8x150	277	8,0	3	012600057
1,2x8x200	327	8,0	3	012600060
1,6x10x200	327	9,5	3	012600066
2x12x250	377	10	3	012600069

1260/S6	1	012600306

0,4x2,5x75-0,5x3x75-0,8x4x125
1x5,5x150-1,2x6,5x150-1,2x8x200 mm

1260N

screwdrivers for slotted head screws, extra-short series

ISO 2380

SxAxL mm	L1 mm	Ø mm		
0,8x4x30	87	4	5	012600103
1,2x6,5x30	87	6	5	012600106

1260E

screwdrivers for slotted head screws with hexagon bolsters

SxAxL mm	L1 mm	Ø mm		
1,2x6,5x150	269	6,0	3	012600156
1,2x8x175	301	8,0	3	012600157
1,6x10x200	327	9,5	2	012600159
2x12x250	377	9,5	2	012600162

1262

screwdrivers for cross head Phillips® screws

UNI/ISO 8764 DIN 5262

PHxDxL mm	L1 mm		
0x3x60	160	5	012620003
0x3x100	200	5	012620006
1x4,5x80	188	5	012620009
1x4,5x120	228	5	012620012
2x6x100	219	5	012620018
2x6x150	269	5	012620021
3x8x150	277	3	012620024
4x10x200	327	3	012620027

1262/S4	1	012620304

PH0x3x60-PH1x4,5x80
PH2x6x100-PH3x8x150 mm

1262N

screwdrivers for cross head Phillips® screws, extra-short series

UNI/ISO 8764 DIN 5262

PHxDxL mm	L1 mm		
1x4,5x30	87	5	012620103
2x6x30	87	5	012620106

1262E

screwdrivers for cross head Phillips® screws with hexagon bolsters

UNI/ISO 8764

PHxDxL mm	L1 mm		
2x6x150	269	3	012620153
3x8x175	302	3	012620156
4x10x200	327	2	012620159

1262L

screwdrivers for cross head Phillips® screws, long series

UNI/ISO 8764-1

PHxDxL mm	L1 mm		
0x3x300	400	3	012620203
1x4,5x400	508	3	012620206
2x6x400	519	3	012620209

1263/D...

set of screwdrivers

1263/D5	1	012630005
1260	0,5x3x75-0,8x4x100 1x5,5x125 mm	
1262	PH1x4,5x80-PH2x6x100 mm	
1263/D6	1	012630006
1260	0,5x3x75-0,8x4x100 1x5,5x125-1,2x6,5x150 mm	
1262	PH1x4,5x80-PH2x6x100 mm	
1263/D7	1	012630017
1262	PH0x3x60-PH1x4,5x80 PH2x6x100 mm	
1264	0,5x2,5x60-0,6x3x100 0,8x4x125-1x5x125 mm	

1263/D7PZ — 1 — 012630007

1260	0,5x3x75-0,8x4x100 1x5,5x150-1,2x6,5X150 mm
1269PZ	PZ0 - PZ1 - PZ2

1263/D8 — 1 — 012630008

1260	0,4x2,5x50-0,5x3x75 0,8x4x100-1x5,5x125 1,2x6,5X150 mm
1262	PH0x3x60-PH1x4,5x80 PH2x6x100 mm

1263/D10 — 1 — 012630010

1260	0,5x3x75-0,6x3,5x100 0,8x4x125-1x5,5x150 1,2x6,5X150 mm
1260N	0,8x4x30
1262	PH0x3x60-PH1x4,5x80 PH2x6x100 mm
1262N	PH1x4,5x30

1263/S12

set of 12 screwdrivers

1263/S12 — 1 — 012630112

1260	0,4x2,5x50-0,5x3x75 0,6x3,5x100-0,8x4x125 1x5,5x125-1,2x6,5x150 1,2x8x200-1,6x10x200 mm
1262	PH0x3x60-PH1x4,5x80 PH2x6x100-PH3x8x150 mm

1264

screwdrivers for headless slotted screws

SxDxL mm	L1 mm		
0,5x2,5x60	160	5	012640003
0,6x3x75	175	5	012640006
0,6x3x100	200	5	012640009
0,8x4x100	208	5	012640012
0,8x4x125	233	5	012640015
1x5x125	233	5	012640018
1x5x150	258	5	012640021
1,2x6,5x150	269	5	012640024

1264/S5 — 1 — 012640305
0,5x2,5x60-0,6x3x75
0,8x4x100-1x5x125-1,2x6,5x150 mm

1264L

screwdrivers for headless slotted screws, long series

SxDxL mm	L1 mm		
0,5x2,5x200	300	3	012640203
0,6x3x300	400	3	012640206
0,8x4x400	508	3	012640209
1x5x400	508	3	012640215
1,2x6,5x400	519	3	012640218

1265ES

hexagon drivers with handles

mm	L mm	L1 mm		
1,5	100	200	3	012650015
2	100	200	3	012650020
2,5	100	200	3	012650025
3	100	200	3	012650030
4	100	208	3	012650040
5	100	219	3	012650050
6	125	244	3	012650060
8	150	277	2	012650080

1265ES/S8 — 1 — 012650308
1,5-2-2,5-3-4-5-6-8 mm

1266BP

ball head hexagon drivers with handles

mm	L mm	L1 mm		
2	100	200	3	012660020
2,5	100	200	3	012660025
3	125	225	3	012660030
4	125	233	3	012660040
5	120	239	3	012660050
6	140	259	3	012660060
8	160	287	2	012660080
10	160	287	2	012660100

1266BP/S8 — 1 — 012660308
2-2,5-3-4-5-6-8-10 mm

1267TX

drivers for Torx® head screws, with handles

	L mm	L1 mm	Ø mm		
T5	50	150	3	5	012670005
T6	50	150	3	5	012670006
T7	50	150	3	5	012670007
T8	60	160	3	5	012670008
T9	60	167	4	5	012670009
T10	80	188	4	5	012670010
T15	80	188	4	5	012670015
T20	100	208	4,5	5	012670020
T25	100	208	5	5	012670025
T27	115	234	6	5	012670027
T30	115	234	6	5	012670030
T40	130	257	7	2	012670040
T45	130	257	8	2	012670045

1267TX/D7 — 1 — 012670307
T6-T8-T10-T15
T20-T25-T30

1267TX/S13 T5-T6-T7-T8-T9 T10-T15-T20-T25 T27-T30-T40-T45		1 012670312

1268RTX

screwdrivers for Tamper Resistant Torx® head screws, with handles

	L mm	L1 mm	Ø mm		
T9	60	167	4,0	3	012680009
T10	80	188	4,0	3	012680010
T15	80	188	4,0	3	012680015
T20	100	208	4,5	3	012680020
T25	100	208	5,0	3	012680025
T27	115	234	6,0	3	012680027
T30	115	234	6,0	3	012680030
T40	130	257	7,0	2	012680040

1268RTX/S8 T9-T10-T15-T20 T25-T27-T30-T40		1 012680307

1269PZ

screwdrivers for cross head Pozidriv®-Supadriv® screws

UNI/ISO 8764

PZ	L mm	L1 mm		
0	60	160	5	012690000
1	80	188	5	012690001
2	100	219	5	012690002
3	150	277	3	012690003
4	200	327	3	012690004

1269PZ/S4 PZ0-PZ1-PZ2-PZ3		1 012690304

1269N/PZ

screwdrivers for cross head Pozidriv®-Supadriv® screws, extra-short series

UNI/ISO 8764

PZ	L mm	L1 mm		
1	30	87	5	012690011
2	30	87	5	012690012

1281BG

interchangeable blade screwdriver handle

L mm	● mm		
118	10	5	012810280

1281PM

quick-fit magnetic bit holder

L mm		
165	5	012810292

1281PB

socket holder with 1/4" male drive

L mm		
175	5	012810293

1281LP

reversible screwdrivers for slotted head screws

1281LP/1 0,8x4-1,2x6,5 mm	5	012810302
1281LP/2 1x5,5-1,2x6,5 mm	5	012810304

1281PH

reversible screwdrivers for cross head Phillips® screws

PH		
1-2	5	012810310
2-3	5	012810312

1281LPH

reversible screwdrivers for slotted and Phillips® head screws

1281LPH/1 PH0-0,8X4 mm	5	012810321
1281LPH/2 PH1-1x5,5 mm	5	012810322
1281LPH/3 PH2-1,2x6,5 mm	5	012810323

1281PZ

reversible screwdrivers for cross head Pozidriv®-Supadriv® screws

PZ		
1-2	5	012810330
2-3	5	012810332

1281PE

reversible ball head hexagon screwdriver blades

mm		
2,5	5	012810342
3	5	012810343
4	5	012810344
5	5	012810345
6	5	012810346

1281TX

reversible screwdrivers for Torx® head screws

1281TX/1 T6-T8	5	012810349
1281TX/2 T7-T9	5	012810350
1281TX/3 T10-T15	5	012810351
1281TX/4 T20-T25	5	012810352
1281TX/5 T30-T40	5	012810353

1281RTX

reversible screwdrivers
for Tamper Resistant Torx® head screws

1281RTX/3 T10-T15	5	012810361
1281RTX/4 T20-T25	5	012810362
1281RTX/5 T30-T40	5	012810363

1281BG/A9

assortment of 9 reversible screwdrivers
and 1 accessory in case

1/4"

1281BG/A9	1	012810520

- 1281BG
- 1281LPH/1 PH0-0,8x4 mm
- 1281LPH/2 PH1-1x5,5 mm
- 1281LPH/3 PH2-1,2x6,5 mm
- 1281PZ/1 PZ1-PZ2
- 1281PE 2,5 mm
- 1281PE 3 mm
- 1281PE 4 mm
- 1281PE 5 mm
- 1281PE 6 mm

1281BG-TX/A8

assortment of 8 reversible screwdrivers
and 1 accessory in case

1/4"

1281BG-TX/A8	1	012810530

- 1281BG
- 1281LPH/1 PH0-0,8x4 mm
- 1281LPH/2 PH1-1x5,5 mm
- 1281LPH/3 PH2-1,2x6,5 mm
- 1281TX/1 T6-T8
- 1281TX/2 T7-T9
- 1281TX/3 T10-T15
- 1281TX/4 T20-T25
- 1281TX/5 T30-T40

1281BG/B28A

set of 16 reversible screwdrivers,
9 1/4" drive sockets,
2 accessories and 1 handle, in wallet

1/4"

1281BG/B28A	1	012810510

- 900 4 - 4,5 - 5 - 5,5 6 - 7 - 8 - 9 - 10 mm
- 1281BG
- 1281PB ■ 1/4
- 900/25
- 1281LP/1 0,8x4 - 1,2x6,5 mm
- 1281LP/2 1,0x5,5 - 1,2x6,5 mm
- 1281PH/1 PH1 - PH2
- 1281PH/2 PH2 - PH3
- 1281PZ/1 PZ1 - PZ2
- 1281PZ/2 PZ2 - PZ3
- 1281PE 2,5 - 3 - 4 - 5 - 6 mm
- 1281TX/1 T6 - T8
- 1281TX/2 T7 - T9
- 1281RTX/3 T10 - T15
- 1281RTX/4 T20 - T25
- 1281RTX/5 T30 - T40

1281/BV	1	012810501

1290

screwdrivers for slotted head screws



ISO 2380

SxAxL mm	L1 mm	Ø mm		
0,4x2,5x50	146	2,5	5	012900003
0,4x2,5x75	171	2,5	5	012900006
0,5x3x75	171	3,0	10	012900009
0,5x3x100	196	3,0	10	012900012
0,6x3,5x75	171	3,5	10	012900018
0,6x3,5x100	196	3,5	10	012900021
0,8x4x100	196	4,0	10	012900030
0,8x4x125	221	4,0	10	012900033
0,8x4x150	246	4,0	10	012900036
1x5,5x100	209	5,0	10	012900039
1x5,5x150	259	5,0	10	012900042
1,2x6,5x100	220	6,0	10	012900048
1,2x6,5x150	270	6,0	10	012900051
1,2x8x150	282	7,0	3	012900057
1,2x8x200	332	7,0	3	012900060
1,6x10x200	332	8,0	3	012900066
2x12x250	382	10	2	012900069

1290/S...

screwdriver set

1290/S5	1	012900305
1290	0,5x3x75-0,8x4x100 -1x5,5x150 1,2x6,5x150 -1,2x8x150 mm	
1290/S9X	1	012900319
1290	0,4x2,5x75 - 0,5x3,5x100 0,8x4x125 - 1x5,5x150 1,2x6,5x150 - 1,2x8x200 1,6x10x200 mm	
1290N	0,8x4x30 -1,2x6,5x30 mm	

1290N

screwdrivers for slotted head screws
extra short series



ISO 2380

SxAxL mm	L1 mm	Ø mm		
0,8x4x30	86	4	5	012900103
1,2x6,5x30	86	6	5	012900106

1292

screwdrivers for cross head
Phillips® screws

UNI/ISO 8764 DIN 5262

PHxDxL mm	L1 mm		
0x3x60	156	10	012920003
0x3x100	196	5	012920006
1x4,5x80	189	10	012920009
1x4,5x120	229	10	012920012
2x6x100	220	10	012920018
2x6x150	270	10	012920021
3x8x150	282	3	012920024
4x10x200	332	3	012920027

1292/S4 1 012920304
PH0x3x60-PH1x4,5x80
PH2x6x100-PH3x8x150 mm

1292N

screwdrivers for cross head Phillips® screws
extra short series

UNI/ISO 8764 DIN 5262

PHxDxL mm	L1 mm		
1x4,5x30	86	5	012920103
2x6x30	86	5	012920106

1292L

screwdrivers for cross head Phillips® screws, long series



UNI/ISO 8764-1

PHxDxL mm	L1 mm		
0x3x300	396	3	012920203
1x4,5x400	509	3	012920206
2x6x400	520	3	012920209

1293/D...

screwdriver set

1293/D6 1 012930401

1290	0,6x3,5x75-1x5,5x150 1,2x6,5x150 mm
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm

1293/D8 1 012930403

1290	0,5x3x75-0,8x4x100 1x5,5x150-1,2x6,5x150 1,2x8x150 mm
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm

1293/S...

screwdriver set

1293/S10 1 012930201

1290	0,4x2,5x50 -0,6x3,5x100 1x5,5x100-1,2x6,5x150 1,2x8x150-1,6x10x200 mm
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100-PH3x8x150 mm

1293/S12 1 012930203

1290	0,5x3x75-0,8x4x125 1x5,5x150-1,2x6,5x150 1,2x8x200 mm
1290N	0,8x4x30 mm
1292	PH0x3x60 -PH1x4,5x80 PH2x6x100-PH3x8x150 mm
1292N	PH1x4,5x30-PH2x6x30 mm

1293/S7 1 012930207

1292	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm
1294	0,5x2,5x60-0,6x3x75 0,8x4x100-1x5x125 mm

1293ES

hexagon drivers with handles

mm	L mm	L1 mm	Ø mm		
2	100	196	3	5	012930001
2,5	100	196	4	5	012930002
3	100	196	4	5	012930003
4	100	196	5	5	012930004
5	100	209	6	5	012930005
6	125	245	7	5	012930006
8	150	282	10	2	012930008

1293ES/S7 1 012930057
2-2,5-3-4-5-6-8 mm

1293BP

ball head hexagon drivers with handles

mm	L mm	L1 mm		
2	100	196	5	012930501
2,5	100	196	5	012930502
3	100	196	5	012930503
4	100	196	5	012930506
5	100	209	5	012930509
6	125	245	5	012930512
8	150	282	2	012930515

1293BP/S7 1 012930558
2-2,5-3-4-5-6-8 mm

1294

screwdrivers for headless slotted screws

SxDxL mm	L1 mm		
0,5x2,5x60	156	5	012940003
0,6x3x75	171	5	012940006
0,6x3x100	196	5	012940009
0,8x4x100	196	5	012940012
0,8x4x150	246	5	012940015
1x5x125	234	5	012940018
1,2x6,5x150	282	5	012940027

1294/S5 1 012940305
0,5x2,5x60-0,6x3x100
0,8x4x100-1x5x125
1,2x6,5x150 mm

1294L

screwdrivers for headless slotted screws
long series

SxDxL mm	L1 mm		
0,6x3x300	396	3	012940206
0,8x4x400	496	3	012940209
1x5x400	509	3	012940215
1,2x6,5x400	532	3	012940218

1295

impact screwdriver

1/2"

L mm		
130	1	012950001

1295/C14

impact screwdriver
with 14 insets and 1 socket holder

1295/C14	1	012950108

866LP	1,2x6,5 - 1,6x10 mm	
866PH	PH2 - PH3	
866PZ	PZ2 - PZ3	
866PE	5 - 6 mm	
866TX	T27 - T30 - T40 - T45 - T50 - T55	
895/6	□ 1/2 - ⬡ 5/16	
1295	■ 1/2	

170x100x35 mm - 1,3 kg

1297TX

drivers for Torx® head screws,
with handles

	L mm	L1 mm	Ø mm		
T6	50	146	3,0	5	012970006
T7	50	146	3,0	5	012970007
T8	60	156	3,0	5	012970008
T9	60	169	4,0	5	012970009
T10	80	189	4,0	5	012970010
T15	80	189	4,0	5	012970015
T20	100	209	4,5	5	012970020
T25	100	209	5,0	5	012970025
T27	115	235	6,0	5	012970027
T30	115	235	6,0	5	012970030
T40	130	262	7,0	2	012970040
T45	130	262	8,0	2	012970045

1297TX/S12 T6-T7-T8-T9-T10 T15-T20-T25-T27 T30-T40-T45	1	012970312

1297TX/D6 T10-T15-T20 T25-T27-T30	1	012970409

1298RTX

screwdrivers for Tamper Resistant Torx®
head screws, with handles

	L mm	L1 mm	Ø mm		
T9	60	169	4,0	5	012980009
T10	80	189	4,0	5	012980010
T15	80	189	4,0	5	012980015
T20	100	209	4,0	5	012980020
T25	100	209	4,5	5	012980025
T27	115	235	5,5	5	012980027
T30	115	235	6,0	5	012980030
T40	130	262	7,0	2	012980040

1298RTX/S8 T9-T10-T15-T20 T25-T27-T30-T40	1	012980308

1299PZ

screwdrivers for cross head
Pozidriv®-Supadriv® screws

UNI/ISO 8764

PZ	L mm	L1 mm		
0	60	156	5	012990000
1	80	189	5	012990003
2	100	220	5	012990006
3	150	282	2	012990009
4	200	332	2	012990012

1299PZ/S6 1299PZ PZ0-PZ1-PZ2-PZ3 1299N/PZ PZ1-PZ2	1	012990306

1299N/PZ

screwdrivers for cross head
Pozidriv®-Supadriv® screws
extra short series

UNI/ISO 8764

PZ	L mm	L1 mm		
1	30	86	5	012990021
2	30	86	5	012990024

1302

double end dolly, round,
convex pein head

g		
770	1	013020001

1303

curved dolly

g		
1350	1	013030001

1304
sole dolly

g 875 | 1 | 013040001

1305
toe dolly

g 1190 | 1 | 013050001

1305Z
milled toe dolly

g 1065 | 1 | 013050002

1306
heel dolly

g 1040 | 1 | 013060001

1307
regular dolly

g 1100 | 1 | 013070001

1308
egg dolly

g 1100 | 1 | 013080001

1309
hatchet dolly

g 460 | 1 | 013090001

1310
general purpose dolly

g 1225 | 1 | 013100001

1312
anvil dolly

g 1220 | 1 | 013120001

1313
buffer dolly

g 990 | 1 | 013130001

1314
double end dolly, convex, flat head

g 760 | 1 | 013140001

1326
curved angle spoon

g 560 | 1 | 013260001

1327
heavy-duty spoon

g 1075 | 1 | 013270001

1328
pry and bumping spoon

g 935 | 1 | 013280001

1329
double-ended spoon

g 1800 | 1 | 013290001

1330
long double-ended spoon

g 2125 | 1 | 013300001

1331

bending iron with leather face

g		
1100	1	013310001

1335BM

bumping blade
with plastic handle

g		
500	2	013350010

1337/S5

set of 5 stopping knives for car repairers,
made of stainless steel

Japanese type
(25-50-75-100-125 mm)

L mm		
25-50-75-100-125	1	013370015

1338A - 1338B

adjustable body blade holder
with flexible flat blades

	/1"	L mm		
1338A	9	360	2	013380001
1338B	12	360	2	013380002

1338

body blade holder for item 1338R

1338	2	013380003

1338R9 - 1338R12

spare body blades for item 1338A-B

	/1"		
1338R9	9	2	013380004
1338R12	12	2	013380005

1342

extra flat chisel with straight cutter

L mm		
235	5	013420001

1342PM

extra flat chisel with straight cutter
with hand guard



L mm	L1 mm		
235	118	2	013420002

1342PMR

spare hand guard for item 1342

1342PMR	1	013420003

1343

flat chisel with side cutter

L mm		
200	5	013430001

1345

hammer with round,
convex face and pein, wooden shaft

1345	3	013450000

1345P

hammer with round,
flat face and pein, wooden shaft



1345P	3	013450001

1351

hammer with round,
flat face and ball pein, wooden shaft



1351	3	013510000

1353

hammer with round,
flat face and point pein, wooden shaft



1353	3	013530000

1357/32 - 1357/40

hammers with round,
flat and square faces, wooden shafts



1357/32	3	013570032
Ø = 32 mm		
A = 25 mm		
L1 = 100 mm		
L = 280 mm		
1357/40	3	013570040
Ø = 40 mm		
A = 35 mm		
L1 = 105 mm		
L = 290 mm		

1357Z/32 - 1357Z/40

hammers with flat, round,
milled face and square,
smooth face, wooden shafts



1357Z/32	3	013570132
Ø = 32 mm		
A = 25 mm		
L1 = 100 mm		
L = 280 mm		
1357Z/40	3	013570140
Ø = 40 mm		
A = 35 mm		
L1 = 105 mm		
L = 290 mm		

1359T

hammer with round,
flat face and horizontal pein,
wooden shaft



1359T	3	013590001

1369/C11X

assortment of 11 tools

1369/C11X	1	013690023

1303
1305
1306
1309
1310
1314
1327
1338A
1353
1357Z/40
1390

470x340x70 mm - 15,2 kg

1370

engineer's hammers, wooden shaft

HICKORY

UNI 7778 DIN 1041

g	A mm	L mm	L1 mm		
100	15	260	82	5	013700051
200	19	280	95	5	013700052
300	23	300	105	5	013700053
400	25	310	112	5	013700054
500	27	320	118	5	013700055
600	30	330	122	5	013700056
800	33	350	130	4	013700058
1000	36	360	135	4	013700060
1500	42	380	145	2	013700065
2000	47	400	155	1	013700070

1370/MR...

spare shafts for item 1370

1370/MR100 1370/100	4	013700081
1370/MR200 1370/200	4	013700082
1370/MR300 1370/300	4	013700083
1370/MR400 1370/400	4	013700084
1370/MR500 1370/500	4	013700085
1370/MR600 1370/600	4	013700086
1370/MR800 1370/800	4	013700088
1370/MR1000 1370/1000	4	013700090
1370/MR1500 1370/1500	4	013700095
1370/MR2000 1370/2000	4	013700100

1370T

mechanic's hammers
fibre shafts

g	A mm	L mm	L1 mm		
200	19	280	95	5	013700620
300	23	300	105	5	013700630
500	27	320	118	5	013700650
800	33	350	130	4	013700680
1000	36	360	135	4	013700700
1500	42	365	145	2	013700750

1370F

riveting hammers, wooden shaft

HICKORY

NF E 71.014

A mm	L mm	L1 mm		
24	260	77	279	2	013700424
26	260	80	311	2	013700426
28	280	86	396	2	013700428
30	280	92	453	2	013700430
32	300	100	552	2	013700432
36	300	104	717	2	013700436
40	330	110	1064	2	013700440
42	330	116	1076	2	013700442
50	380	138	1762	2	013700450
60	380	160	2585	2	013700460

1370F/MR...

spare shafts for item 1370F

1370F/MR24 1370F/24-26	2	013700474
1370F/MR28 1370F/28-30	2	013700478
1370F/MR32 1370F/32-36	2	013700482
1370F/MR40 1370F/40-42	2	013700490
1370F/MR50 1370F/50	2	013700495
1370F/MR60 1370F/60	2	013700496

1370FT

riveting hammers, fibre shafts

A mm	L mm	L1 mm		
28	280	86	530	1	013700528
30	280	92	625	1	013700530
32	300	100	750	1	013700532
36	300	104	930	1	013700536
40	330	110	1150	1	013700540
42	330	116	1250	1	013700542
50	380	138	2100	1	013700550
60	380	160	2750	1	013700560

1374F

carpenter's hammers, wooden shaft

HICKORY

NF E 71.012

A mm	L mm	L1 mm	g		
16	250	80	176	2	013740416
20	270	86	247	2	013740420
22	290	92	334	2	013740422
26	290	103	425	2	013740426
28	310	108	513	2	013740428
30	310	117	576	2	013740430

1374F/MR...

spare shafts for item 1374F

1374F/MR16 1374F/16	2	013740456
1374F/MR20 1374F/20	2	013740460
1374F/MR22 1374F/22-26	2	013740462
1374F/MR28 1374F/28	2	013740468
1374F/MR30 1374F/30	2	013740470

1375

claw hammer, wooden shaft

g	L1 mm	Ø mm	L mm		
300	95	25	300	3	013750000

1375/MR

spare shafts for item 1375

1375/MR	2	013750003

1375A

claw hammers, plastic shafts

oz	g	L mm	L1 mm		
16	450	330	130	3	013750016
20	570	330	130	3	013750020

1375B

claw hammers, steel shafts

oz	g	L mm	L1 mm		
16	450	330	130	3	013750026
20	570	330	130	3	013750030

1376X

claw hammers with square peins, magnets and nail holders wooden shaft

g	A mm	L1 mm	L mm		
250	20	125	450	3	013760125
300	25	130	450	3	013760130
400	27	132	450	3	013760140

1376X/MR

spare shaft for item 1376X

1376X/MR	2	013760161

1376XT

claw hammers with square peins, magnets and nail holders plastic shaft

g	A mm	L1 mm	L mm		
250	20	125	500	3	013760525
300	25	130	500	3	013760530
400	27	132	500	3	013760540

1376XT/MR

spare shaft for item 1376XT

1376XT/MR	2	013760585

1377

ball pein hammers, round heads, for coppersmiths and tinsmiths, wooden shafts

HICKORY

g	L mm	L1 mm		
340	330	95	2	013770134
450	350	102	2	013770145
570	350	110	2	013770157
680	360	116	2	013770168
900	380	120	2	013770190

1377/MR...

spare shafts for item 1377

1377/MR340 1377/340	2	013770234
1377/MR450 1377/450	2	013770245
1377/MR570 1377/570	2	013770257
1377/MR680 1377/680	2	013770268
1377/MR900 1377/900	2	013770290

1378

joiner's hammers, round heads and peins, wooden shafts

HICKORY

g	L mm	L1 mm	Ø mm		
340	330	100	27	2	013780134
570	350	115	32	2	013780157

1378/MR...

spare shafts for item 1378

1378/MR340 1378/340	2	013780234
1378/MR570 1378/570	2	013780257

1379F

electrician's hammers, wooden shafts

HICKORY

NF E 71.011

A mm	L mm	L1 mm		
16	250	126	2	013790416
18	250	135	2	013790418
20	260	142	2	013790420

1379F/MR...

spare shafts for item 1379F

1379F/MR16 1379F/16-18	2	013790426
1379F/MR20 1379F/20	2	013790430

1380

lump hammers, wooden shafts

HICKORY

UNI 7777 DIN 6475

g	A mm	L mm	L1 mm		
800	38	260	90	2	013800208
1000	40	260	95	2	013800210
1250	43	260	100	2	013800212
1500	45	280	110	2	013800215
2000	50	300	120	2	013800220

1380/MR...

spare shafts for item 1380

1380/MR800 1380/800-1000-1250	2	013800238
1380/MR1500 1380/1500	2	013800245
1380/MR2000 1380/2000	2	013800250

1380S

mason club hammers with security collars wooden shafts

g	A mm	L mm	L1 mm		
800	36	260	90	2	013800400
1000	39	260	95	2	013800405
1250	43	260	100	2	013800410
1500	45	260	110	2	013800415

1380S/MR...

spare shafts for item 1380S

1380S/MR800 1380S/800-1000-1250	2	013800417
1380S/MR1500 1380S/1500	2	013800419

1380T

mason club hammers, plastic shafts

g	A mm	L mm	L1 mm		
800	35	260	85	2	013800308
1000	40	260	100	2	013800310
1250	42	260	110	2	013800312
1500	45	260	120	2	013800315

1381

sledge hammers, Hickory shafts

HICKORY

g	A mm	L mm	L1 mm		
3000	55	800	142	1	013810030
4000	60	900	152	1	013810040
5000	70	900	162	1	013810050
8000*	80	900	185	1	013810080

*** = ash shaft**

1381/MR...

spare shafts for item 1381

1381/MR3-4 1381/3000-4000	2	013810730
1381/MR5 1381/5000	2	013810750
1381/MR8 1381/8000	2	013810780

1381T

sledge hammers, fibre shafts

g	A mm	L mm	L1 mm		
3000	55	900	142	1	013810330
4000	60	900	152	1	013810340
5000	70	900	162	1	013810350

1385

copper head hammers, wooden shafts

g	A mm	L mm	L1 mm		
400	26	260	75	2	013850404
600	32	270	80	2	013850406
800	34	280	90	2	013850408
1000	37	280	100	2	013850410
1500	43	280	110	2	013850415
2000	48	300	120	2	013850420

1385/MR

spare shafts for item 1385

1385/MR400 1385 400	2	013850464
1385/MR600 1385 600	2	013850466
1385/MR800 1385 800	2	013850468
1385/MR1000 1385 1000	2	013850470
1385/MR1500 1385 1500	1	013850475
1385/MR2000 1385 2000	1	013850480

1390

soft face hammers, wooden shafts

UNI 7784

D mm	L mm	L1 mm		
22	260	70	5	013900022
28	280	85	5	013900028
35	310	95	5	013900035
45	320	107	4	013900045
60	380	128	2	013900060

1390/MR...

spare shafts for item 1390

1390/MR22 1390/22	2	013900222
1390/MR28 1390/28	2	013900228
1390/MR35 1390/35	2	013900235
1390/MR45 1390/45	2	013900245
1390/MR60 1390/60	2	013900260

1390R

spare faces for item 1390

D mm		
22	4	013900122
28	4	013900128
35	4	013900135
45	4	013900145
60	4	013900160

1390N

nylon face hammers, wooden shafts

Medium-hard faces: 75 Shore
Oil and wear resistant
Particularly suitable for working metal

D mm	L mm	L1 mm		
22	260	70	3	013900522
28	280	85	3	013900528
35	310	95	3	013900535
45	320	107	2	013900545
60	380	128	2	013900560

1390NR

spare nylon faces for item 1390N

D mm		
22	4	013900622
28	4	013900628
35	4	013900635
45	4	013900645
60	4	013900660

1391

dead-blow hammers,
entirely covered with rubber

D mm	L mm	L1 mm		
35	280	90	2	013910135
50	320	105	2	013910150
55	355	110	2	013910155
65	380	130	2	013910165

1391A

dead-blow hammers for tile workers,
entirely covered with rubber

g	D mm	L mm	L1 mm		
500	45	290	100	2	013910205
1000	60	300	120	2	013910210

1392

dead-blow hammers,
with interchangeable plastic faces, steel shafts

D mm	L mm	L1 mm		
30	300	105	2	013920030
35	305	115	2	013920035
40	310	125	2	013920040
50	325	135	2	013920050
60	385	155	2	013920060

1392R

spare faces for item 1392



D mm		
30	4	013920230
35	4	013920235
40	4	013920240
50	4	013920250
60	4	013920260

1393

hard rubber head hammers

D mm	L mm	L1 mm		
50	315	90	3	013930050
60	340	110	3	013930060
70	370	130	2	013930070

1410/M

spring pulling hook wrench

Ø mm		
3,5	2	014100051

1428

pullers for damaged nuts with square drive

3/8" 1/2"

mm	□	L mm		
8	3/8	36	3	014280008
10	3/8	36	3	014280010
11	3/8	36	2	014280011
12	3/8	36	2	014280012
13	3/8	36	2	014280013
14	3/8	36	2	014280014
15	1/2	38	2	014280015
16	1/2	38	2	014280016
17	1/2	38	2	014280017
18	1/2	38	2	014280018
19	1/2	38	2	014280019
20	1/2	38	2	014280020
21	1/2	38	2	014280021
22	1/2	38	2	014280022
24	1/2	38	2	014280024
27	1/2	38	2	014280027

3/8" 1/2"

1428/SB11 8-10-11-12-13-14 15-16-17-18-19 mm	1	014280111
1428/SB5 20-21-22-24-27 mm	1	014280115

1428L

socket pullers, long series, for damaged right-hand nuts, with square drive

1/2"

mm		
17	1	014280217
19	1	014280219
21	1	014280221

1/2"

1428L/B3 17-19-21 mm	1	014280303

1429

pullers for damaged screws and stud bolts with square drive

3/8" 1/2"

mm	□	L mm		
2	3/8	60	3	014290002
3	3/8	60	3	014290003
4	3/8	60	3	014290004
5	3/8	60	2	014290005
6	3/8	60	2	014290006
8	1/2	70	2	014290008
10	1/2	70	2	014290010

3/8"
1/2"

1429/SB7 2-3-4-5-6-8-10 mm	1	014290107

1430/...

tapered extractors for broken screws and studs made from hardened and tempered steel



	M	A mm		
1430/1	3÷6	2,5	10	014300006
1430/2	6÷8	3,0	10	014300008
1430/3	8÷11	4,5	10	014300011
1430/4	11÷14	6,0	10	014300014
1430/5	14÷18	8,0	10	014300018
1430/6	18÷24	11,0	5	014300024
1430/7	24÷33	14,0	5	014300033
1430/8	33÷50	21,0	5	014300050

1430/S5 1430/1-1430/2-1430/3 1430/4-1430/5	1	014300105
1430/S6 1430/1-1430/2-1430/3 1430/4-1430/5-1430/6	1	014300106
1430/S8 1430/1-1430/2-1430/3 1430/4-1430/5-1430/6 1430/7-1430/8	1	014300108

1433

roller stud extractors

3/8"
1/2"



M mm	Ø mm	L mm	⬢ mm		
5	21	60	19	2	014330005
6	24	60	21	2	014330006
7	24	60	21	2	014330007
8	24	60	21	2	014330008
9	28	70	21	2	014330009
10	28	70	21	2	014330010
10,5	28	70	21	2	014330021
11	28	70	21	2	014330011
12	28	70	21	2	014330012
14	36	72	24	2	014330014
16	36	72	24	2	014330016

1433/C11

roller stud extractors with 1/2" female square drives

3/8"
1/2"
⬢

1433/C11 M5 - M6 - M7 - M8 - M9 - M10 - M10,5 M11 - M12 - M14 - M16	1	014330311

340x135x56 mm - 3,0 kg

1435

set of extractors

Ø mm		
4÷20	1	014350001

1435R

spare wheel for item 1435

1435R	1	014350010

1435/1

eccentric stud extractor

Ø mm		
19÷26	1	014350002

1435/1R

spare wheel for item 1435/1

1435/1R	1	014350011

1437/C12

assortment of 12 tools for removing air bags

1437/C12	1	014370001

260x160x55 mm - 1 kg

1438

universal clutch aligner complete with 3 expansion mandrels

1438	1	014380001

1438R

spare expansion mandrels for item 1438

Ø mm		
14÷18	5	014380101
18÷21	5	014380102
22÷25	5	014380103

1439/K7

angular screwdriver (90°), long series, with blades, in case

Case contents:
- Angular screwdriver
- 1 slotted screw head
- 1 1/4" bit head
- Special blade head
- 7 special blades

1439/K7	1	014390101

500x120x60 mm 825 g

1440/...

piston ring compressors

	Ø mm	L mm		
1440/0	40÷75	50	1	014400000
1440/1	57÷125	80	1	014400010
1440/1A	57÷125	100	1	014400011
1440/2	90÷175	80	1	014400020
1440/2A	90÷175	100	1	014400021
1440/3	90÷175	165	1	014400030

1445/1 - 1445/2

piston ring expanders

	Ø mm		
1445/1	50÷100	1	014450001
1445/2	90÷150	1	014450002

1450GC

valve spring compressor
with straight and offset jaws

1450GC	1	014500005

1452K

valve spring compressor,
with three flanges



1452K	1	014520100

1452PN/K

pneumatic tool for engine valve springs

Thrust pressure: 1400 N

Ø mm	L mm	L1 mm		
16-19-23	230	185	1	014520110
25-30-42				

1455SVP

pneumatic valve grinder

- **Pressure: 6 bars**

CE

1455SVP	1	014550001

1455SVP/R...

spare parts for item 1455SVP

1455SVP/R1	5	014550501
1455SVP/R2	5	014550502
1455SVP/R3	5	014550503

1458

external butt-ended circlip pliers

DIN 5417

Ø mm		
30÷100	3	014580001

1460F

valve seat removing tool

1460F	1	014600010

1461PMS

top dead centre (TDC) finder

M	Ø mm	L mm		
14x1,25	19,0	240	1	014610500

1461BF

timing blocks for Fiat, Alfa Romeo and Lancia engines

1461BF/N	1	014610501
1461BF/AG	1	014610502
1461BF/R	1	014610503
1461BF/B	1	014610504
1461BF/O	1	014610505
1461BF/V	1	014610506
1461BF/GR	1	014610507
1461BF/S	1	014610508
1461BF/VI	1	014610509
1461BF/BR	1	014610510
1461BF/T	1	014610511
1461BF/A	1	014610512

1461/C3B

timing devices for
Fiat/Alfa/Lancia petrol engines

Engines: 1.2-1.4 16V

1461/C3B	1	014610031

335x145x60 mm 1,5 kg

1461/C5G

timing devices for Fiat/Alfa/Lancia/Opel/
Suzuki/Ford
diesel engines

Engines: 1.3 Multijet

1461/C5G	1	014610052

420x125x60 mm 2,6 kg

1461/C6B

timing devices for
Peugeot/Citroën petrol engines

Engines: 1.0-1.1-1.4-1.6-1.6 16v-1.6Gti-1.6 18V-1.8-1.8 16v-1.9-2.0-2.0 16v-2.0T-2.0 Hpi-2.2 16v

1461/C6B 1 014610061

420x280x60 mm 4,2 kg

1461/C6G

timing devices for
Peugeot/Citroën diesel engines

Engines: 1.4-1.6-2.0D,1.4-1.6TDCI, 1.4-1.6-2.0-2.2Hdi, 1.5-1.9-2.5D

1461/C6G 1 014610062

420x280x60 mm 4,3 kg

1461/C7B

timing devices for
Renault/Nissan petrol engines

Engines: 1.4-1.6-1.8-2.0 16V

1461/C7B 1 014610071

420x280x60 mm 4 kg

1461/C8B

timing devices for Ford petrol engines

Engines: 1.25-1.4-1.6-1.6 SCTi-1.6 Ti-VCT-1.6 16V

1461/C8B 1 014610081

420x185x60 mm 2,2 kg

1461/C8G

timing devices for Ford/Mazda diesel engines

Engines: 1.4-1.6-1.8-2.0-2.2 TDCi, 1.6D 8/16V, 1.8D, 1.8D Turbo, 1.8 TCi, 1.8 TDDi, 2.5D, 2.5D Turbo

1461/C8G 1 014610082

420x185x60 mm 3 kg

1461/C9B

timing devices for Opel petrol engines

Engines: 1.0 12V, 1.0-1.2-1.4 16V

1461/C9B 1 014610091

335x145x60 mm 2 kg

1461/C10A

timing devices for
Audi, Seat, Skoda and Volkswagen engines

Engines: 1.9 - 2.0 TDI

1461/C10A 1 014610101

270x120x45 mm - 1,1 kg

1461/C10G

timing devices for
Volkswagen/Audi/Seat and Skoda engines

Engines: 1.2-1.6-2.0 TDI CR (common rail)

1461/C10G 1 014610102

420x185x60 mm 3,3 kg

1461/C11A

timing devices for
Renault engines

Engines: 2.0 dCi

1461/C11A 1 014610111

420x280x60 mm - 1,2 kg

1461/C11G

timing devices for
Renault engines

Engines: 1.5-1.9-2.2-2.5 DCI

1461/C11G 1 014610112

420x280x60 mm 4,6 kg

1461/C12A

timing devices for
Fiat engines

Engines: 1.9-2.2 JTS and 1.9 JTD Euro 4

1461/C12A 1 014610121

420x185x60 mm - 1,8 kg

1461/C12G

timing devices for
Fiat/Alfa/Lancia diesel engines

Engines: 1.9 JTD, 1.6-1.9-2.0 Multijet

1461/C12G 1 014610122

335x145x60 mm 2 kg

1461/C13A

timing devices for Fiat 0.9 Twinair turbo engines

1461/C13A 1 014610131

400x300x60 mm 1,7 kg

1461/C13B

timing devices for Fiat 1.4 Multiair engines

1461/C13B 1 014610132

400x300x60 mm 4,8 kg

1461/C14

timing devices for
BMW engines

Engines: VANOS and Valvetronic

1461/C14 1 014610140

420x185x60 mm - 4,0 kg

1461/C15

timing devices for
BMW engines
(for use with item 1461/C14)

Engines: Valvetronic

1461/C15 1 014610150

420x280x60 mm - 4,0 kg

1461/C16

timing devices for
BMW 2.0-3.0 diesel engines
complete with pump puller

Engines: 2.0-3.0 diesel

1461/C16 1 014610160

335x145x60 mm - 4,3 kg

1461/C17

timing devices for
Volkswagen, Seat and Skoda engines

Engines: 1.2 6-12V

1461/C17 1 014610170

142x102x40 mm - 1,5 kg

1461/C17B

timing devices for
Volkswagen/Audi/Seat and Skoda petrol engines

Engines: 1.2 TSI

1461/C17B 1 014610171

1461/C18

timing devices for
Volkswagen, Audi and Skoda engines

Engines: 1.4 - 1.6 FSI

1461/C18 1 014610180

335x145x60 mm - 1 kg

1461/C18B

timing devices for
Volkswagen/Audi/Seat and Skoda petrol engines

Engines: 1.6-1.8-1.8T, 1.4-1.6-1.8-2.0 16V, 1.4-1.6-2.0 FSI

1461/C18B 1 014610181

420x185x60 mm 3 kg

1461/C19

timing devices for
Ford Duratorq engines

Engines: 2.0-2.2-2.4 DIESEL

1461/C19 1 014610190

420x185x60 mm - 1,5 kg

1461/C20G

timing devices for
Fiat Iveco/Peugeot/Citroën/Ford diesel engines

Engines: 2.2-2.3-3.0 Multijet

1461/C20G	1	014610200

420x280x60 mm 6,4 kg

1463/KIT

valve timing system pulley locking kit

1463/KIT	1	014630001

280x140x75 mm - 1,2 kg

1467

brake fluid extractor

Pressure: min 5 bar, max 11.5 bar

1467	1,5	1	014670001

1467LF

electric instrument for
brake fluid replacement

With "pulsating effect"

- Automatically stops when tank is empty, thereby preventing air from being let in
- Maximum tank volume: 20 l
- Operating pressure: 0.4÷3.5 bar
- Power supply: 230V

Supplied with:
- Brake oil recovery tank
- 1 universal cap + 1 standard cap E20

1467LF	1	014670100

1468N

valve depressors for disc removal



1468N/1	1	014680011
1468N/2	1	014680012
1468N/3	1	014680013

1469

adjustable self-locking pliers
for brake hoses

1469		1	014690001

1469C

brake hose countersink, in case

SAE J514
SAE J1065
DIN 74234

Ø		
3/16" -4,75 mm	1	014690100

350x300x105mm - 6 Kg

1469C-R

die and insert kit for brake pipe flaring



SAE J514
SAE J1065
DIN 74234

	Ø		
1469C-R 3/16	3/16"	1	014690501
1469C-R 4,75	4,75 mm	1	014690502
1469C-R 6	6 mm	1	014690503
1469C-R 8	8 mm	1	014690504
1469C-R 10	10 mm	1	014690505
1469C-R 12	12 mm	1	014690506

1469D

digital brake fluid tester
in plastic case

- Allows DOT braking fluids to be tested
- Measures brake fluid boiling point
- Automatic test, with °C/°F scale switching
- Accuracy: 100 ÷ 180 °C +/- 3% > 180 °C +/- 5%
- Power supply: 12 volts (vehicle battery])

1469D		1	014690110

310x230x100 mm - 1,1 kg

1470

drum brake spring pliers



L mm		
210	1	014700001
330	1	014700002
540	1	014700010

1470FT

drum brake shoe spring clamp pliers

40° angled noses
Easy access to awkward spaces



L mm		
184	1	014700000

1471

drum brake spring pliers

L mm		
330	1	014710001

1471A

handbrake wire pliers

A max mm	B mm		
45	5	2	014710010

1471U

set of tools for rotating and pushing back right and left brake pistons

1471U	1	014710050

410x300x100 mm - 4,4 kg

1471M/C22

pneumatic tool for pushing back and rotating right and left disc brake pistons with accessories

1471M/C22	1	014710101

350x310x85 mm - 3,5 kg

1471M/50

pneumatic tool for pushing back and rotating right and left disc brake pistons with accessories



Ø mm	Kg	Bar		
50	150	5÷8	1	014710069

1471M/P

worn pad and TRW-Mégane caliper adapters

1471M/P	1	014710080

1471M/W50

VW Passat handbrake adapter (≥ 2005)



1471M/W50	1	014710079

1471PN/B1

Ford handbrake adapter



1471PN/B1	1	014710081

1471PN/B2

Daily handbrake adapter

1471PN/B2	1	014710082

1471PN/B3

BMW handbrake adapter

1471PN/B3	1	014710083

1471PN/B4

BMW handbrake adapter



1471PN/B4	1	014710084

1471PN/B5

Mini/ BMW handbrake adapter



1471PN/B5	1	014710085

1471CF

pentagon hand sockets for brake caliper nuts

mm		
14	1	014710314
19	1	014710319

1471CM

pentagon socket driver for brake caliper screws

mm		
10	1	014710360

1471CM/E11

hexagon socket driver, 11 mm, for Mercedes ML brake caliper screws (series 166)



mm	Ø mm	L mm	L1 mm		
11	24	75	15,5	1	014710361

1471D

tool for pushing back disc brake pistons with closed callipers



1471D	1	014710300

1471/S4

set of 4 pliers for locking drum brake pistons



1471/S4	1	014710250

1472

hose clamp pliers

1472	1	014720001

1472AU

automatic hose clamp pliers

Ø mm		
18÷53	1	014720100

1472AU/P

automatic hose ring pliers with extension

Ø mm	L mm		
18÷54	630	1	014720105

1472FC

Clic® collar pliers with swivel heads

1472FC	1	014720090

1472FC/L

Clic® collar pliers with flexible extension

L		
630 mm	1	014720095

1472TM

quick coupler pliers for multijet filters

1472TM	1	014720200

1473

OETIKER® collar pliers

1473	1	014730001

1473A

slotholder pliers for OETIKER® collars



1473A	1	014730010

1473Q

OETIKER® collar pliers with drive

For use with:
- **torque wrenches**
- **ratchets**
- **male drives**

3/8"



1473 Q	1	014730005

1474/C4

kit of 4 tools for removing Volkswagen spark plug coils

1474/C4	1	014740100

290x190x50 mm - 1 kg

1474L

spark-plug pliers, curved long nose, 15°



Ø min mm	Ø E mm		
14	20	2	014740010

1474DL

spark-plug pliers, long nose,
double layer PVC coated handles



1474DL	1	014740015

1475U

combination pliers,
bright chrome-plated,
double layer PVC coated gun handles



1475U	1	014750010

1476

adjustable self-locking pliers
for exhaust pipe cutting



Ø min mm	Ø max mm		
19	75	1	014760001

1476/RC

spare chain for item 1476

1476/RC	1	014760010

1476A

pliers for exhaust pipe cutting



Ø min mm	Ø max mm		
30	95	1	014760005

1476A/RC

spare chain for item 1476A

1476A/RC	1	014760015

1476C/1 - 1476C/2

exhaust pipe expanders

1476C/1 Ø 30÷42 mm L = 131 mm L1 = 51 mm	1	014760101
1476C/2 Ø 39÷62 mm L = 164 mm L1 = 64 mm	1	014760105

1476T

pliers for removing/installing turbines
on Volkswagen Audi diesel engines

38"

mm		
12	1	014760200

1477D

ring wrenches for belt tightening nuts

mm		
13	1	014770113
15	1	014770115
16	1	014770116
17	1	014770117
19	1	014770119

1477D/S5

set of 5 ring wrenches for belt tightening nuts

1477D/S5 13-15-16-17-19 mm	1	014770200

600x200x70 mm - 2,2 kg

1477K/7

kit with bent reversible ratcheting wrench
and bits

- 2 TORX T40-T45 bits
- 1 XZN 10 bit
- 1 hexagon bit, 8 mm
- 3 bi-hex bits, 10-12-13 mm

L mm		
1477K/7 250	1	014770051

1478

pin removing pliers

1478	1	014780001

1479

trim pin remover



1479	2	014790001

1479RB/1

straight putty knife scraper

1479RB/1	1	014790315

1479RB/2

bent putty knife scraper

1479RB/2	1	014790320

1479RB/3

flat putty knife scraper

1479RB/3	1	014790310

1479U/13

set of 3 putty knife scrapers

1479U/13	2	014790010

1479U/32

trim pin remover, stainless steel blade

1479U/32	2	014790015

1479N/S5

kit of 5 nylon trim pin removers

1479N/S5	1	014790251

1481PL/A

plastic hose pliers

Ø mm		
8÷15	3	014810110

1481PL/B

plastic hose pliers

Ø mm		
15÷25	3	014810120

1481PL/C

plastic hose pliers

Ø mm		
25÷45	3	014810130

1481PL/S3

set of 3 plastic hose pliers



1481PL/S3	1	014810200

1481PL-A Ø 8÷15 mm
1481PL-B Ø 15÷25 mm
1481PL-C Ø 25÷45 mm

1482/8 - 1482/10

quick coupler pliers for fuel pipes



	Ø mm		
1482/8	8	2	014820008
1482/10	10	2	014820010

1482A

quick coupler pliers for fuel pipes



1482A	2	014820020

1482G/...

adjustable wrenches
for fuel tank floating ring nuts

	Ø mm		
1482G/1	85÷120	1	014820025
1482G/2	118÷165	1	014820030
1482G/3	160÷205	1	014820035

1483K/22

kit for separating couplers on air-conditioning, fuel supply and lubrication systems

1483K/22	1	014830022

300x230x55 mm - 1 kg

1484

set of 2 tools for removing and installing stretch belts

Allows stretch belt to be quickly removed and correctly installed, without risking damaging it

1484	1	014840010

1485/KIT

kit for controlling cam belt tension

1485/KIT	1 014850100

230x140x75 mm - 580 g

1485R

universal tool for rotating camshaft pulleys
made from forged steel
with 2 pairs of tips

Ø mm	Ø1 mm	L mm		
30÷120	10 - 17	500	1	014850025

1485R/P10

pairs of inserts

1485R/P10	1 014850035

1485R/P17

pairs of inserts

1485R/P17	1 014850038

1486T

pulley wrench, V-shaped

Ø mm		
40÷140	1	014860001

1486M

pulley wrench

Ø mm		
40÷140	1	014860002

1488 - 1488L

oil-filter wrench with double chain

	Ø mm		
1488	60÷110	1	014880001
1488L	60÷160	1	014880050

1488/1

oil-filter wrench
with thin double chain

1/2"



Ø mm		
60÷110	1	014880010

1489/31T

alternator pulley
free wheel wrench

1/2"

T50	15	31	1	014890016

1489/33

alternator pulley free wheel wrench



1489/33	33	3	014890010

1489/33P

alternator pulley free wheel wrench,
for new Bosch FIAT Grande Punto alternators

1/2"

M	mm			
10	15	31	1	014890015

1489/E

alternator pulley
free wheel wrench

mm	mm		
10	15	1	014890025

1489R

alternator pulley free wheel wrench

1489R	1	014890020

1489/Y

alternator pulley free wheel wrench,
for Nippondenso alternators

mm		
32	3	014890040

1489/C14

assortment of 14 tools for free alternator pulleys

1489/C14	1	014890100

867PE	8 mm
867PE/L	8 mm
867XZN/L	M10
867TX/L	T50
867/2	□1/2"
920B	10 mm
1489/33	
1/2" 1489/33P	M10
1489R	
1489/Y	
1489/31T	T50
1489/E	10 mm
188	10 mm
188	15 mm

420x250x45 mm - 1,9 kg

1490/1 - 1490/2

strap wrenches for oil filters

	Ø max mm		
1490/1	160	1	014900001
1490/2	240	1	014900002

1491

adjustable oil filter wrench

Ø mm		
65÷110	2	014910001

1491R

spare metal band for item 1491

1491R	10	014910010

1491C

adjustable oil filter pliers

Ø mm	L mm		
60÷100	300	1	014910030

1492/1 - 1492/2

adjustable oil filter wrenches

Ø mm		
1492/1	1	014920001
1492/2	1	014920002

1492T

drier filter wrenches

12"

	Ø mm	H mm		
1492/T40	125÷145	40	1	014920540
1492/T75	120÷140	75	1	014920575

1493

oil filter wrench

12"

Ø mm	N		
65	14	1	014930200
68	14	1	014930206
73	14	1	014930208
74	15	1	014930210
77	15	1	014930212
76	8	1	014930214
76	14	1	014930218
76	15	1	014930220
78	15	1	014930224
80	15	1	014930226
82	15	1	014930228
86	16	1	014930230
90	15	1	014930234
92	10	1	014930236
93	15	1	014930238
95	15	1	014930244
100	15	1	014930248
106	15	1	014930250
108	15	1	014930252
135	18	1	014930256

1493/PF

Purflux® oil-filter wrenches

12"

Ø mm	N		
66	6	1	014930202
76	12	1	014930216
76	30	1	014930222
86	9	1	014930065
86	18	1	014930232
93	36	1	014930240
93	45	1	014930242
96	9	1	014930070
96	18	1	014930246
108	18	1	014930254

1493/C30

set of 28 oil filter wrenches

12"

Sizes included in kit (Ø mm / n°. of sides)
1493:
65/14 - 67/14 - 68/14 - 73/14 - 74/15
76/15 - 75.77/15 - 76/14 - 76/8 - 78/15 - 80/15
82/15 - 86/16 - 90/15 - 92/10 - 93/15 - 95/15
100/15 - 106/15 - 108/15

1493PF (Purflux)
66/6 - 76/12 - 76/30- 86/18
93/36 - 93/45 - 96/18 - 108/18

- Includes 1 adjustable oil filter wrench
Ø 65÷120 mm

1493/C30	1	014930000

1493/S-U

self-adjusting oil filter wrench with 3 arms, for right and left hand tightening



	□	Ø mm		
1493/S	3/8-1/2	80-115	1	014930074
1493/U	1/2	105-165	1	014930076

1493T

adjustable oil-filter wrench, three arms

Ø mm		
60÷120	1	014930075

1493J

wrench for MultiJet



Ø mm		
90	1	014930080

1493Z/1 - 2 - 3

self-locking oil filter wrenches, left hand

1/2"

	Ø mm		
1493Z/1	60÷80	1	014930090
1493Z/2	80÷100	1	014930095
1493Z/3	100÷125	1	014930100

1494

square oil drain plug socket

■

1/2"

mm		
10	1	014940280

1494E

male hexagon oil drain plug sockets

○

1/2"

mm		
8	1	014940208
9	1	014940209
10	1	014940210
11	1	014940211
12	1	014940212
14	1	014940214
17	1	014940217

1494Q

male square oil drain plug sockets

○

1/2"

mm		
8	1	014940258
9,5	1	014940259
12	1	014940262
13	1	014940263

1494T

male triangular oil drain plug socket

△

1/2"

mm		
9,5	1	014940289

1494XZN

male oil drain plug socket with XZN® profile

○

1/2"

M		
16	1	014940296

1494/C14A

assortment of 14 oil change tools

1/2"

1494/C14A	1	014940150

- ○ 1494E 8-9-10-11-12-14-17
- ○ 1494Q 8-9,5(3/8")-12-13
- ■ 1494 10
- △ 1494T 9,5(3/8")
- ○ 1494XZN M16

380x305x40 mm - 1,7 kg

1495/C6

assortment of tools for repairing oil sump threads

- Damaged thread is removed by screw tap and enlarged by one size
- Allows repairs and avoids replacing oil sump

Contents:

- 1 screw tap M13x1.25 + 6 screws + 12 washers
- 1 screw tap M13x1.5 + 6 screws + 12 washers
- 1 screw tap M15x1.5 + 6 screws + 12 washers
- 1 screw tap M17x1.5 + 6 screws + 12 washers
- 1 screw tap M20x1.5 + 6 screws + 12 washers
- 1 screw tap M22x1.5 + 6 screws + 12 washers

1495/C6	1	014950500

420x185x60 mm - 2,1 kg

1495M

screw tap for oil drain plug threads

M		
13x1,25	1	014950553
13x1,50	1	014950563
15x1,50	1	014950565
17x1,50	1	014950567
20x1,50	1	014950570
22x1,50	1	014950572

1495T

kit with 6 oil drain plugs and washers

M		
13x1,25	1	014950503
13x1,50	1	014950513
15x1,50	1	014950515
17x1,50	1	014950517
20x1,50	1	014950520
22x1,50	1	014950522

1496/A

oil plug wrench

□ 10 x ■ 10 mm	2	014960001

1496/B

oil plug wrench

☐ 10 x ■ 8 mm — 3 014960005

1496/C

oil plug wrench

■ 8 x ■ 10 mm — 3 014960010

1496/D

oil plug wrench

⬣ 10 x ⬣ 12 mm — 3 014960015

1497D

relay removal pliers, straight pattern

	A min÷Max mm	
1497 D	15÷50	1 014970150

1497P

relay removal pliers, bent pattern, 60°

	A min÷Max mm	
1497P	15÷50	1 014970160

1497/C23

assortment of 23 tools for releasing electrical connectors

1497/C23 — 1 014970200

440x250x70 mm - 1,7 kg

1498

voltage tester



3÷48V — 2 014980100

1498B/12

portable car starter, 12 V

TECHNICAL DATA:
- Pickup current: 2200 A
- 230 V battery charger
- Shoulder strap included

1498B/12 — 1 014980205

1498B/24

portable car and commercial vehicle starter, 12-24 V

TECHNICAL DATA
-Pickup current: 4200 A (12 V),
2100 A (24 V)
-Useful recharging cycles: 400
-Sealed lead acid battery, solid electrolyte (AGM) type

1498B/24 — 1 014980224

1498C/24

wheeled starter, 24V

- Wheeled frame for easier movements and minimized effort
- Outstanding performance for numerous starts, including particularly demanding ones
- Electronic battery charger included
- LED and sound alarms in case of polarity reversal
- Protection against voltage peaks
- Battery charge indicator
- Solid electrolyte lead-acid battery (AGM)

Continuous amperage	**1700 A**
Operating voltage	24 V
Pickup amperage	**4000 A**
Cable length	2000 mm
Cable section	**70 mm**
Charging voltage	230 V
Automatic battery charger	**24 V - 10 A**

1498C/24 — 1 014980244

1498CB/40

electronic motorcycle battery charger

SPECIFICATIONS
Power supply: 230V
Power: 20W
Voltage: 12V
Charging current: 1A
Nominal capacity:
1-30 Ah
ACCESSORIES SUPPLIED WITH BATTERY CHARGER:
- Connecting clamps
- Connector with eyelet terminals

1498CB/40 1 014980302

1498CB/M-40

motorcycle lighter connector

1498CB/M-40 1 014980366

1498CB/80

electronic car/motorcycle battery charger

SPECIFICATIONS
Power supply: 230V
Power: 60W
Voltage: 12V
Charging current: 3,5A
Nominal capacity: 1-110Ah
ACCESSORIES WITH BATTERY CHARGER:
- Connecting clamps
- Connector with eyelet terminals
- Connector for lighter socket

1498CB/80 1 014980308

1498CB/120

electronic car / commercial vehicle battery charger

SPECIFICATIONS
Power supply: 230V
Power: 110W
Voltage: 12V
Charging current: 6.5-1A
Nominal capacity: 4-190Ah
ACCESSORIES SUPPLIED WITH BATTERY CHARGER:
- Connecting clamps
- Connector with eyelet terminals
- Connector for lighter socket

1498CB/120 1 014980312

1498CB/300

electronic battery charger, 12-24V

TECHNICAL DATA
Power supply: 230V
Power: 350W
Voltage: 12-24V
Charging current: 15-10A
Nominal reference capacity: 30-500Ah
ACCESSORIES SUPPLIED WITH BATTERY CHARGER
- Connecting clamps
- Connector with eyelet terminals

1498CB/300 1 014980330

1498TB/ST

Digital tester with printer
for testing battery and starter
in plastic case

Measures state of charge, capacity and efficiency of battery
• Tests alternator for efficiency
• Tests starter
SPECIFICATIONS
• **Battery tests:** 6 and 12 Volts
• **System test**: 12 and 24 V
• **Operating range:** 40-2000CA (SAE)
• **Reference standards:** SAE,DIN,EN,IEC,JIS
• **Voltmeter:** 1.5-30V
• **Screen:** backlit 4-line LCD display
• **Thermal printer**
• **Software languages:** EN-F-E-D-I-P-NL
• **Supplied with:** 1 printing paper roll,
6 AA size 1.5V batteries
• Issue of control code

1498TB/ST 1 014980471

310x260x85 mm - 2 kg

1499

sonoscope probe

1499 1 014990001

1500/...

two-leg universal pullers



	L mm		
1500/1	100	1	015000301
1500/2	100	1	015000302
1500/3	150	1	015000303
1500/4	150	1	015000304
1500/5	205	1	015000305
1500/6	205	1	015000306
1500/7	205	1	015000307
1500/8	230	1	015000308

	A min÷max mm	A1 min÷max mm
1500/1	25÷80	70÷130
1500/2	25÷130	80÷180
1500/3	50÷160	105÷220
1500/4	60÷200	120÷270
1500/5	80÷250	160÷330
1500/6	80÷350	160÷420
1500/7	110÷520	195÷600
1500/8	170÷640	260÷715

1500/SP5 1500/1-1500/2-1500/3 1500/4-1500/5	1	015000325
1500/SPV	1	015000001

1500G/...

legs, pair, standard series, for items 1500 and 1580/8I

	A mm	††† 1500		
1500G/1	35	/1-2	1	015000311
1500G/3	35	/3-4	1	015000313
1500G/5	35	/5-6-7	1	015000315
1500G/8	50	/8 1580/8I	1	015000317

1500N/...

universal pullers with 2 sliding legs



	A min÷max mm	L mm		
1500N/0	18÷65	70	1	015000600
1500N/1	23÷70	100	1	015000601
1500N/2	23÷100	100	1	015000602
1500N/3	35÷140	150	1	015000603
1500N/4	35÷190	150	1	015000604
1500N/5	43÷250	205	1	015000605
1500N/6	43÷320	205	1	015000606

1500N/SP6 1500N/0-1500N/1-1500N/2-1500N/3 1500N/4-1500N/5	1	015000626
1500N/SPV	1	015000006

1500N/G...

loose legs for pullers 1500N

	A mm	††† 1500N		
1500N/G0	10	/0	2	015000650
1500N/G1-2	12	/1-2	2	015000651
1500N/G3-4	17	/3-4	2	015000653
1500N/G5-6	23	/5-6	2	015000655

1501/1 - 2 - 3

thin leg pullers



	L mm		
1501/1	100	1	015010101
1501/2	200	1	015010102
1501/3	250	1	015010103

	A min÷max mm
1501/1	25÷130
1501/2	25÷130
1501/3	25÷130

1501G/1 - 2 - 3

legs for item 1501



	L mm		
1501G/1	100	1	015010111
1501G/2	200	1	015010112
1501G/3	250	1	015010113

1501Z/S - P - R

leg ends for item 1501G

	A mm	D mm		
1501Z/S	2,0	27	2	015010211
1501Z/P	3,6	27	2	015010212
1501Z/R	3,6	14	2	015010213

1505

windshield wiper arm remover

	A mm	L mm		
1505	22-28-30-35	28	1	015050010

1506

two-leg self-locking puller



	A min÷max mm	L mm	L1 mm		
1506	10÷50	80	40	1	015060001

1508/1 - 1508/2

two-leg pullers, light series

	L mm		
1508/1	105	1	015080001
1508/2	130	1	015080002

	A min÷max mm	L1 mm
1508/1	6÷100	105
1508/2	10÷140	130

1511/1 - 2 - 3

external pullers
with two reversible legs



	L mm		
1511/1	235	1	015110001
1511/2	350	1	015110002
1511/3	405	1	015110003

	A min÷max mm	A1 min÷max mm
1511/1	20÷100	65÷95
1511/2	40÷150	103÷190
1511/3	40÷150	103÷175

1515/1 - 2 - 3

pullers with two floating legs



	L mm		
1515/1	85	1	015150101
1515/2	85	1	015150102
1515/3	105	1	015150103

	A max mm	L1 mm
1515/1	60	105
1515/2	70	105
1515/3	90	105

1516/1 - 2 - 3

pullers with three floating legs

	L mm		
1516/1	85	1	015160001
1516/2	85	1	015160002
1516/3	105	1	015160003

	A max mm	L1 mm
1516/1	60	85
1516/2	70	85
1516/3	90	105

1517

three-leg self-locking pullers

- **For major pulling loads.**
- **Self-locking effect.**

	L mm	L1 mm	⬡ mm		
1517/90	182	60	22	1	015170000
1517/150	242	115	22	1	015170010
1517/200	307	150	22	1	015170020
1517/260	395	180	30	1	015170030

	⬢ mm	A mm	kg	N
1517/90	19	18÷90	6000	59000
1517/150	19	25÷150	6000	59000
1517/200	19	40÷200	6000	59000
1517/260	27	50÷260	8000	78500

1517G

3 legs for pullers 1517

	mm		
1517G/90	8	1	015170200
1517G/150	13	1	015170210
1517G/200	13	1	015170220
1517G/260	15	1	015170230

1517GS

3 thin legs for pullers 1517

	L mm		
1517GS/150	224,5	1	015170209

1517T

central body for pullers item 1517

1517T/90-150-200	1	015170410
1517T/260	1	015170430

1517V

spare screws for item 1517

	● mm	L mm		
1517V/90	19	182	1	015170100
1517V/150	19	242	1	015170110
1517V/200	19	307	1	015170120
1517V/260	27	395	1	015170130

1518/...

three-leg pullers



	L mm		
1518/1	105	1	015180001
1518/2	150	1	015180002
1518/3	220	1	015180003
1518/4	240	1	015180004
1518/5	350	1	015180005
1518/6	400	1	015180006

	A min÷max mm	L1 mm
1518/1	24÷100	105
1518/2	32÷160	135
1518/3	40÷220	235
1518/4	80÷250	270
1518/5	80÷300	270
1518/6	80÷350	270

1520/1 - 1520/2

pullers with two reversible legs



	L mm		
1520/1	135	1	015200101
1520/2	235	1	015200102

	A max mm	L1 mm
1520/1	110	85
1520/2	160	140

1521/1 - 1521/2

pullers with three reversible legs



	L mm		
1521/1	135	1	015210101
1521/2	235	1	015210102

	A max mm	L1 mm
1521/1	110	135
1521/2	160	235

1529

multi-step cone pulley puller

A min÷max mm	L min÷max mm	L1 min÷max mm		
24÷240	60÷95	90÷135	1	015290000

260x210x60 mm - 2,6 kg

1530/C5

wheel hub and bearing pulling kit, 3, 4, 5 holes

Kit contents:
1 universal flange (96÷138 mm)
1 hydraulic screw (12 t)
1 hammer face (2.8 kg), required for hubs without central fixing bolts

1530 /C5	1	015300300

760x320x120

1532

packing and oil seal removal tool

1532	2	015320001

1533/...

pullers for separators 1534

	L mm		
1533/2	150	1	015330002
1533/3	210	1	015330003
1533/4	315	1	015330004
1533/5	305	1	015330005

	A min÷max mm	L1 mm
1533/2	45÷130	110
1533/3	85÷225	175
1533/4	80÷310	175
1533/5	145÷370	235

1533PR/1 - 2 - 3

extensions for pullers 1533

1533PR/1 1533/2	1	015330011
1533PR/2 1533/3	1	015330012
1533PR/3 1533/4-5	1	015330013

1534/...

separators



1534/1	1533/2	1	015340001
1534/2	1533/2	1	015340002
1534/3	1533/3	1	015340003
1534/4	1533/4	1	015340004
1534/5	1533/5	1	015340005

	A min÷max mm
1534/1	5÷60
1534/2	12÷75
1534/3	22÷115
1534/4	25÷155
1534/5	30÷220

1535/C...

puller kits

1535/C1 1 015350001

1533/2
1533PR/1
1534/1

260x180x40 mm - 2,5 kg

1535/C2 1 015350002

1533/2
1533PR/1
1534/2

260x180x40 mm - 2,8 kg

1535/C3 1 015350003

1533/3
1533PR/2
1534/3

380x280x55 mm - 8,0 kg

1535/C4 1 015350004

1533/4
1533PR/3
1534/4

420x380x65 mm - 14,8 kg

1535/C5 1 015350005

1533/5
1533PR/3
1534/5

530x510x85 mm - 27,4 kg

1539

sheet sliding hammer

1539 1 015390001

1540

sliding hammer



	L mm		1544		
1540	390	M10	0÷7	1	015400001

1542/1 - 1542/2

two-leg pullers for extractors

	A min÷max mm	1544		
1542/1	35÷75	0÷7	1	015420001
1542/2	60÷130	9C-10C	1	015420002

	L mm	L1 mm
1542/1	140	140
1542/2	175	160

1544/...

two-leg internal extractors



	C mm			
1544/0 A= 5÷7	0,25	M10	1	015440100
1544/A A= 7÷9	0,80	M10	1	015440105
1544/1 A= 9÷12	0,80	M10	1	015440110
1544/2 A= 13÷17	1,15	M10	1	015440120
1544/2B A= 14÷19	1,00	M10	1	015440121
1544/3 A= 16÷21	1,70	M10	1	015440130
1544/4 A= 20÷25	1,65	M10	1	015440140
1544/5 A= 25÷30	2,00	M10	1	015440150
1544/6 A= 30÷37	3,00	M10	1	015440160
1544/7 A= 38÷45	3,80	M10	1	015440170
1544/9C A= 40÷75	2,60	G 3/8"	1	015440189
1544/10C A= 70÷115	7,30	G 3/8"	1	015440199

1545/C5

puller 1542/1 with 5 extractors 1544

1545/C5 1 015450001

1542/1	⬢ 24 mm
1544/1	9÷12 mm
1544/2	13÷17 mm
1544/3	16÷21 mm
1544/4	20÷25 mm
1544/5	25÷30 mm

265x180x45 mm - 2,4 kg

1547/C6

dummy ball bearing extractors

1547/C6	1	015470006

420x185x60 mm - 3 kg

1547KP

set of 3 pairs of dummy ball terminals

	Ø mm		
1547KP/1	9-11-12,5	1	015470106
1547KP/2	5-6-8	1	015470206

1547P

hexagonal extensions

	L mm			
1547 P/1	205	1547/1	1	015470101
1547 P/2	102	1547/2	1	015470201

1547PC/2

round extensions, short series

	L mm			
1547PC/2	42	1547/2	1	015470202

1547PL/2

round extensions, long series

	L mm			
1547PL/2	106	1547/2	1	015470203

1550/1

pneumatic compressor for MacPherson and equivalent shock absorber springs

- **Operating pressure: 6 bars - max. 8 bars**
- **Mean air consumption: 225 l/min**

1550/1	1	015500001

1550/PS

shock absorber basket for item 1550/1

1550/PS	1	015500057

1550/SR...

spare fork for item 1550/1



	Ø mm		
1550/SR90	50÷90	1	015500050
1550/SR150	90÷150	1	015500051
1550/SR175	120÷175	1	015500052
1550/SR205	130÷205	1	015500053

1550/MRC

fork for (C and E class) Mercedes W203, W209 shock absorbers

1550/MRC	1	015500061

1555DS

compressor for Mac Pherson and equivalent shock absorber springs



	A min÷Max mm	Ø min÷Max mm		
50÷350		80÷200	1	015550000

1555S/MRC-C

fork for (C and E class) Mercedes W203, W209 shock absorbers, for items 1555DS and 1555/QS

1555S/MRC-C	1	015550301

1555S/BMW-RNT

fork for BMW E39, E46 and Renault Mégane II shock absorbers, for items 1555DS and 1555/QS

1555S/BMW-RNT	1	015550303

1555/QS

compressor for MacPherson and equivalent shock absorber springs



A min÷Max mm	Ø min÷Max mm		
70÷300	90÷205	1	015550005

1555C

telescopic compressor for shock absorber springs
with 4 forks and torsion bar

1/2"

A min÷Max mm	Ø min÷Max mm	N	t		
80÷225	90÷160	25000	8,5	1	015550202

1556/1A

compressor
for shock absorber springs



min L max mm		
65÷320	1	015560101

1556/2A

compressor for shock absorber springs



min L max mm		
65÷200	1	015560102

1556/3A

compressor for shock absorber springs



min L max mm		
87÷170	1	015560103

1557

impact sockets for truck leaf springs

3/4"

L mm	L1 mm		
37	28	1	015570137
46	34	1	015570146
56	34	1	015570156

1557V

impact sockets for Volvo leaf springs

mm		
27	1	015570299

1557/S3

set of 3 sockets
for shock absorber nuts



1557/S3	1	015570010

1559

ball joint puller, light series



	A max mm	Ø mm		
1559/22	50	18÷22	1	015590001
1559/36	90	36	1	015590036
1559/45	115	45	1	015590045

1559V/8T

hydraulic screw for ball joint pullers 1559/36 and 1559/45

Nm	t		
80000	8	1	015590145

1560/1 - 1560/2

ball joint pullers, professional type



	A min÷max mm	Ø mm		
1560/1	12÷50	20	1	015600001
1560/2	60÷85	20	1	015600002

1560A

ball joint puller

1560A	1	015600601

1561/...

ball joint pullers



	L mm	A mm	Ø mm		
1561/1	39	36,6	18	1	015610001
1561/2	47	45,7	25	1	015610002
1561/3	63	62	30	1	015610003
1561/4	75	63	40	1	015610004

1562D

ball joint puller

Supplied with 2 screws for pulling suspension and steering joints

A max mm	Ø mm	⬢ mm	L mm		
50	39	26	155	1	015620239

1565/1 - 2 - 3

fork separators for ball joints

	Ø mm	L1 mm		
1565/1	18	65	1	015650001
1565/2	23	65	1	015650002
1565/3	30	88	1	015650003

1566N

tool for removing/installing steering arms

Ø x L mm	⬡ mm	□		
28÷35 x 400	27	1/2"	1	015660005
35÷45 x 190	27	-	1	015660008
35÷45 x 400	27	1/2"	1	015660010

1566GO

homokinetic joint puller



L mm	L1 mm	Ø mm		
250	100	29,5	1	015660051

1568/C15

chain opening and riveting kit

1568/C15	1	015680015

420x185x60 mm

1568R/CS3

punches for chain openers

1568R/CS3	1	015680503

1569

assortment of tools for extracting and inserting rear axle silent blocks, driving shaft oil seals and wheel bearings

- **Bushings can be used both on vehicle and on hydraulic press**
- **Direct extraction with wrench**
- **User-friendly, no pneumatic or hydraulic machines required**
- **The kit comprises:**

4 threaded bars: M10-M12-M14-M16
4 washers
bushing for diameters ranging from 44 mm to 82 mm

1569	1	015690010

420x185x60 mm - 12 kg

1570/3

hydraulic presses for pullers

t	L mm	L1 mm	⬢ mm		
30	243	36	19	1	015700003

1580/8I

two-leg hydraulic puller



1580/8I	1	015800008

	A min÷max mm	L mm	L1 mm	A1 min÷max mm	N Max
1580/8I	170÷640	715	280	260÷715	180000

1580GL

loose legs, long series, for pullers item 1580/8I

	L mm		
1580GL/8A	300	1	015800227
1580GL/8B	400	1	015800228
1580GL/8C	500	1	015800229

1585/5I - 6I - 7I

three-leg pullers for hydraulic use



1585/5I	1	015850005
1585/6I	1	015850006
1585/7I	1	015850007

	A min÷max mm	L1 mm	L mm	N Max
1585/5I	50÷350	135	280	150000
1585/6I	50÷350	235	280	150000
1585/7I	50÷350	335	280	150000

1585GI/5 - 6 - 7

legs for hydraulic puller
1585/I-1585/6I-1585/7I



	L mm		
1585GI/5	135	1	015850205
1585GI/6	235	1	015850206
1585GI/7	335	1	015850207

1589VI

hydraulic screw for pullers
1580/8I and 1585/5I - 1585/6I - 1585/7I



1589VI	1	015890001

1589PI/50 - 100 - 150

extension sockets for hydraulic screw

	L mm	L1 mm		
1589PI/50	50	70	1	015890005
1589PI/100	100	120	1	015890010
1589PI/150	150	170	1	015890015

1590

standard clamps

A max mm	L1 mm		
60	55	2	015900305
80	65	2	015900307
100	65	2	015900310
120	85	2	015900312
150	95	2	015900315

1591

screw clamps



A ~	A max mm	L1 mm		
200	200	80	2	015910020
300	310	85	2	015910030
400	410	85	2	015910040
500	500	95	2	015910050
600	600	95	2	015910060
800	800	95	2	015910080
1000	1000	110	2	015910100

1593

screw clamps



A ~	A max mm	L1 mm		
160	170	80	2	015930016
200	240	100	2	015930020
300	320	145	2	015930030

1594

lever bar clamps

A ~	A max mm	L1 mm		
200	240	145	1	015940020
250	290	145	1	015940025
300	340	145	1	015940030
400	430	150	1	015940040
500	530	150	1	015940050
600	630	150	1	015940060

1594A

aluminium clamps

A ~	A max mm	L1 mm		
100	110	80	1	015940110
200	210	80	1	015940125
300	320	80	1	015940130

1594A/RG

rubber caps for clamps 1594A

1594A/RG	2	015940199

1595

screw clamps



A ~	A max mm	L1 mm		
200	230	100	2	015950020
250	270	120	2	015950025
300	330	120	2	015950030
400	420	120	2	015950040
500	520	125	2	015950050
600	620	125	2	015950060
800	820	125	1	015950080
1000	1030	125	1	015950100

1596

nylon/fibreglass clamps

A max mm	L1 mm		
150	60	1	015960115
300	60	1	015960130
450	60	1	015960145

1596/RG

rubber caps for clamps 1596

1596 /RG	1	015960199

1599F

parallel bench vices

with hardened top and slides

L1 mm	BxH mm	Ø mm		
100	92x46	11	1	015990100
125	108x54	13	1	015990125
150	125x62	13	1	015990150
175	140x70	15	1	015990175

1599P

parallel bench vices

L1 mm	B mm	Ø mm		
100	92	11	1	015990000
125	108	13	1	015990025
150	130	15	1	015990050

1599B

revolving bases for vices item 1599P

	1599P		
1599B100	100	1	015990810
1599B125	125	1	015990812
1599B150	150	1	015990815

1599T

parallel drill vices



L1 mm	B mm	Ø mm		
80	111	11	1	015990480
100	120	13	1	015990500

1599G

pairs of aluminium jaw covers

A mm		
100	1	015990910
125	1	015990912
150	1	015990915
180	1	015990917

1601/PC

ratchet crimpling pliers
for telephone terminals
and data transmission



RJ11-RJ12-RJ45	2	016010011

1602

crimping pliers
for insulated terminals, light series



mm²		
0,75÷6	5	016020001

1602/C9T

crimping pliers
with assortment of 450 terminals

1602/C9T	1	016020013

		n.
1602		1
1620	R/6,3	50
1620	B/6,3	50
1620	G/6,3	50
1624	R/6,3	50
1624	B/6,3	50
1624	G/6,3	50
1628	R/1,6	50
1628	B/2,3	50
1628	G/3,6	50

420x350x35 mm - 1,5 kg

1602A

crimping pliers for insulated
terminals, standard model



mm²		
0÷6	2	016020005

1603

crimping pliers for non-insulated
terminals, light series



mm²		
1,25÷5,5	5	016030001

1603A

crimping pliers for non-insulated
closed terminals, standard model



mm²		
0÷8	2	016030005

1603B

crimping pliers for non-insulated
open terminals, standard model



mm²		
0÷8	2	016030010

1604

self-locking pliers
for insulated terminals



mm²		
0,5÷6	1	016040001

1604/C9T

self-locking pliers 1604
with assortment of 450 terminals

1604/C9T	1	016040013

		n.
1604		1
1620	R/6,3	50
1620	B/6,3	50
1620	G/6,3	50
1624	R/6,3	50
1624	B/6,3	50
1624	G/6,3	50
1628	R/1,6	50
1628	B/2,3	50
1628	G/3,6	50

420x350x35 mm - 2 kg

1605

self-adjusting pliers
for non-insulated terminals

mm²		
0,5÷6	1	016050001

1606

heavy duty crimping pliers
for cylindrical terminals

mm²		
0,5÷6	1	016060001

1606A

crimping pliers for tubular terminals

	mm²		
1606A6	0,5÷6	1	016060010
1606A16	6÷16	1	016060016

1606A/C9

crimping pliers for tubular terminals
with assortment of 450 terminals, 0.5÷6 mm²

1606A/C9	1	016060100

		n.
1606A		1
1632	W/0,5K	50
1632	N/1,5K	100
1632	B/2,5K	100
1632	G/4K	100
1632	Y/6K	100

420x350x35 mm - 2,5 kg

1607

heavy duty crimping pliers
for BNC coaxial wires RG 58, RG 59,
RG 62, RG 71

	L mm	A mm	B mm		
1607	220	73	19	1	016070001

1608

crimping pliers for insulated terminals,
with pressure regulator



mm²		
0,5÷6	1	016080001

1608/C9T

pliers 1608
with assortment of 450 terminals

1608/C9T	1	016080013

		n.
1608		1
1620	R/6,3	50
1620	B/6,3	50
1620	G/6,3	50
1624	R/6,3	50
1624	B/6,3	50
1624	G/6,3	50
1628	R/1,6	50
1628	B/2,3	50
1628	G/3,6	50

420x350x35 mm - 2 kg

1608A

heavy duty crimping pliers
for insulated terminals

mm²		
0,75÷6	1	016080005

1609

crimping pliers for non-insulated terminals, professional model
fast performance

mm²		
0,5÷2,5	1	016090001

1609A

heavy duty crimping pliers
for non-insulated terminals

mm²		
0,5÷6	1	016090005

1609B

crimping pliers for noninsulated terminals

punch crimps,
10 mm² ÷ 120 mm²

L mm	mm²		
600	10÷120	1	016090101

1609C/C5

oil-pressure crimping pliers
with 5 pairs of dies

hexagonal crimps,
25 mm² ÷ 240 mm²

mm²		
50÷240	1	016090210

500x300x110 mm - 4 kg

1609M

dies for item 1609C

hexagonal crimps

	mm²		
1609M/16	10-16	1	016090221
1609M/35	25-35	1	016090223
1609M/70	50-70	1	016090225
1609M/120	95-120	1	016090227
1609M/150	150	1	016090229
1609M/185	185	1	016090231
1609M/240	240	1	016090233

1610

ring terminals



1610R/...K 0,5÷1,5 mm²
1610B/...K 1,5÷2,5 mm²
1610G/...K 2,5÷6 mm²

	D mm	mm²	L mm		
1610R/4K	4	0,5-1,5	17	1	016100104
1610R/5K	5	0,5-1,5	20	1	016100105
1610B/5K	5	1,5-2,5	22	1	016100115
1610B/6K	6	1,5-2,5	27	1	016100116
1610B/8K	8	1,5-2,5	27	1	016100118
1610G/6K	6	2,5-6	31	1	016100126
1610G/8K	8	2,5-6	34	1	016100128

1614

pin terminals



1614R/1,9K 0,5÷1,5 mm²
1614B/1,9K 1,5÷2,5 mm²
1614G/2,8K 2,5÷6 mm²

	D mm	mm²	L mm		
1614R/1,9K	1,9	0,5-1,5	21	1	016140101
1614B/1,9K	1,9	1,5-2,5	21	1	016140102
1614G/2,8K	2,8	2,5-6	25	1	016140103

1616

male connectors

1616R/4K 0,5÷1,5 mm²

	D mm	mm²	L mm		
1616R/4K	4	0,5-1,5	21	1	016160104

1618

female connectors



1618R/4K 0,5÷1,5 mm²

	D mm	mm²	L mm		
1618R/4K	4	0,5-1,5	24	1	016180104

1620

male spade terminals



1620R/6,3K 0,5÷1,5 mm² HxS 6,3x0,8 mm
1620B/6,3K 1,5÷2,5 mm² HxS 6,3x0,8 mm
1620G/6,3K 2,5÷6 mm² HxS 6,3x0,8 mm

	mm²	L mm		
1620R/6,3K	0,5-1,5	22	1	016200101
1620B/6,3K	1,5-2,5	22	1	016200102
1620G/6,3K	2,5-6	22	1	016200103

1622

female spade terminals



	mm²	L mm		
1622R/2,8K	0,5-1,5	20	1	016220101
1622R/6,3K	0,5-1,5	22	1	016220103
1622B/6,3K	1,5-2,5	22	1	016220106
1622G/6,3K	2,5-6	22	1	016220108

1624

insulated female terminals



	mm²	L mm		
1624R/6,3K	0,5-1,5	23	1	016240102
1624B/6,3K	1,5-2,5	24	1	016240104
1624G/6,3K	2,5-6	24	1	016240105

1628

cable connectors

	D mm	mm²	L mm		
1628R/1,6K	1,6	0,5-1,5	25	1	016280101
1628B/2,3K	2,3	1,5-2,5	26	1	016280102
1628G/3,6K	3,6	2,5-6	26	1	016280103

1630

rapid connectors

	mm²	L mm		
1630R/K	0,5-1,5	20	1	016300101
1630B/K	1,5-2,5	20	1	016300102

1632

tube terminals

	mm²	L mm		
1632W/0,5K	0,5	14	1	016320005
1632G/0,75K	0,75	14	1	016320007
1632R/1K	1	14	1	016320010
1632N/1,5K	1,5	15	1	016320015
1632B/2,5K	2,5	15	1	016320025
1632G/4K	4	17	1	016320040
1632Y/6K	6	20	1	016320060

1634

dual tube terminals

	mm²	L mm		
1634W/0,5K	0,5	15	1	016340005
1634G/0,75K	0,75	15	1	016340007
1634R/1K	1	15	1	016340010
1634N/1,5K	1,5	16	1	016340015
1634B/2,5K	2,5	19	1	016340025
1634G/4K	4	23	1	016340040
1634Y/6K	6	26	1	016340060

1639NS-N

friction tape, black

L m		
25	10	016390025

1639S

nylon wire puller

with interchangeable heads

L m	Ø mm		
10	4	1	016390010

1640K

punch press, with 4 punches

round holes
22.5-25.5-32.5-55 mm

1640K	1	016400001

470x400x100 mm

1640

sheet metal punch press

1640	1	016400100

1640A

adapter for item 1640

1640A	1	016400080

1640P

threaded pin for item 1640

	Ø mm		
1640P/9	9,5	1	016400088
1640P/19	19	1	016400089

1640Q

square punches for item 1640

	■ mm		
1640Q/45	45x45	1	016400065

1640T

round punches for item 1640



	Ø mm		
1640T/22,5	22,5	1	016400022
1640T/25,5	25,5	1	016400025
1640T/32,5	32,5	1	016400032
1640T/55,5	55,5	1	016400055

1650

workshop vernier
reading to 0.05 mm
reading to 1/128”

UNI/ISO 3599 DIN 862

1650	1	016500001

1650FD

sliding gauge for brake discs
reading to 0.1 mm



1650FD	1	016500050

1650FT

sliding gauge for brake drums
made from stainless steel
reading to 0.05 mm

	A max mm	L mm		
1650FT	350	438	1	016500060
1650FT/2	500	550	1	016500070

1651DGT

digital vernier,
reading to 0.01 mm
reading to 0.0005"

CE

DIN 862

1651DGT	1	016510111

1652

analogue vernier,
analogue reading to 0.02 mm

DIN 862

1652	1	016520016

1654

workshop verniers,
reading to 0.02 mm

UNI/ISO 6906 DIN 862

A max mm	L mm		
200	330	1	016540020
300	410	1	016540030

1654DGT

digital vernier,
reading to 0.01 mm
reading to 0.0005"

CE



DIN 862

1654DGT	1	016540111

1656

depth gauge, reading to 0.02 mm



DIN 862

A max mm	L mm		
200	260	1	016560020
300	360	1	016560030

1657DGT/2

digital depth gauge
reading to 0.01 mm
reading to 0,0005”

CE

DIN 862

	A max mm	L mm		
1657DGT/2	200	270	1	016570002

1658/...

outside micrometers,
reading to 0.01 mm

DIN 863/II

	A mm		
1658/25	0÷25	1	016580025
1658/50	25÷50	1	016580050
1658/75	50÷75	1	016580075
1658/100	75÷100	1	016580100

1658/C4

assortment of 4 micrometers
item 1658

1658/C4	1	016580001

1658/25 0÷25 mm
1658/50 25÷50 mm
1658/75 50÷75 mm
1658/100 75÷100 mm

365x245x35 mm - 2,5 kg

1658DGT

outside micrometers,
reading to 0.001 mm

DIN 863

	A mm		
1658DGT/25	0÷25	1	016580325
1658DGT/50	25÷50	1	016580350

1658SP/1

base for micrometer
made from cast iron

1658SP/1	1	016580910

1659

thickness gauge with dial indicator,
reading to 0.01 mm.

C=dial field

	C mm		
1659	0÷10	1	016590001

1662/1 - 1662/2

dial indicator, reading to 0.01 mm

C=dial field

DIN 878

	C mm		
1662/1	0÷5	1	016620001
1662/2	0÷10	1	016620010

1662DGT

digital dial indicator,
reading to 0.01 mm

C=Dial field

DIN 878

	C mm		
1662DGT	0÷12,5	1	016620310

1662AN

adjustable stylus dial indicator,
reading to 0.01 mm

C=Dial field

DIN 2270

	C mm		
1662AN	0÷0,8	1	016620200

1662SP0

magnetic base

1662SP0	1	016620800

1662SP2

magnetic base, rotating

1662SP2	1	016620910

1666A

flanged precision squares
made from stainless steel ground
and lapped

DIN 875/0

L mm	L1 mm		
100	70	1	016660110
150	100	1	016660115
200	130	1	016660120
250	170	1	016660125
300	200	1	016660130

1668A

flanged precision squares
made from normalised, ground steel

DIN 875/2

L mm	L1 mm		
100	70	2	016680110
150	100	2	016680115
200	130	2	016680120
250	165	1	016680125
300	176	1	016680130

1670

precision squares
made from ground steel

L mm	L1 mm		
100	70	3	016700010
150	100	3	016700015
200	130	3	016700020
250	160	3	016700025
300	180	3	016700030
400	200	2	016700040
500	250	2	016700050
600	300	2	016700060
750	375	1	016700080
1000	500	1	016700099

1670A

flanged precision squares
made from ground steel

L mm	L1 mm		
100	70	3	016700110
150	100	3	016700115
200	130	3	016700120
250	160	3	016700125
300	180	3	016700130
400	200	2	016700140
500	250	2	016700150
600	300	2	016700160
800	400	1	016700180
1000	500	1	016700199

1672

mitre square, adjustable sliding blade,
base and blade made from steel



A mm		
300	2	016720030

1672A

mitre square, adjustable,
sliding blade, aluminium base,
blades made from chrome-plated steel



A mm		
200	3	016720120
300	3	016720130

1674A

carpenter's squares blades
made from stainless steel,
with aluminium bases, double metric scale

L mm	L1 mm		
300	169	2	016740130
400	214	2	016740140

1676

protractors made from stainless steel



A ~	A mm	L1 mm	G mm		
120	120	80	1°	2	016760012
150	165	120	1°	2	016760015
200	210	150	1°	2	016760020
300	310	200	1°	1	016760030

1678/C3

bevel protractor
made from stainless steel

	L Max mm	D mm		
1678/C3	300	70	1	016780030

1679

universal gauge with contact-roll,
made from stainless steel,
reading to 0.1 mm



L mm	A Max mm		
235	200	1	016790020

1680

trammels, hardened steel body
and tips



L mm	A Max mm		
660	500	1	016800050

1680A

inside callipers



L mm	A Max mm		
150	144	2	016800115
200	200	2	016800120
250	245	1	016800125
300	300	1	016800130

1680B

outside callipers



L mm	A Max mm		
150	155	2	016800215
200	190	2	016800220
250	235	1	016800225
300	280	1	016800230

1680C

precision dividers,
hardened steel straight tips

L mm	A Max mm		
150	138	2	016800315
200	190	2	016800320
250	235	1	016800325
300	280	1	016800330

1682

flexible graduated rules
made from stainless steel

L mm		
150	5	016820015
200	5	016820020
250	5	016820025
300	5	016820030
500	2	016820050
1000	2	016820100

1683

semi-rigid graduated rules
made from stainless steel



L mm		
300	5	016830030
500	2	016830050
1000	2	016830100
1500	1	016830150
2000	1	016830200

1685/C7

assortment of 7 measuring and marking tools

1685/C7 — 1 016850110

1650	160 mm	
1658/25	0÷25 mm	
1670	100 mm	
1680C	150 mm	
1682	150 mm	
1688BC	165 mm	
1688BC/R		

320x210x37 mm - 1,2 kg

1687A

engineer's precision scriber,
tip bent at 90°, with handle

	L mm	L1 mm		
1687A	153	80	1	016870120

1687AC

engineer's precision scriber,
short tip bent at 90°, with handle



	L mm	L1 mm		
1687AC	153	80	1	016870125

1687D

engineer's precision scriber,
straight tip, with handle



	L mm	L1 mm		
1687D	153	80	1	016870110

1687U

engineer's precision scriber,
hook tip, with handle



	L mm	L1 mm		
1687U	153	80	1	016870115

1687/S4

set of 4 engineer's precision scribers,
with handles

1687/S4 — 1 016870150
1687A-1687AC
1687D-1687U

1688

engineer's scriber
made from hardened steel

	L mm	Ø mm		
1688	250	2	5	016880020

1688A

engineer's scriber
made from hardened steel

	L mm	Ø mm		
1688A	200	4	5	016880120

1688BC

engineer's scriber
made from chrome-plated, hardened steel

	L mm	Ø mm		
1688BC	148	2	1	016880200

1688BC/R

spare tip for item 1688BC

1688BC/R — 1 016880210

1688M

carpenter's pencil

	L mm		
1688M	180	50	016880880

1690F

folding ruler made of fibreglass
precision class III

	L m	S mm		
1690F/2	2	17	5	016900220

1690L

folding ruler made of birch
precision class III

	L m	S mm		
1690L/2	2	17	5	016900200

1691BG

measuring tapes
shock-resistant bimaterial ABS casings,
steel tapes,
precision class II

	L m	S mm		
1691BG/3	3	19	5	016910103
1691BG/5	5	25	5	016910105
1691BG/8	8	25	3	016910108
1691BG/10	10	25	2	016910110

1692

measuring tapes,
shock-resistant bi-material ABS casings,
steel tapes,
precision class II

	L m	S mm		
1692/2	2	16	5	016920052
1692/3	3	16	5	016920053
1692/5	5	19	5	016920055
1692/8	8	25	5	016920058

1694/L

measuring tapes shock-resistant
ABS casings, PVC-coated fibreglass tapes,
precision class III



	L m	S mm		
1694/L10	10	13	1	016940110
1694/L20	20	13	1	016940120

1694A/L

measuring tapes with handles,
shock-resistant ABS casings,
PVC-coated fibreglass tapes,
precision class III

	L m	S mm		
1694A/L30	30	13	1	016940230
1694A/L50	50	13	1	016940250

1694B/L

measuring tape with handle,
aluminium casing, varnished steel tape,
precision class II

	L m	S mm		
1694B/L	50	12,5	1	016940350

1696

spirit levels made from anodized profile
aluminium, with 2 unbreakable vials,
accuracy: 1 mm/m

L mm	H mm	S mm		
200	50	19	2	016960002
400	50	19	2	016960004
500	50	19	2	016960005
600	50	19	2	016960006
800	50	19	2	016960008
1000	50	19	2	016960010

1696A

spirit levels made from die-cast
aluminium, with 1 ground base
and 2 unbreakable vials, accuracy: 1 mm/m

L mm	H mm	S mm		
300	43	23	2	016960103
400	43	23	2	016960104
500	43	23	2	016960105
600	43	23	2	016960106
800	43	23	2	016960108
1000	43	23	2	016960110

1696B

spirit levels with magnetic bases
made from anodized profiled aluminium,
2 unbreakable vials accuracy: 1 mm/m

L mm	H mm	S mm		
300	49	22	2	016960203
400	49	22	2	016960204
500	49	22	2	016960205
600	49	22	2	016960206

1696D

spirit levels made of die-cast aluminium with
handles,
4 ground bases and 3 unbreakable vials,
accuracy: 1 mm/m



L mm	H mm	S mm		
300	47	25	2	016960353
400	47	25	2	016960354
500	47	25	2	016960355
600	47	25	2	016960356

1696S

levelling staffs made from aluminium, with 2 unbreakable vials

L mm	H mm	S mm		
1500	90	25	1	016960415
2000	90	25	1	016960420
2500	90	25	1	016960425
3000	90	25	1	016960430

1699L

precision surface level made from die-cast iron with ground prismatic base, 2 unbreakable vials, accuracy: 0.05 mm/m

DIN 877

	L mm	A mm		
1699L	200	49	1	016990002

1699L/1

precision surface level made from die-cast iron with ground prismatic base, 2 unbreakable vials, accuracy: 0.02 mm/m

DIN 877

	L mm	A mm		
1699L/1	200	49	1	016990005

1699Q

precision square levels made from die-cast iron with 2 prismatic bases and 2 ground flat bases, 2 unbreakable vials, accuracy: 0.05 mm/m

DIN 877

L mm	A mm		
150	40	1	016990015
200	48	1	016990020

1700N

masonry points

L mm	S mm		
250	16	5	017000005
300	16	5	017000006

1700N/PM

masonry points with hand guards

L mm	S mm		
250	16	2	017000105
300	16	2	017000106

1701N

masonry chisels

L mm	A mm	S mm		
250	23	16	5	017010001
300	23	16	5	017010003

1701N/PM

masonry chisels with hand guards

L mm	A mm	S mm		
250	23	16	2	017010101
300	23	16	2	017010103

1701PMR

hand guards for items 1700N and 1701N



D mm	L mm		
16	115	1	017010206

1701NE/...

electrician's chisels

	SxL mm		
1701NE/3	10x200	5	017010406
1701NE/4	10x250	5	017010409

1702N

extra-wide chisels

A mm	SxH mm		
50	12x25	2	017020005
70	12x25	2	017020007

1702N/PM

extra-wide chisels with hand guards



A mm	SxH mm		
50	12x25	2	017020105
70	12x25	2	017020107

We recommend frequent cooling of the tool while regrinding it.

1702PMR

hand guard for item 1702N

L mm		
115	1	017020200

1704

carpenter's wrenching bars



L mm		
500	2	017040050
600	2	017040060
800	2	017040080

1704A

crow bars with open and pointed edges



L mm		
1500	1	017040110
2000	1	017040120

1704C

crow bars with closed and pointed edges



L mm		
1200	1	017040210
1400	1	017040212
1600	1	017040215

1705

chalk line reel made from aluminium

	L m		
1705	30	4	017050001

1705PT

chalk powder

g		
250	5	017050025

1706DGT

digital depth gauge for tyre threads

1706DGT	1	017060011

1707

screw pitch gauge

For ISO 60° metric and Whitworth 55° threads

P (ISO)	W		
0,25÷6	62÷4x1"	5	017070001

1707A/1 - 2 - 3

radius gauges,
concave and convex steel blades

	R mm		
1707A/1	1,0÷7,0	2	017070007
1707A/2	7,5÷15	2	017070015
1707A/3	15,5÷25	2	017070025

1708/8 - 13 - 20

metric feeler gauges

1708/8 S = 0,05÷0,50 mm	5	017080008
1708/13 S = 0,05÷1,00 mm	5	017080013
1708/20 S = 0,05÷1,00 mm	5	017080020

1709/10 - 1709/18

nut splitters

	L mm	A max mm		
1709/10	90	17 (M10)	1	017090010
1709/18	108	25 (M16)	1	017090018

1710

hydraulic nut splitters

C min mm	C max mm		
7(M4)	22(M14)	1	017100001

1712E/1 - 2 - 3

flexible magnetic pick up tools

F = magnetic power

	L mm	D mm	F kg		
1712E/1	420	7,5	0,5	2	017120011
1712E/2	530	15	1,8	2	017120012
1712E/3	532	19	3,0	2	017120013

1712E/L1

flexible magnetic pick-up tool with LED light

F = magnetic force
Battery: 2xLR48



	L mm	D mm	F kg		
1712E/L1	500	11	0,75	2	017120111

1712TF

telescopic magnet with flexible head

- **With washer jet cleaner**

F= magnetic force

L mm	D mm	F kg		
150÷590	11	1	1	017120600

1713M

flexible pickup tools



L mm	D mm		
500	7	2	017130011
1000	7	1	017130015

1714

inspection mirror made from plastic

	L mm	D mm		
1714	155	25	5	017140001

1715

telescopic joint inspection mirror
chrome-plated metal body

	L mm	D mm		
1715	180÷540	30	1	017150001

1715FL/A

square flexible inspection mirror

	L mm	A mm	B mm		
1715FL/A	600	53	90	1	017150110

1715FL/B

rectangular flexible inspection mirror
with light



	L mm	A mm	B mm		
1715FL/B	553	53	90	1	017150115

1716R

round bit reamer



	L mm	L1 mm	Ø mm		
1716R	215	100	6	5	017160001

1716Q

square bit reamer



	L mm	L1 mm	Ø mm		
1716Q	215	100	6	5	017160010

1716A

angled bit for general use



	L mm	L1 mm	■ mm		
1716A	240	125	6	3	017160040

1716P

packing scraper

	L mm	L1 mm	● mm		
1716P	250	125	6	3	017160020

1716U

hook bit for general use

	L mm	L1 mm	Ø mm		
1716U	195	80	6	3	017160025

1717A

scrapers, two cutting edges

L mm	L1 mm	L2 mm		
150	70	260	2	017170015
200	75	310	2	017170020
250	100	360	2	017170025

1717B

scrapers, three cutting edges

L mm	L1 mm	L2 mm		
150	75	260	2	017170115
200	85	310	2	017170120
250	100	360	2	017170125

1717C

flat scrapers, varnished



L mm	S mm	L1 mm		
150	18	270	2	017170215
200	20	320	2	017170220
250	25	370	2	017170225

1717D

flat scraper, front cut



	L mm	S mm	L1 mm		
1717D	150	23	240	2	017170320

1718A6/...

6" second cut files without handles



	L mm	L "		
1718A6/Q	150	6	5	017180021
1718A6/T	150	6	5	017180023
1718A6/P	150	6	5	017180025
1718A6/M	150	6	5	017180027
1718A6/R	150	6	5	017180029



1718A6/S5	1	017180030

1718A8/...

8" second cut files without handles



	L mm	L "		
1718A8/Q	200	8	5	017180031
1718A8/T	200	8	5	017180033
1718A8/P	200	8	5	017180035
1718A8/M	200	8	5	017180037
1718A8/R	200	8	5	017180039



1718A8/S5	1	017180040

1718A10/...

10” second cut files without handles

	L mm	L "		
1718A10/Q	250	10	5	017180041
1718A10/T	250	10	5	017180043
1718A10/P	250	10	5	017180045
1718A10/M	250	10	5	017180047
1718A10/R	250	10	5	017180049



1718A10/S5	1	017180050

1718D6/...

6” bastard cut files without handles



	L mm	L "		
1718D6/Q	150	6	5	017180121
1718D6/T	150	6	5	017180123
1718D6/P	150	6	5	017180125
1718D6/M	150	6	5	017180127
1718D6/R	150	6	5	017180129



1718D6/S5	1	017180130

1718D8/...

8” bastard cut files without handles



	L mm	L "		
1718D8/Q	200	8	5	017180131
1718D8/T	200	8	5	017180133
1718D8/P	200	8	5	017180135
1718D8/M	200	8	5	017180137
1718D8/R	200	8	5	017180139



1718D8/S5	1	017180140

1718D10/...

10” bastard cut files without handles



	L mm	L "		
1718D10/Q	250	10	5	017180141
1718D10/T	250	10	5	017180143
1718D10/P	250	10	5	017180145
1718D10/M	250	10	5	017180147
1718D10/R	250	10	5	017180149



1718D10/S5	1	017180150

1719BMA6

second cut files, 6",
plastic handles



	L mm	L "		
1719BMA6/Q	150	6	5	017190021
1719BMA6/T	150	6	5	017190023
1719BMA6/P	150	6	5	017190025
1719BMA6/M	150	6	5	017190027
1719BMA6/R	150	6	5	017190029



1719 BMA6/S5	1	017190030

1719BMA8

second cut files,
plastic handles



	L mm	L "		
1719BMA8/Q	200	8	5	017190052
1719BMA8/T	200	8	5	017190054
1719BMA8/P	200	8	5	017190056
1719BMA8/M	200	8	5	017190058
1719BMA8/R	200	8	5	017190060

1719BMA8/S5	1	017190070

1719BMA10

second cut files, 10",
plastic handles

	L mm	L "		
1719BMA10/Q	250	10	5	017190071
1719BMA10/T	250	10	5	017190073
1719BMA10/P	250	10	5	017190075
1719BMA10/M	250	10	5	017190077
1719BMA10/R	250	10	5	017190079



1719BMA10/S5	1	017190080

1719BMB/P

universal cut flat files,
plastic handles



L mm	L "		
250	10	5	017190152
300	12	5	017190153

1719BMC

half-round and flat files,
plastic handles

	L mm	L "		
1719BMC/M250	250	10	6	017190252
1719BMC/M300	300	12	4	017190253
1719BMC/P250	250	10	6	017190262
1719BMC/P300	300	12	4	017190263

1719BMD6

bastard cut files, 6",
plastic handles



	L mm	L "		
1719BMD6/Q	150	6	5	017190191
1719BMD6/T	150	6	5	017190193
1719BMD6/P	150	6	5	017190195
1719BMD6/M	150	6	5	017190197
1716BMD6/R	150	6	5	017190199

1719BMD6/S5	1	017190200

1719BMD8

8" bastard cut files plastic handles



	L mm	L "		
1719BMD8/Q	200	8	5	017190221
1719BMD8/T	200	8	5	017190223
1719BMD8/P	200	8	5	017190225
1719BMD8/M	200	8	5	017190227
1719BMD8/R	200	8	5	017190229

1719BMD8/S5	1	017190230

1719BMD10

bastard cut files, 10",
plastic handles

	L mm	L "		
1719BMD10/Q	250	10	5	017190241
1719BMD10/T	250	10	5	017190243
1719BMD10/P	250	10	5	017190245
1719BMD10/M	250	10	5	017190247
1719BMD10/R	250	10	5	017190249

1719BMD10/S5	1	017190250

1719BM/RR

round rasp,
plastic handle

	L mm	L "		
1719BM/RR	200	8	5	017190351

1719BM/RL

flat rasp file,
plastic handle

	L mm	L "		
1719BM/RL	200	8	5	017190360

1719BMR

handles for files

	L mm	A mm		
1719BMR/0	95	25	10	017190950
1719BMR/1	110	29	10	017190951
1719BMR/1B	110	29	10	017190953
1719BMR/2	123	31	10	017190952
1719 BMR/2B	123	31	10	017190954

	mm	"	
1719BMR/0	100/150	4/6	▲◗■●
1719BMR/1	150/200	6/8	▲◗
1719BMR/1B	150/200	6/8	■●
1719BMR/2	250/300	10/12	▲◗
1719 BMR/2B	250/300	10/12	■●

1720/...

needle files



	L mm		
1720T	160	5	017200004
1720P	160	5	017200006
1720M	160	5	017200008
1720Q	160	5	017200009
1720R	160	5	017200010
1720C	160	5	017200012
1720B	160	5	017200005
1720ML	160	5	017200007
1720BT	160	5	017200011
1720F	160	5	017200013
1720PP	160	5	017200014
1720RM	160	5	017200015

1720/S3	1	017200000

1720/B

set of 6 needle files in plastic wallet

1720/B6	1	017200002
1720/B12	1	017200003

1720D/...

diamond needle files

	L mm		
1720D/T	160	2	017200104
1720D/P	160	2	017200106
1720D/M	160	2	017200108
1720D/Q	160	2	017200109
1720D/R	160	2	017200110
1720D/C	160	2	017200112

1720D/B6	1	017200120

1721/B6

set of 6 files for ignition contacts in plastic wallet

1721/B6	1	017210010

1723

spring puller

	L mm		
1723	210	5	017230001

1725

hacksaw frame

	L mm	L1 mm		
1725	420	300	4	017250001

1725CR

mini hacksaw frame



	L mm	L1 mm		
1725CR	250	150	5	017250010

1726

hacksaw frame, blade attachment system in the handle



	L mm	L1 mm		
1726	440	300	4	017260001

1726BM

hacksaw frame with quick release blade attachment system



	L mm	L1 mm		
1726BM	400	300	1	017260050

1727

hacksaw frame, heavy series



	L mm	L1 mm		
1727	515	300	4	017270001

1727BM

hacksaw frame, one hand grip

	L mm	L1 mm		
1727BM	315	300	5	017270020

1728...

blades for hacksaw frames



1728LA 1725CR 1725MQ	100	017280001
1728BM 1725-1726 1727-1727M	100	017280010
1728CO 1725-1726 1727-1727M	100	017280030

1729

fixed frame hacksaw



	L mm	L1 mm		
1729	710	610	5	017290001

1729LR

spare blade for item 1729

1729LR	10	017290010

1729CG

plasterboard saw

	L mm	L1 mm		
1729CG	310	160	2	017290200

1729DM 450

wood rip saw

medium toothing, 12 teeth/inch

	L mm	L1 mm		
1729DM	450	400	4	017290450

1736A

file brush

	L mm		
1736A	240	10	017360010

1737

brush, brass wires

	L mm		
1737	145	10	017370001

1737NX

brake shoe cleaning brush
plastic handle steel wires

	L mm		
1737NX	270	5	017370010

1737AC

steel wire brush

	L mm		
1737AC	275	5	017370020

1737B

pairs of battery lug and post cleaner steel brushes

1737B	1	017370050

1738

bristle brush

	L mm	H mm		
1738	210	30	10	017380001

1739B

lazy tongs riveter, supplied with 5 interchangeable nozzles

Ø mm	3,2	4	4,8	5	6	6,4
Aluminium	•	•	•	•	•	•
Stainless steel	•	•	•	•		

1739B	1	017390151

1740A

heavy duty riveting pliers supplied with 5 interchangeable nozzles

Ø mm	3,2	4	4,8	5	6	6,4
aluminium	•	•	•	•	•	•
stainless steel	•	•	•	•		

1740A	1	017400101

1740B

compact heavy-duty riveting pliers

Ø mm	2,4	3	3,2	3,2	4,8
aluminium	•	•	•	•	•
stainless steel	•	•	•	•	•
Inox	•	•	•	•	•

	L mm		
1740 B280	280	1	017400280

Ø mm	3,2	4	4,8	5	6	6,4
aluminium	•	•	•	•	•	•
stainless steel	•	•	•	•	•	•
Inox	•	•	•	•	•	•

	L mm		
1740 B330	330	1	017400330

1741B

riveting pliers supplied with 4 interchangeable nozzles

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Stainless steel	•	•	•		

1741B	1	017410000

1741B/C5

riveting pliers item 1741B with assortment of 700 aluminium rivets

1741B/C5	1	017410025

	Ø mm	L mm	n.
1741RV2,9K	3,0	6	200
1741RV3,2K	3,2	8	200
1741RV3,8K	4,0	10	100
1741RV4K	4,0	12	100
1741RV4,8K	4,8	12	100

415x155x60 mm - 3,1 Kg

1741BP

riveting pliers supplied
with 4 interchangeable nozzles

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Stainless steel	•	•	•	•	•

1741BP	1	017410350

1741U

ultra compact riveting pliers with adjustable force
with 4 interchangeable nozzles
3 legs: enhanced rivet hold

Ø mm	2,4	3	3,2	4	4,8
Aluminium	•	•	•	•	•
Steel	•	•	•	•	
Stainless steel	•	•	•	•	

1741U	1	017410450

1741RV...K

aluminium rivets



1741RV2,9K ØxL = 3x6 mm	1	017410191
1741RV3,2K ØxL = 3,2x8 mm	1	017410192
1741RV3,8K ØxL = 4x10 mm	1	017410193
1741RV4K ØxL = 4x12 mm	1	017410194
1741RV4,8K ØxL = 4,8x12 mm	1	017410195

1742

riveting pliers for threaded rivets,
with 4 interchangeable mandrels

1742	1	017420001

M	Ø mm	L mm
3	5	11
4	6	11
5	7	13
6	9	17

1742KR

kit with 4 spare mandrels for item 1742

M3	1	017420043
M4	1	017420044
M5	1	017420045
M6	1	017420046

1742R-AL/M...

threaded aluminium rivets
for items 1742 - 1742A

1742R-AL/M3 ØxL = 5x10 mm M = 3	1	017420023
1742R-AL/M4 ØxL = 6x12 mm M = 4	1	017420024
1742R-AL/M5 ØxL = 7x13 mm M = 5	1	017420025
1742R-AL/M6 ØxL = 9x15 mm M = 6	1	017420026

1742R-A/M...

threaded steel rivets for item 1742-1742A

1742R-A/M3 ØxL = 5x11 mm M = 3	1	017420013
1742R-A/M4 ØxL = 6x11 mm M = 4	1	017420014
1742R-A/M5 ØxL = 7x13 mm M = 5	1	017420015
1742R-A/M6 ØxL = 9x17 mm M = 6	1	017420016
• **1742R-A/M8** ØxL=11x17 mm M=8	1	017420018
• **1742R-A/M10** ØxL=13x24 mm M=10	1	017420020

1742/C4

riveting pliers item 1742
with assortment of 400 threaded steel insets

1742/C4	1	017420005

	M	Ø mm	n.
1742R-A/M3	3	5	100
1742R-A/M4	4	6	100
1742R-A/M5	5	7	100
1742R-A/M6	6	9	100

415x155x60 mm - 2,9 kg

1742A

heavy duty riveting pliers for threaded insets,
with 4 interchangeable mandrels

1742A	1	017420100

M	Ø mm	L mm
5	7	13
6	9	17
8	11	17
10	13	24

1742A/KR

kit with 4 spare pins for item 1742A

1742A/KR	M5	1 017420143
1742A/KR	M6	1 017420144
1742A/KR	M8	1 017420145
1742A/KR	M10	1 017420146

1742A/C

riveting pliers item 1742A with assortment of 60 threaded steel insets

1742A/C 1 017420105

	M	Ø mm	n.
1742R-A/M5	5	7	20
1742R-A/M6	6	9	20
1742R-A/M8	8	11	10
1742R-A/M10	10	13	10

536x310x80 mm - 2,1 kg

1743

fitting tool for nylon ties



1743 1 017430001

1743T

cable tie cutting tool

- **Also suitable for cutting small cables (3x1.5mm²; 1x17mm²)**

1743T 1 017430100

1748/...K

nylon cable ties, self-locking heads



1748/3K HxL = 2,5x100 mm D = 18 mm	1 017480203
1748/6K HxL = 2,5x160 mm D = 40 mm	1 017480206
1748/7K HxL = 3,6x150 mm D = 33 mm	1 017480207
1748/8K HxL = 3,6x200 mm D = 46 mm	1 017480208
1748/9K HxL = 3,6x300 mm D = 70 mm	1 017480209
1748/14K HxL = 4,8x190 mm D = 43 mm	1 017480214
1748/17K HxL = 4,8x300 mm D = 72 mm	1 017480217
1748/18K HxL = 4,8x360 mm D = 85 mm	1 017480218
1748/23K HxL = 7,6x300 mm D = 67 mm	1 017480223
1748/24K HxL = 7,6x368 mm D = 88 mm	1 017480224

1748B/...K

white nylon clamps

1748B/3K HxL = 2,5x100 mm D = 18 mm	1 017480303
1748B/6K HxL = 2,5x160 mm D = 40 mm	1 017480306
1748B/7K HxL = 3,6x150 mm D = 38 mm	1 017480307
1748B/8K HxL = 3,6x200 mm D = 46 mm	1 017480308
1748B/9K HxL = 3,6x300 mm D = 70 mm	1 017480309
1748B/14K HxL = 4,8x190 mm D = 44 mm	1 017480314
1748B/17K HxL = 4,8x300 mm D = 72 mm	1 017480317
1748B/18K HxL = 4,8x360 mm D = 86 mm	1 017480318

1748/C5

fitting tool for ties with assortment of 400 ties

1748/C5 1 017480100

	H mm	L mm	n.
1743			1
1748/3K	2,5	100	100
1748/7K	3,6	150	100
1748/8K	3,6	200	100
1748/14K	4,8	190	100

325x245x55 mm - 850 g

1749

bonding gun varnished metal sheet

	L min mm	
1749	340	2 017490001

1749A

bonding gun, professional model aluminium tube

	L min mm	
1749A	360	1 017490010

1749AC

high thrust gun for chemical binders

	L min mm	
1749AC	360	1 017490005

1750

lever operated grease guns

cc	L mm		
500	380	1	017500500
750	450	1	017500750

1750R/1 - 1750R/2

spare flexible hose made from nylon

	L mm		
1750R/1	310	2	017500030
1750R/2	410	2	017500040

1750RC

curved rigid hose

	L mm	M mm		
1750RC	150	10x1	2	017500050

1750RT

4-jaw grease fitting “Hydraulic” type

	M mm		
1750RT	10x1	5	017500110

1750RP/1 - 1750RP/2

heads for flat nozzles



	Ø mm	M mm		
1750RP/1	16	10x1	2	017500115
1750RP/2	22	10x1	2	017500120

1750CG

grease cartridges for item 1750

cc		
400	18	017500140
600	18	017500160

1750M

mini grease gun

- **With micro nozzle**
- **Particularly suitable for pneumatic tools**

	cc	D mm	L mm		
1750M	100	43	145	1	017500025

1751

metal pressure oil cans flexible spout

cc	D mm	L mm		
200	62	140	4	017510002
300	75	140	4	017510003
500	85	140	4	017510005
750	100	140	2	017510007
1000	100	140	2	017510011

1751R

spare spout for item 1751

cc		
200÷1000	5	017510010

1752

plastic pressure cans rigid spouts

cc	D mm	L mm		
200	67	140	4	017520002
300	77	140	4	017520003
500	95	140	4	017520005
700	95	140	2	017520007

1752R

spare spout for item 1752

cc		
200÷700	5	017520020

1753

plastic pressure oil cans flexible spouts

cc	D mm	L mm		
200	65	190	4	017530002
300	80	190	4	017530003
500	95	190	4	017530005
700	95	190	2	017530007

1753R

spare spout for item 1753

cc		
200÷700	5	017530020

1754

plastic pressure oil cans flexible plastic spouts

cc	D mm	L mm		
150	60	130	5	017540015
250	65	130	5	017540025

1755

plastic oil bottles retractable spouts

cc	L mm	A mm		
30	160	30	5	017550003
80	170	47	5	017550008
150	230	58	5	017550015

1756

pen oiler

cc	L mm		
5	140	2	017560001

1756B

pen oiler

cc	L mm		
500	280	2	017560220

1757

battery fillers

cc	D mm		
250	60	4	017570002
500	75	4	017570004
1000	90	2	017570006

1757A

battery filler

cc		
2000	1	017570020

1758

plastic funnel

	L mm		
1758	410	1	017580001

1759

optical analyzer for coolant, battery, windscreen and AdBlue® fluids
Supplied in a hard case

Automatic temperature compensation
Battery acid: measurement range:
1.1÷1.3 kg/l
Propylene coolant: -25 °C ÷ -50 °C
Ethylene coolant: -25 °C ÷ -50 °C
Windscreen fluid: -25 °C ÷ -40 °C
AdBlue: Urea percent measurement: 30% ÷ 45%





1759	1	017590251

1759A

antifreeze densimeter, glass body

	L mm		
1759A	340	1	017590001

1759B

acid densimeter, glass body

	L mm		
1759B	280	1	017590005

1759HD/3

cooling system seal testing and circuit filling tools

• Make it possible to check circuit (pipes, joints, pumps, radiators) for leaks under pressure and quickly fill circuit, avoiding air bubble formation

1759HD/3	1	017590063

600x500x140 mm

1759HD/RR

cooling system filling tool

1759HD/RR	1	017590064

450x310x110 mm

1760DGT

digital automotive multimeter

TECHNICAL DATA
RPM (tachometer):
For 2 and 4 cylinder engines
RPM4 600 - 4000 RPM
RPM4 600 - 12000 RPM (x10 RPM)
RPM2/DIS 300 - 4000 RPM
RPM2/DIS 300 - 6000 RPM (x10 RPM)
Dwell angle: 4-8 CYL
DC voltage: 400mV-4/40/400/1000V
AC voltage: 4/40/400/700V
DC current: 40/400mA-4/20A
AC current: 40/400mA-4/20A
Resistance: 400Ω-4/40/400kΩ-4/40MΩ
Capacity: 40/400nF-4/40/100µF
Frequency: 5/50/500Hz-50/500-10MHz
Duty cycle: 0.1 % - 99.9%
Pulse amplitude: 1 - 10ms
Diode test: Test current 0.3mA
Continuity: <150Ω - Test current <0.3mA
Display: High-contrast, backlit 4-digit LCD
Overvoltage: Category II 1000V
Auto power off: 30 minutes
Power supply: 1 9V battery (included)
Inductive clamp (included)
2 tips (included)
Soft cloth case (included)
Operating manual

1760DGT 1 017600005

1760 400A

amperometric clamp for multimeters

AC/DC

SPECIFICATIONS
Max. current: 400 A
Frequency: 50/60 Hz
Power supply: 1 9V battery (included)

1760 400A 1 017600080

1760B

digital multimeter

SPECIFICATIONS
DC voltage: 200 mV-2/20/200/1000V
AC voltage: 2-20/200/700V
DC current: 2/20/200 mA-20 A
AC current: 2/200 mA- 20 A
Resistance: 200Ω - 2/20/200 kΩ - 2/20 MΩ
Capacity: 2/20/200 nF - 2/200 µF
Temperature: -20° + 1000°C/ -4 °F ~ +2000°F
Frequency: 20kHz
Power supply: 1 9V battery (included)

1760B 1 017600012

1760/RMS

industrial digital multimeter
accurate and sturdy, in a 6-mm co-moulded shell, with antislip, shockproof outer rubber part

Measuring range	Base accuracy
AC/DC voltage	110mV – 600V ±0.8% - ±2% rdg
AC/DC current	110µA – 10A ±1.5% - ±2% rdg
Resistance	110Ω – 40MΩ ±1.2% - ±2.5% rdg
Capacity	11nF – 40mF ±5% - ±10% rdg (up to 11mF)
Frequency	1100Hz – 110 MHz ±1.2% - ±1.5% rdg
Temperature	-32°C – +1000°C ±3% - ±5% rdg
Diode test, 3V DC ±10%	rdg
Continuity test	<30 Ω -

1760/RMS 1 017600020

1760K/MT

digital automotive multimeter with infrared thermometer and induction clamp
in plastic case

DC voltage: 400mV-4/40/400/600V
AC voltage: 400mV-4/40/400/600V
DC current: 40/400mA-20A
AC current: 40/400mA-20A
Resistance: 400Ω-4/40/400KΩ-4/40MΩ
Capacity: 4/40/400nF-4/40/400µF-4/40mF
Frequency: 4/40/400KHz-4/40MHz
Continuity test: <35Ω
Dwell angle function: 4-8 Cil
Duty cycle function: 0.5% ÷ 99.0%
Pulse amplitude: 1.0 ÷ 20.0 ms
Diode test: test current 1.0mA
Peak storage function
Data storage function
Auto-range function
Multimeter power supply: 1 9V battery (included)
Laser thermometer temperature: -30 °C ÷ +550 °C (fixed emissivity: 0.95)
Type K thermocouple temperature:
-30 °C ÷ +1000 °C
Thermometer power supply: 1 9V battery (included)
Induction clamp: 4 strokes, 600 ÷ 4000 RPM
1000 ÷ 12000 RPM (x10RPM)
2 strokes, 300 ÷ 4000 RPM
1000 ÷ 6000 RPM (x 10RPM)

1760K/MT 1 017600200

1760PA/AC

amperometric clamp and digital multi-meter

A: AC

V: AC/DC

SPECIFICATIONS
DC voltage 400 mV - 4/40/400/600 V
AC voltage 400 mV - 4/40/400/600 V
AC current 40/400/1000 A
Resistance 400Ω - 4/40/400 kΩ - 4/40 MΩ
Frequency 5/50/500 Hz - 5/50/500 kHz - 5/10 MHz
Capacity 40/400 nF - 4/40/100 µF
Temperature - 20 °C ÷ 1000 °C / -4 °F ÷ 1832 °F
Power supply: 1 9V battery (included)

	L mm		
1760PA/AC	190	1	017600050

1760PA/AC-DC

amperometric clamp and digital multimeter

A: AC/DC
V: AC/DC

SPECIFICATIONS
DC voltage: 0.1mV ÷ 600V
AC voltage: 0.1mV ÷ 600V
AC current: 0.01A ÷ 1000A
DC current: 0.01A ÷ 1000A
Resistance: 0.1Ω ÷ 40MΩ
Capacity: 0.001nF ÷ 40 µF
Frequency: 0.001kHz ÷ 4kHz
Temperature: -40°C ÷ 1000 °C
-40°F ÷ 1832°F

1760PA/AC-DC	1	017600000

1760/TC2

combination contact/non-contact digital tachometer

TECHNICAL DATA
• For measuring:
- non-contact rotational speed (rpm)
- contact rotational (rpm)
and linear surface speed (m/min or ft/min).
• 5-digit LCD display.
• Scale:
- non-contact speed 2.5÷99,999 rpm
- contact speed 0.5÷19,999 rpm
- linear surface speed 0.05÷1,999.9 m/min.
• Frequency: 0.8 sec.
• Power supply: 4 1.5V batteries, AA size, or 6V power supply unit (not included).
• Supplied with the following:
- adaptor for contact tip measurement;
- male (contact) rubber tip (2 pcs.);
- female (contact) rubber tip (1 pcs.);
- linear measurement tape (1 pcs.);
- reflecting tapes;
- instruction manual;
- plastic case.

	L mm	H mm		
1760/TC2	230	74	1	017600161

1760R/TC2

set of reflecting tapes for item 1760/TC2

1760R/TC2	1	017600561

1760/IR800

digital infrared thermometer with dual laser aiming system

TECHNICAL DATA
Range: -50 °C to +800 °C / -58 °F to +1472 °F
Scale selection: °C/°F
Accuracy: ±1.0% or ±1.0 °C to 20 °C
Laser power: <1mW
Response: 150ms
Emissivity: 0.10-1.0 adjustable
Distance ratio: (D:S) 20:1
Operating temperature: 0 °C ÷ 50 °C / 32 °F ÷ 122 °F
Operating humidity: 10% to 90% RH
Backlit LCD display
Data storage function
Auto power off
Power supply: 1 9V battery (included)
Soft cloth case (included)
Operating manual

1760/IR800	1	017600380

1760/IR1600

digital infrared thermometer with laser aiming system

TECHNICAL DATA
Range: da -50 °C to +1600 °C / -58 °F to +2912 °F
Scale selection: °C/°F
Accuracy: ±1.5% or ±2 °C to 20 °C
Laser power: <1mW
Response: 1sec
Emissivity: 0.10-1.0 adjustable
Distance ratio: (D:S) 50:1
Operating temperature: 0 °C ÷ 50 °C / 32 °F ÷ 122 °F
Operating humidity: 10% to 90% RH
Backlit LCD display
Data storage function
Auto power off
Power supply: 1 9V battery (included)
Hard case with aluminium tripod
Operating manual

1760/IR1600	1	017600460

1760/2TM

two-way digital thermometer

- Two-way type-K thermocouple thermometer
- Backlit LCD display, 42 mm in width, complete with function indicator
- Maximum reading: 1999
- Temperature: Celsius (°C) or Fahrenheit (°F)
- Range: -50°C to 1300°C / -58°F to -2372°F
- Resolution: 1°C or 1°F - 0.1°C or 0.1°F
- Accuracy: 0.5% of maximum and data retention value
- Supplied with: 2 K-type thermocouple sensors
- Soft cloth case
- 1 9V battery (included)
- Operating manual

1760/2TM	1	017600100

1761

locking wire pliers



1761	1	017610001

1761RS/1

reversible locking wire pliers



	L mm		
1761RS/1	220	1	017610030

1762

revolving punch pliers

Ø mm	L mm		
2-2,5-3 3,5-4-4,5	210	2	017620001

1765/C24

cases with 24 tools for pulling out car radios

1765/C24	1	017650001

1766

double suction lifter

max kg		
50	2	017660001

1766A

single suction cup

max kg		
30	2	017660005

1766/8

assortment of 8 tools for car glass windows

1766/8	1	017660100

1766L

lever for glass windows

1766L	1	017660015

1766I

handle for steel cable item 1766G



1766I	2	017660020

1766G

steel cable for glass windows

50 m	1	017660025

1767PMC

magnetic tool holder, round



1767PMC	1	017670020

1767PMR

magnetic tool holder, rectangular

1767PMR	1	017670010

1770

extra flat utility knife,
9 mm snap-off blade

	L mm	A mm		
1770	140	9	10	017700001

1770A

utility knife 9 mm with automatic blade locking mechanism,
3 blades

	L mm	A mm		
1770A	135	9	10	017700025

1770RL

9 mm snap-off blades 10 pieces
for utility knives 1770 and 1770A

1770RL	5	017700010

1770BM

utility knife, 9 mm, 6 blades

	L mm	A mm		
1770BM	140	9	10	017700050

1771

utility knife, 18 mm,
supplied with 3 blades



1771	10	017710000

1771BM

utility knife, 18 mm,
6 spare blades

	L mm	A mm		
1771BM	170	18	10	017710050

1771RL

18 mm snap-off spare blades (10 pieces)
for utility knives 1771, 1771BM

1771RL	5	017710010

1772B

utility knife with retractable blade,
spare blade

	L mm	A mm		
1772B	165	18	10	017720005

1772H

safety utility knife with retractable blade,
supplied with 2 blades

	L mm	A mm		
1772H	170	18	5	017720029

1772RL/2

10 long trapezoidal spare blades, in box, for utility knives, 1772B, 1772Y,1772H, 1774, 1777T



1772RL/2	5	017720017

1773A

utility knife, 25 mm

	L mm	A mm		
1773A	180	25	10	017730000

1773RL

25 mm blades (10 pieces)
for utility knife 1773

1773RL	5	017730015

1774

multi-function scraper with blade guard

	L mm	L1 mm		
1774	165	60	5	017740001

1774A

multifunction scraper,
bi-material handle

	L mm	L1 mm		
1774A	300	40	1	017740011

1774A/RL

10 blades for multifunction scraper item 1774A



1774A/RL	1	017740511

1777BM

foldaway knife with wire stripping notch, stainless steel blade

	L mm	L1 mm	A mm		
1777BM	190	80	16	5	017770100

1777T

foldaway knife with trapezoidal stainless steel blade,
5 spare blades

	L mm	A mm	L1 mm		
1777T	160	19	65	5	017770030

1777BMT

foldaway knife with trapezoidal blade
4 adjustable blade depths
4; 9.5; 15.5; 21.5 mm
supplied with 3 blades

	L mm	L1 mm	A mm		
1778BMT	170	80	25	5	017770050

1778

foldaway knife
aluminium handle

	L mm	A mm	L1 mm		
1778	195	24	80	5	017780045

1778D

foldaway knife
stainless steel blade and handle

	L mm	A mm	L1 mm		
1778D	180	22	78	5	017780060

1778SAFE

foldaway knife
hardened steel blade
with window breaking hammer,
seat belt cutter and knot untying features

	L mm	A mm	L1 mm		
1778SAFE	210	25	85	5	017780090

1778SOS

car service knife
with window breaking hammer
and belt cutter features

	L mm	A mm	L1 mm		
1778SOS	205	25	85	5	017780080

1778W

foldaway knife,
stainless steel blade,
handle with wooden inserts

	L mm	A mm	L1 mm		
1778W	180	22	78	5	017780025

1778X

knives for nautical maintenance, stainless steel blades, aluminium handles

	L mm	L1 mm	A mm		
1778X	185	85	25	2	017780050

1779

self-locking round end knurled
tool made from stainless steel

	L mm		
1779	160	5	017790001

1781

slim, long blade scissors

	L mm		
1781	132	2	017810001

1783

light duty scissors

L mm		
215	5	017830021
240	5	017830024

1784

heavy duty scissors

L mm		
175	2	017840017
200	2	017840020
250	2	017840025
300	2	017840030

1800/100

lifting airbags (max. lifting force: 100 kg)

- **lifting/levelling**
- **locking doors**

A mm	B mm	S mm		
160	150	2÷55	3	018000000

1808

dual rating soldering iron with steel tips
1824R8

W	V		
20/130	230	1	018080001

1812

instant heat soldering iron

W	V		
100	230	1	018120001

1812E

instant heat soldering iron

W	V		
150	230	1	018120100

1814M

soldering irons
with steel tips

W	V		
25	230	1	018140225
30	230	1	018140230
40	230	1	018140240

1820/30 - 50 - 80

soldering irons with copper tip 1824R20

1820/30 30W L = 255 mm	1	018200030
1820/50 50W L = 265 mm	1	018200050
1820/80 80W L = 280 mm	1	018200080

1822A/...

high performance soldering irons
with tip 1824R22A

1822A/1 100W LxA = 250x130 mm	1	018220410
1822A/2 180W LxA = 260x145 mm	1	018220420
1822A/3 280W LxA = 270x165 mm	1	018220430

1823

digital soldering station
supplied with soldering iron

- Temperature range: 150 °C ÷ 400 °C with ±1% accuracy.
- Memory mode designed to save the temperature selected when switching off the station.
- Selected temperature blocking mode with keyboard disabled through password protection.
- Selection of one of four stored temperatures (250°C-300°C-350°C-400°C).

	W	V		
1823	60	230	1	018230000

1823RS

spare soldering iron
for item 1823

1823RS	1	018230030

1824R

spare tips for soldering irons

1824R08 1808	1	018240100
1824R12/A 1812	1	018240003
1824R12/B 1812	1	018240005
1824R12/C 1812	1	018240007
1824R12 1812E	1	018240120
1824R14-M25 1814M/25	1	018240152
1824R14-M30 1814M/30	1	018240153
1824 1814M/40	1	018240154
1824R20/3 1820/30	1	018240019
1824R20/5 1820/50	1	018240021
1824R20/8 1820/80	1	018240023
1824R22A/1 1822A/1	1	018240041
1824R22A/2 1822A/2	1	018240042
1824R22A/3 1822A/3	1	018240043
1824R-ST 1823R-ST	1	018240233

1825ST250

soldering tin wire with antioxidant

- **1 mm² wire**
- **Sn 99% Ag 0.3% Cu 0.7%**



ø mm	g		
1	250	1	018250250

1827

gas soldering iron, adjustable

1827	1	018270001

1827PC

spare conical tips for item 1827



1827PC/1,6	1	018270501
1827PC/3,2	1	018270502

1827PCL

spare knife tips for item 1827

1827PCL/2,4	1	018270503

1827PFL

spare naked flame tips for item 1827

1827PFL	1	018270504

1827/K

gas soldering iron with 7 accessories
in case with soft polyethylene
foam base

- Power: 30 watts to 125 watts
- Tip temperature can be adjusted between 250 °C and 500 °C
- Gas flow regulator
- Warm-up time: 15 seconds
- Tank contains gas for 120 minutes' non-stop operation
- Clear tank for monitoring gas level
- Can be refilled with butane gas

1827/K	1	018270100

1830T

dissoldering pipe with antistatic plastic (PTFE)
nozzle

L mm		
190	5	018300021

1834S

high-brightness LED torch,
made from sturdy anodized aluminium,
up to 90 lumens

• 2xAA batteries not included

L mm		
150	1	018340010

1834M

high-brightness LED torch,
made from sturdy anodized aluminium,
up to 190 lumens

• 3xAAA batteries not included

L mm		
140	1	018340020

1834L

high-brightness LED torch,
made from sturdy anodized aluminium,
up to 450 lumens

• 3xAA batteries not included

L mm		
210	1	018340025

1834XL

high-brightness LED torch,
made from sturdy anodized aluminium,
up to 650 lumens

• 3xD batteries not included

L mm		
315	1	018340030

1835/1

LED inspection torch,
made of sturdy anodized aluminium

1xAAA battery (not included)

L mm		
105	3	018350030

1835/2

LED inspection torch,
made of sturdy anodized aluminium

2xAAA batteries (not included)

L mm		
145	3	018350060

1836

articulated LED headlamp, dual brightness,
with ON/OFF sensor

• Adjustable focus
• 90 lumens
• Batteries: 3xAAA included

CE

1836	1	018360100

1837

magnetic, articulated lamp with high-illuminated LEDs,
matt aluminium body

L mm		
450	1	018370001

1837E

LED spotlight for building yards, 30W

shock-resistant LED; 50,000 life hours
IP66 aluminium body

	A mm	B mm	W		
1837E	380	280	30	1	018370501

1838/10LED

rechargeable LED inspection lamp

- lithium polymer battery
- easy-to-replace front glass
- swinging hook
- with charging station
- 320 lumens

CE

- Oil and grease resistant
- Hangable, with antislip, shockproof rubber body
- Lithium polymer battery: lightweight, with a long operating range
- 10 ultra-high brightness LEDs

1838/10LED	1	018380000

1838RV/10LED

spare scratch-proof front for item 1838/10LED

1838RV/10LED	2	018380900

Beta SHOP in shop

1838LED/120

LED under bonnet lamp with swivel hook

- 5-m-long oil-proof cable
- 600-lumen LED strip, 7.5W
- Hook opening: 120 ÷ 170 cm

1838LED/120	1	018380250

1838SL

ultra-thin inspection lamp with ultra-high brightness LEDs. For jobs in small areas

- power supply: 12V, with lighter socket and battery terminals
- 2.5-m-long cable
- thickness: 6mm
- 345 lumens

1838SL	1	018380101

1840BM

230V inspection lamp, base type: E27

- Bulb not included

IP20

	V	W	L mm		
1840BM	230	60	420	1	018400101

1840WBM

230V inspection lamp, base type: E27

- Bulb not included

IP65

	V	W	L mm		
1840WBM	230	60	360	1	018400120

1841BM

230V inspection lamp with fluorescent bulb

IP55

	V	W	L mm		
1841BM	230	11	470	1	018410101

1841ABM

24V inspection lamp with fluorescent bulb

IP55

	V	W	L mm		
1841ABM	24	11	470	1	018410110

1842XBM

LED inspection lamp, 110÷230V, 350 lumens

IP55

	V	W	L mm		
1842XBM	110-230	7	470	1	018420201

1842XABM

LED inspection lamp, 24V, 350 lumens

IP55

	V	W	L mm		
1842XABM	24	7	470	1	018420211

1843BM

automatic cable reel with 230 Vac inspection lamp, base type E27 and steel protector

- Bulb not included

1843BM	1	018430101

1843R/BM

spare inspection lamp for cable reels, base type E27

- Bulb not included

IP20

1843 R/BM	1	018430131

1843WBM

automatic cable reel with 230 Vac inspection lamp, base type E27

- Bulb not included

1843WBM	1	018430120

1843R/WBM

spare inspection lamp for cable reels, base type E27

- Bulb not included

IP65

1843 R/WBM	1	018430132

1844BM

automatic cable reel
with 230 Vac fluorescent inspection lamp

- With 230/24V safety transformer
- 11W bulb included

1844BM	1	018440104

1844ABM

automatic cable reel
with 24 Vac fluorescent inspection lamp

- 11W bulb included

1844ABM	1	018440102

1844R/BM

spare inspection lamp for cable reels, with fluorescent bulb

IP55

1844 R/BM	1	018440131

1846XBM

automatic cable reel
with 230 Vac LED inspection lamp

- With 230/24V safety transformer
- Max. 25W

1846XBM	1	018460201

1846XABM

automatic cable reel
with 24 Vac LED inspection lamp

- Max. 60W

1846XABM	1	018460211

1846R/XBM

spare LED inspection lamp for cable reel

IP55

1846R/XBM	1	018460231

1847P

combination voltage and continuity tester

TECHNICAL DATA
Voltage range:6÷690V AC/DC
Frequency range: 0÷100Hz
Peak voltage resistance: 8 kV
Input resistance: ≥300kΩ
Input current: Is< 2,5 mA a 690V
Continuity test: <500 kΩ
2 AAA batteries

1847P	1	018470010

1847K

non-contact detector of AC voltage
with LED mini-torch

testing range: 200÷1000 V AC
50/60 Hz

	L mm		
1847K	180	1	018470101

1848

automatic cable reel
with Schuko type socket

- Max. 1600 W with unwound cable
- Max. 1200 W with wound cable

1848		018480015

1850B

heat gun

- Pos. 1 240 l/min. 300° C
- Pos. 2 450 l/min. 500° C
- can be used with gun placed vertically on worktop

	L mm	H mm		
1850B	240	190	1	018500011

1850C

heat gun

- Pos. I 150-250 l/min 50°C
- Pos. II 150-500 l/min 50-650°C

• digital display
• buttons designed to adjust temperature and flow capacity
• can be used with gun placed vertically on a worktop
• 4 preset programmes and possibility to customize other programmes

- Prog 1 250°C ca. 350 l/min
- Prog 2 350°C ca. 400 l/min
- Prog 3 450°C ca. 500 l/min
- Prog 4 550°C ca. 400 l/min

	L mm	H mm		
1850C	255	210	1	018500015

1850U...

nozzles for items 1850B and 1850C



	1850		
1850UB	B-C	1	018500100
1850UF	B-C	1	018500101
1850UP	B-C	1	018500102
1850UR	C	1	018500103

1851VK

hot glue gun with 12 thermofusible glue sticks in case

1851VK	1	018510058

320x250x50 mm

1851VK-12C

12 thermofusible glue sticks
Ø 11 mm

1851VK-12C	1	018510062

1860K/140A

inverter welding machine, suitable for motor generators, compact and easy to carry. Complete with cables, hammer brush, mask and shoulder strap.

Adjustment current: 5-130A
Power supply: 1x230V
Absorbed power: MAX 3.0 KVA
Use factor: 35% - 130 A
60% - 80 A
100% - 70 A
Delayed fuse: 20 A
Protection: IP23
Use with generators:
Operating temperature: -15/+40° C (+5/+104° F)
Usable electrodes: Ø 1.5 - 3.25mm

1860K/140A	1	018600014

1860K/160A

inverter welding machine, suitable for motor generators, compact and easy to carry. Complete with cables, hammer brush, mask and shoulder strap.

Adjustment current: 5-155A
Power supply: 1x230V
Absorbed power: MAX 3.7 KVA
Use factor: 35% - 150 A
60% - 130 A
100% - 100 A
Delayed fuse: 20 A
Protection: IP21
Use with generators:
Operating temperature: -15/+40° C (+5/+104° F)
Usable electrodes: Ø 1.5 - 4mm

1860K/160A	1	018600016

1860R/C

cables and clamps for inverter 1860K

1860R/C	1	018600501

1879

9.5 l manual/pneumatic operation fluid extractor

1879	1	018790001

1880

manual barrel pump

	gr		
1880	240	1	018800001

1881

pneumatic barrel pump, ratio 3:1

	l/min		
1881	14	1	018810001

1882

oil gun with flexible end and automatic drip catcher

- 1/2"
- Maximum delivery rate: 65 l/min
- Maximum operating pressure: 100 bar
- Lockable delivery lever

1882	1	018820010

1883

digital litre counter for oil

- 1/2"
- Shockproof rubber coating
- Battery: 1 CR2 (included)
- Max. delivery rate: 0÷35 l/min (0÷9 gal/min)
- Max. pressure: 50 bar (750 psi)
- Viscosity: 8÷5000 mPas
- Tolerance: ±0.5%

CE

1883	1	018830035

1883NC

male-male nipple, 1/2, for items 1882 and 1883

1883NC	1	018830135

2252

seat with castors



2252 O	1	022520001
2252 G	1	022520002
2252 R	1	022520003

2252KR4

spare seat castors

2252KR4	1	022520900

3000M/LT

creeper

- PVC lining with upholstered foamed rubber designed for remarkable comfort

ADJUSTABLE HEAD-REST BY PROGRESSIVE AIR SPRING

3000M/LT	1	030000220

7,3 kg

3000M/RLS

spare creeper castors

3000M/RLS	1	030000206

3002

creeper and seat

- Steel frame
- PVC lining with upholstery
- Easily convertible into a creeper or a seat



3002	1	030020001

3003

creeper made of shockproof plastic

- Wheel Ø: 76 mm

3003	1	030030001

3009

wheel lifter

Maximum lifting capacity: 550 kg
4 pivoting rollers
Roller width: 200 mm
For wheels up to 240 mm in width

A	B		
400÷850 mm	600 mm	1	030090001

3010/T...

jack stands, pair



C max kg	H min mm	H max mm	H1 mm	L mm	L1 mm		
2000	280	425	245	185	165		
3010/T2						1	030100002
3000	285	430	250	180	195		
3010/T3						1	030100003
6000	400	580	340	245	280		
3010/T6						1	030100006
10000	471	735	420	330	290		
3010/T10						1	030100010

3011/T

hydraulic bottle jacks

C max kg	H min mm	H max mm	L mm		
3500	170	366	86		
3011/T3,5				1	030110035
5000	203	467	118		
3011/T5				1	030110050
10000	220	484	114		
3011/T10				1	030110100
15000	230	497	113		
3011/T15				1	030110150
20.000	406	521	115		
3011/T20				1	030110200

3012

engine bracket



L mm	C max kg		
1500	500	1	030120010
1800	400	1	030120018

3012I

lower engine bracket



L mm	H mm			
3012I	630÷960	190	1	030120250

3014

engine stand

3014	1	030140010	

3014 SAR

folding engine stand

- **Easy to fold up, for significantly increased compactness**
- **Allows 360° rotation of engine or gear**
- **Provides unparalleled safety and stability during jobs**

Maximum capacity: 450 kg

3014 SAR	1	030140360	

3014SAR/1

fluid collection tank
for item 3014 SAR



3014 SAR/1	1	030140361	

1020x1010x11 mm

3014SAR/2

clamp for fixing transmission gear on stand
item 3014 SAR



3014 SAR/2	1	030140362	

3025

folding hydraulic crane with dual effect pump

Maximum capacity: 1 t

3025	3025	1	030250001

3026 0,5

hydraulic pit and under bridge jack

Maximum capacity: 500 kg

3026 0,5	1	030260005	

3027

hydraulic press with moving piston
20 t

Maximum capacity: 20 t

3027	1	030270020	

3027/KP

set of pin punches and plate
for press item 3027



3027/KP	1	030270520

3030/2T

lowered car jack, 2 t
with 6 wheels

- **dual front tilting wheels made of plastic material (PTFE)**
- **car jack can be easily handled on uneven, irregular floors**
- **maximum capacity: 2 tons**

CE

3030	1	030300020

43 kg

3030/2TRP

spare 85-mm rubber plate
for item 3030/2T

3030/2TRP	5	030300501

3040

rear motorcycle stand
adjustable

- **Matt black lacquer**
- **Polyamide slider holder**
- **4 thermoplastic rubber wheels**

3040	1	030400001

3040A/1

V-shaped sliders, pair
for item 3040

3040A/1	1	030400501

3040A/2

L-shaped sliders, pair, made of rubber
for item 3040

3040A/2	1	030400502

3040A/6-8-10

pawls, pair, made of aluminium
for item 3040A/1

3040A/6 M6x1 mm Aprilia, Yamaha, Triumph	1	030400506
3040A/8 M8x1.25 mm Suzuki, Honda, Ducati	1	030400508
3040A/10 M10x1.25 mm Kawasaki	1	030400510

3041

front motorcycle stand
adjustable

- **Matt black lacquer**
- **Polyamide slider holder**
- **4 thermoplastic rubber wheels**

3041	1	030410001

3041A/11

roller sliders, pair
for item 3041

3041 A/11	1	030410511

3041A/15

cone-shaped sliders, pair
for item 3041

3041 A/15	1	030410515

3042

front stand
for motorcycle steering pin

- **Matt black lacquer**
- **4 thermoplastic rubber wheels**
- **Includes a 6-pin kit**

3042	1	030420001

3042/K6P

6-pin kit for motorcycle stand item 3042

(already included in item 3042)

3042/K6P	1	030420101

3043

motorcycle stand
with left single arm

- **Matt black lacquer**
- **Polyamide slider holder**
- **4 thermoplastic rubber wheels**

3043	1	030430001

3043A/41÷47

pin
for item 3043

3043A/41 Ducati	1	030430541
3043A/42 Triumph	1	030430542
3043A/43 MV	1	030430543
3043A/44 Ducati 1098	1	030430544
3043A/45 Honda	1	030430545
3043A/46 BMW F800S	1	030430546
3043A/47 BMW K,R,S	1	030430547

INSULATED TOOLS

Beta Utensili's insulated tools are meant to guarantee installation and electrical maintenance men's safety. All of the insulated tools make it possible to work on systems up to 1000V on alternating current and up to 1500V on direct current. To provide the highest quality and performance standards and verify fitness and compliance with EN 60900, **each tool is subjected to the following stringent tests:** handle resistance to slipping and flame propagation, and high voltage test (10000V). For assortments and thermoformed trays, see relevant sections.

52MQ

single open end wrenches

1000 V

EN 60900

mm	L mm		
10	110	1	000520110
11	120	1	000520111
12	132	1	000520112
13	140	1	000520113
14	146	1	000520114
15	166	1	000520115
17	168	1	000520117
19	176	1	000520119
22	200	1	000520122
24	225	1	000520124

89MQ

single ring wrenches

1000 V

EN 60900

mm	L mm		
10	170	1	000890110
11	180	1	000890111
12	190	1	000890112
13	195	1	000890113
14	200	1	000890114
15	210	1	000890115
17	218	1	000890117
19	240	1	000890119
22	255	1	000890122
24	280	1	000890124

110MQ

adjustable wrench with scale

1000 V

EN 60900

L mm	A max		
250	30	1	001100525

606MQ/50

click-type torque wrench
with reversible ratchet

1000 V

EN 60900
UNI EN 26789
ISO 6789

Nm	Kgfm	lbf.ft	A mm	L mm	g
5÷50	0,5÷5	4÷40	90	375	1130

606MQ/50	1	006060705

850MQ

magnetic bit holder, insulated,
with bimaterial handle



1000 V

IMQ CSV

L mm	L1 mm	D mm		
233	125	12.5	1	008500910

920MQ/A

hexagon sockets

1000 V

EN 60900

mm	Ø mm	L mm	Ø1 mm		
8	21,5	57	27,5	1	009200238
10	21,5	57	27,5	1	009200240
11	21,5	57	27,5	1	009200241
12	23,0	57	27,5	1	009200242
13	23,0	57	27,5	1	009200243
14	23,0	57	27,5	1	009200244
17	30,0	57	27,5	1	009200247
19	32,2	57	27,5	1	009200249
22	36,0	57	27,5	1	009200252
24	39,0	57	27,5	1	009200254

920MQ/PE

socket drivers for hexagon screws

1000 V

EN 60900

	Ø mm	L mm	L1 mm		
5	28.5	94.5	10.5	1	009200265
6	28.5	94.5	10.5	1	009200266
8	28.5	94.5	10.5	1	009200268

920MQ/21

1/2" square drive extension bar

1000 V

EN 60900

L mm	Ø mm		
135	28	1	009200804

920MQ/22

1/2" square drive extension bar

1000 V

EN 60900

L mm	Ø mm		
264	30	1	009200805

920MQ/T

1/2" square drive, T-handle



1000 V

EN 60900

L mm	L1 mm		
200	163	1	009200807

920MQ/55A

1/2" square drive reversible ratchet
with socket locking system

1000 V

EN 60900

L mm	D mm	A mm		
240	50	89	1	009200809

920MQ/C16

9 hexagon sockets,
3 socket drivers for hexagon screws
and 4 accessories

1000 V

EN 60900

920MQ/C16	1	009200917

920MQ/A	8 - 10 - 12 - 13 - 14 - 17 - 19 - 22 - 24 mm
920MQ/PE	5 - 6 - 8 mm
920MQ/21	135 mm
920MQ/22	264 mm
920MQ/55A	
920MQ/T	

420x280x60 mm - 5,2 kg

943MQ

hexagon nut spinners with handles



1000 V

EN 60900

mm	L mm	L1 mm	D mm		
5,5	233	125	12,2	1	009430235
6	233	125	12,5	1	009430236
7	240	125	14,3	1	009430237
8	240	125	15,3	1	009430238
10	252	125	17,3	1	009430240
13	252	125	21,3	1	009430243



943MQ/S6 5,5-6-7-8-10-13 mm	1	009430250

951MQ

T-handle wrenches with hexagon male ends

EN 60900

mm	L mm	L1 mm		
4	165	105	1	009510704
5	170	105	1	009510705
6	168	105	1	009510706
8	165	105	1	009510708

993MQ

bent knurled point spring tweezers

EN 60900

L mm		
147	1	009930040

994MQ

straight knurled point spring tweezers

EN 60900

L mm		
145	1	009940040

1010MQ

long round nose pliers

EN 60900

L mm	L1 mm		
160	51,5	1	010100096

1048MQ

slip joint pliers, boxed joint

- **Chrome-plated finish**



EN60900

L mm	A max mm	L1 mm		
250	48	39	1	010480315

1082MQ

diagonal cutting nippers

EN 60900

L mm	L1 mm	mm		
140	20	1,6	1	010820094
160	22	1,6	1	010820096

1084MQ

heavy duty diagonal cutting nippers

EN 60900

L mm	L1 mm	mm		
200	26	2,0	1	010840100

1088MQ

end cutting nippers



EN 60900

L mm	L1 mm	mm		
160	7	1,6	1	010880096

1127MQ

electrician's scissors, stainless steel blades, with microteeth

L mm	L1 mm		
180	40	1	011270101

1132MQ

cable cutter with insulated handles for copper and aluminium cables



EN 60900

L mm	mm		
230	17	1	011320193

1142MQ

wire stripping pliers

EN 60900

L mm	mm²		
160	0,5÷6	1	011420096

1150MQ

combination pliers, bright chrome-plated

EN 60900

L mm	L1 mm	mm		
160	37	1,6	1	011500096
180	39	1,8	1	011500098
200	43	2,0	1	011500100
220	46	2,0	1	011500102

1162MQ

extra long flat nose pliers

EN 60900

L mm	L1 mm	mm		
160	56	1,6	1	011620096
200	76	1,6	1	011620100

1164MQ

extra-long bent flat nose pliers

1000 V

L mm	L1 mm	mm		
160	54	1,6	1	011640096
200	76	1,6	1	011640100

1166MQ

extra long needle nose pliers

1000 V

EN 60900

L mm	L1 mm	mm		
160	56	1,6	1	011660096
200	76	1,6	1	011660100

1168MQ

extra long bent needle nose pliers

1000 V

EN 60900

L mm	L1 mm	mm		
160	50	1,6	1	011680096
200	70	1,6	1	011680100

1272MQ

screwdrivers
for cross head Phillips® screws



1000 V

EN 60900

PHxDxL mm	L1 mm		
0x3x60	160	3	012720703
1x4,5x80	187	3	012720709
2x6x100	218	3	012720718
3x8x150	276	2	012720724
4x10x200	326	2	012720727



1272MQ/S5	1	012720751

PH0x3x60-PH1x4,5x80
PH2x6x100-PH3x8x150
PH4x10x200 mm

1273MQ/D6

set of 6 screwdrivers

1000 V

1273MQ/D6	1	012730851

1274MQ	0,5x3x100 -0,8x4x100 1,0x5,5x125 mm
1272MQ	PH0x3x60 -PH1x4,5x80 PH2x6x100 mm

1274MQ

screwdrivers for headless slotted screws



1000 V

EN 60900

SxDxL mm	L1 mm		
0,4x2,5x75	175	3	012740700
0,5x3x100	200	3	012740703
0,8x4x100	207	3	012740706
1x5,5x125	232	3	012740709
1,2x6,5x150	268	3	012740712
1,2x8x175	301	2	012740715
1,6x10x200	326	2	012740718



1274MQ/S6	1	012740751

0,5x3x100-0,8x4x100
1x5,5x125-1,2x6,5x150
1,2x8x175-1,6x10x200 mm

1279MQ

screwdrivers for cross head
Pozidriv®-Supadriv® screws

1000 V

EN 60900

PZ	L mm	L1 mm		
0	60	160	3	012790703
1	80	187	3	012790709
2	100	218	3	012790718
3	150	276	2	012790724



1279MQ/S4	1	012790751

PZ 0-1-2-3

1725MQ

mini-hacksaw frame

1000 V

	L mm	H mm		
1725MQ	260	85	1	017250030

1777MQ/C

cable stripping knife, insulated

- **for multicore cables**

1000 V

	L mm		
1777MQ/C	190	1	017770026

1777MQ/U

cable stripping knife, insulated

1000 V

	L mm		
1777MQ/U	190	1	017770011

1777RL/U

4 spare blades for utility knife 1777MQ/U

1777RL/U	1	017770021

1995MQ/T

insulating mat



1000 V

VDE 0303

	LxSxH mm		
1995MQ/T	1000x1000x4	1	019950030

1995MQ/G1 - G2

insulating gloves in latex

1000 V

EN 60903

	Gr.	L mm		
1995MQ/G1	9	410	1	019950010
1995MQ/G2	10	410	1	019950013

Beta INOX STAINLESS STEEL

STAINLESS STEEL + NO STAINLESS STEEL= RUST

STAINLESS STEEL + STAINLESS STEEL= NO RUST

The **BETA INOX** tools can be used in **critical environments** - that is, in areas where the minimum level of contamination is not permitted.
Some examples are:
- Nuclear applications
- Pharmaceutical production
- Offshore applications
- Biotechnological and biomedical laboratories
- Food industry.

The Beta Inox tools avoid **improper rust formation.**
Whenever any tools other than those made of stainless steel are used on stainless steel screws, nuts or surfaces, a few particles may come off the tools, thereby triggering corrosion. This often results in aesthetic problems and, sometimes, in structural problems as well.
Examples of applications are:
- Shipyards
- Building
- Solar systems
- Car industry.

CHARACTERISTICS
Accurate selection of the materials[1] and the expert quest for the best heat treatment provide the Beta Inox tools with **mechanical characteristics** which far exceed the standards and are comparable to those of the other Beta tools.

These tools share the same ergonomic properties and design as the other Beta tools, which have been known to, and appreciated by, professional users for over 75 years.

Stainless steel is 100% recyclable, which is also a major plus.

[1] *Beta Utensili uses magnetic stainless steel AISI 420*

42INOX

combination wrenches
made of stainless steel

mm	L mm		
8x8	116	2	000420308
10x10	137	2	000420310
11x11	148	2	000420311
12x12	158	2	000420312
13x13	169	2	000420313
14x14	180	2	000420314
15x15	190	2	000420315
17x17	212	2	000420317
19x19	233	2	000420319

42INOX/SC9 8-10-11-12-13-14-15-17-19 mm	1	000420387
42/SCV9I	1	000420103

96BPINOX

ball head offset hexagon key wrenches,
made of stainless steel

mm	L mm	L1 mm		
2,5	91	22	4	000961442
3	101	24	4	000961443
4	112	29	4	000961444
5	131	33	4	000961445
6	154	36	4	000961446
8	175	44	2	000961448
10	197	51	2	000961450

96BPINOX/B7 2,5-3-4-5-6-8-10 mm	1	000961454
96/BV	1	000961459

96TINOX

offset hexagon key wrenches,
with high-torque handles,
made of stainless steel



mm	L mm	L1 mm		
2.5	153	55	2	000961935
3	153	55	2	000961936
4	179	70	2	000961938
5	200	84	2	000961940
6	221	95	2	000961941

96TINOX/S5 2,5-3-4-5-6 mm	1	000961952

1290INOX

screwdrivers for slotted head screws
made of stainless steel



SxAxL mm	L1 mm	Ø mm		
0.4x2.5x50	146	2.5	4	012900403
0.5x3x75	171	3.0	4	012900409
0.8x4x100	196	4.0	4	012900430
1.x5.5x150	259	5.0	4	012900442
1.2x6.5x150	270	6.0	4	012900451

1292INOX

screwdrivers for cross head Phillips® screws,
made of stainless steel



PHxDxL mm	L1 mm		
0x3x60	156	4	012920403
1x4.5x80	189	4	012920409
2x6x100	220	4	012920418

1293INOX/D8

screwdriver set
made of stainless steel

1293INOX/D8		1	012930408
1290INOX	2,5x50-3x75		
1292INOX	4x100-5,5x150-6,5x150 mm PH0x60-PH1x80 PH2x100 mm		

SPARK-PROOF TOOLS
COPPER-BERILLIUM
CU-BE

The Beta sparkproof tools are certified by the Federal Institute for Materials Research and Testing, BAM, under European Directive 99/92/EC.

CLASSIFICATION OF AREAS SUBJECT TO EXPLOSION RISK			
ATEX	**HIGH**	**MEDIUM-LOW**	**EXTREMELY LOW**
GASES	**ZONE 0** An area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is continuously present or present for long periods or frequently.	**ZONE 1** An area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is likely to occur in normal operation.	**ZONE 2** An area in which an explosive atmosphere consisting of a mixture of air and flammable substances in the form of gas, vapour or mist is not likely to occur in normal operation but, if it does occur, will persist for a short period only.
DUSTS	**ZONE 20** An area in which an explosive atmosphere in the form of a cloud of combustible dust in air is continuously present or present for long periods or frequently.	**ZONE 21** An area in which an explosive atmosphere in the form of a cloud of combustible dust in air is likely to occur in normal operation occasionally.	**ZONE 22** An area in which an explosive atmosphere in the form of a cloud of combustible dust in air is not likely to occur in normal operation but, if it does occur, will persist for a short period only.

The Beta spark-proof tools are specially designed for safe operations in environments subject to potential risk of explosion, in the presence of flammable liquids or gases, or for any applications that require using perfectly antimagnetic, corrosion-resistant tools.

Composition	Be	1,8 ÷ 2,3%
	Co+Ni	Min 0,2 %
	Co+Ni+Fe	Max 1,2 %
	Cu	Compensating
Hardness	310 ÷ 360 Brinell	
Tensile strength	1050 ÷ 1200 N/mm^2	
Yield point	840 ÷ 880 N/mm^2	

WARNING! Risk of explosion in ACETYLENE environment

30BA

sparkproof drift punches

Ø mm	L mm		
5	150	1	000300806
8	150	1	000300808
10	150	1	000300810

31BA

sparkproof pin punches

Ø mm	L mm		
3	110	1	000310853
4	110	1	000310854
6	115	1	000310856
8	120	1	000310858

34BA

sparkproof flat chisels

L mm	A mm		
200	22	1	000340801
300	24	1	000340802

39BA

sparkproof wedges

L mm	A mm		
150	40	1	000390801
230	40	1	000390802
250	40	1	000390803

42BA

sparkproof combination wrenches, open bi-hex ring ends

mm	L mm		
6x6	105	1	000420806
7x7	105	1	000420807
8x8	120	1	000420808
9x9	120	1	000420809
10x10	135	1	000420810
11x11	135	1	000420811
12x12	150	1	000420812
13x13	150	1	000420813
14x14	175	1	000420814
15x15	175	1	000420815
16x16	195	1	000420816
17x17	200	1	000420817
19x19	220	1	000420819
20x20	230	1	000420820
21x21	240	1	000420821
22x22	250	1	000420822
24x24	268	1	000420824
27x27	290	1	000420827
30x30	313	1	000420830
32x32	333	1	000420832
35X35	360	1	000420835
36x36	355	1	000420836
38x38	430	1	000420838
41x41	430	1	000420841
46x46	480	1	000420846
50x50	520	1	000420850
55x55	560	1	000420855
60x60	580	1	000420860
★65x65	595	1	000420865
★70x70	630	1	000420870

42BA/AS

sparkproof combination wrenches, open bi-hex ring ends

"	L mm		
3/8x3/8	128	1	000420950
7/16x7/16	135	1	000420951
1/2x1/2	140	1	000420953
9/16x9/16	163	1	000420954
5/8x5/8	177	1	000420956
11/16x11/16	195	1	000420957
3/4x3/4	215	1	000420959
13/16x13/16	230	1	000420961
7/8x7/8	235	1	000420962
15/16x15/16	256	1	000420964
1x1	266	1	000420965
1.1/16x1.1/16	283	1	000420967
1.1/8x1.1/8	297	1	000420969
1.3/16x1.3/16	308	1	000420970
1.1/4x1.1/4	324	1	000420973

55BA

sparkproof double open end wrenches

mm	L mm		
6x7	90	1	000550801
8x9	100	1	000550802
10x11	120	1	000550803
12x13	130	1	000550804
14x15	145	1	000550805
16x17	165	1	000550807
18x19	170	1	000550809
20x22	185	1	000550811
21x23	210	1	000550813
22x24	210	1	000550815
24x26	230	1	000550817
24x27	230	1	000550818
25x28	230	1	000550819
27x29	246	1	000550820
30x32	265	1	000550822
36x38	320	1	000550826
36x41	335	1	000550828
41x46	355	1	000550829
★46x50	370	1	000550830
★50x55	385	1	000550831
★55x60	415	1	000550832

55BA/AS

sparkproof double open end wrenches

"	L mm		
3/8x7/16	110	1	000550853
1/2x9/16	130	1	000550854
5/8x11/16	160	1	000550857
3/4x13/16	180	1	000550859
7/8x15/16	210	1	000550865
1x1.1/16	230	1	000550868
1.1/8x1.3/16	245	1	000550870
1.1/4x1.5/16	255	1	000550872

58BA

sparkproof open end slogging wrenches

mm	L mm		
17	125	1	000580817
19	125	1	000580819
22	135	1	000580822
24	150	1	000580824
27	165	1	000580827
30	180	1	000580830
32	190	1	000580832
36	210	1	000580836
38	220	1	000580838
41	230	1	000580841
46	240	1	000580846
50	255	1	000580850
★55	305	1	000580855
★60	315	1	000580860

78BA

sparkproof bi-hex ring slogging wrenches

mm	L mm		
17	145	1	000780817
19	145	1	000780819
22	165	1	000780822
24	140	1	000780824
27	155	1	000780827
30	165	1	000780830
32	180	1	000780832
34	192	1	000780834
36	208	1	000780836
38	215	1	000780838
41	225	1	000780841
46	245	1	000780846
50	250	1	000780850
55	265	1	000780855
60	275	1	000780860
65	295	1	000780865
70	310	1	000780870
75	325	1	000780875
80	340	1	000780880

78BA/AS

sparkproof bi-hex ring slogging wrenches

"	L mm		
1.1/4	177	1	000780910
1.7/16	208	1	000780912
1.5/8	225	1	000780914
1.13/16	243	1	000780916
2	254	1	000780918
2.3/16	264	1	000780920
2.3/8	275	1	000780922
★2.9/16	286	1	000780924
★2.15/16	311	1	000780926
★3.1/8	325	1	000780928
★3.1/2	355	1	000780930

89BA

spark-proof single ring wrenches

mm	L mm		
10	200	1	000890810
11	210	1	000890811
12	220	1	000890812
13	230	1	000890813
14	240	1	000890814
16	260	1	000890816
17	270	1	000890817
18	280	1	000890818
19	300	1	000890819
20	310	1	000890820
22	330	1	000890822
24	350	1	000890824
27	370	1	000890827
30	400	1	000890830
32	420	1	000890832

90BA

sparkproof double ended offset ring wrenches

mm	L mm		
10x11	155	1	000900803
12x13	175	1	000900806
14x17	220	1	000900809
16x18	235	1	000900812
18x19	265	1	000900815
20x22	295	1	000900818
22x24	315	1	000900821
24x27	340	1	000900823
30x32	395	1	000900824
34x36	410	1	000900826
★36x41	450	1	000900828
★41x46	470	1	000900829
★46x50	490	1	000900830

91BA

sparkproof heavy duty offset ring wrenches

mm	Ø mm		
24	38	1	000910824
27	42	1	000910827
30	48	1	000910830
32	49	1	000910832
36	54	1	000910836
41	62	1	000910841
★46	69	1	000910846
★50	75	1	000910850
★55	82	1	000910855

92BA

sparkproof tubes for item 91BA

	L mm	91BA mm	Ø mm		
92BA/1	460	34÷30	25	1	000920810
92BA/2	610	32÷41	28	1	000920820
★92BA/3	760	46÷55	32	1	000920830

93BA

ratcheting double-ended offset ring wrench for scaffolding bolts, sparkproof

mm	L mm		
21x22	345	1	000930821

95BA

double ended flat ring wrenches, sparkproof

mm	L mm		
7x9	115	1	000950801
10x11	140	1	000950804
14x17	165	1	000950807
★16x18	170	1	000950809
★18x19	185	1	000950810
★21x23	230	1	000950815
★24x27	255	1	000950817

96BA

sparkproof offset hexagon key wrenches

mm	L mm	L1 mm		
2	50	16	1	000960762
3	63	21	1	000960763
4	69	25	1	000960764
5	78	29	1	000960765
6	88	33	1	000960766
7	93	34	1	000960767
8	97	36	1	000960768
9	104	37	1	000960769
10	110	39	1	000960770
12	122	44	1	000960772

96BA/BP

ball head offset hexagon key wrenches, sparkproof

mm	L mm	L1 mm		
3	60	20	1	000961803
4	66	25	1	000961804
5	75	28	1	000961805
6	84	32	1	000961806
8	92	36	1	000961808
10	102	40	1	000961810
12	113	45	1	000961812

99BA

sparkproof hook wrenches with square noses, for ring nuts UNI/ISO 2982, 2983

mm	A mm		
32-75	4,0	1	000990803
50-120	4,5	1	000990805
115-170	4,5	1	000990811

110BA

sparkproof adjustable wrenches

L mm	A max		
150	18	1	001100815
200	24	1	001100820
250	32	1	001100825
300	39	1	001100830
375	48	1	001100837
★450	55	1	001100845

330BA

sparkproof pipe cutters for gas pipes

	Ø max	L mm		
330BA/2	50 mm 2"	375	1	003300802

363BA

sparkproof heavy duty pipe wrenches

L mm	Ø max	Ø max mm		
250	1" gas	34	1	003630825
300	1"1/2 gas	49	1	003630830
350	2" gas	60	1	003630835
450	2"1/2 gas	76	1	003630845
600	3" gas	90	1	003630860

378BA

sparkproof pipe wrench, Swedish pattern, made from copper/beryllium alloy

L mm	Ø max		
430	1" 1/2	1	003780800
530	2"	1	003780801

386BA

sparkproof heavy duty reversible chain pipe wrenches

L mm	Ø max mm	L1 mm		
600	100	470	1	003860806
900	200	750	1	003860809

921BA

sparkproof bi-hex sockets

12"

mm	Ø mm	L mm		
10	16,5	40	1	009210810
11	17,5	40	1	009210811
12	18,5	40	1	009210812
13	19,5	40	1	009210813
14	20,0	40	1	009210814
15	21,5	40	1	009210815
16	24,0	40	1	009210816
17	25,0	40	1	009210817
18	25,0	40	1	009210818
19	28,0	42	1	009210819
20	29,0	42	1	009210820
21	30,0	43	1	009210821
22	30,5	43	1	009210822
24	34,0	43	1	009210824
25	36,0	43	1	009210825
26	37,5	43	1	009210826
27	37,5	45	1	009210827
28	38,9	46	1	009210828
30	41,5	46	1	009210830
32	43,5	46	1	009210832

921BA/21 - 921BA/22

sparkproof 1/2" wobble extension bars

12"



	L mm	Ø mm		
921BA/21	125	30	1	009210842
921BA/22	250	31	1	009210844

921BA/42

sparkproof 1/2" drive sliding T handle

12"



L mm		
250	1	009210846

921BA/25

sparkproof 1/2" drive universal joint

L mm	Ø mm	□	■		
80	25	1/2	1/2	1	009210845

921BA/50

sparkproof 1/2" drive push-through square ratchet

12"



L mm	D mm	A mm		
250	45	16,5	1	009210850

926BA

sparkproof bi-hex hand sockets

3/4"

mm	Ø mm	L mm		
24	40	55	1	009260824
26	40	55	1	009260826
27	40	55	1	009260827
28	41	55	1	009260828
30	43	60	1	009260830
32	45	60	1	009260832
34	48	60	1	009260834
36	50	60	1	009260836
38	53	60	1	009260838
41	57	65	1	009260841
46	63	65	1	009260846
50	68	70	1	009260850

926BA/22

sparkproof 3/4" drive extension bars

	L mm	Ø mm		
926BA/22	200	38	1	009260872

926BA/42

sparkproof 3/4" drive slide T-handle



L mm		
400	1	009260876

926BA/50

sparkproof 3/4" push-through drive ratchet

L mm	D mm	S mm		
300	61	22	1	009260880

937BA

hexagon socket wrenches, sparkproof

mm	L mm	A mm		
13	240	45	1	009370813
17	260	51	1	009370817
19	270	55	1	009370819
22	278	59	1	009370822
24	286	63	1	009370824
27	294	69	1	009370827
30	302	75	1	009370830
32	310	81	1	009370832
★36	330	85	1	009370836
★41	350	90	1	009370841

961BA

sparkproof scrapers

L mm	A mm		
250	39	1	009610802
350	55	1	009610806

963BA

sparkproof pry bar
with pointed and flat bent ends

L mm	A mm		
500	24	1	009630801
★800	24	1	009630803
★1000	30	1	009630805

964BA

sparkproof wrench bungs

L mm		
385	1	009640801

964BA/L

universal shears for barrels,
sparkproof

For opening edged metal barrels

	L mm		
★964BA/L	510	1	009640821

965BA

safety valve wrenches, sparkproof

A mm	A1 mm	L mm		
30	44	200	1	009650830
32	50	300	1	009650832
35	47	250	1	009650835
40	50	300	1	009650840
45	58	350	1	009650845
48	62	375	1	009650848
50	67	400	1	009650850
55	73	450	1	009650855
60	79	500	1	009650860
★65	82	550	1	009650865
★70	85	600	1	009650870

966BA

sparkproof safety valve wrench



L mm	L1 mm		
350	40	1	009660801

966BA/V

sparkproof safety valve wrench



L mm	L1 mm		
370	36	1	009660812
430	48	1	009660814

1046BA

sparkproof slip joint pliers



L mm	A max mm		
250	32	1	010460801
★300	52	1	010460803

1082BA

sparkproof diagonal cutting nippers

L mm	L1 mm		
160	22	1	010820801

1137BA

blasting pliers

L mm		
185	1	011370801

1137BA/RC

spare blade for item 1137BA

1137BA/RC	1	011370851

1150BA

sparkproof combination pliers

L mm	L1 mm		
200	40	1	011500820

1162BA

sparkproof extra-long flat knurled nose pliers

L mm	L1 mm		
150	54	1	011620815

1166BA

sparkproof extra-long needle knurled nose pliers

L mm	L1 mm		
150	54	1	011660815

1270BA

sparkproof screwdrivers for slotted head screws

AxL mm	L1 mm		
3x75	178	1	012700803
4x100	209	1	012700804
5x150	250	1	012700805
6x150	270	1	012700806
10x250	382	1	012700810
8x200	312	1	012700808

1272BA

sparkproof screwdrivers for cross head Phillips® screws

PHxDxL mm	L1 mm		
1x5x100	209	1	012720801
2x6x150	270	1	012720802
3x8x200	332	1	012720803

1370BA

sparkproof engineer's hammers, wooden shafts

g	L1 mm	L mm		
500	108	310	1	013700805
1000	137	340	1	013700810

1370BA/MR

spare shafts for item 1370BA

1370BA/MR500 1370BA/500	1	013700865
1370BA/MR1000 1370BA/1000	1	013700870

1377BA

sparkproof ball pein hammers, round heads, for coppersmiths and tinsmiths

g	L1 mm	L mm		
340	90	280	1	013770834

1379BA

sparkproof scraping hammer, wooden shaft

g	L1 mm	L mm		
500	142	315	1	013790850

1380BA

sparkproof lump hammers, wooden shafts

g	L1 mm	L mm		
1500	118	397	1	013800815
2000	126	449	1	013800820

1380BA/MR

spare shafts for item 1380BA

1380BA/MR1500 1380BA/1500	1	013800865
1380BA/MR2000 1380BA/2000	1	013800870

1381BA

sparkproof sledge hammer, wooden shaft

g	L1 mm	L mm		
5000	179	900	1	013810850
★8000	190	900	1	013810858

1381BA/MR

spare shaft for item 1381BA

1381BA/MR5000 1381BA/5000	1	013810870
★**1381BA/MR8000** 1381BA/8000	1	013810878

1390BA

spark-proof soft face hammer

Ø mm	L mm	L1 mm		
★**52**	370	130	1	013900805

1701BA

sparkproof hexagon chisel

L mm	A mm	S mm		
150	12	10	1	017010810
200	16	14	1	017010814
350	19	17	1	017010817

1703BA/P

sparkproof pick

A mm	L mm	L1 mm		
56	410	1050	1	017030150

1703BA/PL

sparkproof shovel



A mm	L1 mm	L mm		
240	420	990	1	017030200

1717BA

sparkproof rigid spatulas

A mm		
60	1	017170801
80	1	017170803

1717BA/1

sparkproof wall scraper

A mm	L mm		
100	220	1	017170805

1719BA

sparkproof files, 8"

	L mm		
1719BA/P	200	1	017190801
1719BA/M	200	1	017190805
1719BA/R	200	1	017190810
1719BA/T	200	1	017190815
1719BA/Q	200	1	017190820

1727BA

sparkproof hacksaw and blade

L mm	L1 mm		
500	300	1	017270801

1728BA

spark-proof blades for hacksaw frames, made from copper-beryllium alloy

L mm		
300	1	017280801

1737BA

brush with sparkproof wires

L mm	A mm		
294	29	1	017370801

1776BA

sparkproof knife

L1 mm	L mm		
145	250	1	017760801

1784BA

sparkproof scissors

L mm		
225	1	017840822

PNEUMATIC TOOLS AND ACCESSORIES

For over ten years Beta Utensili has been consolidating its expertise in the pneumatic tool industry, developing a comprehensive range of products for the automotive and industrial maintenance markets.

The range includes several accessories for air treatment with FRL units, ¼" to ½", and tool supply with a wide choice of PU hoses and quick couplers.

1921B1

baby reversible air ratchet

1/4"

Free speed	**350 rpm**
Max. torque	24 Nm
Working pressure	**6.2 bars**
Mean air consumption	68 l/min
Internal hose size (Ø)	**8 mm**
Bolt capacity	CI 8.8 M7⬢11 mm
Bolt capacity	**CI 12.9 M6⬢10 mm**

"	g		
1/4	450	1	019210001

1921M1

compact reversible air ratchet

1/4"

Free speed	**200 rpm**
Max. torque	27 Nm
Working pressure	**6.2 bars**
Mean air consumption	96 l/min
Internal hose size (Ø)	**8 mm**
Bolt capacity	CI 8.8 M7⬢11 mm
Bolt capacity	**CI 12.9 M6⬢10 mm**

"	g		
1/4	640	1	019210005

1921M2

compact reversible air ratchet

3/8"

Free speed	**200 rpm**
Max. torque	27 Nm
Working pressure	**6.2 bars**
Mean air consumption	96 l/min
Internal hose size (Ø)	**8 mm**
Bolt capacity	CI 8.8 M7⬢11 mm
Bolt capacity	**CI 12.9 M6⬢10 mm**

"	g		
3/8	640	1	019210015

1921N3

reversible ratchet

1/2"

Free speed	**150 rpm**
Max. torque	68 Nm
Working pressure	**6.2 bars**
Mean air consumption	140 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	CI 8.8 M10⬢16 mm
Bolt capacity	**CI 12.9 M8⬢13 mm**

"	kg		
1/2	1,22	1	019210025

1921I

impact reversible ratchet

• **"Pin Clutch" impulse device**

1/2"

Free speed	**400 rpm**
Max. torque	101 Nm
Working pressure	**6,2 Bar**
Mean air consumption	235 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	CI 8.8 M10⬢16 mm
Bolt capacity	**CI 12.9 M8⬢13 mm**

"	kg		
1/2	1,28	1	019210035

1924B

compact reversible impact wrench

• **"Pin Clutch" impulse device**

3/8"

Free speed	**10,000 rpm**
Maximum torque	353 Nm
Working pressure	**6.2 bar**
Mean air consumption	80 l/min
Internal hose size (Ø)	**8 mm**
Bolt capacity	CI 8.8 M16⬢24 mm
Bolt capacity	**CI 12.9 M14⬢21 mm**

"	kg		
3/8	1,5	1	019240021

1924CD

reversible impact wrench,
made from composite material

• **Double hammer impulse device**

3/8"

Free speed	**10,000 rpm**
Max. torque	410 Nm
Operating torque	**250 Nm**
Air inlet	¼" GAS
Working pressure	**6.2 bar**
Mean air consumption	79 l/min
Internal hose Ø	**8 mm**
Bolt capacity	CL 8.8 M16⬢24mm
Bolt capacity	**CL 12.9 M14⬢21mm**

"	kg		
3/8	1,25	1	019240007

1927CD

reversible impact wrench,
made from composite material

• **Double hammer impulse device**

Free speed	**7,000 rpm**
Max. torque	1020 Nm
Working pressure	**6.2 bars**
Mean air consumption	130 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	Cl 8.8 M22⬢34 mm
Bolt capacity	**Cl 12.9 M18⬢27 mm**

■ "	kg		
1/2	1,9	1	019270007

1927MDA

compact reversible impact wrench

• **Double hammer impulse device**

Free speed	**11,000 rpm**
Maximum torque	680 Nm
Working pressure	**6.2 bar**
Mean air consumption	160 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	Cl 8.8 M22⬢34 mm
Bolt capacity	**Cl 12.9 M18⬢27 mm**

■ "	kg		
1/2	1,56	1	019270028

1927DA

reversible impact wrench

• **Double hammer impulse device**



Free speed	**7,000 rpm**
Max. torque	650 Nm
Working pressure	**6.2 bars**
Mean air consumption	155 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	Cl 8.8 M22⬢34 mm
Bolt capacity	**Cl 12.9 M18⬢27 mm**

■ "	kg		
1/2	2,7	1	019270033

1927P

reversible impact wrench, made from composite material

• **Double hammer impulse device**

Free speed	**7,500 rpm**
Hammer face	Double hammer
Maximum torque	**1750 Nm**
Working pressure	6.2 bar
Mean air consumption	**290 l/min**
Internal hose size (Ø)	9.5 mm
Bolt capacity	**Cl 8.8 M24⬢36 mm**
Bolt capacity	Cl 12.9 M20⬢30 mm

■ "	kg		
1/2	2,0	1	019270008

1927A

reversible impact wrench

• **"Pin Clutch" impulse device**

Free speed	**7000 rpm**
Max. torque	610 Nm
Working pressure	**6.2 bar**
Mean air consumption	160 l/min
Ø internal hose size	**10 mm**
Bolt capacity	Cl 8.8 M22⬢34 mm
Bolt capacity	**Cl 12.9 M18⬢27 mm**

■ "	kg		
1/2	2,7	1	019270002

1927K4

assortment of one reversible impact wrench and four impact sockets, long series

• **"Pin Clutch" impulse device**

Free speed	**7,000 rpm**
Max. torque	610 Nm
Working pressure	**6.2 bars**
Mean air consumption	175 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	Cl 8.8 M22⬢34 mm
Bolt capacity	**Cl 12.9 M18⬢27 mm**
Weight	2,7 Kg

■ "	kg		
1/2	4,65	1	019270104

360x320x85 mm

1928CD

reversible impact wrench,
made from composite material

• **Double hammer impulse device**

Free speed	**4.500 rpm**
Max. torque	1,800 Nm
Operating torque	**1,290 Nm**
Air inlet	3/8" GAS
Working pressure	**6.2 bar**
Mean air consumption	215 l/min
Internal hose Ø	**10 mm**
Bolt capacity	CL 8.8 M27⬢41mm
Bolt capacity	**CL 12.9 M22⬢34mm**

■ "	kg		
3/4	3,5	1	019280007

1928DAL

reversible impact wrench

• **Double hammer impulse device**



Free speed	**5,000 rpm**
Maximum torque	1695 Nm
Working pressure	**6.2 bar**
Mean air consumption	240 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	CI 8.8 M27⬢41 mm
Bolt capacity	**CI 12.9 M24⬢36 mm**

■ "	kg		
3/4	4,8	1	019280023

1930CD

reversible impact wrench,
made from composite material

• **Double hammer impulse device**

Free speed	**4000 rpm**
Max. torque	2445 Nm
Working pressure	**6.2 bar**
Mean air consumption	410 l/min
Internal hose Ø	**13 mm**
Bolt capacity	CI 8.8 M36⬢55 mm
Bolt capacity	**CI 12.9 M30⬢46 mm**

■ "	kg		
1	7,1	1	019300022

1928DA

reversible impact wrench

• **Double hammer impulse device**

Free speed	**5,000 rpm**
Max. torque	1695 Nm
Working pressure	**6.2 bars**
Mean air consumption	240 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	CI 8.8 M27⬢41 mm
Bolt capacity	**CI 12.9 M24⬢36 mm**

■ "	kg		
3/4	4,3	1	019280022

1928K4

assortment of one reversible impact wrench
and four impact sockets, long series

• **"Pin Clutch" impulse device**

728L 27-30-32-36 mm

Free speed	**4,000 rpm**
Max. torque	1493 Nm
Working pressure	**6.2 bars**
Mean air consumption	260 l/min
Internal hose size (Ø)	**10 mm**
Bolt capacity	CI 8.8 M27⬢41 mm
Bolt capacity	**CI 12.9 M24⬢36 mm**
Weight	5,2 Kg

■ "	kg		
3/4	9,3	1	019280104

410x330x106 mm

1930NCD

reversible impact wrench,
made from composite material

• **Double hammer impulse device**



Free speed	**4000 rpm**
Max. torque	2445 Nm
Working pressure	**6.2 bar**
Mean air consumption	410 l/min
Internal hose Ø	**13 mm**
Bolt capacity	CI 8.8 M36⬢55 mm
Bolt capacity	**CI 12.9 M30⬢46 mm**

■ "	kg		
1	8,75	1	019300027

1930PA

reversible impact wrench

• **Double hammer impulse device**

Free speed	**3500 rpm**
Max. torque	2445 Nm
Working pressure	**6,2 bars**
Mean air consumption	350 l/min
Ø internal hose size	**13 mm**
Bolt capacity	Cl 8.8 M36⬢55 mm
Bolt capacity	**Cl 12.9 M30⬢46 mm**

■ "	kg		
1	9,6	1	019300032

1930HLA

reversible impact wrench

• **Double hammer impulse device**

Free speed	**3,000 rpm**
Maximum torque	3661 Nm
Working pressure	**6.2 bar**
Mean air consumption	460 l/min
Internal hose size (Ø)	**13 mm**
Bolt capacity	Cl 8.8 M42⬢65 mm
Bolt capacity	**Cl 12.9 M33⬢50 mm**

■ "	kg		
1	16,4	1	019300040

1931CD6

reversible drill,
made from composite material

Chuck capacity	**1÷6 mm**
Spindle thread	3/8" - 24UNF
Free speed	**2,600 rpm**
Power	0.23 kW
Working pressure	**6.2 bars**
Mean air consumption	130 l/min
Internal hose size (Ø)	**8 mm**

kg		
590	1	019310006

1930LA

reversible impact wrench

• **Double hammer impulse device**



Free speed	**4.000 rpm**
Max. torque	2445 Nm
Working pressure	**6,2 Bar**
Mean air consumption	460 l/min
Internal hose size (Ø)	**13 mm**
Bolt capacity	Cl 8.8 M36⬢55 mm
Bolt capacity	**Cl 12.9 M30⬢46 mm**

■ "	kg		
1	10,6	1	019300037

1930ZL

reversible impact wrench

• **Double hammer impulse device**

Free speed	**3,000 rpm**
Maximum torque	4068 Nm
Working pressure	**6.2 bar**
Mean air consumption	480 l/min
Internal hose size (Ø)	**13 mm**
Bolt capacity	Cl 8.8 M42⬢65 mm
Bolt capacity	**Cl 12.9 M36⬢55 mm**

■ "	kg		
1 1/2	15	1	019300070

1931CD10

reversible drill,
made from composite material

Chuck capacity	**1÷10 mm**
Spindle thread	3/8" - 24UNF
Free speed	**1,800 rpm**
Power	0.38 kW
Working pressure	**6.2 bars**
Mean air consumption	170 l/min
Internal hose size (Ø)	**10 mm**

kg		
1,01	1	019310010

1931CD13

reversible drill,
made from composite material

Chuck capacity	**1÷13 mm**
Spindle thread	1/2" - 20UNC
Free speed	**800 rpm**
Power	0.38 kW
Working pressure	**6.2 bars**
Mean air consumption	170 l/min
Internal hose size (Ø)	**10 mm**

kg 1,29 — 1 019310013

1931AN10

reversible angle drill

Chuck capacity	**1÷10 mm**
Spindle thread	3/8" - 24UNF
Free speed	**1,400 rpm**
Power	0.38 kW
Working pressure	**6.2 bars**
Mean air consumption	150 l/min
Internal hose size (Ø)	**10 mm**

kg 1,05 — 1 019310030

1932B10

reversible drill

Chuck capacity	**1÷10 mm**
Spindle thread	3/8" - 24UNF
Free speed	**1,800 rpm**
Power	0.44 kW
Working pressure	**6.2 bars**
Mean air consumption	160 l/min
Internal hose size (Ø)	**10 mm**

kg 1,15 — 1 019320040

1932RS13

reversible drill

Chuck capacity	**1.5÷13 mm**
Spindle thread	1/2" - 20UNC
Free speed	**750 rpm**
Power	0.55 kW
Working pressure	**6.2 bars**
Mean air consumption	160 l/min
Internal hose size (Ø)	**10 mm**

kg 1,4 — 1 019320043

1933

die grinder

Chuck capacity	**3 - 6 mm**
Free speed	25,000 rpm
Power	**0.20 kW**
Working pressure	6.2 bars
Mean air consumption	**230 l/min**
Internal hose size (Ø)	10 mm

g 380 — 1 019330001

1933I

die grinder

Chuck capacity	**3 - 6 mm**
Free speed	20,000 rpm
Power	**0.38 kW**
Working pressure	6.2 bars
Mean air consumption	**220 l/min**
Internal hose size (Ø)	10 mm

g 670 — 1 019330005

1933L

long spindle die grinder

Chuck capacity	**3 - 6 mm**
Free speed	25,000 rpm
Power	**0.20 kW**
Working pressure	6.2 bars
Mean air consumption	**230 l/min**
Internal hose size (Ø)	10 mm

g 670 — 1 019330015

1933IL

long spindle die grinder

• **High power**

Chuck capacity	**3 - 6 mm**
Free speed	20,000 rpm
Power	**0.38 kW**
Working pressure	6.2 bar
Mean air consumption	**230 l/min**
Internal hose size (Ø)	10 mm

kg 1,4 — 1 019330010

1933AN90

angle grinder

Chuck capacity	**3 - 6 mm**
Free speed	20,000 rpm
Power	**0.20 kW**
Working pressure	6.2 bars
Mean air consumption	**230 l/min**
Internal hose size (Ø)	10 mm

g 510 — 1 019330020

1934BV

low-speed buffer

Chuck capacity	**3-6 mm**
Free speed	3,700 rpm
Power	**0.37 kW**
Working pressure	6.2 bar
Mean air consumption	**113 l/min**
Internal hose size (Ø)	10 mm

g 840 — 1 019340000

1934MAV

micro die grinder

Chuck capacity	**3 mm**
Free speed	56,000 rpm
Power	**0.04 kW**
Working pressure	6.2 bar
Mean air consumption	**113 l/min**
Internal hose size (Ø)	4.5 mm

g 205 — 1 019340010

1934MAV70

high-speed micro die grinder

Chuck capacity	**3 mm**
Free speed	70,000 rpm
Power	**0.08 kW**
Working pressure	6.2 bar
Mean air consumption	**115 l/min**
Internal hose size (Ø)	4.5 mm

g 210 — 1 019340030

1935E

reversible air screwdriver

Free speed	**1,800 rpm**
Torque range	12 Nm
Working pressure	**6.2 bars**
Mean air consumption	150 l/min
Internal hose size (Ø)	**10 mm**
Screw capacity	6-9 M
Bit holder	**⬣ 1/4"**

kg 1,15 — 1 019350040

1935F

reversible air screwdriver

Free speed	**800 rpm**
Torque range	16 Nm
Working pressure	**6.2 bars**
Mean air consumption	150 l/min
Internal hose size (Ø)	**10 mm**
Screw capacity	6-9 M
Bit holder	**⬣ 1/4"**

kg 1,3 — 1 019350045

1936/5A

angle grinder

Grinding disc size	**125 mm**
Spindle thread	M14
Free speed	**10,000 rpm**
Power	0.66 kW
Working pressure	**6.2 bar**
Mean air consumption	390 l/min
Internal hose size (Ø)	**10 mm**

kg		
1,87	1	019360025

1936/5

angle grinder



Grinding disc size	**125 mm**
Spindle thread	M14
Free speed	**12000 rpm**
Power	0,7 Kw
Working pressure	**6,2 bars**
Mean air consumption	380 l/min
Ø internal hose size	**10 mm**

kg		
1,98	1	019360005

1936/7

angle grinder

Grinding disc size	**178 mm**
Spindle thread	M14
Free speed	**7000 rpm**
Power	1,4 Kw
Working pressure	**6,2 bars**
Mean air consumption	500 l/min
Ø internal hose size	**13 mm**

kg		
3,4	1	019360007

1937

roto-orbital palm sander,
lubrication free, made from composite material

- **Orbit diameter: 5 mm**

Pad size	**150 mm**
Orbit diameter	5 mm
Free speed	**12,000 rpm**
Spindle thread	5/16"-24
Working pressure	**6.2 bar**
Mean air consumption	170 l/min
Internal hose size (Ø)	**10 mm**

g		
860	1	019370001

1937R/P

6-hole pad, Ø 150 mm,
for item 1937

1937R/P	1 019370002

1937M

multi-use sander
with 16 accessories

Free speed	**3,500 rpm**
Working pressure	6.2 bar
Mean air consumption	**113 l/min**
Internal hose size (Ø)	10 mm
Sander weight	**1.5 kg**

kg		
4,5	1	019370011

458x415x116 mm

1937M-01÷11

accessories for item 1937M

	L mm	1937M-		
1937M-01	30		1	019370101
1937M-02	30		1	019370102
1937M-03	11		1	019370103
1937M-04	23		1	019370104
1937M-05	11		1	019370105
1937M-06	23		1	019370106
* **1937M-07**	16		1	019370107
1937M-08	13	07	1	019370108
1937M-09	26	07	1	019370109
1937M-10	23	01, 02, 04, 06	1	019370110
1937M-11	11	03, 05	1	019370111

1937N10

pneumatic belt sander

Belt size	**10x330 mm**
Free speed	18,000 rpm
Working pressure	**6.2 bar**
Mean air consumption	374 l/min
Internal hose size (Ø)	**10 mm**

kg		
0,85	1	019370041

1937N10-GR

sand belts for item 1937N10

	P		
1937N10-GR60	60	1	019370146
1937N10-GR80	80	1	019370148
1937N10-GR100	100	1	019370150
1937N10-GR120	120	1	019370152

1937N20

pneumatic belt sander

Belt size	**20x520 mm**
Free speed	16,000 rpm
Working pressure	**6.2 bar**
Mean air consumption	400 l/min
Internal hose size (Ø)	**10 mm**

kg		
1,6	1	019370051

1937N20-GR

sand belts for item 1937N20

	P		
1937N20-GR60	60	1	019370156
1937N20-GR80	80	1	019370158
1937N20-GR100	100	1	019370160
1937N20-GR120	120	1	019370162

1938

windscreen remover

Oscillations/minute	**20,000**
Working pressure	6.2 bar
Mean air consumption	**200 l/min**
Internal hose size (Ø)	6.5 mm

kg		
1	1	019380021

1938R/L

blades for windscreen removers



	L mm		
1938R/L1	57	1	019380041
1938R/L2	90	1	019380042
1938R/L3	50	1	019380043
1938R/L4	16	1	019380044
1938R/L5	36	1	019380045

1938R/S5

set of 5 blades for item 1938

1938R/S5	1	019380055

1940

air hammer

Chisel inlet	**⬡ 11 mm**
Piston size	19 mm
Piston stroke	**67 mm**
Strokes per minute	3500
Working pressure	**6,2 bars**
Mean air consumption	240 l/min
Ø internal hose size	**8 mm**

kg		
1,92	1	019400001

1940MT

spare retainer spring for item 1940

1940MT	5	019400110

1940HD

air hammer

Chisel inlet	**⬡ 11 mm**
Piston size	19 mm
Piston stroke	**58 mm**
Strokes per minute	3000
Working pressure	**6,2 bars**
Mean air consumption	280 l/min
Ø internal hose size	**8 mm**

kg		
1,86	1	019400002

1940MT/HD

spare retainer spring for item 1940HD

1940MT/HD	5	019400111

1940S...

chisels for air hammers
items 1940 and 1940HD

1940SN	5	019400020
1940ST	5	019400021
1940SD	5	019400022
1940SPS	5	019400023
1940SDT	5	019400024

1940/S5

set of 5 chisels for air hammers
items 1940 and 1940HD

1940/S5	1 019400030

1942

air saw

Strokes per minute	**5000**
Stroke length	10 mm
Working pressure	**6,2 bars**
Mean air consumption	200 l/min
Ø internal hose size	**6 mm**

kg 1,05	1 019420001

1942S

silenced air saw

Strokes per minute	**9000**
Stroke length	10 mm
Working pressure	**6,2 bars**
Mean air consumption	210 l/min
Ø internal hose size	**8 mm**

g 700	1 019420002

1942LR

bimetal blades, 32 teeth
for air saw item 1942S

1942LR	5 019420032

1944

needle scaler

N°. of needles	**19**
Needle size (Ø)	3 mm
Stroke length	**33 mm**
Strokes per minute	3000
Working pressure	**6.2 bar**
Mean air consumption	140 l/min
Internal hose size (Ø)	**8 mm**

kg 2,63	1 019440001

1944AR

set of 19 needles for needle scaler
item 1944

1944AR	1 019440005

1944L

straight needle scaler

Number of needles	**28**
Needle size, Ø	3 mm
Stroke length	**33 mm**
Strokes per minute	2800
Working pressure	**6.2 bar**
Mean air consumption	250 l/min
Internal hose size (Ø)	**8 mm**

kg 5,4	1 019440021

1944L/RA

Set of 28 needles
for item 1944L

1944L/RA	1 019440025

1946

air riveter

- **Supplied with interchangeable nozzles, 2.4-3.2-4.0-4.8 mm long**

Traction power	**8000 N**
Stroke length	14 mm
Working pressure	**6,2 bars**
Mean air consumption	1,2 l/cycles
Ø internal hose size	**6 mm**
Maximum rivet capacity	Ø aluminium 4,8 mm

kg 1,51	1 019460001

1946C4,8

air riveter

- **Automatic air suction**
- **Supplied assembled for 2.4 - 3.2 - 4.0 - 4.8 mm long steel, stainless steel, aluminium and copper rivets**

Traction power	**8900 N**
Stroke length	15 mm
Working pressure	**6.2 bar**
Air consumption	113 l/min
Internal hose size (Ø)	**10 mm**
Maximum rivet capacity	stainless steel Ø: 4.8 mm

kg 1,48	1 019460006

1946C7,8

air riveter

- **Automatic air suction**
- **Supplied assembled for 4,8 - 5.6 - 6.4 - 7.8 mm long steel, stainless steel, aluminium and copper rivets**

Traction power	**16900 N**
Stroke length	22.5 mm
Working pressure	**6.2 bar**
Air consumption	113 l/min
Internal hose size (Ø)	**10 mm**
Maximum rivet capacity	stainless steel Ø: 7.8 mm

kg		
1,8	1	019460008

1947

bonding gun

Tube size	**50x210 mm**
Cartridge capacity	350 ml
Working pressure	**6.2 bar**
Mean air consumption	**120 l/min**
Internal hose size (Ø)	**10 mm**

kg		
1,1	1	019470001

1948

engraving pen

Working pressure	**6,2 bars**
Mean air consumption	50 l/min

g		
150	1	019480001

1948PR

spare carbide bit for item 1948

1948PR	1 019480005

1949BC

progressive blow gun with rubber nozzle

- **Durable, shockproof composite material body**
- **Replaceable scratchproof rubber nozzle**
- **Threaded aluminium insert: 1/4" GAS, female**
- **Operating pressure: 6-8 bar**
- **Maximum operating pressure: 15 bar**
- **Mean air consumption: 87 l/min**
- **Operating temperature: -20 °C ÷ 70 °C**

g		
1949 BC	113	1 019490022

1949BC/RU

rubber nozzle for item 1949BC

1949BC/RU	5 019490122

1949T

telescopic progressive blow gun

- **Hard-wearing, shockproof composite material body**
- **Telescopic steel swivel tube: 165 mm ÷ 300 mm**
- **Threaded aluminium insert: 1/4" GAS, female**
- **Operating pressure: 6÷8 bar**
- **Maximum operating pressure: 15 bar**
- **Mean air consumption: 144 l/min**
- **Operating temperature: -20 °C ÷ 70 °C**

g		
1949T	158	1 019490040

1949F

progressive blow gun

- **Special valve and sensitive lever allow progressive opening of circuit, resulting in optimized air flow**
- **1/4" GAS female threaded insert**
- **Maximum operating pressure: 10 bars**
- **Operating temperature: -15°C +70°C.**

g		
1949F	133	5 019490027

1949G

progressive blow gun with air regulator

- **Special valve and sensitive lever allow progressive opening of circuit, resulting in optimized air flow**
- **1/4" GAS female threaded insert**
- **Maximum operating pressure: 10 bars**
- **Operating temperature: -15°C +70°C.**

g		
1949G	145	5 019490035

1949DGT

digital tyre inflator

- operating pressure: 0÷11 bar
- 4 measurement units: psi/bar/kgcm2/kpa
- backlit LCD display
- ABS housing with protective shell
- power supply: 2 AAA size 1.5V batteries

	bar		
1949DGT	0-11	1	019490020

1949GP

tyre inflator ABS housing

1949GP	1	019490010

1949GPE

tyre inflator

Operating pressure:
0÷11 bar 10÷160 psi
pressure release function
pressure measuring function
gauge coated with shockproof rubber
360 degree hose rotation

	bar		
1949GPE	0÷11	1	019490008

1949R/NIP

1/4" GAS threaded coupling
for item 1949GP

1949R/NIP	1	019490113

1901BM/8

automatic hose reel
shock-proof plastic body
for compressed air or cold water
• **Max. operating pressure: 12 bar**



A mm	B mm		
310	300	1	019010111

1901/10

automatic hose reel,
shock-proof plastic body,
for compressed air or cold water
• **Max. working pressure: 12 bars**

	A mm	B mm		
1901/10	470	330	1	019010010

1910

automatic hose reel aluminium body,
for compressed air or cold water

• **Max. pressure: 12 bars**

	A mm	B mm		
1910	400	370	1	019100001

1914

polyurethane recoil hoses, 98 Shore,
extendable

L m	D1xD mm	Ø GAS BSP		
4	5x8	1/4"	1	019140054
6	5x8	1/4"	1	019140056
10	5x8	1/4"	1	019140060

1915B

polyurethane recoil hoses, 95 Shore,
extendable up to 9 m



D1xD mm	Ø GAS BSP		
6,5x10	1/4"	1	019150011
8x12	1/4"	1	019150012
11x16	3/8"	1	019150013

1915C

polyurethane recoil hoses, 95 Shore, extendable up to 12 m



D1xD mm	Ø GAS BSP		
6,5x10	1/4"	1	019150014
8x12	1/4"	1	019150015
11x16	3/8"	1	019150016

1915C/L

polyurethane recoil hoses, 95 Shore, extendable up to 15 m



D1xD mm	Ø GAS BSP		
8x12	1/4"	1	019150115
11x16	3/8"	1	019150116

1915D

braided polyurethane hose, 95 Shore, 9 metres long

D1xD mm	Ø GAS BSP		
8x12	1/4"	1	019150017
11x16	3/8"	1	019150018

1915E

braided polyurethane hose, 95 Shore, 12 metres long

D1xD mm	Ø GAS BSP		
8x12	1/4"	1	019150019
11x16	3/8"	1	019150020

1915E/XL

braided polyurethane coils, 95 Shore, 50 m long

D1xD mm	Ø GAS BSP		
8x12	1/4"	1	019150519
11x16	3/8"	1	019150520

1916I

quick couplings Italian profile, zinc-plated carbonitrided steel, male threaded (BSP)

Ø GAS BSP		
1/4"	5	019160001
3/8"	5	019160002

1916G

quick couplings European profile, zinc-plated carbonitrided steel, male threaded, tapered (BSPT)

Ø GAS BSPT		
1/4"	5	019160005
3/8"	5	019160010
1/2"	5	019160012

1917M

universal ball quick couplers, shockproof rubber made from nickel-plated brass, male threaded (BSP)

Ø GAS BSP		
1/4"	5	019170001
3/8"	5	019170003
1/2"	5	019170004

1917F

universal ball quick couplers, shockproof rubber made from nickel-plated brass, female threaded (BSP)

Ø GAS BSP		
1/4"	5	019170005
3/8"	5	019170010

1917RS

rotary universal coupler

- **Made of orange anodized aluminium female threaded, GAS cylindrical (BSP) male threaded, GAS conical (BSPT)**
- **Matches all joints with Italian and European profiles**

Ø GAS BSP	Ø GAS BSPT		
1/4"	1/4"	1	019170250

1919FE1/4

filter-regulator-lubricator

Pressure gauge inlet	**1/4" GAS BSPT**
Pressure gauge inlet	1/8" GAS BSPT
Maximum air capacity	**750 l/min**
Maximum pressure	9,5 bars
Working pressure	**0,5 - 8,5 Bar**
Working temperature	5 - 60 °C
Filter capacity	**5 micron**
Cup capacity	15 cc air / 25 cc oil

g		
700	1	019190200

1919RB-FE1/4

set of spare cups for item 1919FE1/4

1919RB-FE1/4	1	019190210

1919RF-FE1/4

spare filter for item 1919FE1/4

1919RF-FE1/4	1	019190230

1919RM-FE1/4

spare pressure gauge
for item 1919FE1/4

1919RM-FE1/4	1	019190220

1919F1/4

filter-regulator-lubricator

Air in/outlet	**1/4" GAS BSPT**
Maximum air capacity	1000 l/min
Maximum pressure	**9,5 bars**
Working pressure	0,5 - 8,5 bars
Working temperature	**5 - 60 °C**
Filter capacity	5 micron
Cup capacity	**60 cc air / 90 cc oil**

kg		
1,3	1	019190250

1919F3/8

filter-regulator-lubricator

Air in/outlet	**3/8" GAS BSPT**
Maximum air capacity	1350 l/min
Maximum pressure	**9,5 bars**
Working pressure	0,5 - 8,5 bars
Working temperature	**5 - 60 °C**
Filter capacity	5 micron
Cup capacity	**60 cc air / 90 cc oil**

kg		
1,3	1	019190350

1919F1/2

filter-regulator-lubricator

Air in/outlet	**1/2" GAS BSPT**
Maximum air capacity	2500 l/min
Maximum pressure	**9,5 bars**
Working pressure	0,5 - 8,5 bars
Working temperature	**5 - 60 °C**
Filter capacity	5 micron
Cup capacity	**60 cc air / 90 cc oil**

kg		
1,3	1	019190450

1919RB-F

set of spare cups for filters
item 1919F - 1/4", 3/8" and 1/2"

1919RB-F	1	019190510

1919RF-F

spare filter for filters
item 1919F - 1/4", 3/8" and 1/2"

1919RF-F	1	019190530

1919RM-F

spare pressure gauge for filters
item 1919F - 1/4", 3/8" and 1/2"

1919RM-F	1	019190520

1919ML

mini lubricators

Ø		
1/4"	1	019190030
3/8"	1	019190032

1919SC

mini water separator

Ø		
1/4"	1	019190035

1919L

ISO 32 lubricating oil

Density 20°C	**875 Kg/m³**
Viscosity 40°C	32 cSt
Flammability COC	**210°C**

cc		
500	5	019190050

CONTAINERS AND ASSORTMENTS

Aluminium Innovation Technology

Beta
www.beta-tools.com

2001/B26

fabric wallet with assortment of 26 tools

2001/B26	1	020010050

55	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
96N/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1044F	250 mm
1128BMX	145 mm
1150	180 mm
1201	3x75 - 4x100 - 5,5x150 mm
1202	PH1x80 - PH2x100 mm
1370	300 g
1692	2 m
1770A	9 mm

2001/BV26	1	020010051

2005PA/D

tool pouch,
empty, made from nylon, with belt

2005PA/D	1	020050000

2005PA/S

tool pouch,
empty, made from nylon, with belt

2005PA/S	1	020050020

2009N/BV

leather bag for maintenance,
empty

mm		
530x190x210	1	020090200

2009ID

bag with assortment of tools
for plumbing maintenance

2009ID (2009N/BV+5980ID)	1	020090012

2011/BV

bag for electricians,
empty, made from synthetic material,
with ABS sides and removable tool panel

mm		
570x260x370	1	020110200

2011ET

bags with assortments of tools
for electrotechnical maintenance

2011ET/A (2011/BV+5980ET/A)	1	020110127
2011ET/B (2011/BV+5980ET/B)	1	020110129

2014N/VV

synthetic tool bag with three compartments,
nylon insets and removable tool panels, empty

mm		
440x370x170	1	020140200

2014N/VU2

bag with assortment of 49 tools
for universal use

2014N/VU2 (2014N/VV+5915VU/2)	1	020140020

2029/VV

tool case,
made of thick polypropylene,
aluminium edged,
double wall construction

mm		
490x230x380	1	020290000

2029E

tool cases with assortments of tools
for electronic and electrotechnical
maintenance

2029BG/MQ (2029/VV+5980BG/MQ)	1	020290261
2029ET/B (2029/VV+5980ET/B)	1	020290221
2029EL/B (2029/VV+5980EL/B)	1	020290216

2029/RT

universal shoulder strap for bags and cases

2029/RT	1	020290900

2032/VV

wall tool case,
empty, made from plastic,
provided with aluminium profile

mm		
450x390x170	1	020320010

2032E

tool cases with assortments of tools
for electronic and electrotechnical
maintenance

2032ET/A (2032/VV+5980ET/A)	1	020320117
2032EL/A (2032/VV+5980EL/A)	1	020320108

2032/TV

tool trolley, empty,
made of thick polypropylene,
double wall construction,
telescopic handle
and castors with ball bearings

mm		
430x370x200	1	020320110

2032/TE

tool trolley with assortments of tools
for electronic and electrotechnical
maintenance

2032TET/A (2032/TV+5980ET/A)	1	020320227
2032T EL/A (2032/TV+5980EL/A)	1	020320208

2033N/VV

wall tool case,
empty, made from aluminium,
with ABS sides

mm		
500x380x200	1	020330200

2033E

tool cases with assortments of tools
for electronic and electrotechnical
maintenance

2033ET/B (2033N/VV+5980ET/B)	1	020330117
2033EL/B (2033N/VV+5980EL/B)	1	020330105

2034/VV

wall tool case,
empty, made from aluminium

mm		
470x380x170	1	020340200

2034

cases with assortments of tools
for electrotechnical maintenance
and universal use

2034ET/A (2034/VV+5980ET/A)	1	020340114
2034EL/A (2034/VV+5980EL/A)	1	020340107
2034VU/2 (2034/VV+5915V/U2)	1	020340106

2036/TV

tool trolley,
empty, made of thick polypropylene,
aluminium edged, double wall construction,
telescopic handle
and castors with ball bearings

mm		
490x260x380	1	020360000

2036E

trolley with assortments of tools
for electronic and electrotechnical
maintenance

2036ET/B (2036/TV+5980ET/B)	1	020360123
2036EL/B (2036/TV+5980EL/B)	1	020360117

2041UC

Utility Case with assortment of 33 tools

2041UC	1 020410200

55	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm
96/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
111	200 mm
1048V	250 mm
1128BMX	145 mm
1150	180 mm
1201	2,5x50 - 3x75 - 4x100 - 5,5x100 - 6,5x150 mm
1202	PH0x60 - PH1x80 - PH2x100 mm
1370	300 g
1692	3m
1771	170 mm
1834/70	70 Lumen / 140 mm
1639NS-N	25m
1696	200 mm

535x282x87 mm - 4,5 Kg

2051N

assortment of 55 tools
for nautical maintenance
with shockproof polypropylene case

2051N	1 020510200

42	7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm
55AS	3/8x7/16 - 1/2x9/16 - 5/8x11/16"
96/SC9	○1,5÷10 mm
111	200 mm
920A	◎ 10 - 12 - 13 - 14 - 17 - 19 mm
920AS	◎ 7/16 - 1/2 - 9/16 - 11/16 - 7/8"
920/22	255 mm - □1/2 - ■1/2
920/25	□1/2 - ■1/2
920/42	■1/2
920/55	■1/2
956C	□1/2 - 16 - 20,8 mm
1048	250 mm
1084BM	160 mm
1128BMX	145 mm
1150BM	180 mm
1166BM	160 mm
1201	◐3x75 - 4x100 - 5,5x150 - 6,5x150 mm
1202	⊕PH1x80 - PH2x100 mm
1390	Ø 35 mm
1490/2	ø max 240 mm
1737	145 mm
1778X	
1995 WD40	400 ml
1639NS-N	25m

585x393x92 mm - 9 kg

2055HB

"Home Bag" case with assortment of 24 tools

2055HB	1 020550210

55	6x7 - 8x9 - 10x11 - 12x13 mm
96N/SC9	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1128BMX	145 mm
1150	180 mm
1048V	250 mm
1201	3x75 - 4x100 - 5,5x100 mm
1202	PH0x60 - PH1x80 - PH2x100 mm
1370	300 g
1692	3m

373x275x70 mm - 3 Kg

2060/VV

watertight/waterproof/floating
hard cavity wall tool case,
made from thick resin,
with manual pressure release valve,
empty

mm		
490x410x210	1	020600101

2080/VV

portable organizer / tool case, empty

mm		
400x340x70	1	020800101

C5 - 2105

tool rucksack, made of technical fabric

C5	1 021050000
2105VU/0 (C5+5915VU/0)	1 021050120

500x400x180 mm - 2,5 Kg

C6T - 2106

tool rucksack, made of technical fabric, with castors

C6T	1 021060010
2106TVU/0 (C6T+5915VU/0)	1 021060120

480x370x220 mm - 4,5 kg

C8 - 2108

tool trolley made of technical fabric

C8	1 021080000
2108VU/1 (C8+5915VU/1)	1 021080021

470x370x280 mm - 4 kg

C9 - 2109

fabric tool bag

C9	1	021090000
2109VU/1 (C9+5915VU/1)	1	021090021
2109VU/3 (C9+5915VU/3)	1	021090123

550x280x320 mm - 2,6 kg

C9/RT

shoulder strap for items C9 and C10

C9/RT	1	021090900

C10 - 2110

tool box,
made of fabric, with tool tray

C10	1	021100000
2110VU/1 (C10+5915VU/1)	1	021100021
2110VU/3 (C10+5915VU/3)	1	021100023
2110VU/AS (C10+5915VU/AS)	1	021100025

520x220x250 mm - 3,3 kg

C10S - 2110S

tool box, made of fabric,
with tool tray

C10S	1	021100001
2110SVU/1 (C10S+5915VU/1)	1	021100101
2110SVU/3 (C10S+5915VU/3)	1	021100103

420x220x250 mm - 2,3 kg

C11 - 2111

tool box, made of fabric

C11	1	021110000
2111VU/1 (C11+5915VU/1)	1	021110101
2111VU/3 (C11+5915VU/3)	1	021110103

400x240x220 mm - 2 kg

C13

tool trunk with castors,
made of sturdy polypropylene

C13	1	021130000

870x410x350 mm - 7,2 kg

C15 - 2115

tool box,
made from plastic, removable tote-tray

C15	1	021150001
2115VU/1 (C15+5915VU/1)	1	021150031
2115VU/3 (C15+5915VU/3)	1	021150033

480x260x260 mm - 2 kg

C15L - 2115L

tool box,
long series, made from plastic,
removable tote-tray

C15L	1	021150002
2115LVU/1 (C15L+5915VU/1)	1	021150131
2115LVU/3 (C15L+5915VU/3)	1	021150133

560x270x270 mm - 2,3 kg

C16 - 2116

tool box, made of plastic,
with interior object compartment, empty

C16	1	021160000
2116VU/1 (C16+5915VU/1)	1	021160101
2116VU/3 (C16+5915VU/3)	1	021160103

500x260x260 mm - 2,5 kg

CP17 - CP17L - 2117

tool box,
made of stainless steel and plastic,
removable tote-tray

CP17
500x200x220 mm

CP17L
575x245x265 mm

CP17	1	021170500
2117PVU/1 (CP17+5915VU/1)	1	021170041
2117PVU/3 (CP17+5915VU/3)	1	021170043
CP17L	1	021170502
2117PLVU/1 (CP17L+5915VU/1)	1	021170141
2117PLVU/3 (CP17L+5915VU/3)	1	021170143

CP17: 2,5 kg
CP17L: 3,7 kg

C18 - 2118

tool box
made from sheet metal

C18	1	021180001
2118VU/1 (C18+5915VU/1)	1	021180031

450x200x100 mm - 3 kg

C19 - 2119 - C19L - 2119L

three-section cantilever tool box,
made from sheet metal

C19
450x200x160 mm

C19L
550x200x160 mm

C19	1	021190001
C19L	1	021190002
2119VU/3 (C19+5915VU/3)	1	021190023
2119LVU/3 (C19L+5915VU/3)	1	021190123

C19: 3,4 kg
C19L: 4 kg

C20 - C20L - 2120

five-section cantilever tool box,
made from sheet metal

C20
450x200x210 mm

C20L
550x200x210 mm

C20	1	021200001
2120VU/2 (C20+5915VU/2)	1	021200016
2120VU/3 (C20+5915VU/3)	1	021200017
2120VU/4 (C20+5915VU/4)	1	021200018
2120VU/AS (C20+5915VU/AS)	1	021200019
C20L	1	021200002
2120LVU/2 (C20L+5915VU/2)	1	021200116
2120LVU/3 (C20L+5915VU/3)	1	021200117
2120LVU/4 (C20L+5915VU/4)	1	021200118
2120LVU/AS (C20L+5915VU/AS)	1	021200119

C20: 4,3 kg
C20L: 5,4 kg

C22B

tool trunk,
made of sheet metal

C22B O
720x320x310 mm

C22BM O
850x360x350 mm

C22BL O
1010x410x400 mm

C22B O	1	022000150
C22BM O	1	022000160
C22BL O	1	022000170

C22B O: 13 kg
C22BM O: 20 kg
C22BL O: 26 kg

C22W

tool trunk,
made from sheet metal,
lined for enhanced tool protection

C22W O
690x300x360 mm

C22WL O
990x300x360 mm

C22W O	1	022000269
C22WL O	1	022000299

C22W O: 15 kg
C22WL O: 28 kg

C22S - 2200S

portable tool chest
with three drawers

Main features:
- Three drawers (588x277 mm)
  with ball bearing slides:
  1 drawer, 50 mm high
  2 drawers, 70 mm high.
- Front centralized safety lock.
- Retractable side handles for ease of handling.

19 kg

C22S O

C22S G

C22S R

C22S O		1	022000501	
2200S-O/VU1T	(C22S-O+5923VU/1T)	1	022000451	**267**
2200S-O/VI	(C22S-O+5902VI)	1	022000421	**249**
2200S-O/MT	(C22S-O+5902MT)	1	022000431	**277**
2200S-O/MTAS	(C22S-O+5902MT/AS)	1	022000441	**278**
C22S G		1	022000502	
2200S-G/VU1T	(C22S-G+5923VU/1T)	1	022000452	**267**
2200S-G/VI	(C22S-G+5902VI)	1	022000422	**249**
2200S-G/MT	(C22S-G+5902MT)	1	022000432	**277**
2200S-G/MTAS	(C22S-G+5902MT/AS)	1	022000442	**278**
C22S R		1	022000503	
2200S-R/VU1T	(C22S-R+5923VU/1T)	1	022000453	**267**
2200S-R/VI	(C22S-R+5902VI)	1	022000423	**249**
2200S-R/MT	(C22S-R+5902MT)	1	022000433	**277**
2200S-R/MTAS	(C22S-R+5902MT/AS)	1	022000443	**278**

h	max
50 mm	25 kg
70 mm	25 kg







C23S - 2300S

portable tool chest
with five drawers

Main features:
- Five drawers (588x277 mm)
  with ball bearing slides:
  2 drawers, 50 mm high
  3 drawers, 70 mm high.
- Front centralized safety lock.
- Retractable side handles for ease of handling.

26 kg

C23S O

C23S G

C23S R

C23S O		1	023000501	
2300S-O/VU1T	(C23S-O+5923VU/1T)	1	023000441	**267**
2300S-O/VI	(C23S-O+5902VI)	1	023000451	**249**
2300S-O/MT	(C23S-O+5902MT)	1	023000461	**277**
2300S-OMT/AS	(C23S-O+5902MT/AS)	1	023000471	**278**
C23S G		1	023000502	
2300S-G/VU1T	(C23S-G+5923VU/1T)	1	023000442	**267**
2300S-G/VI	(C23S-G+5902VI)	1	023000452	**249**
2300S-G/MT	(C23S-G+5902MT)	1	023000462	**277**
2300S-G/MTAS	(C23S-G+5902MT/AS)	1	023000472	**278**
C23S R		1	023000503	
2300S-R/VU1T	(C23S-R+5923VU/1T)	1	023000443	**267**
2300S-R/VI	(C23S-R+5902VI)	1	023000453	**249**
2300S-R/MT	(C23S-R+5902MT)	1	023000463	**277**
2300S-R/MTAS	(C23S-R+5902MT/AS)	1	023000473	**278**

h	max
50 mm	25 kg
70 mm	25 kg







C23SC - 2300SC

portable tool chest
with eight drawers

Main features:
- Eight drawers with ball bearing slides:
  4 drawers, 50 mm high
  3 drawers, 70 mm high
  1 drawer, 100 mm high.
- Front centralized safety lock.
- Retractable side handles for ease of transport.

28 kg

C23SC O		1	023000511	
2300SC-O/VU1T	(C23SC O+5923VU/1T)	1	023000611	**267**
2300SC-O/VI	(C23SC O+5902VI)	1	023000481	**249**
2300SC-O/MT	(C23SC O+5902MT)	1	023000491	**277**
C23SC G		1	023000512	
2300SC-G/VU1T	(C23SC G+5923VU/1T)	1	023000612	**267**
2300SC-G/VI	(C23SC G+5902VI)	1	023000482	**249**
2300SC-G/MT	(C23SC G+5902MT)	1	023000492	**277**
C23SC R		1	023000513	
2300SC-R/VU1T	(C23SC R+5923VU/1T)	1	023000613	**267**
2300SC-R/VI	(C23SC R+5902VI)	1	023000483	**249**
2300SC-R/MT	(C23SC R+5902MT)	1	023000493	**277**

h	max
50 mm	25 kg
70 mm	25 kg





C23ST - 2300ST

portable tool chest
with five drawers

Main features:
- Five drawers (588x367 mm) with ball bearing slides:
  5 drawers, 70 mm high.
- Front centralized safety lock.
- Load capacity of one drawer: 15 kg
- Can be fitted with kit composed of 4 castors and 1 handle (2300ST/KIT)

29 kg

h	max
70 mm	25 kg





C23ST O		1	023000521	
2300ST-O/VI1T	(C23ST O+5904VI/1T)	1	023000671	**250**
2300ST-O/VG1M	(C23ST O+5904VG/1M)	1	023000685	**279**
C23ST G		1	023000522	
2300ST-G/VI1T	(C23ST G+5904VI/1T)	1	023000672	**250**
2300ST-G/VG1M	(C23ST G+5904VG/1M)	1	023000686	**279**
C23ST R		1	023000523	
2300ST-R/VI1T	(C23ST R+5904VI/1T)	1	023000673	**250**
2300ST-R/VG1M	(C23ST R+5904VG/1M)	1	023000687	**279**

2300ST/KIT

kit with 4 castors and 1 handle for item C23ST

• Four castors 125 mm in Ø:
2 fixed and 2 steering (two with brakes).
• Telescopic handle

6,5 kg

2300ST/KIT	1	023000950

CD23S

Caddy trolley

Main features:
• ABS worktop designed to match tool chests C22S, C23S, C23SC.
• The removable handle can be stored underneath the chassis.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Maximum load: 250 kg.

14 kg

CD23S	1	023000610

C24S/5 - 2400S5

mobile roller cab with five drawers

Main features:
• Five drawers (588x367 mm) with ball bearing slides:
2 drawers, 70 mm high
2 drawers, 140 mm high
1 drawer, 280 mm high
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Front centralized safety lock.
• Static load capacity: 800 kg.
• Thermoplastic worktop designed to match tool chests C22S, C23S, C23SC and C23ST
• Integrated side bottle holder.
• Paper roll holder item 2400S-R/PC can also be included.

52 kg

C24S O/5

C24S G/5

C24S R/5

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

C24S O/5		1	024002051	
2400S5-O/VI1T	(C24S5/O+5904VI/1T)	1	024002504	**250**
2400S5-O/VG2T	(C24S5/O+5904VG/2T)	1	024002514	**280**
2400S5-O/VU1M	(C24S5/ O+5904VU/1M)	1	024002517	**258**
C24S G/5		1	024002052	
2400S5-G/VI1T	(C24S5/G+5904VI/1T)	1	024002505	**250**
2400S5-G/VG2T	(C24S5/G+5904VG/2T)	1	024002515	**280**
2400S5-G/VU1M	(C24S5/G+5904VU/1M)	1	024002518	**258**
C24S R/5		1	024002053	
2400S5-R/VI1T	(C24S5/R+5904VI/1T)	1	024002506	**250**
2400S5-R/VG2T	(C24S5/R+5904VG/2T)	1	024002516	**280**
5400S5-R/VU1M	(C24S5/R+5904VU/1M)	1	024002519	**258**





C24S/6 - 2400S6

mobile roller cab with six drawers

Main features:
• Six drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Front centralized safety lock.
• Static load capacity: 800 kg.
• Thermoplastic worktop designed to match tool chests C22S, C23S, C23SC and C23ST.
• Integrated side bottle holder.
• Paper roll holder item 2400S-R/PC can also be included.

55 kg

800 kg

C24S O/6

C24S G/6

C24S R/6

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg

C24S O/6		1	024002061	
2400S6-O/VI1T	(C24S6/O+5904VI/1T)	1	024002614	**250**
2400S6-O/VU1M	(C24S6/ O+5904VU/1M)	1	024002617	**258**
2400S6-O/VG2T	(C24S6/O+5904VG/2T)	1	024002624	**280**
C24S G/6		1	024002062	
2400S6-G/VI1T	(C24S6/G+5904VI/1T)	1	024002615	**250**
2400S6-G/VU1M	(C24S6/G+5904VU/1M)	1	024002618	**258**
2400S6-G/VG2T	(C24S6/G+5904VG/2T)	1	024002625	**280**
C24S R/6		1	024002063	
2400S6-R/VI1T	(C24S6/R+5904VI/1T)	1	024002616	**250**
2400S6-R/VU1M	(C24S6/R+5904VU/1M)	1	024002619	**258**
2400S6-R/VG2T	(C24S6/R+5904VG/2T)	1	024002626	**280**





C24S/7 - 2400S7

mobile roller cab with seven drawers

Main features:
• Seven drawers (588x367 mm) with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Front centralized safety lock.
• Static load capacity: 800 kg.
• Thermoplastic worktop designed to match tool chests C22S, C23S, C23SC and C23ST
• Integrated side bottle holder.
• Paper roll holder item 2400S-R/PC can also be included.

58 kg

C24S O/7

C24S G/7

C24S R/7

h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg

C24S O/7		1	024002071	
2400S7-O/VG3	(C24S7/O+5904VG/3)	1	024002734	**281**
2400S7-O/VG1M	(C24S7/ O+5904VG/1M)	1	024002741	**279**
2400S7-O/VU2M	(C24S7/O+5904VU/2M)	1	024002744	**259**
2400S7-O/VU3T	(C24S7/O+5904VU/3T)	1	024002747	**260**
C24S G/7		1	024002072	
2400S7-G/VG3	(C24S7/G+5904VG/3)	1	024002735	**281**
2400S7-GVG1M	(C24S7/G+5904VG/1M)	1	024002742	**279**
2400S7-G/VU2M	(C24S7/G+5904VU/2M)	1	024002745	**259**
2400S7-G/VU3T	(C24S7/G+5904VU/3T)	1	024002748	**260**
C24S R/7		1	024002073	
2400S7-R/VG3	(C24S7/R+5904VG/3)	1	024002736	**281**
2400S7-R/VG1M	(C24S7/R+5904VG/1M)	1	024002743	**279**
2400S7-R/VU2M	(C24S7/R+5904VU/2M)	1	024002746	**259**
2400S7-R/VU3T	(C24S7/R+5904VU/3T)	1	024002749	**260**





C24S/8 - 2400S8

mobile roller cab with eight drawers

Main features:
• Eight drawers (588x367 mm) with ball bearing slides:
6 drawers, 70 mm high
2 drawers, 140 mm high
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Front centralized safety lock.
• Static load capacity: 800 kg.
• Thermoplastic worktop designed to match tool chests C22S, C23S, C23SC and C23ST.
• Integrated side bottle holder.
• Paper roll holder item 2400S-R/PC can also be included.

61 kg

h	max
70 mm	25 kg
140 mm	30 kg

C24S O/8		1	024002081	
2400S8-O/VI2T	(C24S8/O+5904VI/2T)	1	024002807	**251**
2400S8-O/VG3	(C24S8/O+5904VG/3)	1	024002814	**281**
2400S8-O/VI3T	(C24S8/O+5904VI/3T)	1	024002817	**252**
2400S8-O/VG5T	(C24S8/O+5904VG/5T)	1	024002824	**282**
C24S G/8		1	024002082	
2400S8-G/VI2T	(C24S8/G+5904VI/2T)	1	024002808	**251**
2400S8-G/VG3	(C24S8/G+5904VG/3)	1	024002815	**281**
2400S8-G/VI3T	(C24S8/G+5904VI/3T)	1	024002818	**252**
2400S8-G/VG5T	(C24S8/G+5904VG/5T)	1	024002825	**282**
C24S R/8		1	024002083	
2400S8-R/VI2T	(C24S8/R+5904VI/2T)	1	024002809	**251**
2400S8-R/VG3	(C24S8/R+5904VG/3)	1	024002816	**281**
2400S8-R/VI3T	(C24S8/R+5904VI/3T)	1	024002819	**252**
2400S8-R/VG5T	(C24S8/R+5904VG/5T)	1	024002826	**282**





C24SA/7 - 2400SA7

mobile roller cab with 7 drawers,
with anti-tilt system

Main features:
• Seven drawers (588x367 mm) with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high
• Drawer bases protected by foamed rubber mats.
• Does not allow simultaneous opening of several drawers
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake)
• Front centralized safety lock
• Static load capacity: 800 kg
• Integrated side bottle holder

58 kg

C24SA-O/7

C24SA-G/7

C24SA-R/7

h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg

C24SA-O/7		1	024002171	
2400SA7-O/VG3	(C24SA7/O+5904VG/3)	1	024002737	**281**
2400SA7-O/VG1M	(C24SA7O+5904VG/1M)	1	024002754	**279**
2400SA7-O/VU3T	(C24SA7O+5904VU/3T)	1	024002757	**260**
C24SA-G/7		1	024002172	
2400SA7-G/VG3	(C24SA7/G+5904VG/3)	1	024002738	**281**
2400SA7-G/VG1M	(C24SA7G+5904VG/1M)	1	024002755	**279**
2400SA7-G/VU3T	(C24SA7G+5904VU/3T)	1	024002758	**260**
C24SA-R/7		1	024002173	
2400SA7-R/VG3	(C24SA7/R+5904VG/3)	1	024002739	**281**
2400SA7-R/VG1M	(C24SA7R+5904VG/1M)	1	024002756	**279**
2400SA7-R/VU3T	(C24SA7R+5904VU/3T)	1	024002759	**260**





C24SA-XL/7 - 2400SAXL7

mobile roller cab with 7 drawers,
with anti-tilt system,
long model

Main features:
• 7 drawers (882x367) mm, with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high
• Sturdy ABS worktop,
with 6 tool trays.
• Sturdy nylon front,
with integrated label holder.
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Front centralized safety lock.
• Static load capacity: 1,000 kg.
• Integrated side bottle holder.

63 kg

C24SA-XL 7/O

C24SA-XL 7/G

C24SA-XL 7/R

h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg

C24SA-XL 7/O	1	024002271	
2400SAXL-O/VI3T (C24SA-XL/7 O+5904VI/3T)	1	024002451	**252**
2400SAXL-O/VG5T (C24SA-XL/7O +5904VG/5T)	1	024002454	**282**
2400SAXL-O/VU2M (C24SA-XL/7 O+5904VU/2M)	1	024002457	**259**
C24SA-XL 7/G	1	024002272	
2400SAXL-G/VI3T (C24SA-XL/7 G+5904VI/3T)	1	024002452	**252**
2400SAXL-G/VG5T (C24SA-XL/7G +5904VG/5T)	1	024002455	**282**
2400SAXL-G/VU2M (C24SA-XL/7 G+5904VU/2M)	1	024002458	**259**
C24SA-XL 7/R	1	024002273	
2400SAXL-R/VI3T (C24SA-XL/7 R+5904VI/3T)	1	024002453	**252**
2400SAXL-R/VG5T (C24SA-XL/7R +5904VG/5T)	1	024002456	**282**
2400SAXL-R/VU2M (C24SA-XL/7 R+5904VU/2M)	1	024002459	**259**



2400S-R/PC

paper roll holder

• Matches roller cabs C24S

0,3 kg

2400S R/PC-O	1	024002951
2400S R/PC-G	1	024002952
2400S R/PC-R	1	024002953

2400S/PF

bottle holder

• Matches roller cabs C24S

0,5 kg

2400S/PF	1	024002906

2499PF

bottle holder

• Can match roller cabs C38, C38A and trolley CX52.

2,5 kg



2499PF O	1	024990210
2499PF G	1	024990219
2499PF R	1	024990230

2499PF/M

universal magnetic bottle holder

2,2 kg

2499PF/M	1	024990050

2499PP/M

magnetic support for impact wrenches

1,5 kg

2499PP/M	1	024990060

2499PC

paper roll holder

- Matches all Tank, NewTeam trolleys and roller cabs and C38, C38A.

2,2 kg

2499PC	1	024990090

C24SL - 2400SL

mobile roller cab
with seven drawers
and side tops

Main features:
• Seven drawers (588x367 mm)
with ball bearing slides:
5 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 210 mm high.
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (two with brakes).
• Front centralized safety lock.
• Static load capacity: 800 kg.
• Multi-ply wood worktop with holes
for a vice
(1599F/100, to be ordered separately).
• Side compartment with vertically adjustable top.
• Integrated paper roll holder.
• Double rear bottle holder.

63 kg

h	max
70 mm	25 kg
140 mm	30 kg
210 mm	30 kg







C24SL O		1	024002101	
2400SL-O/VI2T	(C24SL/O+5904VI/2T)	1	024002407	**251**
2400SL-O/VG3	(C24SL/O+5904VG/3)	1	024002414	**281**
2400SL-O/VU2M	(C24SL/O+5904VU/2M)	1	024002417	**259**
C24SL G		1	024002102	
2400SL-G/VI2T	(C24SL/G+5904VI/2T)	1	024002408	**251**
2400SL-G/VG3	(C24SL/G+5904VG/3)	1	024002415	**281**
2400SL-G/VU2M	(C24SL/G+5904VU/2M)	1	024002418	**259**
C24SL R		1	024002103	
2400SL-R/VI2T	(C24SL/R+5904VI/2T)	1	024002409	**251**
2400SL-R/VG3	(C24SL/R+5904VG/3)	1	024002416	**281**
2400SL-R/VU2M	(C24SL/R+5904VU/2M)	1	024002419	**259**

C25 - 2500

Tank trolley with shelf

Main features:
• Foldaway lid.
• 1 sliding drawer.
• Tool tray protected by foamed rubber mats.
• Shelves protected by oil and fuel proof mats.
• Four castors 100 mm in ø:
2 fixed and 2 swivelling (one with brake).
• Safety lock.
• One more shelf M4 can be added on the opposite side.
• Empty thermoformed tray for 1/2" sockets and accessories.
• Paper roll holder item 2499PC
can also be included

31,5 kg



C25		1	025000001	
2500/VI1	(C25+5902VI)	1	025000079	**249**
2500/VG1	(C25+5905VG/1)	1	025000082	**283**
2500/VG2	(C25+5905VG/2)	1	025000084	**284**

C28 - 2800

SuperTank trolley with worktop and ten drawers

Main features:
• Ten drawers (588x367 mm) with ball bearing slides
• Quick, safe system for opening and closing drawers, with nylon and fibreglass front
• Five side drawers:
4 drawers, 70 mm high
1 drawer, 210 mm high
• Five front drawers:
4 drawers, 70 mm high
1 drawer, 210 mm high
• Drawer bases protected by foamed rubber mats
• Four high-capacity castors 150 mm in Ø:
2 fixed and 2 steering (with brakes)
• 2 centralised safety locks
• Multiply wood worktop with holes for a vice (1599F/150, to be ordered separately)
• 4 bottle holders: 2 front and 2 rear
• 6 side tool trays
• Side compartment with foldaway door with lock
• 135-mm-high storage compartment with plastic-covered base
• Static load capacity: 1200 kg

1200 kg

C28 O

130 kg

C28 G

C28 R



291

C28 O		1	028000301	
2800 O/VI3T	(C28 O+5904VI/3T)	1	028000317	**252**
2800 O/VI2T	(C28 O+5908VI/2T)	1	028000324	**253**
2800 O/VG2T	(C28 O+5908VG/2T)	1	028000347	**285**
C28 G		1	028000302	
2800 G/VI3T	(C28 G+5904VI/3T)	1	028000318	**252**
2800 G/VI2T	(C28 G+5908VI/2T)	1	028000325	**253**
2800 G/VG2T	(C28 G+5908VG/2T)	1	028000348	**285**
C28 R		1	028000303	
2800 R/VI3T	(C28 R+5904VI/3T)	1	028000319	**252**
2800 R/VI2T	(C28 R+5908VI/2T)	1	028000326	**253**
2800 R/VG2T	(C28 R+5908VG/2T)	1	028000349	**285**

h	max
70 mm	25 kg
210 mm	30 kg





C30S - 3000S

MaxiTank mobile workbench

Main features:
• 5 front drawers with ball bearing slides:
3 drawers (367x588 mm), 70 mm high
1 drawer (610x588 mm), 70 mm high
1 drawer (610x588 mm), 140 mm high.
• Quick opening system with aluminium front.
• Drawer bases protected by foamed rubber mats.
• Can accommodate thermoformed trays.
• One hydraulic jack, designed to lift front part easily.
• Four high-capacity castors:
2 steering, front, Ø 150 mm
2 fixed, rear, Ø 170 mm.
• Oil-proof, rubber-coated worktop,
1300x800 mm, with drain hole
for fluid collection in a small tank.
• Can accommodate vice item 1599F/150
(to be ordered separately).
• Storage compartment, 720x250x1300 mm,
with PVC-coated worktop,
and front sliding panels.
• Centralized lock for drawers and panels.
• Integrated side bottle holders.
• Integrated paper roll holder.
• Static load capacity: 1,800 kg.
• Can accommodate a multi-ply wood worktop (3000 S/PLM), to be ordered separately.
• Can accommodate vice item 1599F/150 (to be ordered separately).

200 kg

C30S		1	030000100	
3000S/VI3T	(C30S+5910VI/3T)	1	030000093	**254**
3000S/VG3T	(C30S+5910VG/3T)	1	030000097	**286**

h	max
70 mm	30 kg
140 mm	35 kg



3000S/PLM

wood worktop for item C30S

1240x740x26 mm

10 kg

3000 S/PLM	1	030000150	

C31

mobile workstation
with twenty-eight drawers

- Twenty-eight drawers (588x367 mm) with ball bearing slides:
19 drawers, 70 mm high
7 drawers, 140 mm high
1 drawer, 210 mm high
1 drawer, 280 mm high
- Drawer front made of aluminium
- Drawer bases protected by foamed rubber mats
- Sturdy multi-ply wood worktop
- Four centralized locks
- Eight castors, Ø 125 mm, 2 fixed and 6 steering (2 with brakes)

250 kg

2000 kg

C31 O

C31 R

C31 G

h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg
280 mm	40 kg









C31 O	1	031000281
C31 G	1	031000282
C31 R	1	031000283

C38 - 3800

mobile roller cab
with eleven drawers

Main features:
- Eleven drawers with ball bearing slides:
- 1 drawer 937x410x122 mm
  3 drawers 570x410x74 mm
  2 drawers 570x410x153 mm
  3 drawers 313x410x74 mm
  2 drawers 313x410x153 mm.
- Drawer bases protected by foamed rubber mats.
- Static load capacity: 1200 kg.
- 4 high-capacity castors: Ø 125 mm:
2 fixed and 2 steering (both with lever brake).
- Front centralized lock.
- Sheet metal worktop covered by a rubber mat.
- Can be fitted with paper roll holder item 2499PC
and bottle holder item 2499PF.

114 kg

C38 O

C38 G

C38 R

h	max
74 mm	25 kg
153 mm	30 kg







C38 O		1	038000001	
3800 O/U2T	(C38 O+5938U/2T)	1	038000068	**268**
C38 G		1	038000003	
3800 G/U2T	(C38 G+5938U/2T)	1	038000069	**268**
C38 R		1	038000002	
3800 R/U2T	(C38 R+5938U/2T)	1	038000070	**268**

C38L

side cab
with seven drawers

Main features:
• Seven drawers (410x313 mm)
with ball bearing slides:
5 drawers, 74 mm high
2 drawers, 153 mm high
• Drawer bases protected by foamed rubber mats.
• Front centralized safety lock.
• Antislip aluminium worktop.
• Can be placed on both sides of roller cab C38 and C38A.

45 kg

C38L G

C38L R

C38L O

h	max
74 mm	25 kg
153 mm	30 kg





C38L O	1	038000081
C38L G	1	038000083
C38L R	1	038000082

C38L A

side door
with interior shelf

Main features:
• Front lock.
• Vertically adjustable interior shelf.
• Inside door document pocket.
• Antislip aluminium worktop.
• Can be placed on both sides of roller cab C38.

18 kg

C38LA G

C38LA R

C38L A O



C38LA-O	1	038000071
C38LA-G	1	038000073
C38LA-R	1	038000072

C38T

cab
with eight drawers and top chest

Main features:
• Eight drawers with ball bearing slides:
3 drawers 570x410x74 mm
1 drawer 570x410x153 mm
3 drawers 313x410x74 mm
1 drawer 313x410x153 mm.
• Tool compartment.
• Drawer bases protected by foamed rubber mats.
• Front centralized safety lock.
• Antislip aluminium worktop.
• Can be placed on roller cab C38 and C38A.

64 kg

C38T O

C38T G

C38T R

h	max
74 mm	25 kg
153 mm	30 kg





C38T O	1	038000091
C38T G	1	038000093
C38T R	1	038000092

C38C

mobile roller cab
with thirty three drawers,
comprising:
• 1 mobile roller cab C38
• 2 side cabs C38L
• 1 cab C38T with top chest

268 kg

C38C O

h	max
74 mm	25 kg
153 mm	30 kg

C38C G

C38C R





C38C O	1	038000201
C38C G	1	038000203
C38C R	1	038000202

C39/6 - 3900

mobile roller cab with six drawers

Main features:
• Six drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Front centralized safety lock.
• Opening system throughout length of drawer.
• Static load capacity: 1200 kg.
• Thermoplastic worktop.
• Integrated side and rear bottle holders.
• Integrated paper roll holder.
• Uprights and drawer front made of aluminium.

55 kg

1200 kg

C39 O/6

C39 G/6

C39 R/6

h	max
70 mm	30 kg
140 mm	35 kg
280 mm	40 kg



C39 O/6		1	039000031	
3900 O-6/VI1T	(C39 O/6+5904VI/1T)	1	039000114	**250**
3900 O-6/VU1M	(C39 O/6+5904VU/1M)	1	039000117	**258**
3900 O-6/VG2T	(C39 O/6+5904VG/2T)	1	039000124	**280**
C39 G/6		1	039000032	
3900 G-6/VI1T	(C39 G/6+5904VI/1T)	1	039000115	**250**
3900 G-6/VU1M	(C39 G/6+5904VU/1M)	1	039000118	**258**
3900 G-6/VG2T	(C39 G/6+5904VG/2T)	1	039000125	**280**
C39 R/6		1	039000033	
3900 R-6/VI1T	(C39 R/6+5904VI/1T)	1	039000116	**250**
3900 R-6/VU1M	(C39 R/6+5904VU/1M)	1	039000119	**258**
3900 R-6/VG2T	(C39 R/6+5904VG/2T)	1	039000126	**280**





C39/7 - 3900

roller cab
with seven drawers

Main features:
- Seven drawers (588x367 mm) with ball bearing slides:
  5 drawers, 70 mm high
  1 drawer, 140 mm high
  1 drawer, 210 mm high.
- Drawer bases protected by foamed rubber mats.
- Four castors 125 mm in Ø:
  2 fixed and 2 steering (1 with brake).
- Front centralized safety lock.
- Opening system throughout length of drawer.
- Static load capacity: 1000 kg.
- Thermoplastic worktop.
- Integrated side and rear bottle holders.
- Integrated paper roll holder.
- Uprights and drawer front made of aluminium.

59 kg

1200 kg

h	max
70 mm	30 kg
140 mm	35 kg
210 mm	35 kg



C39 O/7		1	039000001	
3900 O-7/VU1M	(C39 O/7+5904VU/1M)	1	039000137	**258**
3900 O-7/VG1M	(C39 O/7+5904VG/1M)	1	039000147	**279**
3900 O-7/VU2M	(C39 O/7+5904VU/2M)	1	039000154	**259**
3900 O-7/VU3T	(C39 O/7+5904VU/3T)	1	039000157	**260**
C39 G/7		1	039000002	
3900 G-7/VU1M	(C39 G/7+5904VU/1M)	1	039000138	**258**
3900 G-7/VG1M	(C39 G/7+5904VG/1M)	1	039000148	**279**
3900 G-7/VU2M	(C39 G/7+5904VU/2M)	1	039000155	**259**
3900 G-7/VU3T	(C39 G/7+5904VU/3T)	1	039000158	**260**
C39 R/7		1	039000003	
3900 R-7/VU1M	(C39 R/7+5904VU/1M)	1	039000139	**258**
3900 R-7/VG1M	(C39 R/7+5904VG/1M)	1	039000149	**279**
3900 R-7/VU2M	(C39 R/7+5904VU/2M)	1	039000156	**259**
3900 R-7/VU3T	(C39 R/7+5904VU/3T)	1	039000159	**260**





C39/8 - 3900

mobile roller cab with eight drawers

Main features:
• Eight drawers (588x367 mm) with ball bearing slides:
6 drawers, 70 mm high
2 drawers, 140 mm high
• Drawer bases protected by foamed rubber mats.
• Four castors 125 mm in Ø:
2 fixed and 2 steering (one with brake).
• Front centralized safety lock.
• Opening system throughout length of drawer.
• Static load capacity: 1200 kg.
• Thermoplastic worktop.
• Integrated side and rear bottle holders.
• Integrated paper roll holder.
• Uprights and drawer front made of aluminium.

62 kg

h	max
70 mm	30 kg
140 mm	35 kg



C39 O/8		1	039000041	
3900 O-8/VI2T	(C39 O/8+5904VI/2T)	1	039000177	**251**
3900 O-8/VG5T	(C39 O/8+5904VG/5T)	1	039000184	**282**
3900 O-8/VI3T	(C39 O/8+5904VI/3T)	1	039000187	**252**
3900 O-8/VU2M	(C39 O/8+5904VU/2M)	1	039000191	**259**
C39 G/8		1	039000042	
3900 G-8/VI2T	(C39 G/8+5904VI/2T)	1	039000178	**251**
3900 G-8/VG5T	(C39 G/8+5904VG/5T)	1	039000185	**282**
3900 G-8/VI3T	(C39 G/8+5904VI/3T)	1	039000188	**252**
3900 G-8/VU2M	(C39 G/8+5904VU/2M)	1	039000192	**259**
C39 R/8		1	039000043	
3900 R-8/VI2T	(C39 R/8+5904VI/2T)	1	039000179	**251**
3900 R-8/VG5T	(C39 R/8+5904VG/5T)	1	039000186	**282**
3900 R-8/VI3T	(C39 R/8+5904VI/3T)	1	039000189	**252**
3900 R-8/VU2M	(C39 R/8+5904VU/2M)	1	039000193	**259**







C39T

portable tool chest
with four drawers

Main features:
- Four drawers (588x367 mm) with ball bearing slides: 4 drawers, 70 mm high
- Front centralized safety lock.
- Load capacity of one drawer: 15 kg
- Uprights and drawer front made of aluminium.

25 kg

C39T O

C39T G

C39T R

h	max
70 mm	30 kg





C39T O	1	039000101
C39T G	1	039000102
C39T R	1	039000103

C39/PM

small tool panel for item C39

7,1 Kg

640x440 mm

C39/PM	1	039000530

C39/PU

tool panel for item C39

4 Kg

640x440 mm

C39/PU	1	039000529

C39SM

special mobile roller cab, Racing SM type

Specifications
• Multi-ply wood worktop
• 4 castors, Ø 125 mm
2 fixed and 2 steering (one with brake), with exposed covering
• Static load capacity: 1200 kg

7-drawer module
588x367 mm, with ball bearing slides:
6 drawers, 70 mm high
1 drawer, 240 mm high
• Drawer bases protected by foamed rubber mats
• Front centralized safety lock
• Opening system throughout length of drawer
• Drawer front made of aluminium

Service module
• Integrated wastepaper basket
• Paper roll compartment
• 1 large drawer (420x305x270 mm)

125 kg

1200 kg

C39SM O

C39SM R

C39SM G

h	max
70 mm	30 kg
240 mm	40 kg







C39SM O		1	039390001	
C39SM G	-	1	039390002	
C39SM R		1	039390003	

C39MD

special mobile roller cab, Racing MD type

Specifications
• Multi-ply wood worktop
• 4 castors, Ø 125 mm
2 fixed and 2 steering (one with brake), with exposed covering
• Static load capacity: 1200 kg

7-drawer module
588x367 mm, with ball bearing slides:
6 drawers, 70 mm high
1 drawer, 240 mm high
• Drawer bases protected by foamed rubber mats
• Front centralized safety lock
• Opening system throughout length of drawer
• Drawer front made of aluminium

2-drawer module
588x367x270 mm and 588x367x380 mm, with ball bearing slides
• Drawer bases protected by foamed rubber mats
• Front centralized lock
• Opening system throughout length of drawers
• Drawer front made of aluminium

123 kg

C39MD O

C39MD R

C39MD G

h	max
70 mm	30 kg
240 mm	40 kg





C39MD O	1	039390101	
C39MD G	1	039390102	
C39MD R	1	039390103	

C41S - 4100S

two-module tool trolley

Main features:
• Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
• 2 detachable modules:
1 upper tool box,
1 module with 2 drawers, 95 mm and 295 mm high respectively.
• Oversized castors (160 mm),
built into frame for easy transport - for example, on steps.
• Side centralized lock
for closing drawers of lower module.
• Drawers with ball bearing slides and double closing hook.
• Telescopic aluminium handle.
• Small tool holder built into upper tool box.
• Lower drawer with double ballbearing slide

16 kg



C41S		1	041000001	
4100S/VU3	(C41S+5915VU/3)	1	041000083	**264**
4100S/SBK	(C41S+5940/SBK)	1	041000104	**287**

C41H - 4100H

two-module tool trolley

Main features:
• Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
• 2 detachable modules:
1 upper tool box,
1 module with 2 drawers 95 mm in height,
1 pull-out case made of plastic, 66 mm high, and 1 drawer 295 mm in height.
• Oversized castors (160 mm), built into frame for easy transport - for example, on steps.
• Side centralized lock for closing drawers of lower module.
• Drawers with ball bearing slides and double closing hook.
• Telescopic aluminium handle.
• Small tool holder built into upper tool box.
• Lower drawer with double ballbearing slide

21 kg



C41H		1	041000002	
4100H/VU3	(C41H+5915VU/3)	1	041000093	**264**
4100H/SBK	(C41H+5940/SBK)	1	041000114	**287**

C42S

two-module tool trolley

Main features:
• Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
• 2 detachable modules:
1 upper tool box, 220 mm high
1 lower tool module with castors, 330 mm high.
• Oversized castors (ø 160 mm).
• Telescopic handle, can be adjusted in 3 positions.
• Quick module release system: easy, quick access to all compartment tools.
• Upper tool box with interior object compartment and 3 tool trays built into cover.

11,5 kg



C42S	1	042000001

C42H

three-module tool trolley

Main features:
• Sheet metal frame and plastic tops, synonymous with remarkable sturdiness and reduced weight.
• 3 detachable modules:
1 upper tool box, 220 mm high
1 central tool module, 180 mm high.
1 lower tool module with castors, 330 mm high.
• Oversized castors (ø 160 mm).
• Telescopic handle, can be adjusted in 3 positions.
• Quick module release system: easy, quick access to all tool compartments.
• Upper tool box with interior object compartment and 3 tool trays built into cover.
• Can be used with 2 modules.

14 kg



C42H	1	042000002

C41MS

upper module
with built-in small tool holder

3 kg

C41MS	1	041000904	495x250x225 mm

C41H/CE

tool chest
with removable partitions for small tools,
made from plastic material

1,3 kg

C41H/CE	1	041000916

C42 MCH

additional central module for tool trolley item C42

2,5 kg

440x180x275 mm

C42 MCH	1	042000105

C49

mobile 2-door cabinet

- 2 large interior shelves
- Front lock
- 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)

37,5 kg

C49 0

C49 G

C49 R



C49 O	1	049000001
C49 G	1	049000002
C49 R	1	049000003

C51

trolley

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm:
  2 fixed and 2 steering (1 with brake)
- Static load capacity: 200 kg (distributed between3 shelves)

21 kg



C51/O	1	051000001
C51/G	1	051000002
C51/R	1	051000003

CP52

sturdy trolley

- Welded sheet metal frame
- Reinforced top
- 4 castors, Ø 125 mm: 2 fixed and 2 steering (one with brake)

29 kg



CP52 O	1	052000501
CP52 G	1	052000502
CP52 R	1	052000503

CX52

NewTeam trolley

Main features:
- ABS upper worktop.
- Ribbed rubber tops.
- Four castors 125 mm in ø:
2 fixed and 2 swivelling (one with brake).
- Paper roll holder item 2499PC
and bottle-holder item 2499PF
can also be included.
- Static load capacity: 200 kg (distributed between3 shelves)

27 kg

CX52 O	1	052000001
CX52 G	1	052000002
CX52 R	1	052000003

C53 - 5300

CargoEvolution tool cabinets

These tool cabinets are designed according to detailed research and offer accurate, comfortable and rational solutions for end users.
Two perforated panels attached to the doors may be opened giving access to additional storage space.

Main features:
- 1 drawer, with slides.
- Easy tool layout according to users' needs.
- Safety lock for both drawers and doors.
- Empty thermoformed tray for 1/2" sockets and accessories
- Models VI and VG have different toolholder assortments.

C53

5300

41 kg

C53		1	053000001	
C53VI		1	053000090	
5300VI	(C53VI+5953VI)	1	053000015	**255**
C53VG		1	053000095	
5300VG	(C53VG+5953VG)	1	053000025	**288**

307



C54 - 5400

NewCargo cabinets

Same features as item C53.
• Empty thermoformed tray for 1/2” sockets and accessories.
• Single-sided doors.
• Models VI and VG have different toolholder assortments.

33 kg

C54 O		1	054000001	
C54VI O		1	054000090	
5400 O/VI	(C54VI O+5954VI)	1	054000150	**256**
C54VG O		1	054000095	
5400 O/VG	(C54VG O+5954VG)	1	054000160	**289**
C54 G		1	054000002	
C54VI G		1	054000092	
5400 G/VI	(C54VI G+5954VI)	1	054000152	**256**
C54VG G		1	054000097	
5400 G/VG	(C54VG G+5954VG)	1	054000162	**289**
C54 R		1	054000003	
C54VI R		1	054000093	
5400 R/VI	(C54VI R+5954VI)	1	054000154	**256**
C54VG R		1	054000098	
5400 R/VG	(C54VG R+5954VG)	1	054000164	**289**

5400 O

C54 O

C54 G

C54 R

307



C57A - 5700A

MasterCargo workbench

• Model with tool storage board (C57P) and one drawer cabinet.
• Drawer cabinet: five drawers with ball bearing slides to support heavy loads.
• Centralized locking system.
Panel toolholder with two holes on the back for wall mounting.
• Aluminium shutter with safety lock.
• Three removable perforated panels for tool holding.
• Worktop made from multi-layered wood with plastic laminate finishing with three holes for a vice 1599F/150, to be ordered separately.

C57A O

205 kg

C57A G

5700A O

C57A R

C57A O		1	057000001	
5700A O/VI	(C57A O+5957VI)	1	057000196	**257**
5700A O/VG	(C57A O+5957VG)	1	057000197	**290**
C57A G		1	057000201	
5700A G/VI	(C57A G+5957VI)	1	057000396	**257**
5700A G/VG	(C57A G+5957VG)	1	057000397	**290**
C57A R		1	057000401	
5700A R/VI	(C57A R+5957VI)	1	057000596	**257**
5700A R/VG	(C57A R+5957VG)	1	057000597	**290**

h	max
100 mm	30 kg
175 mm	40 kg



C57D

MasterCargo workbench

• Model with one drawer cabinet

Drawer cabinet: five drawers, 600x370 mm, 3 100 mm high and 2 175 mm high, with ball bearing slides to support heavy loads. Centralized lock.

Multi-ply wood worktop, coated in plastic laminate, with three holes for vice item 1599F/150, to be ordered separately.

C57D O

158 kg

h	max
100 mm	30 kg
175 mm	40 kg

C57D G

C57D R

C57D O	1	057000004	
C57D G	1	057000204	
C57D R	1	057000404	

C57B - 5700B

MasterCargo workbench

• Model with tool storage board (C57P) and two drawer cabinets.
• Drawer cabinet: five drawers with ball bearing slides to support heavy loads.
• Centralized locking system.
• Panel toolholder with two holes on the back for wall mounting.
• Aluminium shutter with safety lock.
• Three removable perforated panels for tool holding.
• Worktop made from multi-layered wood with plastic laminate finishing with three holes for a vice 1599F/150, to be ordered separately.

C57B O

243 kg

C57B G

C57B R

5700B O

C57B O		1	057000002	
5700B O/VI	(C57B O+5957VI)	1	057000198	**257**
5700B O/VG	(C57B O+5957VG)	1	057000199	**290**
C57B G		1	057000202	
5700B G/VI	(C57B G+5957VI)	1	057000398	**257**
5700B G/VG	(C57B G+5957VG)	1	057000399	**290**
C57B R		1	057000402	
5700B R/VI	(C57B R+5957VI)	1	057000598	**257**
5700B R/VG	(C57B R+5957VG)	1	057000599	**290**

h	max
100 mm	30 kg
175 mm	40 kg

307



C57C

MasterCargo workbench

• Model with two drawer cabinets.
• Drawer cabinet: five drawers with ball bearing slides to support heavy loads.
• Centralized locking system.
• Worktop made from multi-layered wood with plastic laminate finishing with three holes for a vice 1599F/150, to be ordered separately.

C57C O

196 kg

C57C O	1	057000003
C57C G	1	057000203
C57C R	1	057000403

h	max
100 mm	30 kg
175 mm	40 kg

C57C G

C57C R

C57P - 5700P

panel toolholder Mastercargo

• Panel toolholder with two holes on the back for wall mounting.
• Aluminium shutter with safety lock.
• Three removable perforated panels for tool holding.

46 kg

C57P O

C57P G

5700P O/U

C57P R

307

C57P O		1	057000020	
5700P O/U	(C57P O+5957U)	1	057000195	**269**
C57P G		1	057000220	
5700P G/U	(C57P G+5957U)	1	057000395	**269**
C57P R		1	057000420	
5700P R/U	(C57P R+5957U)	1	057000595	**269**

5700LAMP

MasterCargo workbench lamp

• Sturdy sheet metal frame comprising four elements; provided with screws for assembling the lamp.
• Lamp holder with fluorescent tube, 36W.
• Power supply 230V.
• Provided without wire.

9 kg

5700LAMP + 5700A O

5700LAMP	1	057000005	

C58A - 5800A

workbench with Basic toolholder

• Drawer cabinet: six drawers on slides
with centralized locking system.
• Two fixed perforated panels
for arranging the tools.
• Can be fixed to the wall.
• Multi-ply wood worktop
with laminated plastic finishing.
• Two holes suitable for a vice 1599F/100
(to be ordered separately).

79 kg

C58A

5800A/U

h	max
80 mm	25 kg
160 mm	35 kg



307

C58A		1	058000001	
5800A/U	(C58A+5958U)	1	058000191	**270**

C58B - 5800B

workbench with BasicPlus toolholder

Drawer cabinet: six drawers on slides
with centralized locking system.

The BasicPlus model has same features as the Basic but
with a shutter on the panel toolholder.
Sheet steel frame.

Multi-ply wood worktop with laminated plastic finishing.
Two holes suitable for a vice 1599F/100
(to be ordered separately).

95 kg

C58B

5800B/U

h	max
80 mm	25 kg
160 mm	35 kg



307

C58B		1	058000002	
5800B/U	(C58B+5958U)	1	058000192	**270**

C58C

workbench

- Can match panel toolholders C58P/A and C58P/B.
- Drawer cabinet: six drawers on slides with centralized locking system.
- Multi-ply wood worktop with laminated plastic finishing.
- Two holes suitable for a vice 1599F/100 (to be ordered separately).

h	max
80 mm	25 kg
160 mm	35 kg

66 kg

C58C	1	058000003	

C58P/A - 5800UP/A

panel toolholder Basic

- Open panel

15 kg



5800UP/A

C58P/A		1	058000020	
5800P/AU	(C58P/A+5958U)	1	058000196	270

307

C58P/B - 5800UP/B

panel toolholder BasicPlus

- Security locked shutter.

31 kg

5800UP/B

C58P/B		1	058000021	
5800P/BU	(C58P/B+5958U)	1	058000197	270

307

C56

workbench

- Worktop made of painted sheet metal with external edge
- Steel frame with 6 supporting legs
- Static load capacity: 1200 kg
- Matches panel toolholder C57P; cannot be fixed to worktop
- Two drawers with lock
- Can be fixed to floor

82 kg

C56 O	1	056000201
C56 G	1	056000202
C56 R	1	056000203

C56M

workbench

- Worktop made from both slip-proof aluminium sheet and rubber mat.
- Load capacity: kg.800.
- Can match panel toolholder C57P.
- Three drawers with lock.
- Can be fixed to the floor.

95 kg

C56M O	1	056000050
C56M G	1	056000053
C56M R	1	056000054

C58M

workbench

- Metal worktop fully covered with a removable antislip rubber mat.
- Lower shelf made from solid wood.
- Static load capacity: 2 t.
- Can match panel tool holder C58P; cannot be fixed to the worktop.
- 2 drawers with locks.
- Can be fixed to the floor.
- Aluminium worktop item C58M/PA available on request.

65 kg

C58M O	1	058000300
C58M G	1	058000302
C58M R	1	058000303

C58M/PA

knurled aluminium worktop
for workbench item C58M

4,5 kg

C58M/PA	1	058000350

C59A - 5900A

"Endurance" workbench with 1 roller cab with six drawers

Main features:
• Worktop made from multi-ply wood with holes for vice item 1599F/125 (to be ordered separately).
• 6 drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high.
• Drawers protected by foamed rubber mats.
• Hard-wearing nylon drawer front.
• Roller cabs can accommodate thermoformed trays.
• Front centralized safety lock.
• Lower object shelf.
• Can be fitted with paper roll holder (2400S-R/PC) and bottle holder (2400S/PF), to be ordered separately.

115 kg



C59A O

C59A G

1500 kg



C59A R

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg



C59A O	1	059000001
C59A G	1	059000021
C59A R	1	059000041

C59B - 5900B

"Endurance" workbench with 2 roller cabs with six drawers

Main features:
• Worktop made from multi-ply wood with holes for vice item 1599F/125 (to be ordered separately).
• 12 drawers (588x367 mm) with ball bearing slides:
8 drawers, 70 mm high
2 drawers, 140 mm high
2 drawers, 280 mm high.
• Drawers protected by foamed rubber mats.
• Can accommodate thermoformed trays.
• Front centralized safety lock.
• Lower object shelf.
• Can be fitted with paper roll holder (2400S-R/PC) and bottle holder (2400S/PF), to be ordered separately.

155 kg

C59B O

C59B G

1500 kg

C59B R

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg



C59B O	1	059000002
C59B G	1	059000022
C59B R	1	059000042

C59C - 5900C

"Endurance" workbench with 1 roller cab with six drawers, short model

Main features:
• Worktop made from multi-ply wood with holes for vice item 1599F/125 (to be ordered separately).
• 6 drawers (588x367 mm) with ball bearing slides:
4 drawers, 70 mm high
1 drawer, 140 mm high
1 drawer, 280 mm high.
• Drawers protected by foamed rubber mats.
• Can accommodate thermoformed trays.
• Front centralized safety lock.
• Lower object shelf.
• Can be fitted with paper roller holder (2400S-R/PC) and bottle holder (2400S/PF), to be ordered separately.

105 kg

C59C O

1500 kg



C59C G

C59C R

h	max
70 mm	25 kg
140 mm	30 kg
280 mm	35 kg



C59C O	1	059000003
C59C G	1	059000023
C59C R	1	059000043

Tool assortments for storage units

ATTENTION!

Many of the assortments on the next few pages have undergone the following changes:
• introduction of new tools
• rationalisation of tools.

Therefore, we recommend you thoroughly examine assortments and take a look at the features of the reference item.

For industrial maintenance

Beta n.	N° of pieces			
5902VI	105	1	059020041	249
5904VI/1T	98	1	059040161	250
5904VI/2T	151	1	059040163	251
5904VI/3T	142	1	059040167	252

Beta n.	N° of pieces			
5910VI/3T	256	1	059100062	254
5953VI	137	1	059530075	255
5954VI	115	1	059540075	256
5957VI	165	1	059570027	257

For universal maintenance

Beta n.	N° of pieces			
5904VU/1M	91	1	059040201	258
5904VU/2M	152	1	059040202	259
5904VU/3T	146	1	059040203	260
5915VU/0	35	1	059150120	261
5915VU/1	45	1	059150124	262

Beta n.	N° of pieces			
5915VU/4	80	1	059150145	265
5915VU/AS	71	1	059150131	266
5923VU/1T	86	1	059230102	267
5938U/2T	210	1	059380062	268
5957U	132	1	059570026	269

For electronic, electrotechnical and plumbing maintenance

Beta n.	N° of pieces			
5980ET/A	60	1	059800261	271
5980ET/B	64	1	059800263	272

Beta n.	N° of pieces			
5980EL/A	57	1	059800239	274
5980EL/B	98	1	059800240	275
5980ID	35	1	059800321	276

For car repair, earth moving machinery

Beta n.	N° of pieces			
5902MT	106	1	059020043	277
5902MT/AS	99	1	059020044	278
5904VG/1M	76	1	059040197	279
5904VG/2T	99	1	059040191	280
5904VG/3	132	1	059040192	281

Beta n.	N° of pieces			
5905VG/2	118	1	059050144	284
5908VG/2T	212	1	059080117	285
5910VG/3T	202	1	059100067	286
5953VG	147	1	059530085	288
5954VG	138	1	059540085	289
5957VG	189	1	059570028	290

For motorcycle repairs

Beta n.	N° of pieces			
5940SBK	133	1	059400071	287

5902VI

Assortment of 105 tools

Industrial maintenance

19.5 kg

Quantity	Description	Beta N.
4	pin punches Ø 3 - 4 - 5 - 8 mm	31
1	centre punch Ø 3 mm	32
1	flat chisels, ribbed type 200 mm	35
26	combination wrenches 6÷32 mm	42/S26
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 30x32 mm	55/S12
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9
1	adjustable wrench 300 mm	111
13	1/2" square drive bi-hex sockets with rail ○ 10÷22 mm	920B/SB13
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers 160 mm	1084BM
1	compound leverage shears, straight blades 250 mm	1122

Quantity	Description	Beta N.
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM
8	screwdrivers for cross head Phillips® screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x125 - 6,5x150 - 8x200 - 10x200 mm	1260
4	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1262
1	engineer's hammer 500 g	1370
1	dead blow hammer Ø 40 mm	1392
1	engineer's scriber	1688A
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/20
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1726BM
1	metal oil can 300 cc	1751
1	snap - off blade utility knife	1771BM
1	magnetic LED lamp, articulated	1837

	5902VI	059020041
	2200S-O/VI (C22S-O+5902VI)	022000421
	2200S-G/VI (C22S-G+5902VI)	022000422
	2200S-R/VI (C22S-R+5902VI)	022000423
	2300S-O/VI (C23S-O+5902VI)	023000451
	2300S-G/VI (C23S-G+5902VI)	023000452
	2300S-R/VI (C23S-R+5902VI)	023000453
	2300SC-O/VI (C23SC O+5902VI)	023000481
	2300SC-G/VI (C23SC G+5902VI)	023000482
	2300SC-R/VI (C23SC R+5902VI)	023000483
	2500/VI1 (C25+5902VI)	025000079

5904VI/1T

Assortment of 98 tools

Industrial maintenance

14.5 kg

Quantity	Description	Beta N.	TR
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet ◍	920/55	T80
21	combination wrenches 6÷21 mm	42	T15
	combination wrenches 22-24-27-30-32 mm	42	T16
1	slip joint pliers 250 mm	1048	T153
1	self - locking pliers 240 mm	1052	T153
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM	T131
1	half-round needle nose pliers 180 mm	1150BM	T131
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM	T131
1	circlip pliers straight, internal ⊙ 180 mm	1032	T145
1	circlip pliers bent, internal ⊙ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
5	second cut files 200 mm	1719BMA8/S5	T236
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55	T33
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	T33
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260	T208
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262	T208
6	T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68

	5904VI/1T	059040161
	2300ST-O/VI1T (C23ST O+5904VI/1T)	023000671
	2300ST-G/VI1T (C23ST G+5904VI/1T)	023000672
	2300ST-R/VI1T (C23ST R+5904VI/1T)	023000673
	2400S5-O/VI1T (C24S5/O+5904VI/1T)	024002504
	2400S5-G/VI1T (C24S5/G+5904VI/1T)	024002505
	2400S5-R/VI1T (C24S5/R+5904VI/1T)	024002506
	2400S6-O/VI1T (C24S6/O+5904VI/1T)	024002614
	2400S6-G/VI1T (C24S6/G+5904VI/1T)	024002615
	2400S6-R/VI1T (C24S6/R+5904VI/1T)	024002616
	3900 O-6/VI1T (C39 O/6+5904VI/1T)	039000114
	3900 G-6/VI1T (C39 G/6+5904VI/1T)	039000115
	3900 R-6/VI1T (C39 R/6+5904VI/1T)	039000116

5904VI/2T

assortment of 151 tools

Universal maintenance



22 kg

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	T15
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T16
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1	centre punch Ø 4 mm	32	T31
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
7	double ended offset ring wrenches 6÷29 mm	90	T40
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T83
1	1/2" drive extension bar 125 mm	920/21	T83
1	1/2" drive extension bar 255 mm	920/22	T83
1	1/2" drive universal joint	920/25	T83
1	1/2" drive sliding T-handle	920/42	T83
1	1/2" drive reversible ratchet	920/55	T83
13	1/4" hexagon sockets ◎ 4÷14 mm	900	T91
6	1/4" socket drivers for hexagon screws ○ 2,5÷8 mm	900ME	T91
1	1/4" drive extension bar 50 mm	900/20	T91
1	1/4" drive extension bar 150 mm	900/21	T91
1	1/4" drive universal joint	900/25	T91
1	1/4" drive spinner handle	900BG/30	T91
1	1/4" drive swivel T-handle	900/42	T91
1	1/4" reversible ratchet	900/55	T91
7	screwdrivers for cross head Phillips® screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 5,5x150 - 6,5x150 mm	1260	T199
3	screwdrivers for cross head Phillips® screws ◐ 8x200 - 10x150 - 10x200 mm	1260	T201
2	screwdriver for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1260N	T201
6	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 - PH2x100 - PH2x150 mm	1262	T202
2	screwdrivers for cross head Phillips® screws ✪ PH3x150 - PH4x200 mm	1262	T204
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N	T204
1	slip joint pliers 250 mm	1048	T153
1	self - locking pliers 240 mm	1052	T153
1	heavy duty diagonal cutting nippers 160 mm	1084	T132
1	screwdrivers for slotted head screws ◐ 160 mm	1166	T132
1	half-round needle nose pliers 180 mm	1150	T132
1	circlip pliers straight, internal 180 mm	1032	T145
1	circlip pliers bent, internal 170 mm	1034	T145
1	circlip pliers straight, external 175 mm	1036	T145
1	circlip pliers bent, external 175 mm	1038	T145
6	T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
5	second cut files 200 mm	1719BMA8/S5	T236
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
1	riveting pliers	1741B	T281
100	aluminium rivets 2,9x6 mm	1741RV...K	T281
100	aluminium rivets 3,2X8 mm	1741RV...K	T281
100	aluminium rivets 3,8x10 mm	1741RV...K	T281
100	aluminium rivets 4x12 mm	1741RV...K	T281
100	aluminium rivets 4,8x12 mm	1741RV...K	T281
		VP3	VP3

	5904VI/2T	059040163
	2400S8-O/VI2T (C24S8/O+5904VI/2T)	024002807
	2400S8-G/VI2T (C24S8/G+5904VI/2T)	024002808
	2400S8-R/VI2T (C24S8/R+5904VI/2T)	024002809

	3900 O-8/VI2T (C39 O/8+5904VI/2T)	039000177
	3900 G-8/VI2T (C39 G/8+5904VI/2T)	039000178
	3900 R-8/VI2T (C39 R/8+5904VI/2T)	039000179
	2400SL-O/VI2T (C24SL/O+5904VI/2T)	024002407

	2400SL-G/VI2T (C24SL/G+5904VI/2T)	024002408
	2400SL-R/VI2T (C24SL/R+5904VI/2T)	024002409

5904VI/3T

assortment of 142 tools

Industrial maintenance



Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	T15
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T16
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1	centre punch Ø 4 mm	32	T31
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
9	screwdrivers for cross head Phillips® screws ◐ 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	T167
2	screwdriver for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1260N	T167
6	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 PH2x100 - PH2x150 mm	1262	T202
7	drivers for Torx® head screws ✪ T6-T7-T8-T9-T10-T15-T20	1267TX	T205
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet	920/55	T80
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
8	double ended bi-hex tubular socket wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 mm	930	T73
1	tommy bars for tubular wrenches	940/1	T73
1	tommy bars for tubular wrenches	940/2	T73
6	T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
1	half-round needle nose pliers 180 mm	1150BM	T131
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM	T131
1	heavy duty diagonal cutting nippers 160 mm	1084BM	T131

Quantity	Description	Beta N.	TR
1	slip joint pliers 250 mm	1048	T153
1	self - locking pliers 240 mm	1052	T153
1	circlip pliers straight, internal ○ 180 mm	1032	T145
1	circlip pliers bent, internal ○ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
1	circlip pliers straight, internal ○ 140 mm	1032	T146
1	circlip pliers bent, internal ○ 225 mm	1034	T146
1	circlip pliers straight, external ● 140 mm	1036	T146
1	circlip pliers bent, external ● 225 mm	1038	T146
1	engineer's hammer 400 g	1370	T231
1	soft face hammer Ø 35 mm	1390	T231
1	second cut files 200 mm	1719BMA8/T	T231
1	second cut files 200 mm	1719BMA8/P	T231
1	second cut files 200 mm	1719BMA8/M	T231
1	vernier caliper	1651DGT	T296
1	flexible graduated rule 300 mm	1682	T296
1	measuring tape 5 m	1691BG	T296
	empty thermoformed tray	VP6	T296
1	riveting pliers 250 mm	1741B	T281
100	aluminium rivets 2,9x6 mm	1741RV...K	T281
100	aluminium rivets 3,2x8 mm	1741RV...K	T281
100	aluminium rivets 3,8x10 mm	1741RV...K	T281
100	aluminium rivets 4x12 mm	1741RV...K	T281
100	aluminium rivets 4,8x12 mm	1741RV...K	T281
1	tin snips 250 mm	1112	T285
1	electrician's scissors, straight blades	1128BM	T285
1	hacksaw frame, aluminium handle	1726	T285
1	blades for hacksaw	1728BM	T285
1	plastic oil can 200 cc	1753	T285
	empty thermoformed tray	VP6	VP6

	5904VI/3T	059040167
	2400S8-O/VI3T (C24S8/O+5904VI/3T)	024002817
	2400S8-G/VI3T (C24S8/G+5904VI/3T)	024002818
	2400S8-R/VI3T (C24S8/R+5904VI/3T)	024002819
	2800 O/VI3T (C28 O+5904VI/3T)	028000317

	2800 G/VI3T (C28 G+5904VI/3T)	028000318
	2800 R/VI3T (C28 R+5904VI/3T)	028000319
	3900 O-8/VI3T (C39 O/8+5904VI/3T)	039000187
	3900 G-8/VI3T (C39 G/8+5904VI/3T)	039000188
	3900 R-8/VI3T (C39 R/8+5904VI/3T)	039000189

	2400SAXL-O/VI3T (C24SA-XL/7 O+5904VI/3T)	024002451
	2400SAXL-G/VI3T (C24SA-XL/7 G+5904VI/3T)	024002452
	2400SAXL-R/VI3T (C24SA-XL/7 R+5904VI/3T)	024002453

5908VI/2T

Assortment of 232 tools

Industrial maintenance

24,5 kg

Quantity	Description	Beta N.	TR
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet	920/55	T80
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
16	combination wrenches 6÷21 mm	42	T15
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T16
13	1/4" hexagon sockets ◎ 4÷14 mm	900	T91
6	1/4" socket drivers for hexagon screws ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	900ME	T91
1	1/4" drive extension bar 50 mm	900/20	T91
1	1/4" drive extension bar 150 mm	900/21	T91
1	1/4" drive spinner handle	900BG/30	T91
1	1/4" drive universal joint	900/25	T91
1	1/4" drive swivel T-handle	900/42	T91
1	1/4" reversible ratchet	900/55	T91
6	T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
12	double ended offset ring wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19 mm	90	T40
5	double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm	90	T41
7	screwdrivers for cross head Phillips® screws ◑ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 5,5x150 - 6,5x150 - 8x150 mm	1260	T199
6	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 PH1x120 - PH2x100 - PH2x150 mm	1262	T202
3	screwdrivers for cross head Phillips® screws ◑ 8x200 - 10x150 - 10x200 mm	1260	T201
2	screwdriver for slotted head screws, extra-short series ◑ 4x30 - 6,5x30 mm	1260N	T201
2	screwdrivers for cross head Phillips® screws ✪ PH3x150 - PH4x200 mm	1262	T204
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N	T204
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
1	riveting pliers 250 mm	1741B	T281
100	aluminium rivets 2,9x6 mm	1741RV...K	T281
100	aluminium rivets 3,2x8 mm	1741RV...K	T281
100	aluminium rivets 3,8x10 mm	1741RV...K	T281
100	aluminium rivets 4x12 mm	1741RV...K	T281
100	aluminium rivets 4,8x12 mm	1741RV...K	T281
1	slip joint pliers 250 mm	1048	T153
1	self - locking pliers 240 mm	1052	T153
5	second cut files 200 mm	1719BMA8/S	T236
1	circlip pliers straight, internal ○ 180 mm	1032	T145
1	circlip pliers bent, internal ○ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
1	half-round needle nose pliers 180 mm	1150BM	T131
1	extra long needle knurled nose pliers, bi-material handles ◑ 160 mm	1166BM	T131
1	heavy duty diagonal cutting nippers ◤ 160 mm	1084BM	T131
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1	centre punch Ø 4 mm	32	T31
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
1	tin snips 250 mm	1112	T285
1	electrician's scissors, straight blades	1128BM	T285
1	hacksaw frame, aluminium handle	1726	T285
5	blades for hacksaw	1728BM	T285
1	plastic oil can 200 cc	1753	T285
1	empty thermoformed tray	VP5	VP5
1	adjstable tap wrench M3÷M12	435/1,5	T273
1	adjstable tap wrench M5÷M21	435/3	T273
1	reversible ratcheting tap wrench 2,0÷5,0 mm (M3÷M8)	436/1	T273
1	reversible ratcheting tap wrench 4,6÷8,0 mm (M5÷M12)	436/2	T273
1	die stock 25,4 mm	444/1	T273
1	die stock 38,1 mm	444/2	T273
1	screw pitch gauge 0,25÷6 W 62÷4x1"	1707	T273
26	coarse pitch hand taps M3 - 4 - 5 - 6 - 7 - 8 - 9 10 - 12 - 14 - 16 - 18 - 20	430	T270
14	fine pitch hand taps M6x0,75 - M8x1 - M10x1,25 M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5	433	T270
7	round dies, coarse pitch M3 - 4 - 5 - 6 - 7 - 8 - 9	440	T270
6	round dies, coarse pitch M10 - 12 - 14 - 16 - 18 - 20	440A	T270
2	round dies, fine pitch M6x0,75 - M8x0,75	441	T270
5	round dies, fine pitch M10x1,25 - M12x1,5 - M14x1,5 - M16x1,5 - M18x1,5	441A	T270

5908VI/2T	059080105	
2800 O/VI2T (C28 O+5908VI/2T)	028000324	
2800 G/VI2T (C28 G+5908VI/2T)	028000325	
2800 R/VI2T (C28 R+5908VI/2T)	028000326	

5910VI/3T

assortment of 256 tools

Industrial maintenance

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	**T15**
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T16**
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	**T31**
1 centre punch Ø 4 mm	32	**T31**
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	**T31**
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	**T31**
5 double ended offset ring wrenches 20x22 - 21x23 - 24x26 - 25x28 - 27x29 mm	90	**T41**
7 double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm	90	**T40**
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1 1/2" drive extension bar 125 mm	920/21	**T80**
1 1/2" drive extension bar 255 mm	920/22	**T80**
1 1/2" drive universal joint	920/25	**T80**
1 1/2" drive sliding T-handle	920/42	**T80**
1 1/2" drive reversible ratchet	920/55	**T80**
19 1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**T80**
9 screwdrivers for cross head Phillips® screws ◐ 3x75 - 3x100 - 4x100 - 4x150 - 5,5x100 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	**T167**
2 screwdriver for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1260N	**T167**
7 screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 PH2x100 - PH2x150 - PH3x150 mm	1262	**T168**
2 screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N	**T168**
4 offset hexagon key wrenches ○ 13-14-17-19 mm	96N	**T168**
1 tin snips 250 mm	1112	**T285**
1 electrician's scissors, straight blades	1128BM	**T285**
1 hacksaw frame, aluminium handle	1726	**T285**
(5) blades for hacksaw	1728BM	**T285**
1 plastic oil can 200 cc	1753	**T285**
1 half-round needle nose pliers 180 mm	1150BM	**T131**
1 extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM	**T131**
1 heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM	**T131**
1 circlip pliers straight, internal ⊙ 180 mm	1032	**T145**
1 circlip pliers bent, internal ⊙ 170 mm	1034	**T145**

Quantity/Description	Beta N.	TR
1 circlip pliers straight, external ● 175mm	1036	**T145**
1 circlip pliers bent, external ● 175mm	1038	**T145**
2 flat chisels, ribbed type 100 - 200 mm	35	**T234**
1 engineer's hammer 300 g	1370	**T234**
1 soft face hammer Ø 35 mm	1390	**T234**
1 second cut files 200 mm	1719BMA8/S5	**T236**
4 combination wrenches 35-36-38-41 mm	42	
1 double open end wrenches 36x41 mm	55	
1 adjustable wrench 250 mm	111	
1 heavy duty pipe wrench 300 mm	362	
25 twist drills with cylindrical shanks, short series	412/SP25	
37 assortment of HSS taps and dies, metric thread	447/C37	
1 click type torque wrench 200 Nm	606/20	
16 assortment of 12 sockets and 5 accessories 3/4"	928A/C12	
14 T-handle wrenches with hexagon male ends	951/S14	
5 T handle wrenches with swivelling hexagon male ends ○ 3-4-5-6-8 mm	953	
1 circlip pliers straight, internal ⊙ 300 mm	1032	
1 circlip pliers bent, internal ⊙ 290 mm	1034	
1 circlip pliers straight, external ● 225 mm	1036	
1 circlip pliers bent, external ● 220 mm	1038	
1 slip joint pliers 300 mm	1048	
1 self locking pliers, double adjustment	1051	
1 toggle lever assisted end cutting nippers ⧓ 180 mm	1092V	
1 engineer's hammer 600 g	1370	
1 soft face hammer 60 mm	1390	
5 tapered extractors M3-M18	1430/S5	
1 two - leg universal puller	1500/3	
1 vernier caliper	1650	
1 semirigid stainless steel rule	1683	
1 engineer's scriber	1688	
1 measuring tape 5 m	1692	
1 metric feeler gauge	1708/13	
1 flexible magnetic pick-up tool	1712E/2	

5910VI/3T 059100062

3000S/VI3T 030000093
(C30S+5910VI/3T)

5953VI

Assortment of 137 tools

Industrial maintenance

22.5 kg

Quantity	Description	Beta N.
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31
1	centre punch Ø 4 mm	32
2	flat chisels, ribbed type 200 - 250 mm	35
18	combination wrenches 6÷14 - 16 - 17 - 18 19 - 21 - 22 - 24 - 27 - 30 mm	42
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55
12	offset hexagon key wrenches O 2÷10 mm	96/SC12
1	adjustable wrench 250 mm	111
1	pipe wrench Swedish pattern 320 mm	374
20	1/2" square drive bi - hex sockets ○ 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920B
6	1/2" drive, socket drivers for hexagon screws O 5 - 6 - 8 - 10 - 12 - 14 mm	920ME
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive swivel T-handle	920/40
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
6	T-handle wrenches with hexagon male ends O 2,5 - 3 - 4 - 5 - 6 - 8 mm	951
2	circlip pliers straight, internal ○ 140 - 180 mm	1032
1	circlip pliers bent, internal ○ 170 mm	1034
2	circlip pliers straight, external ● 140x1,3 - 175 mm	1036

Quantity	Description	Beta N.
1	circlip pliers bent, external ● 175 mm	1038
1	slip joint pliers 240 mm	1048
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers 160 mm	1084BM
1	toggle lever assisted end cutting nippers 180 mm	1092V
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM
1	mains testing screwdriver ◐	1253
7	screwdrivers for cross head Phillips® screws ◐ 3,5X100 - 4x100 - 5,5x100 - 6,5X150 - 8X150 -10X200 - 12x250 mm	1260
2	screwdriver for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1260N
5	screwdrivers for cross head Phillips® screws ✪ PH0x100 - PH1x120 - PH2x150 - PH3x150 -PH4X200 mm	1262
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N
2	engineer's hammer 300 - 500 g	1370
1	soft face hammer Ø 45 mm	1390
1	flexible magnetic pick-up tool 0,5 kg	1712E/1
5	second cut files 200 mm	1719BMA8/S5
1	hacksaw frame, aluminium handle	1726BM
1	plastic oil can 250 cc	1754

	5953VI	059530075
	5300VI (C53VI+5953VI)	053000015

5954VI

Assortment of 115 tools

Industrial maintenance

17 kg

Quantity	Description	Beta N.
2	drift punches Ø 2 - 3 mm	30
5	pin punches Ø 2 - 3 - 4 -5 - 6 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
1	cape chisels, standard type 150 mm	36
18	combination wrenches 6÷22 - 24 mm	42
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm	55/S12X
12	offset hexagon key wrenches ○ 2÷10 mm	96/SC12
1	adjustable wrench 250 mm	111
20	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
1	circlip pliers straight, internal ○ 180 mm	1032
1	circlip pliers bent, internal ○ 170 mm	1034
1	circlip pliers straight, external ● 175 mm	1036
1	circlip pliers bent, external ● 175 mm	1038
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052

Quantity	Description	Beta N.
1	diagonal cutting nippers ◗ 160 mm	1082BM
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM
1	bent needle nose pliers ◐ 200 mm	1168BM
5	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x125 - 5,5x125 - 6,5x150 - 10x200 mm	1260
1	screwdriver for slotted head screws, extra-short series ◐ 4x30 mm	1260N
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262
1	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 mm	1262N
1	engineer's hammer 400 g	1370
1	dead blow hammer Ø 35 mm	1392
1	puller with floating legs	1515/3
1	crimping pliers for insulated terminals	1602
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/20
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1726BM
1	riveting pliers	1741B
1	plastic oil can 250 cc	1754

	5954VI	059540075
	5400 O/VI (C54VI O+5954VI)	054000150
	5400 G/VI (C54VI G+5954VI)	054000152
	5400 R/VI (C54VI R+5954VI)	054000154

5957VI

Assortment of 165 tools

Industrial maintenance

32 kg

Quantity	Description	Beta N.
6	pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
19	combination wrenches 6÷22 - 24 - 27 mm	42
12	double ended offset ring wrenches 6x7÷30x32 mm	90/S12X
12	offset hexagon key wrenches O 2÷10 mm	96/SC12
1	adjustable wrench 250 mm	111
13	1/2" square drive bi-hex sockets with rail ○ 10÷22 mm	920B/SB13
8	1/2" square drive bi-hex sockets with rail ○ 23÷32 mm	920B/SB8
4	1/2" socket drivers for slotted head screws ◖ 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3	1/2" socket drivers for Phillips® screws ✪ PH2 - 3 - 4	920PH
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive swivel handle	920/35A
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
1	pry bar	963
1	bent point tweezers 130 mm	991
1	straight large point tweezers 150 mm	994
1	circlip pliers straight, internal ○ 180 mm	1032
1	circlip pliers bent, internal ○ 170 mm	1034
1	circlip pliers straight, external ● 175 mm	1036
1	circlip pliers bent, external ● 175 mm	1038
1	slip joint pliers 250 mm	1048
1	self locking pliers, double adjustment	1051
1	heavy duty diagonal cutting nippers 160 mm	1084BM
1	toggle lever assisted end cutting nippers 180 mm	1092V
1	tin snips 250 mm	1112
1	tin snip, straight narrow blades 250 mm	1114
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖ 160 mm	1166BM

Quantity	Description	Beta N.
1	bent needle nose pliers ◖ 200 mm	1168BM
7	screwdrivers for cross head Phillips® screws ◖ 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 10x200 - 12x250 mm	1260
1	screwdrivers for slotted head screws with hexagon bolsters ◖ 12x250 mm	1260E
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	metal oil can 200 cc	1751
2	flat chisels, ribbed type 200 - 250 mm	35
1	cape chisel, ribbed type 200 mm	37
6	offset hexagon key wrenches, with high torque handles O 2÷6 mm	96T/S6
10	double ended hexagon/bi - hex offset socket wrenches 8 - 10 - 11 - 13 - 14 - 17 - 19 - 22 - 24 - 27 mm	932
1	circlip pliers straight, internal ○ 140 mm	1032
1	circlip pliers bent, internal ○ 130 mm	1034
1	circlip pliers straight, external ● 140x1,3 mm	1036
1	circlip pliers bent, external ● 135x1,3 mm	1038
1	self - locking pliers 280 mm	1060
1	self - locking pliers 290 mm	1062
1	engineer's hammer 1000 g	1370
1	dead blow hammer Ø 50 mm	1392
1	two - leg universal puller 25÷130 mm	1500N/2
1	vernier caliper	1650
1	semirigid stainless steel rule 300 mm	1683
1	engineer's scriber	1688A
1	metric feeler gauge	1708/13
1	fold - away knife	1777BM

	5957VI	059570027
	5700A O/VI (C57A O+5957VI)	057000196
	5700B O/VI (C57B O+5957VI)	057000198
	5700A G/VI (C57A G+5957VI)	057000396
	5700B G/VI (C57B G+5957VI)	057000398
	5700A R/VI (C57A R+5957VI)	057000596
	5700B R/VI (C57B R+5957VI)	057000598

5904VU/1M

assortment of 91 tools

Universal maintenance

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	**M15**
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 mm	55	**M33**
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	**M33**
7 screwdrivers for cross head Phillips® screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 5,5x150 - 6,5x150 mm	1260	**M199**
6 screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 PH2x100 - PH2x150 mm	1262	**M202**
8 offset hexagon key wrenches ○ 2-2,5-3-4-5-6-7-8 mm	96T	**M50**
1 1/2” wobble extension bar 125 mm	920AN/125	**M83**
1 1/2” wobble extension bar 250 mm	920AN/250	**M83**
1 1/2" drive universal joint	920/25	**M83**
1 1/2" drive sliding T-handle	920/42	**M83**
1 1/2" drive reversible ratchet ㉘	920/55	**M83**
19 1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**M83**

Quantity/Description	Beta N.	TR
1 heavy duty diagonal cutting nippers ⧓ 160 mm	1084	**M132**
1 half-round needle nose pliers 〓 180 mm	1150	**M132**
1 screwdrivers for slotted head screws ◐ 160 mm	1166	**M132**
1 slip joint pliers 250 mm	1048	**M153**
1 self - locking pliers 240 mm	1052	**M153**
2 flat chisels, ribbed type 100 - 200 mm	35	**M234**
1 engineer’s hammer 300 g	1370	**M234**
1 soft face hammer Ø 35 mm	1390	**M234**
1 circlip pliers straight, internal ⊙ 180 mm	1032	**M145**
1 circlip pliers bent, internal ⊙ 170 mm	1034	**M145**
1 circlip pliers straight, external ● 175 mm	1036	**M145**
1 circlip pliers bent, external ● 175 mm	1038	**M145**

5904VU/1M	059040201
2400S5-O/VU1M (C24S5/ O+5904VU/1M)	024002517
2400S5-G/VU1M (C24S5/G+5904VU/1M)	024002518
5400S5-R/VU1M (C24S5/R+5904VU/1M)	024002519
2400S6-O/VU1M (C24S6/ O+5904VU/1M)	024002617

2400S6-G/VU1M (C24S6/G+5904VU/1M)	024002618
2400S6-R/VU1M (C24S6/R+5904VU/1M)	024002619
3900 O-6/VU1M (C39 O/6+5904VU/1M)	039000117
3900 G-6/VU1M (C39 G/6+5904VU/1M)	039000118
3900 R-6/VU1M (C39 R/6+5904VU/1M)	039000119

3900 O-7/VU1M (C39 O/7+5904VU/1M)	039000137
3900 G-7/VU1M (C39 G/7+5904VU/1M)	039000138
3900 R-7/VU1M (C39 R/7+5904VU/1M)	039000139

5904VU/2M

assortment of 152 tools

Universal maintenance

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	**M15**
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 mm	55	**M33**
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	**M33**
7 screwdrivers for cross head Phillips® screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 5,5x150 - 6,5x150 mm	1260	**M199**
6 screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 PH2x100 - PH2x150 mm	1262	**M202**
8 offset hexagon key wrenches ○ 2-2,5-3-4-5-6-7-8 mm	96T	**M50**
1 1/2" wobble extension bar 125 mm	920AN/125	**M83**
1 1/2" wobble extension bar 250 mm	920AN/250	**M83**
1 1/2" drive universal joint	920/25	**M83**
1 1/2" drive sliding T-handle	920/42	**M83**
1 1/2" drive reversible ratchet	920/55	**M83**
19 1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**M83**
1 heavy duty diagonal cutting nippers 160 mm	1084	**M132**
1 half-round needle nose pliers 180 mm	1150	**M132**
1 screwdrivers for slotted head screws ◐ 160 mm	1166	**M132**
1 slip joint pliers 250 mm	1048	**M153**
1 self - locking pliers 240 mm	1052	**M153**
2 flat chisels, ribbed type 100 - 200 mm	35	**M237**
1 mechanic's hammers 300 g	1370T	**M237**

Quantity/Description	Beta N.	TR
1 Ø 35 mm	1390N	**M237**
1 circlip pliers straight, internal ⊙ 180 mm	1032	**M145**
1 circlip pliers bent, internal ⊙ 170 mm	1034	**M145**
1 circlip pliers straight, external ● 175 mm	1036	**M145**
1 circlip pliers bent, external ● 175 mm	1038	**M145**
6 drivers for Torx® head screws ✪ T8-T10-T15-T20-T25-T30	1267TX	**M204**
1 measuring tape 5 m	1692	**M289**
1 mini hacksaw frame	1725CR	**M289**
1 plastic oil bottle 30 cc	1755	**M289**
1 snap - off blade utility knife	1771	**M289**
5 bits for slotted head screws, coloured ◐ 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm	860LP	**M85**
8 hexagon bits for power drivers, coloured ○ 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	860PE	**M85**
5 bits for cross head Phillips® screws, coloured ✪ PH0 - PH1 - PH2 - PH3 - PH4	860PH	**M85**
4 bits for cross head Pozidriv® - Supadriv® screws, coloured ✪ PZ1 - PZ2 - PZ3 - PZ4	860PZ	**M85**
10 bits for Torx® head screws, coloured ✪ T7-T8-T9-T10-T15-T20-T25-T27-T30-T40	860TX	**M85**
8 bits for Tamper Resistant Torx® head screws, coloured ✪ T9-T10-T15-T20-T25-T27-T30-T40	860RTX	**M85**
1 magnetic bit holder with handle 230 mm	851SR	**M85**
1 reversible bit ratchet 100 mm	860/55	**M85**
5 second cut files 200 mm	1719BMA8/S5	**M236**

5904VU/2M	059040202
2400S7-O/VU2M (C24S7/O+5904VU/2M)	024002744
2400S7-G/VU2M (C24S7/G+5904VU/2M)	024002745
2400S7-R/VU2M (C24S7/R+5904VU/2M)	024002746
2400SL-O/VU2M (C24SL/O+5904VU/2M)	024002417
2400SL-G/VU2M (C24SL/G+5904VU/2M)	024002418

2400SL-R/VU2M (C24SL/R+5904VU/2M)	024002419
2400SAXL-O/VU2M (C24SA-XL/7 O+5904VU/2M)	024002457
2400SAXL-G/VU2M (C24SA-XL/7 G+5904VU/2M)	024002458
2400SAXL-R/VU2M (C24SA-XL/7 R+5904VU/2M)	024002459
3900 O-7/VU2M (C39 O/7+5904VU/2M)	039000154
3900 G-7/VU2M (C39 G/7+5904VU/2M)	039000155

3900 R-7/VU2M (C39 R/7+5904VU/2M)	039000156
3900 O-8/VU2M (C39 O/8+5904VU/2M)	039000191
3900 G-8/VU2M (C39 G/8+5904VU/2M)	039000192
3900 R-8/VU2M (C39 R/8+5904VU/2M)	039000193

5904VU/3T

assortment of 146 tools

Universal maintenance

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	T15
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T16
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	T31
1	centre punch Ø 4 mm	32	T31
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	T31
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T31
6	offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm	96T	T52
6	drivers for Torx® head screws, with handles ✪ T10-T15-T20-T25-T27-T30	97TTX	T55
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet	920/55	T80
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
13	1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	T91
6	1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm	900ME	T91
1	1/4" drive extension bar 50 mm	900/20	T91
1	1/4" drive extension bar 150 mm	900/21	T91
1	1/4" drive universal joint	900/25	T91
1	1/4" drive spinner handle	900BG/30	T91

Quantity	Description	Beta N.	TR
1	1/4" drive swivel T-handle 115 mm	900/42	T91
1	1/4" reversible ratchet	900/55	T91
1	circlip pliers straight, internal ○ 180 mm	1032	T145
1	circlip pliers bent, internal ○ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
1	half-round needle nose pliers 〓 180 mm	1150	T132
1	screwdrivers for slotted head screws ◐ 160 mm	1166	T132
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084	T132
1	slip joint pliers 250 mm	1048	T153
1	self - locking pliers 240 mm	1052	T153
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260	T198
3	screwdrivers for cross head Pozidriv®-Supadriv® screws ✪ PZ0 - PZ1 - PZ2	1269PZ	T198
7	drivers for Torx® head screws ✪ T6-T7-T8-T9-T10-T15-T20	1267TX	T205
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
5	second cut files 200 mm	1719BMA8/S5	T236

	5904VU/3T	059040203
	2400S7-O/VU3T (C24S7/O+5904VU/3T)	024002747
	2400S7-G/VU3T (C24S7/G+5904VU/3T)	024002748
	2400S7-R/VU3T (C24S7/R+5904VU/3T)	024002749

	2400SA7-O/VU3T (C24SA/7O+5904VU/3T)	024002757
	2400SA7-G/VU3T (C24SA/7G+5904VU/3T)	024002758
	2400SA7-R/VU3T (C24SA/7R+5904VU/3T)	024002759
	3900 O-7/VU3T (C39 O/7+5904VU/3T)	039000157

	3900 G-7/VU3T (C39 G/7+5904VU/3T)	039000158
	3900 R-7/VU3T (C39 R/7+5904VU/3T)	039000159

5915VU/0

Assortment of 35 tools

Universal use

Quantity/Description	Beta N.
1 centre punch 4 mm	32
1 flat chisels, ribbed type 125 mm	35
8 double open end wrenches 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm	55
7 offset hexagon key wrenches ○ 1,5-2-2,5-3-4-5-6 mm	96/BGS7
1 adjustable wrench 150 mm	111
1 slip joint pliers 250 mm	1048
1 diagonal cutting nippers ⧓ 160 mm	1082
1 electrician's scissors, straight blades	1128BMX
1 half-round needle nose pliers 〓 180 mm	1150

Quantity/Description	Beta N.
1 screwdrivers for slotted head screws ◐ 160 mm	1166
4 screwdrivers for cross head Phillips® screws ◑ 3x75-4x100-5,5x100-6,5x150 mm	1201
3 screwdrivers for cross head Phillips® screws ✪ PH0x60-PH1x80-PH2x100 mm	1202
1 engineer's hammer 300 g	1370
1 measuring tape 3 m	1692/3
1 snap - off blade utility knife 18 mm	1771
1 car service knife	1778SOS
1 high-brightness LED torches, 90 lumen	1834S

	5915VU/0	059150120
	2105VU/0 (C5+5915VU/0)	021050120
	2106TVU/0 (C6T+5915VU/0)	021060120

5915VU/1

Assortment of 45 tools

Universal use

5 kg

Quantity	Description	Beta N.
2	drift punches Ø 2-3 mm	30
1	centre punch Ø 4 mm	32
2	flat chisels 125-150 mm	34
1	cape chisels, standard type 150 mm	36
14	combination wrenches 6÷14 - 17 - 19 - 21 - 22 - 24 mm	42
9	offset hexagon key wrenches O 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9
1	adjustable wrench 250 mm	111
1	slip joint pliers 250 mm	1048
1	diagonal cutting nippers ⧓ 160 mm	1082
1	electrician's scissors, straight blades	1128BMX

Quantity	Description	Beta N.
1	half-round needle nose pliers 〓 180 mm	1150
1	screwdrivers for slotted head screws ◐ 160 mm	1166
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x100 - 6,5x150 mm	1201
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202
1	engineer's hammer 300 g	1370
1	measuring tape 5 m	1692
1	snap - off blade utility knife	1771

	5915VU/1	059150124
	2109VU/1 (C9+5915VU/1)	021090021
	2110VU/1 (C10+5915VU/1)	021100021
	2115VU/1 (C15+5915VU/1)	021150031
	2115LVU/1 (C15L+5915VU/1)	021150131
	2117PVU/1 (CP17+5915VU/1)	021170041
	2117PLVU/1 (CP17L+5915VU/1)	021170141
	2118VU/1 (C18+5915VU/1)	021180031
	2110SVU/1 (C10S+5915VU/1)	021100101
	2111VU/1 (C11+5915VU/1)	021110101
	2116VU/1 (C16+5915VU/1)	021160101

5915VU/2

Assortment of 49 tools

Universal use

Quantity	Description	Beta N.
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 -14x15 16x17 - 18x19 - 20x22 mm	55/B8
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9
13	1/4" hexagon sockets ◎ 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm	900
1	1/4" drive extension bar 150 mm	900/21
1	1/4" drive universal joint	900/25
1	1/4" drive spinner handle	900BG/30
1	1/4" drive swivel T-handle	900/42
1	1/4" reversible ratchet ⓡ	900/55
1	slip joint pliers 250 mm	1048

Quantity	Description	Beta N.
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 〓 180 mm	1150
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202
1	engineer's hammer 300 g	1370
1	measuring tape 3 m	1692
1	plastic oil bottle 30 cc	1755
1	snap - off blade utility knife 18 mm	1771

5915VU/2 059150127

2120VU/2 021200016
(C20+5915VU/2)

2120LVU/2 021200116
(C20L+5915VU/2)

2014N/VU2 020140020
(2014N/VV+5915VU/2)

2034VU/2 020340106
(2034/VV+5915V/U2)

5915VU/3

Assortment of 75 tools

Universal use

8.1 kg

Quantity	Description	Beta N.
1	pin punches Ø 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
15	combination wrenches 6÷17 - 19 - 22 - 24 mm	42
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9
3	offset hexagon key wrenches ○ 4 - 5 - 6 mm	96T
1	adjustable wrench 250 mm	111
13	1/2" square drive hexagon sockets ◎ 8÷17 - 19 - 22 - 24 mm	920A
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⓡ	920/55
7	double ended hexagon tubular socket wrenches, light series 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm	935
2	tommy bars for tubular wrenches	940
1	slip joint pliers 250 mm	1048V
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202
1	engineer's hammer 400 g	1370
1	measuring tape 5 m	1692
1	hacksaw frame, aluminium handle	1726
1	plastic oil bottle 150 cc	1755
1	snap - off blade utility knife	1771

	5915VU/3	059150126
	2109VU/3 (C9+5915VU/3)	021090123
	2110VU/3 (C10+5915VU/3)	021100023
	2115VU/3 (C15+5915VU/3)	021150033
	2115LVU/3 (C15L+5915VU/3)	021150133
	2117PVU/3 (CP17+5915VU/3)	021170043
	2117PLVU/3 (CP17L+5915VU/3)	021170143
	2119VU/3 (C19+5915VU/3)	021190023
	2119LVU/3 (C19L+5915VU/3)	021190123
	2120VU/3 (C20+5915VU/3)	021200017
	2120LVU/3 (C20L+5915VU/3)	021200117
	4100S/VU3 (C41S+5915VU/3)	041000083
	4100H/VU3 (C41H+5915VU/3)	041000093
	2110SVU/3 (C10S+5915VU/3)	021100103
	2111VU/3 (C11+5915VU/3)	021110103
	2116VU/3 (C16+5915VU/3)	021160103

5915VU/4

Assortment of 80 tools

Universal use

11.2 kg

Quantity	Description	Beta N.
1	pin punches Ø 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
15	combination wrenches 6÷17 - 19 - 22 - 24 mm	42
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9
1	adjustable wrench 250 mm	111
13	1/2" square drive hexagon sockets ◌ 8÷17 - 19 - 22 - 24 mm	920A
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⚙	920/55
17	double ended hexagon/bi - hex offset socket wrenches 6÷22 mm	932/S17
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052

Quantity	Description	Beta N.
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖◗ 160 mm	1166BM
4	screwdrivers for cross head Phillips® screws ◖◗ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202
1	riveting hammer 32 mm	1370F
1	measuring tape 5 m	1692
1	hacksaw frame, aluminium handle	1726
1	plastic oil bottle 150 cc	1755
1	snap - off blade utility knife	1771

	5915VU/4	059150145
	2120VU/4 (C20+5915VU/4)	021200018
	2120LVU/4 (C20L+5915VU/4)	021200118

5915VU/AS

Assortment of 71 tools

Universal use

9.3 kg

Quantity	Description	Beta N.
1	pin punches Ø 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
13	combination wrenches 1/4 - 5/16 - 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1”	42AS
8	double ended offset ring wrenches 1/4”÷1”	90AS/8
11	offset hexagon key wrenches ○ 3/64”÷3/8”	96AS/B11
1	adjustable wrench 250 mm	111
13	1/2” square drive bi - hex sockets ○ 3/8 - 7/16 - 1/2 - 9/16 - 5/8 - 19/32 - 11/16 - 3/4 - 25/32 - 13/16 - 7/8 - 15/16 - 1”	920AS
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive push-through square ratchet ⓡ	920/50
1	slip joint pliers 250 mm	1048V

Quantity	Description	Beta N.
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	electrician’s scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202
1	engineer’s hammer 400 g	1370
1	measuring tape 5 m	1692
1	hacksaw frame, aluminium handle	1726
1	plastic oil bottle 150 cc	1755
1	snap - off blade utility knife	1771

	5915VU/AS	059150131
	2110VU/AS (C10+5915VU/AS)	021100025
	2120VU/AS (C20+5915VU/AS)	021200019
	2120LVU/AS (C20L+5915VU/AS)	021200119

5923VU/1T

assortment of 86 tools for tool chests C22S, C23S, C23SC

Universal use

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	**MC10**
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 -30 -32 mm	920A	**MC82**
1	1/2" drive universal joint	920/25	**MC82**
1	1/2" wobble extension bar 125 mm	920AN/125	**MC82**
1	1/2" drive sliding T-handle	920/42	**MC82**
1	1/2" drive reversible ratchet ⓯	920/55	**MC82**
13	1/4" hexagon sockets ◎ 4÷14 mm	900	**MC91**
6	1/4" socket drivers for hexagon screws ○ 2,5-3-4-5-6-8 mm	900ME	**MC91**
1	1/4" drive extension bar 50 mm	900/20	**MC91**
1	1/4" drive extension bar 150 mm	900/21	**MC91**
1	1/4" drive universal joint	900/25	**MC91**
1	1/4" drive spinner handle	900BG/30	**MC91**
1	1/4" drive swivel T-handle	900/42	**MC91**

Quantity	Description	Beta N.	TR
1	1/4" reversible ratchet ⓯	900/55	**MC91**
4	screwdrivers for cross head Phillips® screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201	**MC220**
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202	**MC220**
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	**MC153**
1	slip joint pliers 240 mm	1048	**MC153**
1	engineer's hammer 300 g	1370	**MC153**
1	measuring tape 5m	1692	**MC153**
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM	**MC131**
1	half-round needle nose pliers 180 mm	1150BM	**MC131**
1	extra long needle knurled nose pliers, bi-material handles ◖ 160 mm	1166BM	**MC131**

5923VU/1T		059230102
	2200S-O/VU1T (C22S-O+5923VU/1T)	022000451
	2200S-G/VU1T (C22S-G+5923VU/1T)	022000452
	2200S-R/VU1T (C22S-R+5923VU/1T)	022000453
	2300S-O/VU1T (C23S-O+5923VU/1T)	023000441
	2300S-G/VU1T (C23S-G+5923VU/1T)	023000442
	2300S-R/VU1T (C23S-R+5923VU/1T)	023000443
	2300SC-O/VU1T (C23SC O+5923VU/1T)	023000611
	2300SC-G/VU1T (C23SC G+5923VU/1T)	023000612
	2300SC-R/VU1T (C23SC R+5923VU/1T)	023000613

5938U/2T

assortment of 210 tools

Universal maintenance



Quantity/Description	Beta N.	TR
7 screwdrivers for cross head Phillips® screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 5,5x100 - 5,5x150 - 6,5x150 mm	1201	T210
6 screwdrivers for cross head Phillips® screws ✪ PH0x60- PH1x80-PH1x120-PH2x100-PH2x150-PH3x150 mm	1202	T212
7 drivers for Torx® head screws, with handles ✪ T6-T7-T8-T9-T10-T15-T20	1207TX	T215
1 circlip pliers straight, internal ⊙ 180 mm	1032	T145
1 circlip pliers bent, internal ⊙ 170 mm	1034	T145
1 circlip pliers straight, external ● 175 mm	1036	T145
1 circlip pliers bent, external ● 175 mm	1038	T145
1 slip joint pliers 240 mm	1048	T153
1 self - locking pliers 240 mm	1052	T153
1 heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM	T131
1 half-round needle nose pliers 180 mm	1150BM	T131
1 extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM	T131
1 reversible ratcheting wrench for bits 1/4x5/16	194	T85
13 1/4" hexagon sockets ◎ 4-4,5-5-5,5-6-7-8-9-10-11-12-13-14 mm	900	T85
1 1/4" reversible ratchet ⓡ 125 mm	900/55	T85
1 1/4" drive swivel T-handle 115 mm	900/42	T85
1 1/4" drive spinner handle 176 mm	900BG/30	T85
1 1/4" drive universal joint 41 mm	900/25	T85
1 1/4" drive extension bar 150 mm	900/21	T85
1 magnetic bit holder with handle 230 mm	851SR	T85
5 bits for Spanner screws ❽ 4-6-8-10-12 mm	861SP	T85
8 bits for Torq-Set® head screws ✪ 0-1-2-3-4-5-6-8 mm	861TQS	T85
6 bits for Tri-Wing® head screws ✪ 1-2-3-4-5-6 mm	861TRW	T85
8 bits for Tamper Resistant Torx® head screws ✪ T9-T10-T15-T20-T25-T27-T30-T40	861RTX	T85
11 bits for Torx® head screws ✪ T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40	861TX	T85
3 bits for cross head Pozidriv®-Supadriv® screws ✪ PZ1 - PZ2 - PZ3	861PZ	T85

Quantity/Description	Beta N.	TR
4 bits for cross head Phillips® screws ✪ PH0 - PH1 - PH2 - PH3	861PH	T85
8 hexagon bits for power drivers ○ 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	861PE	T85
7 bits for slotted head screws ◐ 0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x8 mm	861LP	T85
2 flat chisels, ribbed type 100 - 200 mm	35	T234
1 engineer's hammer 300 g	1370	T234
1 soft face hammer Ø 35 mm	1390	T234
1 measuring tape 5 m	1692	T289
1 mini hacksaw frame	1725CR	T289
1 plastic oil bottle	1755	T289
1 snap - off blade utility knife	1771	T289
19 1/2" square drive hexagon sockets ◎ 10 - 11 - 12÷19 - 20 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 mm	920A	T80
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1 1/2" drive extension bar 125 mm	920/21	T80
1 1/2" drive extension bar 255 mm	920/22	T80
1 1/2" drive universal joint	920/25	T80
1 1/2" drive sliding T-handle	920/42	T80
1 1/2" drive reversible ratchet ⓡ	920/55	T80
1 centre punch Ø 4 mm	32	T239
6 2-3-4-5-6-8 mm	31BM	T239
17 combination wrenches 6-7-8-10-11-12-13-14 16-17-18-19-21-22-24-27-30 mm	42	T10
8 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55	T33
9 offset hexagon key wrenches ○	96/SC9	T33
6 T-handle wrenches with hexagon male ends ○ 2,5 - 3 - 4 - 5 - 6 - 8 mm	951	T68
5 second cut files 200 mm	1719BMA8/S5	T236
11 offset hexagon key wrenches ○ 2 - 2,5 - 3 - 3,5 - 4 - 4,5 - 5 - 6 mm	96T	T50
4 thermoformed trays, empty	VP-3SC	VP-3SC
4 thermoformed trays, empty	VP-LS	VP-LS
4 thermoformed trays, empty	VP-LD	VP-LD

	5938U/2T	059380062
	3800 O/U2T (C38 O+5938U/2T)	038000068
	3800 G/U2T (C38 G+5938U/2T)	038000069
	3800 R/U2T (C38 R+5938U/2T)	038000070

5957U

Assortment of 132 tools

Universal use

21.3 kg

Quantity	Description	Beta N.
6	pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
19	combination wrenches 6÷22 - 24 - 27 mm	42
12	double ended offset ring wrenches 6x7÷30x32 mm	90/S12X
12	offset hexagon key wrenches ○ 2÷10 mm	96/SC12
1	adjustable wrench 250 mm	111
13	1/2" square drive bi-hex sockets with rail ○ 10÷22 mm	920B/SB13
8	1/2" square drive bi-hex sockets with rail ○ 23÷32 mm	920B/SB8
4	1/2" socket drivers for slotted head screws ◖ 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3	1/2" socket drivers for Phillips® screws ✪ PH2 - 3 - 4	920PH
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive swivel handle	920/35A
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
1	pry bar	963
1	bent point tweezers 130 mm	991
1	straight large point tweezers 150 mm	994
1	circlip pliers straight, internal ○ 180 mm	1032
1	circlip pliers bent, internal ○ 170 mm	1034
1	circlip pliers straight, external ● 175 mm	1036
1	circlip pliers bent, external ● 175 mm	1038

Quantity	Description	Beta N.
1	slip joint pliers 250 mm	1048
1	self locking pliers, double adjustment	1051
1	heavy duty diagonal cutting nippers ◤ 160 mm	1084BM
1	toggle lever assisted end cutting nippers ◤ 180 mm	1092V
1	tin snips 250 mm	1112
1	tin snip, straight narrow blades 250 mm	1114
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖ 160 mm	1166BM
1	bent needle nose pliers ◖ 200 mm	1168BM
7	screwdrivers for cross head Phillips® screws ◖ 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 10x200 - 12x250 mm	1260
1	screwdrivers for slotted head screws with hexagon bolsters ◖ 12x250 mm	1260E
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	metal oil can 200 cc	1751

5957U 059570026

5700P O/U 057000195
(C57P O+5957U)

5700P G/U 057000395
(C57P G+5957U)

5700P R/U 057000595
(C57P R+5957U)

5958U

Assortment of 86 tools

Universal use

11.3 kg

Quantity	Description	Beta N.
18	combination wrenches 5,5÷22 mm	42
12	offset hexagon key wrenches ○ 2÷10 mm	96N/SC12
13	1/2" square drive hexagon sockets with rail ◎ 10÷22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ◎ 23÷32 mm	920A/SB8
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
1	circlip pliers straight, internal ○ 180 mm	1032
1	circlip pliers straight, external ● 175 mm	1036
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM
7	screwdrivers for cross head Phillips® screws ◐ 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	1260
4	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262/S4
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771

5958U		059580024
	5800A/U (C58A+5958U)	058000191
	5800B/U (C58B+5958U)	058000192
	5800P/AU (C58P/A+5958U)	058000196
	5800P/BU (C58P/B+5958U)	058000197

5980ET/A

assortment of 60 tools

Electrotechnical maintenance

6.8 kg

Quantity	Description	Beta N.
2	pin punches Ø 4 - 6 mm	31
1	centre punch Ø 4 m	32
2	flat chisels, ribbed type 125 - 200 mm	35
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55/B8
10	offset hexagon key wrenches O 1,5÷12 mm	96/B10
1	adjustable wrench 200 mm	111
1	250 mm	1048BM
1	diagonal cutting nippers ⧓ 160 mm	1082BM
1	electrician's scissors, straight blades, with countersink	1128BSX
1	cable cutter 170 mm	1132BM
1	wire stripping pliers ⧓ 160 mm	1142BM
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖◗ 160 mm	1166BM
1	bent needle nose pliers ◖◗ 160 mm	1168BM
1	screwholding screwdriver for slotted head screws ◖◗ 4x125 mm	1250
1	screwholding screwdriver for cross head Phillips® screws ✪ PH1x150 mm	1251
1	mains testing screwdriver ◖◗	1253

Quantity	Description	Beta N.
4	screwdrivers for cross head Phillips® screws ◖◗ 2,5x75 - 3,5x100 - 5,5x125 - 6,5x150 mm	1260
1	screwdriver for slotted head screws, extra-short series ◖◗ 4x30 mm	1260N
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH2x30 - PH1x30 mm	1262N
4	screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ
5	screwdrivers for headless slotted screws, 1000V ◖◗ 5,5x125 - 3x100 - 4x100 - 6,5x150 - 8x175 mm	1274MQ
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	crimping pliers for insulated terminals	1602
1	friction tape 25 m	1639NS-N
1	measuring tape 5 m	1692
1	200 mm	1719BMA/M
1	second cut files 200 mm	1719BMA/R
1	hacksaw frame, aluminium handle	1725
1	fold - away knife	1777BM

	5980ET/A	059800261
	2011ET/A (2011/BV+5980ET/A)	020110127
	2032ET/A (2032/VV+5980ET/A)	020320117

	2034ET/A (2034/VV+5980ET/A)	020340114
	2032TET/A (2032/TV+5980ET/A)	020320227

5980ET/B

assortment of 64 tools

Electrotechnical maintenance

3.7 kg

Quantity	Description	Beta N.
3	pin punches Ø 2 - 3 - 4 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55/B8
9	ball head offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96BPC/SC9
1	deburrer 150 mm	345SB
6	hexagon nut spinners with handles 1000V ◎ 5,5 - 6 - 7 - 8 - 10 - 13 mm	943MQ/S6
1	250 mm	1048MQ
1	diagonal cutting nippers 1000V ⧓ 160 mm	1082MQ
1	electrician's scissors, straight blades, with countersink	1128BSX
1	230 mm	1132MQ
1	wire stripping pliers ⧓ 160 mm	1142MQ
1	combination pliers 1000V 〓 180 mm	1150MQ
1	extra long needle nose pliers, 1000V, ◖ 160 mm	1166MQ
1	mains testing screwdriver ◖	1253
3	screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60 - PH1x80 - PH2x100 mm	1272MQ
4	screwdrivers for headless slotted screws, 1000V ◖ 3x100 - 4x100 - 5,5x125 - 6,5x150 mm	1274MQ

Quantity	Description	Beta N.
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	crimping pliers for insulated terminals	1602
1	flexible graduated rule 250 mm	1682
1	engineer's scriber 250 mm	1688
1	measuring tape 5 m	1692
1	spirit level, made of aluminium 200 mm	1696
1	electrician's chisel 10x200 mm	1701NE/3
1	chalk line reel	1705
1	square flexible inspection mirror 600 mm	1715FL/A
1	200 mm	1719BMA/M
1	second cut files 200 mm	1719BMA/R
1	spring puller	1723
1	hacksaw frame, aluminium handle	1726BM
1	bristle brush	1738
1	fitting tool for nylon ties	1743
1	plastic oil bottle 80 cc	1755
100	nylon cable ties 3,6x200 mm	1748/8K
100	nylon cable ties 4,8x300 mm	1748/17K
1	snap - off blade utility knife	1771BM
1	soldering iron 30 W	1814M
1	LED inspection torch	1835/2

5980ET/B 059800263

2011ET/B 020110129
(2011/BV+5980ET/B)

2029ET/B 020290221
(2029/VV+5980ET/B)

2033ET/B 020330117
(2033N/VV+5980ET/B)

2036ET/B 020360123
(2036/TV+5980ET/B)

5980/MQ

assortment of 46 tools

Electrotechnical maintenance

Quantity/Description	Beta N.
7 single open end wrenches, 1000V 10 - 12 - 13 - 14 - 17 - 19 - 22 mm	52MQ
1 adjustable wrench, 1000V 250 mm	110MQ
6 hexagon nut spinners with handles 1000V ◌ 5,5 - 6 - 7 - 8 - 10 - 13 mm	943MQ
4 T-handle wrenches with hexagon male ends ○ 4 - 5 - 6 - 8 mm	951MQ
1 bent knurled point spring tweezers, 1000V 147 mm	993MQ
1 long round nose pliers ⁞ 160 mm	1010MQ
1 slip joint pliers, boxed joint	1048MQ
1 diagonal cutting nippers 1000V ⧗ 160 mm	1082MQ
1 electrician's scissors	1127MQ
1 wire stripping pliers ⁞ 160 mm	1142MQ
1 combination pliers 1000V 〓 180 mm	1150MQ
1 extra long needle nose pliers, 1000V, ◐ 160 mm	1166MQ

Quantity/Description	Beta N.
1 mains testing screwdriver ◐	1253
4 screwdrivers for cross head Phillips® screws, 1000V ✪ PH0x60 - PH1x80 - PH2x100 - PH3x150 mm	1272MQ
5 screwdrivers for headless slotted screws, 1000V ◐ 3x100 - 4x100 - 5,5x125 - 6,5x150 - 8x175 mm	1274MQ
3 screwdrivers for cross head Pozidrive® - Supadriv® screws, 1000V ✪ PZ0 - PZ1 - PZ2	1279MQ
1 soft face hammer Ø 35 mm	1390
1 inspection mirror	1714
1 mini - hacksaw frame, 1000V	1725MQ
1 utility knife, 1000V	1777MQ
1 soldering iron 30 W	1814M
1 de - soldering pump	1830T
1 combination voltage and continuity tester	1847P

5980/MQ	059800254
2029BG/MQ (2029/VV+5980BG/MQ)	020290261

5980EL/A

assortment of 57 tools

Electronic maintenance

2.6 kg

Quantity	Description	Beta N.
13	small double open end wrenches 4÷14 mm	73/B13
9	offset hexagon key wrenches ○ 1,5÷10 mm	96N/SC9
1	bent point tweezers 130 mm	991
1	straight thin knurled point pin spring tweezers 150 mm	992
1	cross tweezers 155 mm	998
1	electrician's scissors, straight blades, with countersink	1128BSX
1	wire stripping pliers ⧓ 160 mm	1142BM
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM
1	flat nose pliers 〓	1172BM
1	smooth half - round long bent needle nose pliers ◐	1178BM/P
1	combination pliers ◐	1178BM
1	diagonal flush cutting nippers ⧑	1185BM
1	diagonal cutting nippers ⧑	1188BM
1	screwholding screwdriver for slotted head screws ◐ 4x125 mm	1250
1	screwholding screwdriver for cross head Phillips® screws ✪ PH0x125 mm	1251
8	micro-screwdrivers	1257LPH/S8
1	engineer's hammer 200 g	1370
1	measuring tape 5 m	1692
1	telescopic joint inspection mirror	1715
3	needle files	1720/S3
1	spring puller	1723
1	bristle brush	1738
1	pen oiler	1756
1	snap - off blade utility knife	1771
1	self - locking tool	1779
1	soldering iron 25 W	1814M
1	de - soldering pump	1830T
1	LED inspection torch	1835/2

	5980EL/A	059800239
	2032EL/A (2032/VV+5980EL/A)	020320108
	2034EL/A (2034/VV+5980EL/A)	020340107
	2032T EL/A (2032/TV+5980EL/A)	020320208

5980EL/B

assortment of 98 tools

Electronic maintenance

4.8 kg

Quantity	Description	Beta N.
13	small double open end wrenches 4÷14 mm	73/B13
9	offset hexagon key wrenches ○ 1,5÷10 mm	96/SC9
8	offset key wrenches for Torx® head screws ○ T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40	97TX/BG8
1	adjustable wrench 150 mm	111
18	set of 13 hexagon sockets and 5 accessories, 1/4" square drive	900/C13-5
1	straight thin knurled point spring tweezers 130 mm	990
1	bent point tweezers 120 mm	991
1	extra slim short end spring tweezers 120 mm	999A
1	electrician's scissors, straight blades	1128BMX
1	front wire stripping pliers, self - adjusting 170 mm	1149F
1	half-round needle nose pliers 180 mm	1150BM
1	flat nose pliers 〓 140 mm	1172BM
1	smooth half - round long needle nose pliers ◖ 140 mm	1177BM
1	smooth half - round long bent needle nose pliers ◖ 140 mm	1178BM/P
1	diagonal flush cutting nippers, rounded tips ᐸ 120 mm	1184BM
1	diagonal flush cutting nippers, slim tips ᐸ 120 mm	1186BM
1	end flush oblique cutting nippers ᐸ	1191BM
8	micro-screwdrivers	1257LPH/S8
1	mains testing screwdriver ◖	1253

Quantity	Description	Beta N.
1	screwdriver for slotted head screws, extra-short series ◖ 6,5x30 mm	1290N
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1292
2	screwdriver for cross head Phillips® screws, extra-short series ✪ PH1x30 - PH2x30 mm	1292N
5	screwdrivers for headless slotted screws ◖ 2,5x60 - 3x75 - 4x100 - 5x125 - 6,5x150 mm	1294
1	engineer's hammer 200 g	1370
1	flexible graduated rule 150 mm	1682
1	engineer's scriber 220 mm	1688
1	measuring tape 5 m	1692
1	telescopic joint inspection mirror 670 mm	1715
1	needle files ●	1720R
1	needle files ▲	1720T
1	needle files ▮	1720P
1	spring puller	1723
1	bristle brush	1738
1	pen oiler	1756
1	snap - off blade utility knife	1771BM
1	fold - away knife	1777BM
1	self - locking tool	1779
1	soldering iron 25W	1814M
1	de - soldering pump	1830T
1	LED inspection torch	1835/2

	5980EL/B	059800240
	2029EL/B (2029/VV+5980EL/B)	020290216
	2033EL/B (2033N/VV+5980EL/B)	020330105
	2036EL/B (2036/TV+5980EL/B)	020360117

5980ID

Assortment of 35 tools

Plumbing maintenance

11.6 kg

Quantity	Description	Beta N.
1	flat chisels 150 mm	34
1	flat chisels, ribbed type 200 mm	35
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm	55/S12X
1	adjustable wrench 250 mm	111
1	pipe cutter for copper and light alloy pipes Ø 3÷30 mm	334
1	pipe wrench Swedish pattern 320 mm	374
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052
1	tin snips 300 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x150 - 8x150 mm	1201
2	screwdrivers for cross head Phillips® screws ✪ PH1x80 - PH2x100 mm	1202
1	engineer's hammer 300 g	1370
1	measuring tape, made of fibre 2 m	1690F
1	measuring tape 5 m	1692
1	spirit level, made of aluminium 200 mm	1696A
1	second cut files 200 mm	1719BMA/M
1	hacksaw frame, aluminium handle	1725
1	brake shoe cleaning brush plastic handle steel wires	1737NX

	5980ID	059800321
	2009ID (2009N/BV+5980ID)	020090012

5902MT

Assortment of 106 tools for agricultural, building and earth-moving machinery

Car repairs

28.6 kg

Quantity	Description	Beta N.
2	drift punches Ø 3 - 4 mm	30
2	pin punches Ø 6 - 8 mm	31
1	centre punch Ø 4 mm	32
2	flat chisels, ribbed type 150 - 200 mm	35
18	combination wrenches 6÷14 - 17 - 19 - 22 - 24 - 27 - 30 - 32 - 36 - 41 mm	42
10	double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 mm	90
10	offset hexagon key wrenches ○ 1,5÷12 mm	96N/B10
17	1/2" square drive hexagon sockets ◎ 10÷22 - 24 - 27 - 30 - 32 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive push-through square ratchet ⓡ	920/50
11	3/4" square drive hexagon socket ◎ 22 - 24 - 27 - 30 - 32 - 36 - 41 - 46 - 50 - 55 - 60 mm	928A
1	3/4" drive extension bar 200 mm	928/21
1	3/4" drive swivel handle	928/36A
1	3/4" drive sliding T - handle	928/42

Quantity	Description	Beta N.
1	3/4" drive reversible ratchet ⓡ	928/55
1	pry bar	964
1	slip joint pliers 250 mm	1048
1	adjustable self locking pliers, curved jaws	1055
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖◗ 160 mm	1166BM
4	screwdrivers for slotted head screws with hexagon bolsters ◖◗ 6,5x150 - 8x175 - 10x200 - 12x250 mm	1260E
3	screwdrivers for cross head Phillips® screws with hexagon bolsters ✪ PH2x150 - PH3x175 - PH4x200 mm	1262E
1	ball pein hammer 900 g	1377
1	soft face hammer Ø 35 mm	1390
1	metric feeler gauge	1708/20
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725

	5902MT	059020043
	2200S-O/MT (C22S-O+5902MT)	022000431
	2200S-G/MT (C22S-G+5902MT)	022000432
	2200S-R/MT (C22S-R+5902MT)	022000433
	2300S-O/MT (C23S-O+5902MT)	023000461
	2300S-G/MT (C23S-G+5902MT)	023000462
	2300S-R/MT (C23S-R+5902MT)	023000463
	2300SC-O/MT (C23SC O+5902MT)	023000491
	2300SC-G/MT (C23SC G+5902MT)	023000492
	2300SC-R/MT (C23SC R+5902MT)	023000493

5902MT/AS

Assortment of 99 tools for earth-moving machinery (CATERPILLAR)

Car repairs

27.3 kg

Quantity	Description	Beta N.
2	drift punches Ø 3 - 4 mm	30
2	pin punches Ø 6 - 8 mm	31
1	centre punch Ø 4 mm	32
2	flat chisels, ribbed type 150 - 200 mm	35
20	combination wrenches 1/4÷1.1/2”	42AS
6	double ended offset ring wrenches 1/4x5/16 - 3/8x7/16 - 1/2x9/16 5/8x3/4 - 11/16x13/16 - 7/8x15/16”	90AS
11	offset hexagon key wrenches ○ 3/64÷3/8”	96AS/B11
10	1/2” square drive bi - hex sockets ○ 7/16 - 1/2 - 9/16 5/8 - 11/16 - 3/4 - 13/16 - 7/8 - 15/16 - 1”	920AS
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive push-through square ratchet	920/50
12	hexagon hand sockets 1/4" ○ □ 3/4”, 7/8 - 15/16 - 1 - 1.1/16 - 1.1/8 - 1.1/4 - 1.5/16 1.1/2 - 1.5/8 - 1.11/16 - 1.7/8 - 2”	928AS
1	3/4" drive extension bar 200 mm	928/21
1	3/4" drive swivel handle	928/36A
1	3/4" drive sliding T - handle	928/42

Quantity	Description	Beta N.
1	3/4" drive reversible ratchet	928/55
1	pry bar	964
1	slip joint pliers 250 mm	1048
1	adjustable self locking pliers, curved jaws	1055
1	heavy duty diagonal cutting nippers ⊱ 160 mm	1084BM
1	electrician’s scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖ 160 mm	1166BM
4	screwdrivers for slotted head screws with hexagon bolsters ◖ 6,5x150 - 8x175 - 10x200 - 12x250 mm	1260E
3	screwdrivers for cross head Phillips® screws with hexagon bolsters ✪ PH2x150 - PH3x175 - PH4x200 mm	1262E
1	ball pein hammer 900 g	1377
1	soft face hammer Ø 35 mm	1390
1	metric feeler gauge 150 - 200 mm	1708/20
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725

5902MT/AS		059020044
	2200S-O/MTAS (C22S-O+5902MT/AS)	022000441
	2200S-G/MTAS (C22S-G+5902MT/AS)	022000442
	2200S-R/MTAS (C22S-R+5902MT/AS)	022000443
	2300S-OMT/AS (C23S-O+5902MT/AS)	023000471
	2300S-G/MTAS (C23S-G+5902MT/AS)	023000472
	2300S-R/MTAS (C23S-R+5902MT/AS)	023000473

5904VG/1M

assortment of 76 tools

Car repair

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	M15
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	M16
1	heavy duty diagonal cutting nippers 160 mm	1084	M132
1	half-round needle nose pliers 180 mm	1150	M132
1	screwdrivers for slotted head screws 160 mm	1166	M132
8	offset hexagon key wrenches 2-2,5-3-4-5-6-7-8 mm	96T	M50
6	drivers for Torx® head screws, with handles T10-T15-T20-T25-T27-T30	97TTX	M55
4	screwdrivers for cross head Phillips® screws 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1201	M220
3	screwdrivers for cross head Phillips® screws PH0x60 - PH1x80 - PH2x100 mm	1202	M220
1	1/2" wobble extension bar 125 mm	920AN/125	M83
1	1/2" wobble extension bar 250 mm	920AN/250	M83
1	1/2" drive universal joint	920/25	M83
1	1/2" drive sliding T-handle	920/42	M83
1	1/2" drive reversible ratchet	920/55	M83
19	1/2" square drive hexagon sockets 10÷24 - 26 - 27 - 30 - 32 mm	920A	M83
1	circlip pliers straight, internal 180 mm	1032	M145
1	circlip pliers bent, internal 170 mm	1034	M145
1	circlip pliers straight, external 175 mm	1036	M145
1	circlip pliers bent, external 175 mm	1038	M145
2	flat chisels, ribbed type 100 - 200 mm	35	M234
1	engineer's hammer 300 g	1370	M234
1	soft face hammer Ø 35 mm	1390	M234

	5904VG/1M	059040197
	2300ST-O/VG1M (C23ST O+5904VG/1M)	023000685
	2300ST-G/VG1M (C23ST G+5904VG/1M)	023000686
	2300ST-R/VG1M (C23ST R+5904VG/1M)	023000687
	2400S7-O/VG1M (C24S7/ O+5904VG/1M)	024002741
	2400S7-GVG1M (C24S7/G+5904VG/1M)	024002742
	2400S7-R/VG1M (C24S7/R+5904VG/1M)	024002743
	2400SA7-O/VG1M (C24SA/7O+5904VG/1M)	024002754
	2400SA7-G/VG1M (C24SA/7G+5904VG/1M)	024002755
	2400SA7-R/VG1M (C24SA/7R+5904VG/1M)	024002756
	3900 O-7/VG1M (C39 O/7+5904VG/1M)	039000147
	3900 G-7/VG1M (C39 G/7+5904VG/1M)	039000148
	3900 R-7/VG1M (C39 R/7+5904VG/1M)	039000149

5904VG/2T

Assortment of 99 tools

Car repairs

14.5 kg

Quantity	Description	Beta N.	TR
16	combination wrenches 6÷21 mm	42	T15
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T16
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet	920/55	T80
1	slip joint pliers 250 mm	1048	T153
1	self - locking pliers 240 mm	1052	T153
1	heavy duty diagonal cutting nippers 160 mm	1084	T132
1	screwdrivers for slotted head screws ◐ 160 mm	1166	T132
1	half-round needle nose pliers 180 mm	1150	T132
1	circlip pliers straight, internal ◌ 180 mm	1032	T145
1	circlip pliers straight, external ● 175 mm	1036	T145

Quantity	Description	Beta N.	TR
1	circlip pliers bent, internal ◌ 170 mm	1034	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260	T208
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262	T208
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55	T33
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9	T33
6	offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm	96T	T52
6	drivers for Torx® head screws, with handles ✪ T10 - T15 - T20 - T25 - T27 - T30	97TTX	T55

	5904VG/2T	059040191
	2400S5-O/VG2T (C24S5/O+5904VG/2T)	024002514
	2400S5-G/VG2T (C24S5/G+5904VG/2T)	024002515
	2400S5-R/VG2T (C24S5/R+5904VG/2T)	024002516

	2400S6-O/VG2T (C24S6/O+5904VG/2T)	024002624
	2400S6-G/VG2T (C24S6/G+5904VG/2T)	024002625
	2400S6-R/VG2T (C24S6/R+5904VG/2T)	024002626
	3900 O-6/VG2T (C39 O/6+5904VG/2T)	039000124

	3900 G-6/VG2T (C39 G/6+5904VG/2T)	039000125
	3900 R-6/VG2T (C39 R/6+5904VG/2T)	039000126

5904VG/3

Assortment of 132 tools

Car repairs

20.7 kg

Quantity	Description	Beta N.
6	pin punches Ø 2÷8 mm	31/B6
1	centre punch Ø 5 mm	32
1	flat chisels, ribbed type 200 mm	35
17	combination wrenches 6÷22 mm	42
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
9	offset hexagon key wrenches 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9
11	offset hexagon key wrenches 2÷10 mm	96T/SP11
13	offset key wrenches for Torx® head screws T6÷T50	97TX/B13
1	adjustable wrench 300 mm	111
13	1/2" square drive hexagon sockets with rail 10÷22 mm	920A/SB13
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive push-through square ratchet	920/50
6	T - handle wrenches with swivelling socket 8 - 10 - 12 - 13 - 17 - 19 mm	952
1	pry bar with handle 450 mm	965
2	circlip pliers straight, internal 180 - 225 mm	1032
2	circlip pliers bent, internal 170 - 210 mm	1034
2	circlip pliers straight, external 175 - 225 mm	1036
2	circlip pliers bent, external 175 - 220 mm	1038
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1057A

Quantity	Description	Beta N.
1	heavy duty diagonal cutting nippers 200 mm	1084BM
1	toggle lever assisted end cutting nippers 200 mm	1092V
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
4	screwdrivers for cross head Phillips® screws 3x75 - 4x100 - 5,5x125 - 6,5x150 mm	1260
1	screwdriver for slotted head screws, extra-short series 6,5x30 mm	1260N
2	screwdrivers for slotted head screws with hexagon bolsters 8x175 - 10x175 mm	1260E
3	screwdrivers for cross head Phillips® screws PH0x100 - PH1x120 - PH2x100 mm	1262
1	screwdrivers for cross head Phillips® screws, extra - short series PH2x30 mm	1262N
1	screwdrivers for cross head Phillips® screws with hexagon bolsters PH3x175mm	1262E
1	screwdriver for cross head Phillips® screws, long series PH2x400 mm	1262L
1	screwdrivers for headless slotted screws 6,5x400 mm	1264L
1	engineer's hammer 500 g	1370
1	soft face hammer Ø 45 mm	1390
1	adjustable oil filter wrench	1491
1	metric feeler gauge	1708/20
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1726BM
1	metal oil can 200 cc	1751

	5904VG/3	059040192
	2400SL-O/VG3 (C24SL/O+5904VG/3)	024002414
	2400SL-G/VG3 (C24SL/G+5904VG/3)	024002415
	2400SL-R/VG3 (C24SL/R+5904VG/3)	024002416
	2400S7-O/VG3 (C24S7/O+5904VG/3)	024002734
	2400S7-G/VG3 (C24S7/G+5904VG/3)	024002735
	2400S7-R/VG3 (C24S7/R+5904VG/3)	024002736
	2400SA7-O/VG3 (C24SA7/O+5904VG/3)	024002737
	2400SA7-G/VG3 (C24SA7/G+5904VG/3)	024002738
	2400SA7-R/VG3 (C24SA7/R+5904VG/3)	024002739
	2400S8-O/VG3 (C24S8/O+5904VG/3)	024002814
	2400S8-G/VG3 (C24S8/G+5904VG/3)	024002815
	2400S8-R/VG3 (C24S8/R+5904VG/3)	024002816

5904VG/5T

Assortment of 153 tools

Car repairs



25 kg

Quantity	Description	Beta N.	TR
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1	1/2" drive extension bar 125 mm	920/21	T80
1	1/2" drive extension bar 255 mm	920/22	T80
1	1/2" drive universal joint	920/25	T80
1	1/2" drive sliding T-handle	920/42	T80
1	1/2" drive reversible ratchet	920/55	T80
19	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
16	combination wrenches 6÷21 mm	42	T15
5	combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T16
8	T - handle wrenches with swivelling socket ◎ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	952	T63
	empty thermoformed tray	VP6	VP6
1	circlip pliers straight, internal ⊙ 180 mm	1032	T145
1	circlip pliers bent, internal ⊙ 170 mm	1034	T145
1	circlip pliers straight, external ● 175 mm	1036	T145
1	circlip pliers bent, external ● 175 mm	1038	T145
7	screwdrivers for cross head Phillips® screws ◐ 2,5x50 - 3x75 - 3,5x100 - 4x125 - 5,5x100 - 5,5x150 - 6,5x150 mm	1290	T170
5	drivers for Torx® head screws, with handles ✪ T25 - T27 - T30 - T40 - T45	1297TX	T176
6	offset hexagon key wrenches ○ 2 - 2,5 - 3 - 4 - 5 - 6 mm	96T	T52
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 16x17 - 18x19 - 20x22 mm	55	T33
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	T33

Quantity	Description	Beta N.	TR
3	screwdrivers for cross head Phillips® screws ◐ 8x150 - 8x200 - 10x200 mm	1290	T171
2	screwdriver for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1290N	T171
6	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 PH2x100 - PH2x150 mm	1292	T172
2	screwdrivers for cross head Phillips® screws ✪ PH3x150 - PH4x200 mm	1292	T173
2	screwdriver for cross head Phillips® screws, extra-short series ✪ PH1x30 - PH2x30 mm	1292N	T173
2	flat chisels, ribbed type 100 - 200 mm	35	T234
1	engineer's hammer 300 g	1370	T234
1	soft face hammer Ø 35 mm	1390	T234
1	half-round needle nose pliers 180 mm	1150BM	T131
1	extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM	T131
1	heavy duty diagonal cutting nippers 160 mm	1084BM	T131
8	bits for Torx® head screws ✪ T6÷T15	861TX	T112
8	bits for Torx® head screws ✪ T20÷T55	866TX	T112
1	socket holder	895/1	T112
1	socket holder	895/6	T112
1	1/4" sockets for Torx® head screws ◎ E4÷E10	900FTX	T112
1	1/2" sockets for Torx® head screws ◎ E12÷E24	920FTX	T112
1	1/2" drive, socket drivers for Torx® head screws ✪ T55L - T60 - T70L	920TX	T112
1	slip joint pliers 250 mm	1048	T153
1	self - locking pliers 240 mm	1052	T153

	5904VG/5T	059040196
	2400S8-O/VG5T (C24S8/O+5904VG/5T)	024002824
	2400S8-G/VG5T (C24S8/G+5904VG/5T)	024002825
	2400S8-R/VG5T (C24S8/R+5904VG/5T)	024002826
	3900 O-8/VG5T (C39 O/8+5904VG/5T)	039000184
	3900 G-8/VG5T (C39 G/8+5904VG/5T)	039000185
	3900 R-8/VG5T (C39 R/8+5904VG/5T)	039000186
	2400SAXL-O/VG5T (C24SA-XL/7O +5904VG/5T)	024002454
	2400SAXL-G/VG5T (C24SA-XL/7G +5904VG/5T)	024002455
	2400SAXL-R/VG5T (C24SA-XL/7R +5904VG/5T)	024002456

5905VG/1

Assortment of 94 tools for car body repair shops

Car repairs

20 kg

Quantity	Description	Beta N.
1	drift punches Ø 4 mm	30
6	pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/B6
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
1	cape chisels, standard type 150 mm	36
17	combination wrenches 6÷22 mm	42/S17
10	offset hexagon key wrenches O 1,5÷12 mm	96/B10
1	adjustable wrench 300 mm	111N
12	hi-torque hexagon nut spinners, long series ◎ 4÷14 mm	943BX
1	pry bar with handle 450 mm	965
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052
1	adjustable self locking pliers, aluminium jaws 280 mm	1060AL
1	heavy duty diagonal cutting nippers ⊱ 160 mm	1084BM
1	construction worker's pincers 250 mm	1098PL
1	compound leverage shears, straight blades	1122
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	screwdriver for Dzus® head screws ◖	1201DZ
4	screwdrivers for cross head Phillips® screws ◖ 3x75 - 4x100 - 5,5x150 - 6,5x150 mm	1260
1	screwdriver for slotted head screws, extra-short series ◖ 4x30 mm	1260N
2	screwdrivers for slotted head screws with hexagon bolsters ◖ 10x175 - 12x200 mm	1260E
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262
1	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 mm	1262N
1	screwdrivers for cross head Phillips® screws with hexagon bolsters ✪ PH3x175 mm	1262E
7	drivers for Torx® head screws ✪ T6 - T8 - T10 - T15 - T20 - T25 - T30	1267TX
1	curved dolly 1350 g	1303
1	toe dolly	1305
1	heel dolly	1306
1	general purpose dolly	1310
1	buffer dolly	1313
1	curved angle spoon	1326
1	heavy duty spoon	1327
1	long double-ended spoon	1330
1	body blade holder, with blade 9"	1338A
1	extra flat chisel with hand guard	1342PM
1	body hammer	1345
1	body hammer Ø 32 mm	1357Z/32
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692

	5905VG/1	059050157
	2500/VG1 (C25+5905VG/1)	025000082

5905VG/2

Assortment of 118 tools

Car repairs

19.5 kg

Quantity	Description	Beta N.
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/B6
14	combination wrenches 6÷14 - 17 - 19 - 22 - 24 mm	42
13	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 25x28 - 27x29 - 30x32 mm	55
3	half - moon ring wrenches 11x13 - 14x17 - 19x22 mm	83
10	offset hexagon key wrenches ○ 1,5÷12 mm	96N/B10
6	drivers for Torx® head screws, with handles ✪ T10 - T15 - T20 - T25 - T30 - T40	97TTX
2	1/2" drive impact sockets ◎ 17 - 19 mm	720
20	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ❁	920/55
8	T - handle wrenches with swivelling socket ◎ 7 - 8 - 10 - 11 - 13 - 14 - 17 - 19 mm	952
1	T - handle swivel spark plug wrenches	959
1	wheel nut wrench ◎ 17x19x22x ■ 1/2"	979
1	circlip pliers straight, internal ⚇ 180 mm	1032
1	circlip pliers bent, internal ⚇ 170 mm	1034
1	circlip pliers straight, external ● 175 mm	1036

Quantity	Description	Beta N.
1	circlip pliers bent, external ● 175 mm	1038
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	compound leverage shears, straight blades 250 mm	1122
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖ 160 mm	1166BM
8	screwdrivers for cross head Phillips® screws ◖ 2,5x50 - 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 8x200 - 10x200 mm	1260
2	screwdrivers for slotted head screws with hexagon bolsters ◖ 10x175 - 12x200 mm	1260E
1	screwdriver for slotted head screws, extra-short series ◖ 6,5x30 mm	1260N
4	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262
1	engineer's hammer 400 g	1370
1	soft face hammer Ø 35 mm	1390
1	adjustable oil filter wrench	1491
1	circuit tester 3÷48 V	1498

	5905VG/2	059050144
	2500/VG2 (C25+5905VG/2)	025000084

5908VG/2T

assortment of 212 tools

Car repair

Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	**T15**
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	**T16**
5 pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31	**T31**
1 centre punch Ø 4 mm	32	**T31**
12 double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55	**T31**
9 offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96N/SC9	**T31**
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	**T80**
1 1/2" drive extension bar 125 mm	920/21	**T80**
1 1/2" drive extension bar 255 mm	920/22	**T80**
1 1/2" drive universal joint	920/25	**T80**
1 1/2" drive sliding T-handle	920/42	**T80**
1 1/2" drive reversible ratchet	920/55	**T80**
19 1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	**T80**
1 circlip pliers straight, internal 180 mm	1032	**T145**
1 circlip pliers bent, internal 170 mm	1034	**T145**
1 circlip pliers straight, external 175 mm	1036	**T145**
1 circlip pliers bent, external 175 mm	1038	**T145**
1 circlip pliers straight, internal 140 mm	1032	**T146**
1 circlip pliers bent, internal 225 mm	1034	**T146**
1 circlip pliers straight, external 140 mm	1036	**T146**
1 circlip pliers bent, external 225 mm	1038	**T146**
9 screwdrivers for cross head Phillips® screws ◗ 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 - 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	**T167**
2 screwdriver for slotted head screws, extra-short series ◗ 4x30 - 6,5x30 mm	1260N	**T167**
7 screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 PH2x100 - PH2x150 -PH3x150 mm	1262	**T168**
2 screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N	**T168**
8 T - handle wrenches with swivelling socket ◎ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	952	**T63**
2 screwdriver for cross head Phillips® screws, long series ✪ PH1x400 - PH2x400 mm	1262L	**T209**
3 screwdriver for headless slotted screws, long series ◗ 3x300 - 4x400 - 5x400 mm	1264L	**T209**
6 drivers for Torx® head screws, with handles ✪ T10-T15-T20-T25-T27-T30	97TTX	**T55**
14 1/2" drive impact sockets ◎ 10-11-12-13-14-15-16-17-18-19-21-22-23-24 mm	720	**T110**

Quantity/Description	Beta N.	TR
1 1/2" drive impact extension bar 125 mm	720/21	**T110**
5 socket drivers for hexagon screws ○ 5L - 6L - 7L - 8L - 10L	920PE	**T113**
4 1/2" drive, socket drivers for Torx® head screws ✪ T40L - T45L - T55L - T70L	920TX	**T113**
3 socket drivers with XZN® profile ○ M6L - M8L - M12L	920XZN	**T113**
5 second cut files 200 mm	1719BMA8/S5	**T236**
1 adjustable oil filter wrench 110 mm	1491	**T264**
1 square oil drain plug socket ■ 10 mm	1494	**T264**
7 male hexagon oil drain plug sockets ○ 8-9-10-11-12-14-17 mm	1494E	**T264**
4 male square oil drain plug sockets ○ 8-9,5-12-13 mm	1494Q	**T264**
1 male triangular oil drain plug socket Δ	1494T	**T264**
1 male oil drain plug socket with XZN® profile ○	1494XZN	**T264**
1 oil plug wrenches	1496/C	**T264**
2 flat chisels, ribbed type 100 - 200 mm	35	**T234**
1 engineer's hammer 300 g	1370	**T234**
1 soft face hammer Ø 35 mm	1390	**T234**
1 slip joint pliers 250 mm	1048	**T153**
1 self - locking pliers 240 mm	1052	**T153**
1 half-round needle nose pliers 〓 180 mm	1150	**T132**
1 screwdrivers for slotted head screws ◗ 160 mm	1166	**T132**
1 heavy duty diagonal cutting nippers 160 mm	1084	**T132**
11 3/4" square drive hexagon socket ◎ 22-24-27-30-32-34-36-38-41-46-50 mm	928A	**T105**
1 3/4" drive extension bar 200 mm	928/21	**T106**
1 3/4" drive extension bar 380 mm	928/22	**T106**
1 3/4" drive sliding T - handle 450 mm	928/42	**T106**
1 3/4" drive reversible ratchet	928/55	**T106**
1 empty thermoformed tray	VP6	**VP6**
4 offset hexagon key wrenches ○ 13-14-17-19 mm	96N	
1 adjustable wrench 300 mm	111	
1 pry bar with handle	965	
1 tin snips 250 mm	1112	
1 electrician's scissors, straight blades	1128BMX	
1 engineer's hammer 1000 g	1370	
1 metric feeler gauge	1708/20	
1 telescopic magnet with flexible head	1712	
1 telescopic joint inspection mirror	1715	
1 three - cutting edges scraper 200 mm	1717B	
1 hacksaw frame, aluminium handle 440 mm	1726	
1 brush, brass wires	1737	
1 metal oil can 200 cl	1751	
1 snap - off blade utility knife	1771	

	5908VG/2T	059080117
	2800 O/VG2T (C28 O+5908VG/2T)	028000347
	2800 G/VG2T (C28 G+5908VG/2T)	028000348
	2800 R/VG2T (C28 R+5908VG/2T)	028000349

5910VG/3T

assortment of 202 tools

Car repair



Quantity/Description	Beta N.	TR
16 combination wrenches 6÷21 mm	42	T15
5 combination wrenches 22 - 24 - 27 - 30 - 32 mm	42	T16
6 double swivel end socket wrenches 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18X19 mm	80	T79
1 adjustable oil filter wrench 110 mm	1491	T264
1 square oil drain plug socket ■ 10 mm	1494	T264
7 male hexagon oil drain plug sockets ○ 8-9-10-11-12-14-17 mm	1494E	T264
4 male square oil drain plug sockets ○ 8-9,5-12-13 mm	1494Q	T264
1 male triangular oil drain plug socket Δ	1494T	T264
1 male oil drain plug socket with XZN® profile ○	1494XZN	T264
1 oil plug wrenches	1496/C	T264
5 1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME	T80
1 1/2" drive extension bar 125 mm	920/21	T80
1 1/2" drive extension bar 255 mm	920/22	T80
1 1/2" drive universal joint	920/25	T80
1 1/2" drive sliding T-handle	920/42	T80
1 1/2" drive reversible ratchet	920/55	T80
19 1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 30 - 32 mm	920A	T80
1 circlip pliers straight, internal ⊙ 180 mm	1032	T145
1 circlip pliers bent, internal ⊙ 170 mm	1034	T145
1 circlip pliers straight, external ● 175 mm	1036	T145
1 circlip pliers bent, external ● 175 mm	1038	T145
1 circlip pliers straight, internal ⊙ 140 mm	1032	T146
1 circlip pliers bent, internal ⊙ 225 mm	1034	T146
1 circlip pliers straight, external ● 140 mm	1036	T146
1 circlip pliers bent, external ● 225 mm	1038	T146
6 drivers for Torx® head screws, with handles ✪ T10-T15-T20-T25-T27-T30	97TTX	T55
12 swivel end ratcheting combination wrenches 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm	142SN	T46
1 half-round needle nose pliers 180 mm	1150BM	T131

Quantity/Description	Beta N.	TR
1 extra long needle knurled nose pliers, bi-material handles ◐ 160 mm	1166BM	T131
1 heavy duty diagonal cutting nippers 160 mm	1084BM	T131
1 slip joint pliers, push button alignment 240 mm	1047	T151
1 self - locking pliers 240 mm	1057A	T151
8 T - handle wrenches with swivelling socket ◎ 7 - 8 - 10 - 12 - 13 - 14 - 17 - 19 mm	952	T63
9 screwdrivers for cross head Phillips® screws ◐ 3x75 - 3,5x100 - 4x100 - 4x150 - 5,5x100 5,5x150 - 6,5x150 - 8x150 - 10x200 mm	1260	T167
2 screwdrivers for slotted head screws, extra-short series ◐ 4x30 - 6,5x30 mm	1260N	T167
1 pin punches	31/B6	
7 screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH0x100 - PH1x80 - PH1x120 PH2x100 - PH2x150 -PH3x150 mm	1262	T168
2 screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N	T168
1 adjustable wrench 250 mm	111	T59
1 1/2" drive swivel T-handle	920/40	T59
6 T-handle wrenches with hexagon male ends ○ 2,5-3-4-5-6-8 mm	951	T59
4 T handle wrenches with swivelling hexagon male ends ○ 4-5-6-8 mm	953	T59
2 engineer's hammer 300-500 g	1370	T59
2 screwdriver for cross head Phillips® screws, long series ✪ PH1x400 - PH2x400 mm	1262L	T209
3 screwdriver for headless slotted screws, long series ◐ 3x300 - 4x400 - 5x400 mm	1264L	T209
1 ball head offset hexagon key wrenches ○	96BPC/SC9	
1 click type torque wrench 8 ÷ 60 Nm	606/6	
1 click type torque wrench 60 ÷ 330 Nm	606/30	
1 impact sockets	720/C12	
1 adaptor, 1/2" female and 3/8" male drives	910/16	
1 assortment of 12 sockets and 5 accessories 3/4"	928A/C12	
1 lever with articulated, flat, curved head	966/C3	
1 dead blow hammer Ø 50 mm	1392	
1 reversible impact wrench, made from composite material	1927P	

5910VG/3T	059100067	**3000S/VG3T** (C30S+5910VG/3T)	030000097

5940SBK

assortment of 133 tools

Motorcycle repair

Quantity	Description	Beta N.
1	drift punches Ø 2 mm	30
1	centre punch Ø 4 mm	32
1	flat chisels 125 mm	34
10	combination wrenches 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	42
1	combination wrenches 12 mm	42
6	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 mm	55
9	offset hexagon key wrenches ○ 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm	96/SC9
1	click type torque wrench 3/8", 8÷60 Nm	606/6
54	assortment of 52 hexagon bits, 10 mm, and 2 accessories	867/C52
17	assortment of 12 sockets and 5 accessories	920A/C12X
1	adaptor, 1/2" female and 3/8" male drives	910/16
2	3/8" square drive spark plug sockets ◎ 16 - 17,8 mm	956E
1	extra - long nose pliers ◐ 283 mm	1009L/A
2	circlip pliers straight, internal ○ 140 - 180 mm	1032
1	circlip pliers straight, external ● 140x1,3 mm	1036

Quantity	Description	Beta N.
1	self - locking pliers 235 mm	1054
1	diagonal cutting nippers ⧓ 160 mm	1082
1	half-round needle nose pliers 〓 180 mm	1150
1	screwdriver for Dzus® head screws ◐	1201DZ
4	screwdrivers for cross head Phillips® screws ◐ 3x75 - 4x100 - 5,5x100 - 6,5x150 mm	1201
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1202
1	circuit testing screwdriver ◐	1254
1	engineer's hammer 300 g	1370
1	Clic® collar pliers	1472FS
2	plastic hose pliers	1481PL/A-B
1	adjustable oil filter wrench	1491
1	metric feeler gauge	1708/13
3	needle files	1720/S3
1	mini hacksaw frame	1725CR
1	brush, brass wires	1737
1	plastic oil can 250 cc	1754
1	utility knife	1770A
1	3/8" drive universal joint	910/25

5940SBK 059400071

4100S/SBK 041000104
(C41S+5940/SBK)

4100H/SBK 041000114
(C41H+5940/SBK)

5953VG

Assortment of 147 tools

Car repairs

24.6 kg

Quantity	Description	Beta N.
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 150 mm	34
18	combination wrenches 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 mm	42
12	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x26 - 27x29 - 30x32 mm	55
3	half - moon ring wrenches 11x13 - 14x17 - 19x22 mm	83
12	offset hexagon key wrenches ○ 2÷10 mm	96
11	offset hexagon key wrenches ○ 2÷8 - 10 mm	96T
20	1/2" square drive hexagon sockets ◎ 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
5	1/2" drive, socket drivers for hexagon screws ○ 5 - 6 - 8 - 10 - 12 mm	920ME
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
10	T - handle wrenches with swivelling socket ◎ 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	952
2	T - handle swivel spark plug wrenches 16 - 20,8 mm	959
1	wheel nut wrench ◎ 17x19x22x ■ 1/2"	979
2	circlip pliers straight, internal ⊙ 140 - 180 mm	1032
1	circlip pliers bent, internal ⊙ 170 mm	1034
2	circlip pliers straight, external ● 140x1,3 - 175 mm	1036
1	circlip pliers bent, external ● 175 mm	1038

Quantity	Description	Beta N.
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	tin snips 250 mm	1112
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
5	screwdrivers for cross head Phillips® screws ◖ 3x75 - 4x100 - 5,5x100 6,5x150 - 10x200 mm	1260
2	screwdriver for slotted head screws, extra-short series ◖ 4x30 - 6,5x30 mm	1260N
4	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 PH2x100 - PH3x150 mm	1262
2	screwdrivers for cross head Phillips® screws, extra - short series ✪ PH1x30 - PH2x30 mm	1262N
1	screwdriver for cross head Phillips® screws, long series ✪ PH2x400 mm	1262L
1	screwdriver for headless slotted screws, long series ◖ 6,5x400 mm	1264L
1	engineer's hammer 400 g	1370
1	soft face hammer Ø 35 mm	1390
1	circlip pliers for butt - ended circlips	1458
1	adjustable oil filter wrench	1491
1	crimping pliers for non insulated terminals	1603
1	metric feeler gauge	1708/13
1	flexible magnetic pick-up tool 0,5 kg	1712E/1
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1726BM
1	plastic oil can 250 cc	1754

5953VG	059530085
5300VG (C53VG+5953VG)	053000025

5954VG

Assortment of 138 tools

Car repairs



18.9 kg

Quantity	Description	Beta N.
5	pin punches Ø 2 - 3 - 4 - 5 - 6 mm	31
1	centre punch Ø 4 mm	32
1	flat chisels 125 mm	34
18	combination wrenches 6÷22 - 24 mm	42
8	double open end wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm	55
3	double ended offset ring wrenches 12x13 - 14x15 - 17x19 mm	90
13	offset hexagon key wrenches 2÷10 - 12 mm	96
3	1/2" drive impact sockets 17 - 19 - 22 mm	720
1	3/8" drive swivel T - handle	910/40
20	1/2" square drive hexagon sockets 10÷24 - 26 - 27 - 28 - 30 - 32 mm	920A
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet	920/55
4	hi-torque hexagon nut spinners, long series 6 - 7 - 8 - 10 mm	943BX
10	T - handle wrenches with swivelling socket 6 - 7 - 8 - 10 - 11 - 12 - 13 - 14 - 17 - 19 mm	952
3	3/8" square drive spark plug sockets 16 - 17,8 - 20,8 mm	956E
1	pry bar	964
1	circlip pliers straight, internal 180 mm	1032
1	circlip pliers bent, internal 170 mm	1034
1	circlip pliers straight, external 175 mm	1036
1	circlip pliers bent, external 175 mm	1038

Quantity	Description	Beta N.
1	slip joint pliers 250 mm	1048
1	self - locking pliers 240 mm	1052
1	adjustable self locking pliers, long jaws 180 mm	1058
1	diagonal cutting nippers 160 mm	1082BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles 160 mm	1166BM
1	circuit testing screwdriver 6÷24V	1254
6	screwdrivers for cross head Phillips® screws 3x75 - 3,5x100 - 4x125 5,5x150 - 6,5x150 - 10x200 mm	1260
1	screwdriver for slotted head screws, extra-short series 6,5x30 mm	1260N
3	screwdrivers for cross head Phillips® screws PH0x60 - PH1x80 - PH2x100 mm	1262
1	screwdrivers for cross head Phillips® screws, extra - short series PH2x30 mm	1262N
5	drivers for Torx® head screws T8 - T10 - T15 - T20 - T25	1267TX
1	engineer's hammer 300 g	1370
1	dead blow hammer Ø 35 mm	1392
1	brake spring pliers 210 mm	1470
1	crimping pliers for non insulated terminals	1603
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/20
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
6	needle files 160 mm	1720/B6
1	plastic oil can 150 cc	1754

	5954VG	059540085
	5400 O/VG (C54VG O+5954VG)	054000160
	5400 G/VG (C54VG G+5954VG)	054000162
	5400 R/VG (C54VG R+5954VG)	054000164

5957VG

assortment of 189 tools

Car repairs

36.6 kg

Quantity	Description	Beta N.
6	pin punches Ø 2 - 3 - 4 - 5 - 6 - 8 mm	31/SP6
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6
19	combination wrenches 6÷22 - 24 - 27 mm	42
12	double ended offset ring wrenches 6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x27 - 25x28 - 30x32 mm	90/S12X
7	offset hexagon key wrenches ○ 2,5÷10 mm	96N/G7
12	offset hexagon key wrenches ○ 2÷10 mm	96/SC12
13	offset key wrenches for Torx® head screws ✪ T6÷T50	97TX/B13
5	offset key wrenches with XZN® profile M5÷M12	98XZN/G
1	adjustable wrench 250 mm	111
1	click type torque wrench 1/2", 40÷200 Nm	606/20
2	1/2" drive impact sockets ◎ 17 - 19 mm	720
13	1/2" square drive bi-hex sockets with rail ○ 10÷22 mm	920B/SB13
8	1/2" square drive bi-hex sockets with rail ○ 23÷32 mm	920B/SB8
4	1/2" socket drivers for slotted head screws ◖ 1,2x6,5 - 1,2x8 - 1,6x9 - 2x12 mm	920LP
3	1/2" socket drivers for Phillips® screws ✪ PH2 - 3 - 4	920PH
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive swivel handle	920/35A
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ⓡ	920/55
7	T - handle wrenches with swivelling socket ◎ 8 - 10 - 11 - 13 - 14 - 17 - 19 mm	952
2	T - handle swivel spark plug wrenches 16 - 20,8 mm	959
1	pry bar	963
1	wheel nut wrench ◎ 17x19x22x ■ 1/2"	983
1	bent point tweezers 120 mm	991
1	straight large point tweezers 150 mm	994
2	circlip pliers straight, internal ⊙ 140 - 180 mm	1032
2	circlip pliers bent, internal ⊙ 130 - 170 mm	1034
2	circlip pliers straight, external ● 140x1,3 - 175 mm	1036
2	circlip pliers bent, external ● 135x1,3 - 175 mm	1038
1	slip joint pliers 250 mm	1048
1	self locking pliers, double adjustment	1051
1	heavy duty diagonal cutting nippers ⧓ 160 mm	1084BM
1	toggle lever assisted end cutting nippers ⧓ 180 mm	1092V
1	tin snips 250 mm	1112
1	tin snip, straight narrow blades 250 mm	1114
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers 180 mm	1150BM
1	extra long needle knurled nose pliers, bi-material handles ◖ 160 mm	1166BM
1	bent needle nose pliers ◖ 200 mm	1168BM
7	screwdrivers for cross head Phillips® screws ◖ 3x75 - 3,5x100 - 4x125 - 5,5x150 6,5x150 - 10x200 - 12x250 mm	1260
1	screwdrivers for slotted head screws with hexagon bolsters ◖ 12x200 mm	1260E
3	screwdrivers for cross head Phillips® screws ✪ PH0x60 - PH1x80 - PH2x100 mm	1262
2	engineer's hammer 300 - 600 g	1370
1	soft face hammer Ø 35 mm	1390
11	roller stud extractors 6÷12 mm	1433/C11
1	adjustable oil filter wrench	1491
1	circuit tester	1498
1	measuring tape 5 m	1692
1	metric feeler gauge	1708/20
1	flexible magnetic pick-up tool 1,8 kg	1712E/2
1	two cutting edges scraper 200 mm	1717A
1	three - cutting edges scraper 200 mm	1717B
5	second cut files 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	metal oil can 200 cc	1751
1	snap - off blade utility knife	1771

	5957VG	059570028
	5700A O/VG (C57A O+5957VG)	057000197
	5700B O/VG (C57B O+5957VG)	057000199
	5700A G/VG (C57A G+5957VG)	057000397
	5700B G/VG (C57B G+5957VG)	057000399
	5700A R/VG (C57A R+5957VG)	057000597
	5700B R/VG (C57B R+5957VG)	057000599

Soft thermoformed trays M-series

Assortment of tools in thermoformed trays, designed for roller cabs C22S, C23S, C23SC.



H mm	LxP mm
70	588x257



MC82

920A	10-11-12-13-14-15 16-17-18-19-20-21 22-23-24-26-27 30-32 mm
920AN/125	150 mm
920/25	
920/42	305 mm
920/55	

1/2"

3,1 kg

MC82	1 023500082
MCV82	1 023510082

MC91

900A	4-4,5-5-5,5-6 7-8-9-10-11 12-13-14 mm
900ME	2,5-3-4-5-6-8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	115 mm
900/55	

1/4"

700 g

MC91	1 023500091
MVC91	1 023510091

MC131

1084BM	160 mm
1150BM	180 mm
1166BM	160 mm

750 g

MC131	1 023500131
MCV131	1 023510131

MC220



1201	3x75 4x100 5,5x150 6,5x150 mm
1202	PH0x60 PH1x80 PH2x100 mm

530 g

MC220	1 023500220
MCV220	1 023510220

Soft thermoformed trays M-series

Assortment of tools in thermoformed trays, designed for all roller cabs and trolleys.

The heights of drawers C1 and C2 are shown in order to choose the most suitable thermoformed tray. Near each thermoformed tray you will find the height of the drawer it is suitable for.



	H mm	LxP mm
C1	50	588x367
C2	70	588x367



MC10

42	6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21 mm

1,5 kg

MC10	1 023500010
MCV10	1 023510010

MC153

96/SC9	1,5÷10 mm
1048	250 mm
1370	300 g
1692/5	5 m

980 g

MC153	1 023500153
MCV153	1 023510153

M15

42	6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21 mm

C2

1,5 kg

M15	1 024500015
MV15	1 024510015

M16

42 22-24-27-30-32 mm

2,1 kg

C2

M16	1	024500016
MV16	1	024510016

M45

142 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,3 kg

C2

M45	1	024500045
MV45	1	024510045

M63

952 7-8-10-12-13-14-17-19 mm

3,4 kg

C1-C2

M63	1	024500063
MV63	1	024510063

M33

55 6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22 mm

96/SC9 1,5÷10 mm

1,1 kg

C2

M33	1	024500033
MV33	1	024510033

M46

142SN 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,4 kg

C2

M46	1	024500046
MV46	1	024510046

M69

951 2,5-3-4-5-6-8
10-12-14 mm

1,8 kg

C1-C2

M69	1	024500069
MV69	1	024510069

M38

55 21x23-24x26
27x29-30x32 mm

1,7 kg

C1-C2

M38	1	024500038
MV38	1	024510038

M50

96T 2-2,5-3-4-5
6-7-8 mm

1,1 kg

C1-C2

M50	1	024500050
MV50	1	024510051

M75

933 7-8-9-10-11-12-13-14-15
16-17-18-19-21-22-24 mm

5,5 kg

C2

M75	1	024500075
MV75	1	024510075

M40

90 6x7-8x9-10x11
12x13-14x15
16x17-18x19 mm

810 g

C2

M40	1	024500040
MV40	1	024510040

M55

97TTX T10-T15-T20-T25-T30

330 g

C1-C2

M55	1	024500055
MV55	1	024510055

M79

80 8x9 -10x11-12x13
-14x15 16x17-18x19
mm

1,3 kg

C2

M79	1	024500079
MV79	1	024510079

M82

920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920/ME	5-6-8-10-12 mm
920AN/125	125 mm
920AN/250	250 mm
920/25	
920/42	
920/55	

4,1 kg | 1/2" | C2

M82	1	024500082
MV82	1	024510082

M83

920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920AN/125	125 mm
920AN/250	250 mm
920/25	255 mm
920/42	
920/55	

3,7 kg | 1/2" | C2

M83	1	024500083
MV83	1	024510083

M85

851	
860LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 mm
860PE	2 - 2,5 -3 - 4 - 5 - 6 - 8 - 10 mm
860PH	PH0 - PH1 - PH2 - PH3 - PH4
860PZ	PZ1 - PZ2 - PZ3 - PZ4
860TX	T6-T7-T8-T9-T10-T15- T20-T25-T27-T30-T40
860RTX	T9-T10-T15-T20-T25- T27-T30-T40
860/55	
882P	

450 g | 1/4 | C1-C2

M85	1	024500085
MV85	1	024510085

M86

867PE	4-5-6-7-8-10-12 mm
867PE/L	4-5-6-7-8-10-12 mm
867XZN	5-6-8-10-12 mm
867XZN/L	5-6-8-10-12 mm
867TX	T20-T25-T30-T40- T45-T50-T55
867TX/L	T25-T30-T40-T45- T50-T55
867RTX	T20-T25-T30-T40- T45-T50-T55
867/1	
867/2	

1,4 kg | 10 mm | C1-C2

M86	1	024500086
MV86	1	024510086

M91

900	4-4,5-5-5,5-6-7-8-9- 10-11-12-13-14 mm
900ME	2,5-3-4-5-6-8 mm
900/20	50 mm
900/21	150 mm
900/25	□ 1/4 - ■ 1/4
900BG/30	
900/42	
900/55	

560 g | 1/4" | C1-C2

M91	1	024500091
MV90	1	024510090

M92

910A	6-7-8-9-10-11-12-13- 14-15-16-17-18-19-20- 21-22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	
910/55	

1,5 kg | 3/8" | C2

M92	1	024500092
MV92	1	024510092

M112

861TX	●1/4-T6÷T15
866TX	●5/16-T20÷T55
895/1	○1/4x□1/4
895/6	○5/16x□1/2
900FTX	□1/4-E4÷E10
920FTX	□1/2-E12÷E24
920TX	□1/2-T55L-T60-T70L

1,3 kg | 1/4" 1/2" | C2

M112	1	024500112
MV112	1	024510112

M131

1084BM	160 mm
1150BM	180 mm
1166BM	160 mm

750 g | C1-C2

M131	1	024500131
MV131	1	024510131

M132

1084	160 mm
1150	180 mm
1166	160 mm

650 g | C1-C2

M132	1	024500132
MV132	1	024510132

M135

1082MQ	160 mm
1150MQ	180 mm
1166MQ	160 mm

750 g | C1-C2

M135	1	024500135
MV135	1	024510135

M145

1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm

640 g

C1-C2

M145	1 024500145
MV145	1 024510145

M174

1297TX	T8-T10-T15-T20-T25-T30

450 g

C1-C2

M174	1 024500174
MV174	1 024510174

M204

1267TX	T8-T10-T15-T20-T25-T30

450 g

C1-C2

M204	1 024500204
MV204	1 024510204

M153

1048	250 mm
1052	240 mm

1 kg

C1-C2

M153	1 024500153
MV153	1 024510153

M180

1290	3x75 4x100 5,5x150 6,5x150 mm
1292	PH0x60 PH1x80 PH2x100 mm

500 g

C1-C2

M180	1 024500180
MV180	1 024510180

M208

1260	3x75 3,5x100 4x125 5,5x150 6,5x150 mm
1262	PH0x60 PH1x80 PH2x100 mm
1260N	4x30 mm
1262N	PH1x30 mm

750 g

C1-C2

M208	1 024500208
MV208	1 024510208

M170

1290	2,5x50 3x75 3,5x100 4x125 5,5x100 5,5x150 6,5x150 mm

500 g

C1-C2

M170	1 024500170
MV170	1 024510170

M199

1260	2,5x50 3x75 3,5x100 4x125 5,5x100 5,5150 6,5x150 mm

500 g

C1-C2

M199	1 024500199
MV199	1 024510199

M220

1201	3x75 4x100 5,5x150 6,5x150 mm
1202	PH0x60 PH1x80 PH2x100 mm

500 g

C1-C2

M220	1 024500220
MV220	1 024510220

M172

1292	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 mm

450 g

C1-C2

M172	1 024500172
MV172	1 024510172

M202

1262	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 mm

450 g

C1-C2

M202	1 024500202
MV202	1 024510202

M226

1274MQ	3x100 4x100 5,5x125 6,5x150 mm
1272MQ	PH0x60 PH1x80 PH2x100 mm

500 g

C1-C2

M226	1 024500226
MV226	1 024510226

M227

944BX	6-7-8-10-13 mm

420 g

C1-C2

M227	1 024500227
MV227	1 024510227

M240

31BM	Ø 2-3-4-5-6-8 mm
32	Ø 4 mm

850 g

C1-C2

M240	1 024500240
MV240	1 024510240

M300

1927A	
720	12-13-14-15-16-17 18-19-21-22 24-27 mm
720/21	

4,7 kg

12"

C2

M300	1 024500300
MV300	1 024510300

M234

35	100-200 mm
1370	300 g
1390	Ø 35 mm

1,3 kg

C1-C2

M234	1 024500234
MV232	1 024510232

M264

1491	Ø 65÷110 mm
1494	■ 10 mm
1494E	○ 8-9-10-11-12-14-17 mm
1494Q	○ 8-9,5-12-13 mm
1494T	Δ 9,5
1494XZN	○ 16
1496C	■ 8x ■ 10 mm

2,1 kg

C2

M264	1 024500264
MV264	1 024510264

M310

1927CD	
720	12-13-14-15-16-17 18-19-21-22 24-27 mm
720/21	

4,0 kg

12"

C2

M310	1 024500310
MV310	1 024510310

M236

1719BMA/Q	200 mm
1719BMA/T	200 mm
1719BMA/P	200 mm
1719BMA/M	200 mm
1719BMA/R	200 mm

870 g

C1 - C2

M236	1 024500236
MV236	1 024510236

M285

1112	250 mm
1128BM	
1726	440 mm
1728BM	(5)
1753	200 cc

1,5 kg

C2

M285	1 024500285
MV285	1 024510285

VPM3

VPM3	1 088870353

M237

35	100-200 mm
1370T	300 mm
1390N	Ø 35 mm

1,3 kg

C1-C2

M237	1 024500237
MV232	1 024510232

M289

1692	5 m
1725CR	
1755	30 cc
1771	

500 g

C2

M289	1 024500289
MV289	1 024510289

VPM0

VPM0	1 088870350

Hard thermoformed trays T-series

Assortment of tools in thermoformed trays, designed for all roller cabs and all trolleys.

The heights of drawers C1 and C2 are shown in order to choose the most suitable thermoformed tray. Near each thermoformed tray you will find the height of the drawer it is suitable for.



	H mm	LxP mm
C1	50	588x367
C2	70	588x367



T10

42	6-7-8-10-11-12-13 14-16-17-18-19-21 22-24-27-30 mm

2,7 kg

C2

T10	1 024240010
TV10	1 024000400

T19

42MP	22-24-27-30-32 mm

2,1 kg

C2

T19	1 024240019
TV16	1 024000446

T15

42	6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21 mm

1,5 kg

C2

T15	1 024240015
TV15	1 024000445

T22

42AS	5/16-3/8-7/16-1/2 9/16-5/8-11/16-3/4
○ **96AS/BG7**	3/32-1/8-5/32-3/16 1/4-5/16-3/8

1 kg

C2

T22	1 024240022
TV20	1 024000488

T16

42	22-24-27-30-32 mm

2,1 kg

C2

T16	1 024240016
TV16	1 024000446

T31

31	Ø 2-3-4-5-6 mm
32	Ø 4 mm
55	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22-21x23 24x26-27x29 30x32 mm
○ **96N/SC9**	1,5÷10 mm

3 kg

C2

T31	1 024240031
TV30	1 024000401

T18

42MP	6-7-8-9-10-11-12 13-14-15-16-17 18-19-20-21 mm

1,5 kg

C2

T18	1 024240018
TV15	1 024000445

T33

55	6x7-8x9-10x11 12x13-14x15 16x17-18x19 20x22 mm
○ **96/SC9**	1,5÷10 mm

1 kg

C2

T33	1 024240033
TV20	1 024000488

T34

55MP 6x7-8x9-10x11
12x13-14x15
16x17-18x19
20x22 mm

96/SC9 1,5÷10 mm

1 kg

C2

T34	1	024240034
TV20	1	024000488

T46

142SN 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,5 kg

C2

T46	1	024240046
TV46	1	024000499

T53

96TBP 2,5-3-4-5-6 mm

300 g

C1 - C2

T53	1	024240053
TV52	1	024000765

T40

90 6x7-8x9-10x11
12x13-14x15
16x17-18x19 mm

810 g

C2

T40	1	024240040
TV40	1	024000456

T48

96BPC/SC9 1,5÷10 mm

142C 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,4 kg

C2

T48	1	024240048
TV47	1	024000763

T55

97TTX T10-T15-T20
T25-T27-T30

330 g

C1 - C2

T55	1	024240055
TV55	1	024000766

T41

90 20x22-21x23
24x26-25x28
27x29 mm

1,5 kg

C2

T41	1	024240041
TV41	1	024000457

T50

96T 2-2,5-3-3,5-4-4,5
5-6-7-8-10 mm

1,3 kg

C1 - C2

T50	1	024240050
TV50	1	024000764

T56

96BP 2-3-4-5-6-8-10 mm

97TX T20-T25-T30-T40-
T45-T50-T55

300 g

C1-C2

T56	1	024240056
TV56	1	024249901

T45

142 8-9-10-11-12
13-14-15-16
17-18-19 mm

1,3 kg

C2

T45	1	024240045
TV45	1	024000498

T52

96T 2-2,5-3-4-5-6 mm

350 g

C1 - C2

T52	1	024240052
TV52	1	024000765

T59

111	250 mm
920/40	■ 1/2
951	2,5-3-4-5-6-8 mm
953	4-5-6-8 mm
1370	300 - 500 g

4,7 kg — C2

T59	1 024240059
TV60	1 024000420

T63

952 7-8-10-12-13-14-17-19 mm

3,8 kg — C1 - C2

T63	1 024240063
TV63	1 024000471

T64

952FTX E10-E12-E14

953TX T25-T27-T30-T40-T45

3,8 kg — C1 - C2

T64	1 024240064
TV63	1 024000471

T65

953 3-3,5-4-5-6-7-8-10 mm

2,8 kg — C1 - C2

T65	1 024240065
TV63	1 024000471

T68

951 2,5-3-4-5-6-8 mm

590 g — C1 - C2

T68	1 024240068
TV68	1 024000470

T73

930 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22 mm

940/1

940/2

1,3 kg — C2

T73	1 024240073
TV73	1 024000418

T75

933 7-8-9-10-11-12-13 14-15-16-17-18-19 21-22-24 mm

4,2 kg — C2

T75	1 024240075
TV75	1 024000422

T76

932 7-8-9-10-11-12-13 14-15-16-17-18-19 21-22-24 mm

4,2 kg — C2

T76	1 024240076
TV75	1 024000422

T77

933 6-7-8-10-11-12-13 14-17-19 mm

1,4 kg — C2

T77	1 024240077
TV77	1 024000474

T79

80 8x9-10x11-12x13 14x15-16x17 18x19 mm

1,3 kg — C2

T79	1 024240079
TV79	1 024000490

T80

920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920ME	5-6-8-10-12 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	305 mm
920/55	

4,1 kg | 12" | C2

T80	1 024240080
TV80	1 024000403

T81

920B	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920ME	5-6-8-10-12 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	305 mm
920/55	

4,1 kg | 12" | C2

T81	1 024240081
TV80	1 024000403

T82

920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920ME	5-6-8-10-12 mm
920AN/125	125 mm
920AN/250	250 mm
920/25	
920/42	305 mm
920/55	

4,1 kg | 12" | C2

T82	1 024240082
TV80	1 024000403

T83

920A	10-11-12-13-14 15-16-17-18-19 20-21-22-23-24 26-27-30-32 mm
920/21	125 mm
920/22	255 mm
920/25	
920/42	305 mm
920/55	

3,6 kg | 12" | C2

T83	1 024240083
TV83	1 024000402

T85

861LP	0,5x3 - 0,6x4,5 - 0,8x5,5 - 1x5,5 - 1,2x6,5 - 1,2x8 - 1,6x8 mm
861PE	2 - 2,5 -3 - 4 - 5 - 6 - 8 - 10 mm
861PH	PH0 - PH1 - PH2 - PH3
861PZ	PZ1 - PZ2 - PZ3
861TX	T6-T7-T8-T9-T10-T15-T20-T25-T27-T30-T40
861RTX	T9-T10-T15-T20-T25-T27-T30-T40
861TRW	1-2-3-4-5-6 mm
861TQS	0-1-2-3-4-5-6-8 mm
861SP	4-6-8-10-12 mm
851SR	230 mm
900	4-4,5-5-5,5-6-7-8-9 10-11-12-13-14 mm
900/21	150 mm
900/25	41 mm
900BG/30	176 mm
900/42	115 mm
900/55	125 mm
194	1/4x5/16

1,0 kg | 14" | C1 - C2

T85	1 024240085
TV85	1 024000747

T91

900	4-4,5-5-5,5-6 7-8-9-10-11 12-13-14 mm
900ME	2,5-3-4-5-6-8 mm
900/20	50 mm
900/21	150 mm
900/25	
900BG/30	
900/42	115 mm
900/55	

560 g | 14" | C1 - C2

T91	1 024240091
TV90	1 024000447

T92

910A	6-7-8-9-10-11-12-13 14-15-16-17-18-19 20-21-22 mm
910/21	125 mm
910/22	250 mm
910/25	
910/42	210 mm
910/55	

1,5 kg | 38" | C2

T92	1 024240092
TV92	1 024000458

T100

920A	10-12-13-14-15 16-17-18-19-21 22-24 mm
920/21	125 mm
920/25	
920/42	305 mm
920/55	

2,1 kg | 12" | C2

T100	1 024240100
TV100	1 024000495

T101

920B	10-12-13-14-15 16-17-18-19-21 22-24 mm
920/21	125 mm
920/25	
920/42	305 mm
920/55	

2,1 kg | 12" | C2

T101	1 024240101
TV100	1 024000495

T102

920AS	3/8-7/16-1/2 9/16-5/8-11/16 3/4-13/16-7/8 15/16-1.1/16
920/21	125 mm
920/25	
920/42	305 mm
920/55	

2,1 kg | 12" | C2

T102	1 024240102
TV100	1 024000495

T103

900L	6-7-8-9-10-11-12 mm
920AL	13-14-16-17-18-19 21-22-24-27 mm

1,1 kg | 14" 12" | C1 - C2

T103	1 024240103
TV103	1 024000748

T105

928A 22-24-27-30-32-34 36-38-41-46-50 mm

4,9 kg | 3/4" | C2

T105	1 024240105
TV105	1 024000484

T113

920PE 5L-6L-7L-8L-10L
920TX T40L-T45L T55L-T70L
920XZN M6L-M8L-M12L

1,5 kg | 1/2" | C2

T113	1 024240113
TV113	1 024000489

T135

1082MQ 160 mm
1150MQ 180 mm
1166MQ 160 mm

1000 V

750 g | C1 - C2

T135	1 024240135
TV135	1 024000762

T106

928/21 200 mm
928/22 380 mm
928/42 450 mm
928/55

4,5 kg | 3/4" | C2

T106	1 024240106
TV106	1 024000485

T120

606/20 40-200 Nm

1,1 kg | 1/2" | C2

T120	1 024240120
TV120	1 024000483

T136

1048MQ 250 mm
1777MQ/U

700 g | C1-C2

T136	1 024240136
TV136	1 024000438

T110

720 10-11-12-13-14 16-17-18-19-21 22-23-24 mm
720/21 125 mm

1,8 kg | 1/2" | C2

T110	1 024240110
TV110	1 024000477

T131

1084BM 160 mm
1150BM 180 mm
1166BM 160 mm

750 g | C1 - C2

T131	1 024240131
TV130	1 024000451

T140

1032 140x0,9 - 180 mm
1034 170 mm
1036 140x1,3 - 175 mm
1038 175 mm
1084 160 mm
1128BM

1,1 kg | C1 - C2

T140	1 024240140
TV140	1 024000405

T112

861TX 1/4-T6÷T15
866TX 5/16-T20÷T55
895/1 1/4x1/4
895/6 5/16x1/2
900FTX 1/4-E4÷E10
920FTX 1/2-E12÷E24
920TX 1/2-T55L-T60-T70L

1,3 kg | 1/4" 1/2" | C2

T112	1 024240112
TV112	1 024000480

T132

1084 160 mm
1150 180 mm
1166 160 mm

650 g | C1 - C2

T132	1 024240132
TV130	1 024000451

T142

1048 250 mm
1052 240 mm
1112 250 mm
1150 180 mm

1,8 kg | C1 - C2

T142	1 024240142
TV143	1 024000409

T145

1032	180 mm
1034	170 mm
1036	175 mm
1038	175 mm

640 g

C1 - C2

T145	1 024240145
TV145	1 024000448

T146

1032	140x0,9 mm
1032	225 mm
1036	140x1,3 mm
1036	225 mm

700 g

C1 - C2

T146	1 024240146
TV146	1 024000449

T151

1047	240 mm
1057A	240 mm

1,3 kg

C2

T151	1 024240151
TV150	1 024000462

T153

1048	250 mm
1052	240 mm

1,1 kg

C1 - C2

T153	1 024240153
TV150	1 024000462

T154

1082	160 mm
1150	180 mm
1048	250 mm

1 kg

C1-C2

T154	1 024240154
TV148	1 024000500

T155

1082BM	160 mm
1150BM	180 mm
1048BM	250 mm

1,1 kg

C1-C2

T155	1 024240155
TV148	1 024000500

T160

1290	3x75 3x100 4x100 4x150 5,5x100 5,5x150 6,5x150 8x150 10x200 mm
1290N	4x30 6,5x30 mm

1,3 kg

C1 - C2

T160	1 024240160
TV160	1 024000706

T161

1292	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 PH3x150 mm
1292N	PH1x30 PH2x30 mm

1 kg

C1 - C2

T161	1 024240161
TV161	1 024000707

T164

952	8-10-13-17-19 mm
959	16 mm (5/8") - 20,8 mm (13/16")
1260	3x75-4x100-5,5x100 6,5x150-10x200 mm
1262	PH0x60-PH1x80 PH2x100-PH3x150 mm

5 kg

C1 - C2

T164	1 024240164
TV61	1 024000721

T167

1260	3x75 3x100 4x100 4x150 5,5x100 5,5x150 6,5x150 8x150 10x200 mm
1260N	4x30 6,5x30 mm

1,3 kg

C1 - C2

T167	1 024240167
TV160	1 024000706

T168

1262	PH0x60 PH0x100 PH1x80 PH1x120 PH2x100 PH2x150 PH3x150 mm
1262N	PH1x30 PH2x30 mm

1 kg

C1 - C2

T168	1 024240168
TV161	1 024000707

T170

1290 2,5x50
3x75
3,5x100
4x125
5,5x100
5,5x150
6,5x150 mm

450 g

C1 - C2

T170	1 024240170
TV170	1 024000741

T175

1297TX T6-T7-T8-T9
T10-T15-T20

410 g

C1 - C2

T175	1 024240175
TV175	1 024000760

T183

1292L PH1x400-PH2x400 mm
1294L 3x300-4x400-5x400 mm

580 g

C2

T183	1 024240183
TV183	1 024000497

T171

1290 8x150
8x200
10x200 mm
1290N 4x30
6,5x30 mm

750 g

C1 - C2

T171	1 024240171
TV171	1 024000742

T176

1297TX T25-T27-T30
T40-T45

640 g

C1 - C2

T176	1 024240176
TV176	1 024000761

T198

1260 3x75
4x100
5,5x150
6,5x150 mm
1269PZ PZ0 - PZ1 - PZ2

490 g

C1 - C2

T198	1 024240198
TV170	1 024000741

T172

1292 PH0x60
PH0x100
PH1x80
PH1x120
PH2x100
PH2x150 mm

450 g

C1 - C2

T172	1 024240172
TV172	1 024000743

T177

1298RTX T9-T10-T15
T20-T25-T27
T30-T40

680 g

C1 - C2

T177	1 024240177
TV177	1 024000759

T199

1260 2,5x50
3x75
3,5x100
4x125
5,5x100
5,5x150
6,5x150 mm

490 g

C1 - C2

T199	1 024240199
TV170	1 024000741

T173

1292 PH3x150
PH4x200 mm
1292N PH1x30
PH2x30 mm

560 g

C1 - C2

T173	1 024240173
TV173	1 024000744

T180

1290 3x75
4x100
5,5x150
6,5x150 mm
1292 PH0x60
PH1x80
PH2x100 mm

480 g

C1 - C2

T180	1 024240180
TV180	1 024000701

T201

1260 8x200
10x150
10x200 mm
1260N 4x30
6,5x30 mm

680 g

C1 - C2

T201	1 024240201
TV171	1 024000742

T202

1262 PH0x60
PH0x100
PH1x80
PH1x120
PH2x100
PH2x150 mm

490 g

C1 - C2

T202	1	024240202
TV172	1	024000743

T207

1268RTX T9-T10-T15
T20-T25-T27-T30

760 g

C1 - C2

T207	1	024240207
TV207	1	024000758

T210

1201 2,5x50
3x75
3,5x100
4x125
5,5x100
5,5x150
6,5x150 mm

490 g

C1 - C2

T210	1	024240210
TV170	1	024000741

T204

1262 PH3x150
PH4x200 mm
1262N PH1x30
PH2x30 mm

610 g

C1 - C2

T204	1	024240204
TV173	1	024000744

T208

1260 3x75
4x100
5,5x150
6,5x150 mm
1262 PH0x60
PH1x80
PH2x100 mm

530 g

C1 - C2

T208	1	024240208
TV180	1	024000701

T212

1202 PH0x60
PH1x80
PH1x120
PH2x100
PH2x150
PH3x150 mm

490 g

C1 - C2

T212	1	024240212
TV212	1	024000440

T205

1267TX T6-T7-T8-T9
T10-T15-T20

460 g

C1 - C2

T205	1	024240205
TV175	1	024000760

T209

1262L PH1x400-PH2x400 mm
1264L 3x300-4x400-5x400 mm

580 g

C2

T209	1	024240209
TV183	1	024000497

T215

1207TX T6-T7-T8-T9
T10-T15-T20

410 g

C1 - C2

T215	1	024240215
TV175	1	024000760

T206

1267TX T25-T27-T30
T40-T45

710 g

C1 - C2

T206	1	024240206
TV176	1	024000761

T220

1201 3x75
4x100
5,5x150
6,5x150 mm
1202 PH0x60
PH1x80
PH2x100 mm

530 g

C1 - C2

T220	1	024240220
TV180	1	024000701

T226



1274MQ 3x100
4x100
5,5x125
6,5x150 mm

1272MQ PH0x60
PH1x80
PH2x100 mm

1000 V

460 g

C1 - C2

T226	1	024240226
TV180	1	024000701

T227

944BX 5-6-7-8-10-13 mm

490 g

C1-C2

T227	1	024240227
TV227	1	024000705

T231

1370 400 g
1390 Ø 35 mm
1719BMA/T 200 mm
1719BMA/P 200 mm
1719BMA/M 200 mm

1,7 kg

C2

T231	1	024240231
TV230	1	024000411

T233

35 100-200 mm
1370F 32 mm
1390 Ø 35 mm

1,3 kg

C1 - C2

T233	1	024240233
TV232	1	024000452

T234

35 100-200 mm
1370 300 g
1390 Ø 35 mm

1,3 kg

C1-C2

T234	1	024240234
TV232	1	024000452

T236

1719BMA/Q 200 mm
1719BMA/T 200 mm
1719BMA/P 200 mm
1719BMA/M 200 mm
1719BMA/R 200 mm

870 g

C1-C2

T236	1	024240236
TV235	1	024000453

T239

31BM Ø 2-3-4-5-6-8 mm
32 Ø 4 mm

850 g

C1-C2

T239	1	024240239
TV239	1	024000439

T241

1500N/1
1500N/3
1516/1

4,2 kg

C2

T241	1	024240241
TV241	1	024000414

T250

Automotive

34 150 mm
83/S3 11x13-14x17
19x22 mm
1458 175 mm
1491
1603
1708/13 0,05÷1 mm

1430 g

C1 - C2

T250	1	024240250
TV250	1	024000408

T256

Automotive

956E 16 mm (5/8) - 20,8 mm (13/16)
956L 16 mm (5/8) - 20,8 mm (13/16)
959 16 mm (5/8) - 20,8 mm (13/16)
1164 200 mm
1708/20 0,05÷1 mm

3,2 kg

C2

T256	1	024240256
TV256	1	024000467

T259

96BP	2,5-3-4-5 6-8-10 mm
96N	12 mm
860MIX/A31	
895/1	

950 g

C2

T259	1 024240259
TV263	1 024000492

T264

1491	Ø 65÷110 mm
1494	■ 10 mm
1494E	○ 8-9-10-11-12-14-17 mm
1494Q	○ 8-9,5-12-13 mm
1494T	Δ 9,5
1494XZN	○ 16
1496C	■ 8x ■ 10 mm

2,1 kg

C2

T264	1 024240264
TV261	1 024000466

T270

430	M3 - 4 - 5 - 6 - 7 - 8 - 9 10 - 12 - 14 - 16 - 18 - 20
433	M6x0,75 - M8x1 - M10x1,25 M12x1,5 - M14x1,5 M16x1,5 - M18x1,5
440	M3 - 4 - 5 - 6 - 7 - 8 - 9
440A	M10 - 12 - 14 - 16 - 18 - 20
441	M6x0,75 - M8x1,0
441A	M10x1,25 - M12x1,5 M14x1,5 - M16x1,5 M18x1,5

4,3 kg

C2

T270	1 024240270
TV270	1 024000481

T273

435/1,5	M3÷M12
435/3	M5÷M21
436/1	□ 2,0÷5,0 mm (M3÷M8)
436/2	□ 4,6÷8 mm (M5÷M12)
444/1	Ø 25,4 mm
444/2	Ø 38,1 mm
1707	W 62÷4x1"

2,1 kg

C2

T273	1 024240273
TV272	1 024000482

T281

1741B	250 mm
1741RV2,9K	2,9x6 mm (100)
1741RV3,2K	3,2x8 mm (100)
1741RV3,8K	3,8x10 mm (100)
1741RV4K	4x12 mm (100)

1,4 kg

C2

T281	1 024240281
TV280	1 024000478

T285

1112	250 mm
1128BM	-
1726	400 mm
1728BM	(5)
1753	200 cc

1,5 kg

C2

T285	1 024240285
TV285	1 024000487

T286

1128BMX	
1130BMX	
1719BMA/S5	200 mm
1726BM	400 mm
1728BM	
1778M	185 mm
1771	170 mm

2,9 kg

C2

T286	1 024240286
TV286	1 024249904

T289

1692	5 m
1725CR	-
1755	30 cc
1771	-

500 g

C2

T289	1 024240289
TV290	1 024000455

T291

1479RB/1	
1479RB/2	
1479RB/3	

600 g

C2

T291	1 024240291
TV291	1 024000472

T296

1651DGT
1682 300 mm
1691BG 5 m

490 g

C1 - C2

T296	1	024240296
TV296	1	024000749

VP1 - VP2

thermoformed trays for small items,
made from plastic
for all roller cabs C22, C23, C23C



C1-C2

	H mm		
VP1	50	1	088880351
VP2	35	1	088880352

VP3 - VP4

thermoformed trays for small items,
made from plastic
for all roller cabs and all trolleys



C1-C2

	H mm		
VP3	50	1	088880353
VP4	35	1	088880354

VP5

thermoformed tray

C2

VP5	1	088880355

VP6

thermoformed tray

C2

VP6	1	088880359

VP-3SC

thermoformed tool trays,
made from plastic,
for mobile roller cab C38



	H mm		
VP-3SC	45	1	088880356

VP-LS

thermoformed tool trays,
made from plastic,
for mobile roller cab C38

	H mm		
VP-LS	45	1	088880357

VP-LD

thermoformed tool trays,
made from plastic,
for mobile roller cab C38

	H mm		
VP-LD	45	1	088880358

GA/C38-C

supporting unit for item C38

GA/C38-C	5	088880370

GA/C38-SX

supporting unit for item C38

GA/C38-SX	5	088880372

GA/C38-DX

supporting unit for item C38

GA/C38-DX	5	088880371

SL/C38

longitudinal partition for item C38



SL/C38	5	088880381

ST/C38-C

transverse partition for item C38



ST/C38-C	5	088880391

ST/C38-SX

transverse partition for item C38

ST/C38-SX	5	088880393

ST/C38-DX

transverse partition for item C38

ST/C38-DX	5	088880392

GA/C41

supporting unit for item C41

GA/C41	5	088880340

SL/C41

longitudinal partition for item C41

SL/C41	5	088880341

ST/C41

transverse partition for item C41



ST/C41	5	088880346

Partitions for mobile roller cabs and trolleys

	H mm	LxP mm
C1	50	588x367
C2	70	588x367

Partitions for tool chests C22, C23, C23C

	H mm	LxP mm
C3	50	588x257
C4	70	588x257

GA

supporting unit



GA	10	088880300

SL1 - SL2

longitudinal partitions



SL1	10	088880301
SL2	10	088880302

SL3 - SL4

longitudinal partitions

SL3	10	088880303
SL4	10	088880304

ST1 - ST2

transverse partitions

ST1	10	088880311
ST2	10	088880312

GL1 - GL2

partition combinations, parallel

GL1	1	088880321
GL2	1	088880322

GL3 - GL4

partition combinations, parallel

GL3	1	088880323
GL4	1	088880324

TL1 - TL2

partition combinations, crossed

TL1	1	088880331
TL2	1	088880332

TL3 - TL4

partition combinations, crossed

TL3	1	088880333
TL4	1	088880334

SB

socket rails

	L mm		
SB1	210	10	088880201
SB2	280	10	088880202
SB3	360	10	088880203

MB

socket clips for rails SB

	□		
MB0	1/4	50	088880210
MB1	3/8	50	088880211
MB2	1/2	50	088880212

TV - TOV

perforated sheet steel panel

with support
TV
46x75 cm — 2 088880001

without support
TOV
46x75 cm — 2 088880002

KIT/GPS



KIT/GPS	50	088880119

VE1

VE1	20	088880120

GM

	ø mm		
	6,5	5	088880250
	9,5	5	088880251
	13	5	088880252
	16	5	088880253
	19	5	088880254
	25	5	088880255

S55/8



S55/8 1 088880400
55-55MP: 6x7-8x9-10x11
12x13-14x15-16x17
18x19-20x22 mm

S55/12



S55/12 1 088880401
55-55MP: 6x7-8x9-10x11
12x13-14x15-16x17
18x19-20x22-21x23
24x26-25x28-30x32 mm

TSPP



TSPP 1 088880402

S952



S952 1 088880403
952: 6-7-8-10-11
12-13-14-17-19 mm

S1719BM

S1719BM 1 088880404
1719BMA: Q-T-P-M-R
1719BMD: Q-T-P-M-R

SGN

SGN 1 088880405
1290N-1292N-1299N/PZ
1260N-1262N-1269N/PZ
1201N-1202N

CB/2

only for C54

12"



CB/2 1 088880411
920A/920B
10÷24+26-27
28-30-32 mm

S42/18



S42/18 1 088880408
42-42MP: 6÷22+24 mm
42-42MP: 6÷14+16-17
18-19-21-22-24-27-30 mm

S951/6



S951/6 1 088880409
951: 2,5-3-4-5-6-8 mm

SP G9 - SP G11

SP G9 1 088880909
n.6 Ø = 7 mm
n.2 Ø = 10 mm
n.1 Ø = 12 mm

SP G11 1 088880910
n.8 Ø = 7 mm
n.2 Ø = 10 mm
n.1 Ø = 12 mm

96T/SPV



96T/SPV 1 000960958

Blister pack range
for your free-service sales!

Increased visibility

Display efficiency

Bar code

Blister pack support:
- **tearproof PVC**
- **3 formats for optimized display space**
- **New-generation fixing system with elastic band**

42K

mm		
6x6	5	000429006
7x7	5	000429007
8x8	5	000429008
9x9	5	000429009
10x10	5	000429010
11x11	5	000429011
12x12	5	000429012
13x13	5	000429013
14x14	5	000429014
15x15	5	000429015
16x16	5	000429016
17x17	5	000429017
18x18	5	000429018
19x19	5	000429019
20x20	3	000429020
21x21	3	000429021
22x22	3	000429022
23x23	3	000429023
24x24	3	000429024
25x25	2	000429025
26x26	2	000429026
27x27	2	000429027
28x28	2	000429028
29x29	2	000429029
30x30	2	000429030
32x32	2	000429032

55K

mm		
6x7	5	000559012
8x9	5	000559021
10x11	5	000559030
12x13	5	000559042
14x15	5	000559054
16x17	5	000559060
18x19	2	000559066
20x22	2	000559075
21x23	2	000559078
24x26	2	000559087
25x28	2	000559096
27x29	2	000559099
30x32	2	000559108

90K

mm		
6x7	5	000909006
8x9	5	000909012
10x11	5	000909018
12x13	5	000909027
14x15	5	000909033
16x17	5	000909039
18x19	5	000909045
20x22	3	000909051
21x23	2	000909057
24x26	2	000909063
25x28	2	000909070
30x32	2	000909080

93K

mm		
21x22	3	000939021

94K

mm		
8x10	2	000949008
11x13	2	000949011
17x19	2	000949017
19x22	2	000949019

96/SC9

96/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	1	000960374

96/ST6K

96/ST6K 2,5-3-4-5-6-8 mm	3	000969370

96N/ST6K

96N/ST6K 2,5-3-4-5-6-8 mm	3	000969640

96BPA/SC9

96BPA/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	1	000961974

96BPC/SC9

96BPC/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	1	000960354

96LBP/SC9

96LBP/SC9 1,5-2-2,5-3-4-5-6-8-10 mm	1	000961354

96/BGS7

96/BGS7 1,5-2-2,5-3-4-5-6 mm	1	000960367

96/BG7

96/BG7 2,5-3-4-5-6-8-10 mm	1	000960368

96TK

mm		
2	5	000969934
2,5	5	000969935
3	5	000969936
4	5	000969938
5	5	000969940
6	5	000969941

97BTX/SC8

97BTX/SC8 T9-T10-T15-T20-T25-T27-T30-T40	1	000970164

111K

L mm		
150	5	001119015
200	5	001119020
250	5	001119025
300	3	001119030

123/K4

123/K4	1	001230504

142K

L mm		
8	3	001429008
10	3	001429010
13	3	001429013
17	2	001429017
19	2	001429019

192/S2

192/S2 8x10/12x13 16x17/18x19 mm	1	001920070

195K

mm		
8x10	2	001959010
12x13	2	001959013
14x15	2	001959015
16x18	2	001959018
17x19	2	001959019

850MQ

L mm		
233	1	008500910

855P

L1 mm		
240	1	008550010

860/C27

860/C27	1	008600880

860MIX/A10

860MIX/A10	1	008600900

860TX/A10

860TX/A10	1	008600970

860MIX/A31

860MIX/A31	1	008600902

862F/A7

862F/A7	1	008620950

900K

mm		
4	10	009009040
4,5	10	009009045
5	10	009009050
5,5	10	009009055
6	10	009009060
7	10	009009070
8	10	009009080
9	10	009009090
10	10	009009100
11	10	009009110
12	10	009009120
13	10	009009130
14	10	009009140

900/20LK

L mm		
100	5	009009819

900/25K

L mm		
41	5	009009830

900BG/30K

L mm		
128	5	009009834

900/55K

L mm		
125	5	009009870

920AK

mm		
10	10	009209010
11	10	009209011
12	10	009209012
13	10	009209013
14	10	009209014
15	10	009209015
16	10	009209016
17	10	009209017
18	10	009209018
19	10	009209019
20	5	009209020
21	5	009209021
22	5	009209022
23	5	009209023
24	5	009209024
25	5	009209025
26	5	009209026
27	5	009209027
28	5	009209028
29	5	009209029
30	5	009209030
32	5	009209032

920/21K

L mm		
125	5	009209822

920/25K

L mm		
75	5	009209830

920/55K

L mm		
275	3	009209882

935K

mm		
6x7	5	009359105
8x9	5	009359111
10x11	5	009359115
12x13	5	009359117
14x15	5	009359126
16x17	5	009359128
18x19	5	009359131
20x22	3	009359138

937K

mm		
6x6	5	009379006
7x7	5	009379007
8x8	5	009379008
9x9	5	009379009
10x10	5	009379010
11x11	5	009379011
12x12	5	009379012
13x13	5	009379013
14x14	5	009379014
15x15	5	009379015
16x16	5	009379016
17x17	5	009379017
18x18	5	009379018
19x19	5	009379019
20x20	5	009379020
21x21	3	009379021
22x22	3	009379022

951K

mm		
2,5	5	009519525
3	5	009519530
4	5	009519540
5	5	009519550
6	5	009519560
8	5	009519580

1032K

L mm		
180	5	010329017

1034K

L mm		
170	5	010349017

1036K

L mm		
175	5	010369017

1038K

L mm		
175	5	010389017

1044K

L mm		
250	5	010449250

1044FK

L mm		
250	5	010449015

1046K

L mm		
240	5	010469240

1048K

L mm		
250	5	010489250

1048VK

L mm		
250	5	010489025

1052K

L mm		
190	3	010529019
240	3	010529024

1082BMK

L mm		
140	3	010829034
160	3	010829036

1084BMK

L mm		
160	3	010849036

1096K

L mm		
200	5	010969020

1098K

L mm		
190	5	010989190
220	5	010989220

1098PLK

L mm		
220	5	010989320

1112K

L mm		
200	2	011129020

1122K

L mm		
250	2	011229020

1123K

L mm		
250	2	011239020

1124K

L mm		
250	2	011249020

1128BCX

L mm		
155	5	011280080

1128BMX

L mm		
145	5	011280050

1128BSX

L mm		
145	5	011280060

1128BTX

L mm		
155	5	011280070

1130BMX

L mm		
200	1	011300000

1142BMK

L mm		
160	3	011429036

1149F

L mm		
175	1	011490010

1150BMK

L mm		
160	3	011509036
180	3	011509038
200	3	011509040
220	2	011509042

1162BMK

L mm		
160	3	011629036

1164BMK

L mm		
160	3	011649036

1166BMK

L mm		
160	3	011669036

1168BMK

L mm		
160	3	011689036

1201K

SxAxL mm		
0,4x2,5x50	5	012019003
0,5x3x75	5	012019009
0,5x3x100	5	012019012
0,6x3,5x100	5	012019021
0,8x4x100	5	012019030
0,8x4x125	5	012019033
1,0x5,5x100	5	012019039
1,0x5,5x150	5	012019042
1,2x6,5x150	5	012019051
1,2x8x150	3	012019057
1,6x10x200	3	012019066

1201NK

SxAxL mm		
0,8x4x30	3	012019103
1,2x6,5x30	3	012019106

1202K

PHxDxL mm		
0x3x60	5	012029003
1x4,5x80	5	012029009
1x4,5x120	5	012029012
2x6x100	5	012029018
2x6x150	5	012029021
3x8x150	3	012029024

1202NK

PHxDxL mm		
1x4,5x30	3	012029103
2x6x30	3	012029106

1204K

SxDxL mm		
0,4x2,5x60	5	012049003
0,5x3x100	5	012049009
0,8x4x100	5	012049012
1x5x125	5	012049018

1207TXK

T6	5	012079006
T7	5	012079007
T8	5	012079008
T9	5	012079009
T10	5	012079010
T15	5	012079015
T20	5	012079020
T25	5	012079025
T27	5	012079027
T30	5	012079030

1208RTXK

T9	5	012089009
T10	5	012089010
T15	5	012089015
T20	5	012089020
T25	5	012089025
T30	5	012089030

1209PZK

PZ		
0	5	012099000
1	5	012099003
2	5	012099006
3	3	012099009

1253

SxAxL mm		
0,5x3,5x100	5	012530001

1254

SxAxL mm		
0,5x3x44	5	012540001

1260K

SxAxL		
0,4x2,5x50	5	012609003
0,4x2,5x75	5	012609006
0,5x3x75	5	012609009
0,5x3x100	5	012609012
0,6x3,5x75	5	012609018
0,6x3,5x100	5	012609021
0,8x4x100	5	012609030
0,8x4x125	5	012609033
0,8x4x150	5	012609036
1x5,5x100	5	012609039
1x5,5x150	5	012609042
1,5x6,5x100	5	012609048
1,2x6,5x150	5	012609051
1,2x8x150	3	012609057
1,2x8x200	3	012609060
1,6x10x200	3	012609066

1260NK

SxAxL mm		
0,8x4x30	5	012609103
1,2x6,5x30	5	012609106

1260EK

SxAxL mm		
1,6x10x200	2	012609159
2x12x250	2	012609162

1262K

PHxDxL mm		
0x3x60	5	012629003
0x3x100	5	012629006
1x4,5x80	5	012629009
1x4,5x120	5	012629012
2x6x100	5	012629018
2x6x150	5	012629021
3x8x150	3	012629024
4x10x200	3	012629027

1262NK

PHxDxL		
1x4,5x30	5	012629103
2x6x30	5	012629106

1262EK

PHxDxL mm		
2x6x150	3	012629153
3x8x175	3	012629156

1264K

SxDxL mm		
0,5x2,5x60	5	012649003
0,6x3x75	5	012649006
0,8x4x100	5	012649012
1x5x125	5	012649018

1267TXK

T5	5	012679005
T6	5	012679006
T7	5	012679007
T8	5	012679008
T9	5	012679009
T10	5	012679010
T15	5	012679015
T20	5	012679020
T25	5	012679025
T27	5	012679027
T30	5	012679030
T40	2	012679040
T45	2	012679045

1268RTXK

T9	3	012689009
T10	3	012689010
T15	3	012689015
T20	3	012689020
T25	3	012689025
T27	3	012689027
T30	3	012689030
T40	2	012689040

1269PZK

PZ		
0	5	012699000
1	5	012699001
2	5	012699002

1269N/PZK

PZ		
1	5	012699011
2	5	012699012

1290K

SxAxL mm		
0,4x2,5x50	5	012909003
0,4x2,5x75	5	012909006
0,5x3x75	10	012909009
0,5x3x100	10	012909012
0,6x3,5x75	10	012909018
0,6x3,5x100	10	012909021
0,8x4x100	10	012909030
0,8x4x125	10	012909033
0,8x4x150	10	012909036
1x5,5x100	10	012909039
1x5,5x150	10	012909042
1,2x6,5x100	10	012909048
1,2x6,5x150	10	012909051
1,2x8x150	3	012909057
1,2x8x200	3	012909060
1,6x10x200	3	012909066

1290NK

SxAxL mm		
0,8x4x30	5	012909103
1,2x6,5x30	5	012909106

1292K

PHxDxL mm		
0x3x60	10	012929003
0x3x100	5	012929006
1x4,5x80	10	012929009
1x4,5x120	10	012929012
2x6x100	10	012929018
2x6x150	10	012929021
3x8x150	3	012929024
4x10x200	3	012929027

1292NK

PHxDxL mm		
1x4,5x30	5	012929103
2x6x30	5	012929106

1294K

SxDxL mm		
0,5x2,5x60	5	012949003
0,6x3x75	5	012949006
0,8x4x100	5	012949012
1x5x125	5	012949018

1298RTXK

T9	5	012989009
T10	5	012989010
T15	5	012989015
T20	5	012989020
T25	5	012989025
T27	5	012989027
T30	5	012989030
T40	2	012989040

1299PZK

PZ		
0	5	012999000
1	5	012999003
2	5	012999006

1299N/PZK

PZ		
1	5	012999021
2	5	012999024

1603BK

mm²		
0÷8	2	016039010

1691BG

L m	S mm		
3	19	5	016910103
5	25	5	016910105
8	25	3	016910108
10	25	2	016910110

1692

L m	S mm		
2	16	5	016920052
3	16	5	016920053
5	19	5	016920055
8	25	5	016920058

1729CG

L mm		
310	2	017290200

1729DM 450

L mm		
450	4	017290450

1741B

Ø mm	2,4	3,2	4	4,8	5
Aluminium	•	•	•	•	•
Steel	•	•	•	•	•
Stainless steel	•	•	•		

1741B	1	017410000

1741U

Ø mm	2,4	3	3,2	4	4,8
Aluminium	•	•	•	•	•
Steel	•	•	•	•	
Stainless steel	•	•	•	•	

1741U	1	017410450

1762K

Ø mm		
2-2,5-3 3,5-4-4,5	2	017629001

1771

1771	10	017710000

1770BM

L mm	A mm		
140	9	10	017700050

1771BM

L mm	A mm		
170	18	10	017710050

1773A

L mm	A mm		
180	25	10	017730000

1777BMT

L mm	L1 mm	A mm		
170	80	25	5	017770050

1777T

L mm	A mm	L1 mm		
160	19	65	5	017770030

1783

L mm		
215	5	017830021
240	5	017830024

1834S

L mm		
150	1	018340010

1834M

L mm		
140	1	018340020

1834L

L mm		
210	1	018340025

1834XL

L mm		
315	1	018340030

1837

L mm		
450	1	018370001

1847K

CE

L mm		
180	1	018470101

Beta SHOP in shop



DISPLAY UNITS FOR SALES POINTS

38/DS1

wall-mounted display
with 75 punches



495x260x332 mm

display with assortment			
38/DS1		1	000380701

		n.
30	Ø 2 - 3 - 4 - 5 - 6 mm	5
31	Ø 2 - 3 - 4 - 5 - 6 - 8 - 10 mm	5
32	Ø 3 - 4 - 5 mm	5

empty display			
38/DVS1		1	000380751

942BX/DG

wall-mounted display
with 43 hi-torque hexagon nut spinners,
short series

330x260x332 mm

display with assortment			
942BX/DG		1	009420701

		n.
942BX	5 - 5,5 mm	3
	6 - 7 mm	6
	8 - 9 - 10 mm	5
	11 mm	2
	12 mm	3
	13 mm	5

empty display			
942BX/DVG		1	009420751

943MQ/BG

wall-mounted display
with 30 hexagon nut spinners

1000 V 330x260x332 mm

display with assortment			
943MQ/BG		1	009430281

		n.
943MQ	5,5 - 6 - 7 - 8 - 10 - 13 mm	5

empty display			
943BG-MQ/DV		1	009430285

38/DS2

wall-mounted display
with 65 chisels



495x260x332 mm

display with assortment			
38/DS2		1	000380702

		n.
34	125 - 150 - 175 mm	5
35	100 - 125 - 150 - 200 - 250 - 300 mm	5
36	125 - 150 mm	5
37	150 - 200 mm	5

empty display			
38/DVS2		1	000380752

943BX/DG

wall-mounted display
with 43 hi-torque hexagon nut spinners,
long series

330x260x332 mm

display with assortment			
943BX/DG		1	009430701

		n.
943BX	5 - 5,5 mm	3
	6 - 7 mm	6
	8 - 9 - 10 mm	5
	11 mm	2
	12 mm	3
	13 mm	5

empty display			
943BX/DVG		1	009430751

1203/E1P

wall-mounted display with 82 screwdrivers

495x260x310 mm

display with assortment			
1203/E1P		1	012030301

		n.
1201	0,4x2,5x50 - 0,5x3x75 - 0,6x3,5x100 0,8x4x100 - 0,8x4x125 mm	7
	1,0x5,5x100 - 1,0x5,5x150 - 1,2x6,5x150 mm	6
	1,2x8x150 mm	5
1202	PH0x3x60 mm	7
	PH1x4,5x80 - PH2x6x100 mm	6
	PH3x8x150 mm	5

empty display			
1203/EV1P		1	012030351

1203/E4P

wall-mounted display with 85 screwdrivers

495x260x310 mm

display with assortment **1203/E4P** — 1 — 012030304

		n.
1201	0,4x2,5x50 - 0,5x3x75 - 0,8x4x125 mm	7
	1,0x5,5x100 - 1,0x5,5x150 - 1,2x6,5x150 mm	6
1204	0,4x2,5x60 - 0,5x3x100 - 0,8x4x100 mm	7
	1,0x5x125 mm	6
1209PZ	PZ0x3x60 mm	7
	PZ1x4,5x80 - PZ2x6x100 mm	6

empty display **1203/EV4P** — 1 — 012030354

1203/E5P

wall-mounted display with 82 screwdrivers

495x260x310 mm

display with assortment **1203/E5P** — 1 — 012030305

		n.
1202	PH0x3x60 mm	7
	PH1x4,5x80 - PH1x4,5x120 PH2x6x100 - PH2x6x150 mm	6
	PH3x8x150 mm	5
1204	0,4x2,5x60 - 0,5x3x100 - 0,8x4x100 mm	7
	1,0x5x125 mm	6
1209PZ	PZ0x3x60 mm	7
	PZ1x4,5x80 - PZ2x6x100 mm	6

empty display **1203/EV5P** — 1 — 012030355

1203/E10P

wall-mounted display with 80 screwdrivers

495x260x310 mm

display with assortment **1203/E10P** — 1 — 012030310

		n.
1207TX	T6	4
	T7	3
	T8	7
	T9 - T10 - T15 - T20 - T25	6
	T27 - T30	3
1208RTX	T9 - T10	3
	T15 - T20 - T25	6
	T27 - T30	3

empty display **1203/EV10P** — 1 — 012030360

1263/E80

wall-mounted and counter display with 80 screwdrivers

467x325x450 mm

display with assortment **1263/E80** — 1 — 012630500

		n.
1260	2,5x50 mm	4
	2,5x75 mm	2
	3x75 mm	5
	3x100 mm	3
	3,5x100 mm	4
	4x100 mm	5
	4x125 mm	3
	5,5x125 mm	5
	5,5x150 - 6,5x125 mm	3
	6,5x150 mm	5
	8x200 mm	2
1260N	4x30 - 6,5x30 mm	2
1262	PH0x60 mm	5
	PH0x100 mm	3
	PH1x80 mm	5
	PH1x120 mm	4
	PH2x100 mm	5
	PH2x150 mm	4
	PH3x150 mm	2
1262N	PH1x30 - PH2x30 mm	2

empty display **1263/EV80** — 1 — 012630501

1263/E85

wall-mounted display with 85 screwdrivers

495x260x377 mm

display with assortment **1263/E85** — 1 — 012630550

		n.
1260	2,5x50 mm	7
	2,5x75 mm	6
	3x75 - 3x100 - 3,5x100 mm	7
	4x100 - 4x125 - 5,5x125 5,5x150 - 6,5x150 mm	6
	8x150 mm	4
1260E	10x200 mm	3
	12x250 mm	2
1260N	4x30 - 6,5x30 mm	6

empty display **1263/EV85** — 1 — 012630551

1263/E70

wall-mounted display with 70 screwdrivers

495x260x327 mm

display with assortment **1263/E70** — 1 — 012630560

		n.
1262	PH0x60 - PH0x100 mm	7
	PH1x80 - PH1x120 mm	6
	PH2x100 mm	9
	PH2x150 - PH3x150 mm	5
	PH4x200 mm	4
1262E	PH2x150 mm	5
	PH3x175 mm	4
1262N	PH1x30 - PH2x30 mm	6

empty display **1263/EV70** — 1 — 012630561

1263/E50

wall-mounted display
with 50 screwdrivers

330x260x269 mm

display
with assortment
1263/E50 1 012630570

		n.
1264	2,5x60 - 3x75 - 3x100 mm	7
	4x100 - 4x125 - 5x125 - 5x150 mm	6
	6,5x150 mm	5

empty
display
1263/EV50 1 012630571

1263/E39

wall-mounted display
with 39 screwdrivers

330x260x257 mm

display
with assortment
1263/E39 1 012630595

		n.
1268RTX	T9x60 - T10x80 - T15x80 T20x100 - T25x100 mm	6
	T27x115 mm	4
	T30x115 mm	3
	T40x130 mm	2

empty
display
1263/EV39 1 012630596

1273MQ/E1

wall-mounted display with 40 screwdrivers

1000 V

330x260x332 mm

display
with assortment
1273MQ/E1 1 012730312

		n.
1272MQ	PH0x60 - PH1x80 mm	5
	PH2x100 mm	3
	PH3x150 mm	2
1274MQ	3x100 - 4x100 - 5,5x125 - 6,5x150 mm	5
	8x175 mm	3
	10x200 mm	2

empty
display
1273BG-MQ/DV 1 012730651

1263/E62

wall-mounted display
with 62 screwdrivers

495x260x257 mm

display
with assortment
1263/E62 1 012630590

		n.
1267TX	T5	5
	T6	6
	T7	5
	T8	6
	T9	5
	T10 - T15 - T20	6
	T25	5
	T27 - T30	4
	T40 - T45	2

empty
display
1263/EV62 1 012630591

1263/E40

wall-mounted display
with 40 screwdrivers

330x260x327 mm

display
with assortment
1263/E40 1 012630580

		n.
1269	PZ0x60 mm	7
	PZ1x80 mm	6
	PZ2x100 - PZ3x150 - PZ4x200 mm	5
1269N	PZ1x30 - PZ2x30 mm	6

empty
display
1263/EV40 1 012630581

1293BX/DA

wall-mounted display with 90 screwdrivers

495x260x332 mm

display
with assortment
1293BX/DA 1 012930701

		n.
1290	3x75 - 3,5x100 - 4x100 - 4x125 5,5x100 - 5,5x150 mm	7
	6,5x150 mm	6
	8x150 mm	3
	10x200 mm	2
1290N	4x30 - 6,5x30 mm	3
1292	PH0x60 - PH1x80 mm	7
	PH2x100 mm	6
	PH3x150 mm	5
1292N	PH1x30 - PH2x30 mm	3

empty
display
1293BX/DVA 1 012930751

1293BX/DD

wall-mounted display with 48 screwdrivers

330x260x332 mm

display with assortment			
1293BX/DD		1	012930704

		n.
1294	2,5x60 - 3x75 - 3x100 - 4x100 4x150 - 5x125 mm	7
	6,5x150 mm	6

empty display		
1293BX/DVD	1	012930754

1293BX/DE

wall-mounted display with 42 screwdrivers

330x260x332 mm

display with assortment			
1293BX/DE		1	012930705

		n.
1299PZ	PZ0x60 - PZ1x80 mm	7
	PZ2x100 mm	6
	PZ3x150 - PZ4x200 mm	5
1299N/PZ	PZ1x30 - PZ2x30 mm	6

empty display		
1293BX/DVE	1	012930755

1293BX/DF

wall-mounted display with 59 screwdrivers

330x260x332 mm

display with assortment			
1293BX/DF		1	012930706

		n.
1297TX	T6 - T8 - T10 - T15 - T20 - T25	7
	T27 - T30	6
	T40	5

empty display		
1293BX/DVF	1	012930756

C68

Beta wall display, empty

1000x560x2200 mm

C68/1	1 m	1	068000001
C68/2	2 m	1	068000002
C68/3	3 m	1	068000003
C68/4	4 m	1	068000004
C68/5	5 m	1	068000005
C68/6	6 m	1	068000006
C68/7	7 m	1	068000007
C68/8	8 m	1	068000008
C68/9	9 m	1	068000009
C68/10	10 m	1	068000010

C68 G

"gondola" display

1000x1120x1600 mm

C68 G/1	1 m	1	068000051
C68 G/2	2 m	1	068000052
C68 G/3	3 m	1	068000053
C68 G/4	4 m	1	068000054

C88 R/1

Robur wall display, empty

1000x560x2200 mm

C88 R/1	1	088000001

6888

hooks for displays C60 - C61 - C68 - C88

6888 S1	10	068880011
6888 S2	10	068880012
6888 D1	5	068880021
6888 D2	5	068880022
6888 D4	5	068880024
6888 D5	5	068880025
6888 T1	5	068880031
6888 T2	5	068880032
6888 CT	1	068880044

6800 VE

showcase for wall displays C68 and C68 R/1

6800 VE/1	1 m	1 068000401
6800 VE/2	2 m	1 068000402
6800 VE/3	3 m	1 068000403
6800 VE/4	4 m	1 068000404
6800 VE/5	5 m	1 068000405

ACCESSORIES



6800 AE	1 068000145
6800 AI	1 068000140
6800 AD/P	1 068000143

6800 CB/100	1 068000104
6800 FB/100	1 068000109
6800 FO/100	1 068000108
6800 PL	1 068000137
6800 RP/100	1 068000150
6800 GR/37	1 068000159



6800 BA	1 068000130
6800 RS	1 068000135
6800 PM/40	1 068000171
6800 PM/80	1 068000172

6600 M/10

assortment of 178 tools,
with hooks without panel

6600 M/10	1 066000010

6600 M/21

assortment of 127 tools,
with hooks without panel



6600 M/21	1 066000021

6600 M/27

assortment of 25 tools,
with hooks without panel

6600 M/27	1 066000027

6600 M/30

assortment of 18 tools,
with hooks without panel

6600 M/30	1 066000030

6600 M/38

assortment of 107 tools
with hooks without panel

6600 M/38	1 066000038

6600 M/39

assortment of 77 tools,
with hooks without panel

6600 M/39	1 066000039

6600 M/40

assortment of 100 tools,
with hooks without panel



6600 M/40	1 066000040

6600 M/47

assortment of 65 tools,
with hooks without panel

6600 M/47	1 066000047

6600 M/51

assortment of 257 tools
with hooks without panel

6600 M/51 — 1 — 066000051

6600 M/52

assortment of 176 tools
with hooks without panel

6600 M/52 — 1 — 066000052

6600 M/58

assortment of 150 tools
with hooks without panel

6600 M/58 — 1 — 066000058

6600 M/60

assortment of 118 tools,
with hooks without panel



6600 M/60 — 1 — 066000060

6600 M/63

assortment of 110 tools
with hooks without panel



6600 M/63 — 1 — 066000063

6600 M/73

assortment of 68 tools
with hooks without panel

6600 M/73 — 1 — 066000073

6600 M/74

assortment of 68 tools
with hooks without panel



6600 M/74 — 1 — 066000074

6600 M/75

assortment of 82 tools
with hooks without panel

6600 M/75 — 1 — 066000075

6600 M/112

assortment of 329 tools,
with hooks without panel



6600 M/112 — 1 — 066000112

6600 M/116

assortment of 306 tools,
with hooks without panel



6600 M/116 — 1 — 066000116

6600 M/120

assortment of 163 tools,
with hooks without panel



6600 M/120 — 1 — 066000120

6600 M/163

assortment of 30 tools,
with hooks without panel

6600 M/163 — 1 — 066000163

6600 M/230

assortment of 78 tools,
with hooks without panel

6600 M/230 — 1 — 066000230

6600 M/125

assortment of 133 tools,
with hooks without panel



6600 M/125 — 1 — 066000125

6600 M/171

assortment of 13 tools,
with hooks without panel

6600 M/171 — 1 — 066000171

6600 M/234

assortment of 31 tools
with hooks without panel

6600 M/234 — 1 — 066000234

6600 M/131

assortment of 92 tools,
with hooks without panel

6600 M/131 — 1 — 066000131

6600 M/216

assortment of 80 tools
with hooks without panel



6600 M/216 — 1 — 066000216

6600 M/241

assortment of 43 tools,
with hooks without panel



6600 M/241 — 1 — 066000241

6600 M/152

assortment of 12 tools,
with hooks without panel

6600 M/152 — 1 — 066000152

6600 M/221

assortment of 83 tools
with hooks without panel



6600 M/221 — 1 — 066000221

6600 M/244

assortment of 91 tools
with hooks without panel

6600 M/244 — 1 — 066000244

6600 M/247

assortment of 86 tools
with hooks without panel

6600 M/247	1	066000247

6600 M/315

assortment of 149 tools,
with hooks without panel



6600 M/315	1	066000315

6600 M/330

assortment of 110 tools,
with hooks without panel

6600 M/330	1	066000330

6600 M/251

assortment of 26 tools,
with hooks without panel

6600 M/251	1	066000251

6600 M/320

assortment of 98 tools,
with hooks without panel



6600 M/320	1	066000320

6600 M/370

assortment of 162 tools,
with hooks without panel



6600 M/370	1	066000370

6600 M/311

assortment of 114 tools,
with hooks without panel

6600 M/311	1	066000311

6600 M/326

assortment of 155 tools,
with hooks without panel

6600 M/326	1	066000326

6600 M/377

assortment of 73 tools
with hooks without panel

6600 M/377	1	066000377

6600 M/327

assortment of 101 tools,
with hooks without panel



6600 M/327	1	066000327

6600 M/417

assortment of 43 tools, with hooks without panel

6600 M/417	1	066000417

6600 M/418

assortment of 35 tools,
with hooks without panel



6600 M/418 — 1 — 066000418

6600 M/427

assortment of 24 tools,
with hooks without panel

6600 M/427 — 1 — 066000427

6600 M/430

assortment of 29 tools,
with hooks without panel

6600 M/430 — 1 — 066000430

6600 M/440

assortment of 140 tools,
with hooks without panel



6600 M/440 — 1 — 066000440

6600 M/456

assortment of 41 tools,
with hooks without panel

6600 M/456 — 1 — 066000456

6600 M/464

assortment of 36 tools,
with hooks without panel

6600 M/464 — 1 — 066000464

6600 M/472

assortment of 33 tools
with hooks without panel

6600 M/472 — 1 — 066000472

6600 M/480

assortment of 18 tools,
with hooks without panel

6600 M/480 — 1 — 066000480

6600 M/485

assortment of 12 tools,
with hooks without panel



6600 M/485 — 1 — 066000485

6600 M/510

assortment of 16 tools,
with hooks without panel



6600 M/510 — 1 — 066000510

6600 M/519

assortment of 22 tools,
with hooks without panel

6600 M/519 — 1 — 066000519

6600 M/525

assortment of 73 tools,
with hooks without panel

6600 M/525 — 1 — 066000525

6600 M/561

assortment of 60 tools,
with hooks without panel

6600 M/561 — 1 — 066000561

6600 M/650

assortment of 28 tools,
with hooks without panel

6600 M/650 — 1 — 066000650

6600 M/532

assortment of 24 tools
with hooks without panel

6600 M/532 — 1 — 066000532

6600 M/583

assortment of 22 tools
with hooks without panel

6600 M/583 — 1 — 066000583

6600 M/657

assortment of 17 tools,
with hooks without panel

6600 M/657 — 1 — 066000657

6600 M/542

assortment of 53 tools,
with hooks without panel

6600 M/542 — 1 — 066000542

6600 M/617

assortment of 67 tools,
with hooks without panel

6600 M/617 — 1 — 066000617

6600 M/658

assortment of 14 tools
with hooks without panel



6600 M/658 — 1 — 066000658

6600 M/550

assortment of 442 tools,
with hooks without panel

6600 M/550 — 1 — 066000550

6600 M/635

assortment of 87 tools,
with hooks without panel

6600 M/635 — 1 — 066000635

6600 M/714

assortment of 63 tools,
with hooks without panel

6600 M/714 — 1 — 066000714

6600 M/724

assortment of 12 tools,
with hooks without panel

6600 M/724 — 1 — 066000724

6600 M/818

assortment of 102 tools,
with hooks without panel

6600 M/818 — 1 — 066000818

6600 M/824

assortment of 37 tools,
with hooks without panel

6600 M/824 — 1 — 066000824

6600 M/835

assortment of 34 tools,
with hooks without panel

6600 M/835 — 1 — 066000835

Robur

8600 R/10

assortment of 672 wire rope accessories,
with hooks without panel



8600 R/10 — 1 — 086000010

8600 R/111

assortment of 1887 wire rope accessories,
with hooks without panel



8600 R/111 — 1 — 086000111

8600 R/222

assortment of 57 wire rope accessories,
with hooks without panel

8600 R/222 — 1 — 086000222

8600 R/411

assortment of 551 wire rope accessories,
STAINLESS STEEL,
with hooks without panel

8600 R/411 — 1 — 086000411

8600 E/R

assortment of 3163 wire rope accessories,
with hooks without display stand

8600 E/R — 1 — 086000914

6600 E/A10

assortment of 802 tools
with hooks without display stand

6600 E/A10 — 1 — 066000914

6600 E/A30

assortment of 753 tools
with hooks without display stand

6600 E/A30 — 1 — 066000919

6600 E/B20

assortment of 601 tools
with hooks without display stand

6600 E/B20 — 1 — 066000923

6600 E/A20

assortment of 707 tools
with hooks without display stand

6600 E/A20 — 1 — 066000917

6600 E/B10

assortment of 651 tools
with hooks without display stand

6600 E/B10 — 1 — 066000916

6600 E/C10

assortment of 309 tools
with hooks without display stand

6600 E/C10 — 1 — 066000929

6600 E/D10

assortment of 271 tools
with hooks without display stand

6600 E/D10 1 066000966

6600 E/K10

assortment of 610 tools
with hooks without display stand

6600 E/K10 1 066000987

6600 E/K20

assortment of 499 tools
with hooks without display stand

6600 E/K20 1 066000989

6600 E/E10

assortment of 136 tools
with hooks without display stand

6600 E/E10 1 066000975

6600 E/P10

assortment of 69 tools
with hooks without display stand

6600 E/P10 1 066000967

SAFETY FOOTWEAR

Over the years the safety footwear line has gained the most demanding professionals' confidence and preference. These products have been proving so successful as to result in a regularly upgraded and expanded range.

SAFETY STANDARDS

HOW TO CHOOSE SAFETY FOOTWEAR

Make sure that the footwear matches the required protection class, according to type and workplace.
Below you will find the European reference standards, including any and all additional specifications.

EUROPEAN STANDARDS (EN)

EN ISO 20344: Test methods and general requirements.
EN ISO 20345: Safety footwear with toe caps resistant to shocks up to 200 Joules.
EN ISO 20346: Protective footwear with toe caps resistant to shocks up to 100 Joules.
EN ISO 20347: Occupational footwear, no toe caps required.
EN ISO 20345 The footwear that complies with this norm is marked with the letter "S" (Safety). The letter "S" is followed by letters and/or numbers indicating the protection class the footwear belongs to.
SB Minimum requirements: 200 Joule toe cap.
Upper made from split leather or the like.
Minimum upper height.
S1 SB characteristics supplemented with the following:
Antistatic footwear (A).
Energy absorption in the heel region (E).
Closed back. (Low shoes as well)
Antislip UNI EN ISO 20345. Method in accordance with EN 13287
S2 S1 characteristics supplemented with the following:
Waterproof upper, no water penetration for at least 1h (WRU).
S3 S2 characteristics supplemented with the following:
Penetration proof insole or inset (P).
Gripped outsole.
S4 S1 characteristics supplemented with the following:
Hydrocarbon proof outsole (ORO).
S5 S4 characteristics supplemented with the following:
Penetration proof insole or inset (P).
Gripped outsole.
EN ISO 20346 These shoes are basically the same as safety footwear. However, since they have 100 Joule toe caps, they are marked with the letter "P" (Protective). Hence they are defined as protective footwear. They are used in workplace environments requiring no more than 100 Joule operation.
EN ISO 20347 These shoes do not have any protective toe caps and are marked with the letter "O" (Occupational); hence they are considered occupational footwear.

To make it easier to identify both the specifications and the details that suit you best, read the section and icons below.

Penetration proof midsole or inset

Steel, aluminium or plastic toe cap

Antistatic footwear

Energy absorption in the heel region

Oil, hydrocarbon and solvent proof outsole

Antislip outsole

Flexing resistance >60,000

Outsole resistant to hot contact (300 °C/min.)

Shoe with a wide body for enhanced comfort

Nonmagnetic shoe, totally free from metal parts

Shoe designed and developed to allow electrostatic charges to be steadily dissipated from the body to the ground

Shoe designed and developed to provide cold insulation (CI))

WARNINGS

PRELIMINARY CHECKS AND USE
Before using the shoes, visually check their general state – that is, the seams, the sole and the closures –; also make sure that the shoes match all the specifications on the label, and, above all, that they are provided with steel toes and penetration proof steel midsoles.

MISUSE
Prolonged and/or repeated use:
- in contact with organic agents, herbicides, pesticides and highly concentrated acids
- at very low or very high temperatures (below –10 °C and over +70 °C)
- fully dipped into water, mud, mortar and alike is not recommended.

EXPIRY DATE

Because of the numerous factors involved (humidity during storage and structural changes in materials in time), the exact storage life of the shoe cannot be determined. Generally speaking, footwear made entirely of polyurethane or with polyurethane outsoles has an expected maximum life of three years. Whereas other types of footwear have a an expected maximum life of five years. Such periods are applicable to new footwear, packed and stored under controlled conditions – that is, avoiding abrupt changes in temperature and relative humidity.

7240B

leather shoe, without penetration proof insole

- Steel toe cap
- Without penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072400235
36	3,5	1	072400236
37	4,5	1	072400237
38	5	1	072400238
39	6	1	072400239
40	6,5	1	072400240
41	7	1	072400241
42	8	1	072400242
43	9	1	072400243
44	10	1	072400244
45	10,5	1	072400245
46	11	1	072400246
47	12	1	072400247
48	13	1	072400248

EN 20345 S1 SRC

7241B

leather shoe, with penetration proof insole

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072410235
36	3,5	1	072410236
37	4,5	1	072410237
38	5	1	072410238
39	6	1	072410239
40	6,5	1	072410240
41	7	1	072410241
42	8	1	072410242
43	9	1	072410243
44	10	1	072410244
45	10,5	1	072410245
46	11	1	072410246
47	12	1	072410247
48	13	1	072410248

EN 20345 S1P SRC

7246B

suede shoe, perforated

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072460235
36	3,5	1	072460236
37	4,5	1	072460237
38	5	1	072460238
39	6	1	072460239
40	6,5	1	072460240
41	7	1	072460241
42	8	1	072460242
43	9	1	072460243
44	10	1	072460244
45	10,5	1	072460245
46	11	1	072460246
47	12	1	072460247
48	13	1	072460248

EN 20345 S1P SRC

7247B

leather sandal, perforated

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072470235
36	3,5	1	072470236
37	4,5	1	072470237
38	5	1	072470238
39	6	1	072470239
40	6,5	1	072470240
41	7	1	072470241
42	8	1	072470242
43	9	1	072470243
44	10	1	072470244
45	10,5	1	072470245
46	11	1	072470246
47	12	1	072470247
48	13	1	072470248

EN 20345 S1P SRC

7242B

leather ankle shoe,
without penetration proof insole

- Steel toe cap
- Without penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072420235
36	3,5	1	072420236
37	4,5	1	072420237
38	5	1	072420238
39	6	1	072420239
40	6,5	1	072420240
41	7	1	072420241
42	8	1	072420242
43	9	1	072420243
44	10	1	072420244
45	10,5	1	072420245
46	11	1	072420246
47	12	1	072420247
48	13	1	072420248

EN 20345 S1 SRC

7243B

leather ankle shoe, with penetration proof insole

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072430235
36	3,5	1	072430236
37	4,5	1	072430237
38	5	1	072430238
39	6	1	072430239
40	6,5	1	072430240
41	7	1	072430241
42	8	1	072430242
43	9	1	072430243
44	10	1	072430244
45	10,5	1	072430245
46	11	1	072430246
47	12	1	072430247
48	13	1	072430248

EN 20345 S1P SRC

7243C

full-grain ankle shoe,
with penetration proof insole and quick opening system

- Steel toe cap
- Stainless steel penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072430335
36	3,5	1	072430336
37	4,5	1	072430337
38	5	1	072430338
39	6	1	072430339
40	6,5	1	072430340
41	7	1	072430341
42	8	1	072430342
43	9	1	072430343
44	10	1	072430344
45	10,5	1	072430345
46	11	1	072430346
47	12	1	072430347
48	13	1	072430348

EN 20345 S3 RS SRC

7245B

lace-up full-grain leather shoe, "welder" style, waterproof, with quick opening system and front protection with strap closure

- Steel toe cap
- Elastic steel penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072450235
36	3,5	1	072450236
37	4,5	1	072450237
38	5	1	072450238
39	6	1	072450239
40	6,5	1	072450240
41	7	1	072450241
42	8	1	072450242
43	9	1	072450243
44	10	1	072450244
45	10,5	1	072450245
46	11	1	072450246
47	12	1	072450247
48	13	1	072450248

EN 20345 S3 RS SRC

7200BKK

full-grain leather shoe, waterproof

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072000235
36	3,5	1	072000236
37	4,5	1	072000237
38	5	1	072000238
39	6	1	072000239
40	6,5	1	072000240
41	7	1	072000241
42	8	1	072000242
43	9	1	072000243
44	10	1	072000244
45	10,5	1	072000245
46	11	1	072000246
47	12	1	072000247
48	13	1	072000248

EN 20345 S3 SRC

7201BKK

full-grain leather ankle shoe, waterproof

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072010435
36	3,5	1	072010436
37	4,5	1	072010437
38	5	1	072010438
39	6	1	072010439
40	6,5	1	072010440
41	7	1	072010441
42	8	1	072010442
43	9	1	072010443
44	10	1	072010444
45	10,5	1	072010445
46	11	1	072010446
47	12	1	072010447
48	13	1	072010448

EN 20345 S3 SRC

7205BKK

full-grain leather shoe, waterproof,
wide body

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072050235
36	3,5	1	072050236
37	4,5	1	072050237
38	5	1	072050238
39	6	1	072050239
40	6,5	1	072050240
41	7	1	072050241
42	8	1	072050242
43	9	1	072050243
44	10	1	072050244
45	10,5	1	072050245
46	11	1	072050246
47	12	1	072050247
48	13	1	072050248

EN 20345 S3 SRC

7206BKK

full-grain leather ankle shoe, waterproof,
quick opening system, wide body

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072060235
36	3,5	1	072060236
37	4,5	1	072060237
38	5	1	072060238
39	6	1	072060239
40	6,5	1	072060240
41	7	1	072060241
42	8	1	072060242
43	9	1	072060243
44	10	1	072060244
45	10,5	1	072060245
46	11	1	072060246
47	12	1	072060247
48	13	1	072060248

EN 20345 S3 RS SRC

7210BKK

soft suede shoe, perforated

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072100335
36	3,5	1	072100336
37	4,5	1	072100337
38	5	1	072100338
39	6	1	072100339
40	6,5	1	072100340
41	7	1	072100341
42	8	1	072100342
43	9	1	072100343
44	10	1	072100344
45	10,5	1	072100345
46	11	1	072100346
47	12	1	072100347
48	13	1	072100348

EN 20345 S1P SRC

7211BK

soft suede shoe, perforated,
without penetration proof insole

- Composite toe cap
- Without penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072110335
36	3,5	1	072110336
37	4,5	1	072110337
38	5	1	072110338
39	6	1	072110339
40	6,5	1	072110340
41	7	1	072110341
42	8	1	072110342
43	9	1	072110343
44	10	1	072110344
45	10,5	1	072110345
46	11	1	072110346
47	12	1	072110347
48	13	1	072110348

EN 20345 S1 SRC

7216BKK

soft suede sandal,
with strap closure

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	072160335
36	3,5	1	072160336
37	4,5	1	072160337
38	5	1	072160338
39	6	1	072160339
40	6,5	1	072160340
41	7	1	072160341
42	8	1	072160342
43	9	1	072160343
44	10	1	072160344
45	10,5	1	072160345
46	11	1	072160346
47	12	1	072160347
48	13	1	072160348

EN 20345 S1P SRC

7208RK

full-grain leather ankle shoe,
with rubber outsole

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
39	6	1	072080139
40	6,5	1	072080140
41	7	1	072080141
42	8	1	072080142
43	9	1	072080143
44	10	1	072080144
45	10,5	1	072080145
46	11	1	072080146
47	12	1	072080147

EN 20345 S3 HRO SRC

7310BKK

lace-up full-grain leather shoe, "welder" style, waterproof, with quick opening system and front protection with strap closure.
Durable rubber outsole

- Steel toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073100238
39	6	1	073100239
40	6,5	1	073100240
41	7	1	073100241
42	8	1	073100242
43	9	1	073100243
44	10	1	073100244
45	10,5	1	073100245
46	11	1	073100246
47	12	1	073100247

EN 20345 S3 RS HRO SRC

7329B

full-grain leather boot, waterproof, with zip

- Steel toe cap
- Stainless steel penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073290538
39	6	1	073290539
40	6,5	1	073290540
41	7	1	073290541
42	8	1	073290542
43	9	1	073290543
44	10	1	073290544
45	10,5	1	073290545
46	11	1	073290546
47	12	1	073290547

EN 20345 S3 SRA

7330B

full-grain leather boot, waterproof, with zip, lined with synthetic wool

- Steel toe cap
- Stainless steel penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073300538
39	6	1	073300539
40	6,5	1	073300540
41	7	1	073300541
42	8	1	073300542
43	9	1	073300543
44	10	1	073300544
45	10,5	1	073300545
46	11	1	073300546
47	12	1	073300547

EN 20345 S3 SRA

7254NA

suede shoe, waterproof, with nylon insets

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072540138
39	6	1	072540139
40	6,5	1	072540140
41	7	1	072540141
42	8	1	072540142
43	9	1	072540143
44	10	1	072540144
45	10,5	1	072540145
46	11	1	072540146
47	12	1	072540147

EN 20345 S3 SRC

7255NA

suede ankle shoe, waterproof, with nylon insets

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072550138
39	6	1	072550139
40	6,5	1	072550140
41	7	1	072550141
42	8	1	072550142
43	9	1	072550143
44	10	1	072550144
45	10,5	1	072550145
46	11	1	072550146
47	12	1	072550147

EN 20345 S3 SRC

7263RK

suede shoe, waterproof,
with embossed leather inserts and HRO rubber outsole

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072630138
39	6	1	072630139
40	6,5	1	072630140
41	7	1	072630141
42	8	1	072630142
43	9	1	072630143
44	10	1	072630144
45	10,5	1	072630145
46	11	1	072630146
47	12	1	072630147

EN 20345 S3 HRO SRC

7264RK

suede ankle shoe, waterproof,
with embossed leather inserts and HRO rubber outsole

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072640138
39	6	1	072640139
40	6,5	1	072640140
41	7	1	072640141
42	8	1	072640142
43	9	1	072640143
44	10	1	072640144
45	10,5	1	072640145
46	11	1	072640146
47	12	1	072640147

EN 20345 S3 HRO SRC

7250NKK

suede shoe, waterproof,
with microfibre inserts

- Composite toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072500238
39	6	1	072500239
40	6,5	1	072500240
41	7	1	072500241
42	8	1	072500242
43	9	1	072500243
44	10	1	072500244
45	10,5	1	072500245
46	11	1	072500246
47	12	1	072500247

EN 20345 S1P SRC

7251NKK

suede ankle shoe, waterproof,
with microfibre inserts

- Composite toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072510238
39	6	1	072510239
40	6,5	1	072510240
41	7	1	072510241
42	8	1	072510242
43	9	1	072510243
44	10	1	072510244
45	10,5	1	072510245
46	11	1	072510246
47	12	1	072510247

EN 20345 S1P SRC

7252NKK

Nubuck shoe, waterproof,
with waterproof microfibre inserts

- Composite toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072520138
39	6	1	072520139
40	6,5	1	072520140
41	7	1	072520141
42	8	1	072520142
43	9	1	072520143
44	10	1	072520144
45	10,5	1	072520145
46	11	1	072520146
47	12	1	072520147

EN 20345 S3 SRC

7290AKK

full-grain leather shoe, waterproof, highly breathable

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	072900238
39	6	1	072900239
40	6,5	1	072900240
41	7	1	072900241
42	8	1	072900242
43	9	1	072900243
44	10	1	072900244
45	10,5	1	072900245
46	11	1	072900246
47	12	1	072900247
48	13	1	072900248

EN 20345 S3 SRC

7291AKK

full-grain leather ankle shoe, waterproof, highly breathable

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	072910238
39	6	1	072910239
40	6,5	1	072910240
41	7	1	072910241
42	8	1	072910242
43	9	1	072910243
44	10	1	072910244
45	10,5	1	072910245
46	11	1	072910246
47	12	1	072910247
48	13	1	072910248

EN 20345 S3 SRC

7293RK

greased Nubuck shoe,
with torsion control system and durable rubber outsole

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK		
39	6	1	072930339
40	6,5	1	072930340
41	7	1	072930341
42	8	1	072930342
43	9	1	072930343
44	10	1	072930344
45	10,5	1	072930345
46	11	1	072930346
47	12	1	072930347

EN 20345 S3 HRO SRC

7294RK

greased Nubuck ankle shoe,
with torsion control system and durable rubber outsole

- Steel toe cap
- Composite fibre penetration proof insole

EU	UK		
39	6	1	072940339
40	6,5	1	072940340
41	7	1	072940341
42	8	1	072940342
43	9	1	072940343
44	10	1	072940344
45	10,5	1	072940345
46	11	1	072940346
47	12	1	072940347

EN 20345 S3 HRO SRC

7293NKK

greased Nubuck shoe,
with dynamic control system
and durable VIBRAM® rubber outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072930138
39	6	1	072930139
40	6,5	1	072930140
41	7	1	072930141
42	8	1	072930142
43	9	1	072930143
44	10	1	072930144
45	10,5	1	072930145
46	11	1	072930146
47	12	1	072930147
48	13	1	072930148

EN 20345 S3 HRO SRC

7294NKK

greased Nubuck ankle shoe,
with dynamic control system
and durable VIBRAM® rubber outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072940138
39	6	1	072940139
40	6,5	1	072940140
41	7	1	072940141
42	8	1	072940142
43	9	1	072940143
44	10	1	072940144
45	10,5	1	072940145
46	11	1	072940146
47	12	1	072940147
48	13	1	072940148

EN 20345 S3 HRO SRC

7293TKK

greased Nubuck shoe,
with Thinsulate™ membrane, dynamic control system
and durable VIBRAM® rubber outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072930238
39	6	1	072930239
40	6,5	1	072930240
41	7	1	072930241
42	8	1	072930242
43	9	1	072930243
44	10	1	072930244
45	10,5	1	072930245
46	11	1	072930246
47	12	1	072930247
48	13	1	072930248

EN 20345 S3 HRO SRC

7294TKK

greased Nubuck ankle shoe,
with Thinsulate™ membrane, dynamic control system
and durable VIBRAM® rubber outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	072940238
39	6	1	072940239
40	6,5	1	072940240
41	7	1	072940241
42	8	1	072940242
43	9	1	072940243
44	10	1	072940244
45	10,5	1	072940245
46	11	1	072940246
47	12	1	072940247
48	13	1	072940248

EN 20345 S3 HRO SRC

7239V

full-grain leather ankle shoe, waterproof,
with durable VIBRAM® rubber outsole

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	072390138
39	6	1	072390139
40	6,5	1	072390140
41	7	1	072390141
42	8	1	072390142
43	9	1	072390143
44	10	1	072390144
45	10,5	1	072390145
46	11	1	072390146
47	12	1	072390147
48	13	1	072390148

EN 20345 S3 HRO SRC

7295TNV

lace-up full-grain leather ankle shoe, waterproof,
with Thinsulate™ membrane and durable
VIBRAM® rubber outsole

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	072950038
39	6	1	072950039
40	6,5	1	072950040
41	7	1	072950041
42	8	1	072950042
43	9	1	072950043
44	10	1	072950044
45	10,5	1	072950045
46	11	1	072950046
47	12	1	072950047
48	13	1	072950048

EN 20345 S3 HRO SRC

7326NKK

leather ankle shoe, waterproof,
with thermally welded membrane and durable rubber outsole

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
39	6	1	073260039
40	6,5	1	073260040
41	7	1	073260041
42	8	1	073260042
43	9	1	073260043
44	10	1	073260044
45	10,5	1	073260045
46	11	1	073260046
47	12	1	073260047

EN 20345 S3 HRO SRA

7330NV

greased Nubuck boot, waterproof, with Thinsulate™
membrane and durable VIBRAM® rubber outsole.
Real wool fur lining

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	073300438
39	6	1	073300439
40	6,5	1	073300440
41	7	1	073300441
42	8	1	073300442
43	9	1	073300443
44	10	1	073300444
45	10,5	1	073300445
46	11	1	073300446
47	12	1	073300447
48	13	1	073300448

EN 20345 S3 HRO SRC

7327NKK

full-grain leather boot,
"POLAR" style, waterproof

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
39	6	1	073270039
40	6,5	1	073270040
41	7	1	073270041
42	8	1	073270042
43	9	1	073270043
44	10	1	073270044
45	10,5	1	073270045
46	11	1	073270046

EN 20345 S3 HRO SRA

7327R

inner shoes for boots item 7327NKK

EU	UK		
39	6	1	073270939
40	6,5	1	073270940
41	7	1	073270941
42	8	1	073270942
43	9	1	073270943
44	10	1	073270944
45	10,5	1	073270945
46	11	1	073270946

7328EA

safety boot, "Top Visibility"

- Steel toe cap
- Stainless steel penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073280538
39	6	1	073280539
40	6,5	1	073280540
41	7	1	073280541
42	8	1	073280542
43	9	1	073280543
44	10	1	073280544
45	10,5	1	073280545
46	11	1	073280546
47	12	1	073280547

EN 20345 S5 SRC

7328EN

safety boot

- Steel toe cap
- Stainless steel penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073280738
39	6	1	073280739
40	6,5	1	073280740
41	7	1	073280741
42	8	1	073280742
43	9	1	073280743
44	10	1	073280744
45	10,5	1	073280745
46	11	1	073280746
47	12	1	073280747

EN 20345 S5 SRC

7300B

full-grain leather shoe, "free time" style, waterproof, without toe cap and penetration proof insole

- Without toe cap
- Without penetration proof insole

EN ISO 2011

EU	UK		
36	3,5	1	073000536
37	4,5	1	073000537
38	5	1	073000538
39	6	1	073000539
40	6,5	1	073000540
41	7	1	073000541
42	8	1	073000542
43	9	1	073000543
44	10	1	073000544
45	10,5	1	073000545
46	11	1	073000546
47	12	1	073000547
48	13	1	073000548

EN 20347 O2 FO SRC

7300BKK

full-grain leather shoe, highly breathable

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
36	3,5	1	073000236
37	4,5	1	073000237
38	5	1	073000238
39	6	1	073000239
40	6,5	1	073000240
41	7	1	073000241
42	8	1	073000242
43	9	1	073000243
44	10	1	073000244
45	10,5	1	073000245
46	11	1	073000246
47	12	1	073000247
48	13	1	073000248

EN 20345 S3 SRC

7318ESD

perforated suede shoe, ESD

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
36	3,5	1	073180136
37	4,5	1	073180137
38	5	1	073180138
39	6	1	073180139
40	6,5	1	073180140
41	7	1	073180141
42	8	1	073180142
43	9	1	073180143
44	10	1	073180144
45	10,5	1	073180145
46	11	1	073180146
47	12	1	073180147
48	13	1	073180148

EN 20345 S1P SRC

7313KK

"light" suede shoe, with mesh insets and racing outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	073130335
36	3,5	1	073130336
37	4,5	1	073130337
38	5	1	073130338
39	6	1	073130339
40	6,5	1	073130340
41	7	1	073130341
42	8	1	073130342
43	9	1	073130343
44	10	1	073130344
45	10,5	1	073130345
46	11	1	073130346
47	12	1	073130347
48	13	1	073130348

EN 20345 S1P SRC

7313KKB

"light" suede shoe, with mesh insets and racing outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	073130435
36	3,5	1	073130436
37	4,5	1	073130437
38	5	1	073130438
39	6	1	073130439
40	6,5	1	073130440
41	7	1	073130441
42	8	1	073130442
43	9	1	073130443
44	10	1	073130444
45	10,5	1	073130445
46	11	1	073130446
47	12	1	073130447
48	13	1	073130448

EN 20345 S1P SRC

7313KKC

"light" shoe, abrasion-proof, with carbon and mesh insets, racing outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	073130535
36	3,5	1	073130536
37	4,5	1	073130537
38	5	1	073130538
39	6	1	073130539
40	6,5	1	073130540
41	7	1	073130541
42	8	1	073130542
43	9	1	073130543
44	10	1	073130544
45	10,5	1	073130545
46	11	1	073130546
47	12	1	073130547
48	13	1	073130548

EN 20345 S1P SRC

7314KK

"light" suede shoe, racing outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	073140135
36	3,5	1	073140136
37	4,5	1	073140137
38	5	1	073140138
39	6	1	073140139
40	6,5	1	073140140
41	7	1	073140141
42	8	1	073140142
43	9	1	073140143
44	10	1	073140144
45	10,5	1	073140145
46	11	1	073140146
47	12	1	073140147
48	13	1	073140148

EN 20345 S1P SRC

7334KK

"light" soft suede moccasin, racing outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	073340235
36	3,5	1	073340236
37	4,5	1	073340237
38	5	1	073340238
39	6	1	073340239
40	6,5	1	073340240
41	7	1	073340241
42	8	1	073340242
43	9	1	073340243
44	10	1	073340244
45	10,5	1	073340245
46	11	1	073340246
47	12	1	073340247
48	13	1	073340248

EN 20345 S1P SRC

7320KK

"light" Nubuck shoe, waterproof, racing outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	073200235
36	3,5	1	073200236
37	4,5	1	073200237
38	5	1	073200238
39	6	1	073200239
40	6,5	1	073200240
41	7	1	073200241
42	8	1	073200242
43	9	1	073200243
44	10	1	073200244
45	10,5	1	073200245
46	11	1	073200246
47	12	1	073200247
48	13	1	073200248

EN 20345 S3 SRC

7316KK

"light" drummed full-grain leather shoe, waterproof, racing outsole

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
35	2,5	1	073160235
36	3,5	1	073160236
37	4,5	1	073160237
38	5	1	073160238
39	6	1	073160239
40	6,5	1	073160240
41	7	1	073160241
42	8	1	073160242
43	9	1	073160243
44	10	1	073160244
45	10,5	1	073160245
46	11	1	073160246
47	12	1	073160247
48	13	1	073160248

EN 20345 S3 SRC

7344RP

shoe made of "VINTAGE" leather, greased, waterproof
with rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073440138
39	6	1	073440139
40	6,5	1	073440140
41	7	1	073440141
42	8	1	073440142
43	9	1	073440143
44	10	1	073440144
45	10,5	1	073440145
46	11	1	073440146
47	12	1	073440147

EN 20345 S3 HRO SRC

7345RP

ankle shoe made of "VINTAGE" leather, greased, waterproof
with rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073450138
39	6	1	073450139
40	6,5	1	073450140
41	7	1	073450141
42	8	1	073450142
43	9	1	073450143
44	10	1	073450144
45	10,5	1	073450145
46	11	1	073450146
47	12	1	073450147

EN 20345 S3 HRO SRC

7349RP

shoe made of Nubuck crust leather, waterproof
with rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073490138
39	6	1	073490139
40	6,5	1	073490140
41	7	1	073490141
42	8	1	073490142
43	9	1	073490143
44	10	1	073490144
45	10,5	1	073490145
46	11	1	073490146
47	12	1	073490147

EN 20345 S3 HRO SRC

7350RP

ankle shoe made of Nubuck crust leather, waterproof
with rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073500138
39	6	1	073500139
40	6,5	1	073500140
41	7	1	073500141
42	8	1	073500142
43	9	1	073500143
44	10	1	073500144
45	10,5	1	073500145
46	11	1	073500146
47	12	1	073500147

EN 20345 S3 HRO SRC

7346RP

suede moccasin with mesh inserts, strap closure, rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	073460138
39	6	1	073460139
40	6,5	1	073460140
41	7	1	073460141
42	8	1	073460142
43	9	1	073460143
44	10	1	073460144
45	10,5	1	073460145
46	11	1	073460146
47	12	1	073460147

EN 20345 S1P HRO SRC

7347RP

perforated suede shoe with rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	073470138
39	6	1	073470139
40	6,5	1	073470140
41	7	1	073470141
42	8	1	073470142
43	9	1	073470143
44	10	1	073470144
45	10,5	1	073470145
46	11	1	073470146
47	12	1	073470147

EN 20345 S1P HRO SRC

7348RP

suede shoe with mesh inserts, rubber outsole and soft PU ring

- Composite toe cap
- Composite fibre penetration proof insole

EU	UK		
38	5	1	073480138
39	6	1	073480139
40	6,5	1	073480140
41	7	1	073480141
42	8	1	073480142
43	9	1	073480143
44	10	1	073480144
45	10,5	1	073480145
46	11	1	073480146
47	12	1	073480147

EN 20345 S1P HRO SRC

7360BKK

suede shoe, with canvas inserts

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EN 20345 S1P SRC

EU	UK		
38	5	1	073600238
39	6	1	073600239
40	6,5	1	073600240
41	7	1	073600241
42	8	1	073600242
43	9	1	073600243
44	10	1	073600245
45	10,5	1	073600244
46	11	1	073600246
47	12	1	073600247

7361DKK

suede shoe, with canvas inserts

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EN 20345 S1P SRC

EU	UK		
38	5	1	073610038
39	6	1	073610039
40	6,5	1	073610040
41	7	1	073610041
42	8	1	073610042
43	9	1	073610043
44	10	1	073610044
45	10,5	1	073610045
46	11	1	073610046
47	12	1	073610047

7361GKK

suede shoe, with canvas inserts

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EN 20345 S1P SRC

EU	UK		
38	5	1	073610138
39	6	1	073610139
40	6,5	1	073610140
41	7	1	073610141
42	8	1	073610142
43	9	1	073610143
44	10	1	073610144
45	10,5	1	073610145
46	11	1	073610146
47	12	1	073610147

7365GKK

suede ankle shoe, with canvas inserts

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EN 20345 S1P SRC

EU	UK		
38	5	1	073650138
39	6	1	073650139
40	6,5	1	073650140
41	7	1	073650141
42	8	1	073650142
43	9	1	073650143
44	10	1	073650144
45	10,5	1	073650145
46	11	1	073650146
47	12	1	073650147

7367G

ankle shoe made of "VINTAGE" leather, greased, waterproof, without toe cap and penetration proof insole

- Without toe cap
- Without penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073670038
39	6	1	073670039
40	6,5	1	073670040
41	7	1	073670041
42	8	1	073670042
43	9	1	073670043
44	10	1	073670044
45	10,5	1	073670045
46	11	1	073670046
47	12	1	073670047

EN 20347 O2 SRC

7368NKK

ankle shoe made of "VINTAGE" leather, greased, waterproof

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073680038
39	6	1	073680039
40	6,5	1	073680040
41	7	1	073680041
42	8	1	073680042
43	9	1	073680043
44	10	1	073680044
45	10,5	1	073680045
46	11	1	073680046
47	12	1	073680047

EN 20345 S3 SRC

7368BKK

ankle shoe made of "VINTAGE" leather, greased, waterproof

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073680138
39	6	1	073680139
40	6,5	1	073680140
41	7	1	073680141
42	8	1	073680142
43	9	1	073680143
44	10	1	073680144
45	10,5	1	073680145
46	11	1	073680146
47	12	1	073680147

EN 20345 S3 SRC

7368GKK

ankle shoe made of "VINTAGE" leather, greased, waterproof

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073680238
39	6	1	073680239
40	6,5	1	073680240
41	7	1	073680241
42	8	1	073680242
43	9	1	073680243
44	10	1	073680244
45	10,5	1	073680245
46	11	1	073680246
47	12	1	073680247

EN 20345 S3 SRC

7369BKK

ankle shoe, made of greased "VINTAGE" leather, waterproof, with camouflage technical fabric inserts

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073690038
39	6	1	073690039
40	6,5	1	073690040
41	7	1	073690041
42	8	1	073690042
43	9	1	073690043
44	10	1	073690044
45	10,5	1	073690045
46	11	1	073690046
47	12	1	073690047

EN 20345 S3 SRC

7369GKK

drummed Nubuck ankle shoe, waterproof, with camouflage technical fabric inserts

- Aluminium toe cap with breathable membrane
- Composite fibre penetration proof insole

EN ISO 2011

EU	UK		
38	5	1	073690138
39	6	1	073690139
40	6,5	1	073690140
41	7	1	073690141
42	8	1	073690142
43	9	1	073690143
44	10	1	073690144
45	10,5	1	073690145
46	11	1	073690146
47	12	1	073690147

EN 20345 S3 SRC

7398 TNT

interchangeable carbon insoles

EU	UK		
35	2,5	1	073980035
36	3,5	1	073980036
37	4,5	1	073980037
38	5	1	073980038
39	6	1	073980039
40	6,5	1	073980040
41	7	1	073980041
42	8	1	073980042
43	9	1	073980043
44	10	1	073980044
45	10,5	1	073980045
46	11	1	073980046
47	12	1	073980047
48	13	1	073980048

7398BF

anatomically shaped “BLOW-FEET” insoles

EU	UK		
36	3,5	1	073980336
37	4,5	1	073980337
38	5	1	073980338
39	6	1	073980339
40	6,5	1	073980340
41	7	1	073980341
42	8	1	073980342
43	9	1	073980343
44	10	1	073980344
45	10,5	1	073980345
46	11	1	073980346
47	12	1	073980347
48	13	1	073980348

7398ST

anatomically shaped On Steam underfoot covers

EU	UK		
35	2,5	1	073981035
36	3,5	1	073981036
37	4,5	1	073981037
38	5	1	073981038
39	6	1	073981039
40	6,5	1	073981040
41	7	1	073981041
42	8	1	073981042
43	9	1	073981043
44	10	1	073981044
45	10,5	1	073981045
46	11	1	073981046
47	12	1	073981047
48	13	1	073981048

7398GEL

anatomically shaped underfoot covers with gel insets

EU	UK		
35	2,5	1	073980835
36	3,5	1	073980836
37	4,5	1	073980837
38	5	1	073980838
39	6	1	073980839
40	6,5	1	073980840
41	7	1	073980841
42	8	1	073980842
43	9	1	073980843
44	10	1	073980844
45	10,5	1	073980845
46	11	1	073980846
47	12	1	073980847
48	13	1	073980848

7398CX

anatomically shaped Coolmax® underfoot covers

EU	UK		
35	2,5	1	073980935
36	3,5	1	073980936
37	4,5	1	073980937
38	5	1	073980938
39	6	1	073980939
40	6,5	1	073980940
41	7	1	073980941
42	8	1	073980942
43	9	1	073980943
44	10	1	073980944
45	10,5	1	073980945
46	11	1	073980946
47	12	1	073980947
48	13	1	073980948

7398AL

aluminized felt insoles, for low temperatures

EU	UK		
38	5	1	073980538
39	6	1	073980539
40	6,5	1	073980540
41	7	1	073980541
42	8	1	073980542
43	9	1	073980543
44	10	1	073980544
45	10,5	1	073980545
46	11	1	073980546
47	12	1	073980547
48	13	1	073980548

7399 A/N...

pack of 10 pairs of laces

	cm		
7399 A/N100	100	1	073990010
7399 A/N120	120	1	073990012
7399 A/N140	140	1	073990017

7399G...

pack of 10 pairs of laces, grey

	cm		
7399G 110	110	1	073990018

7399M...

pack of 10 pairs of laces, brown

	cm		
7399M 90	90	1	073990013
7399M 120	120	1	073990014

7399B...

pack of 10 pairs of laces, beige

	cm		
7399B 90	90	1	073990015
7399B 120	120	1	073990016

7410

ankle length socks made of polypropylene with cotton and Cupron® feet

	EU		
S	37-39	1	074100001
M	40-42	1	074100002
L	43-45	1	074100003
XL	46-48	1	074100004

7413

ankle length socks
made from terry and polyamide.
Left and right foot specific construction

	EU		
S	37-39	1	074130001
M	40-42	1	074130002
L	43-45	1	074130003
XL	46-48	1	074130004

7415

ankle length socks
made from Coolmax®, Dryarn® and Cordura®

	EU		
S	37-39	1	074150001
M	40-42	1	074150002
L	43-45	1	074150003
XL	46-48	1	074150004

7416

knee length socks
made from Coolmax®, Dryarn® and Cordura®

	EU		
S	37-39	1	074160001
M	40-42	1	074160002
L	43-45	1	074160003
XL	46-48	1	074160004

7417

ankle length socks made from Tactel®

	EU		
S	37-39	1	074170001
M	40-42	1	074170002
L	43-45	1	074170003
XL	46-48	1	074170004

7418

ankle length socks
made from antibacterial Meryl Skinlife®

	EU		
S	37-39	1	074180001
M	40-42	1	074180002
L	43-45	1	074180003
XL	46-48	1	074180004

Over the years the workwear line has gained confidence and popularity among the most demanding professionals.
The success of the product has translated into the ongoing development and expansion of the range.

The items of clothing produced by Beta Utensili S.p.a. comply with the following standard:
EN 340/1
Personal protective equipment protects the user from limited physical hazards, including small abrasions, sunbeams, wind, cold, non-harmful powders and dirt from nontoxic materials. Such protection is related to the first category of Italian Parliamentary Bill n°. 475 of 04/12/1992.

USE AND STORAGE INSTRUCTIONS
IThe garment should be worn correctly, so that it can protect the user's body parts. It should be stored in a cool, dry place, in its original packaging, away from heat sources, sunlight, dust and adverse weather.

PACKAGING
• WORKWEAR: hanging bag
• FREE TIME WEAR: non-hanging bag

SHRINKAGE
All natural fibres shrink after being washed.
The degree of shrinkage may range from 1% to 5%, depending on several parameters, which include the type of fibres and the temperature of water.

	I	F	D	E	UK	USA
XS	46	38	42	40	30	32
S	48	40	44	42	32	34
M	50	42	46	44	34	36
L	52	44	48	46	36	38
XL	54	46	50	48	38	40
XXL	56	48	52	50	40	42
XXXL	58	50	54	52	42	44
4XL	60	52	56	54	44	46

EN340/1

	XS	S	M	L	XL	2XL	3XL	4XL
A	88-92	92-96	96-104	104-108	108-116	116-124	124-132	132-140
B	79-83	83-87	87-91	91-95	95-100	100-107	107-112	112-120
H	158-164	164-170	170-176	176-182	182-188	188-194	194-200	200-206

7505DG

multipocket trousers, 100% prewashed cotton twill, 260 g/m², military green

XS	1	075050046
S	1	075050048
M	1	075050050
L	1	075050052
XL	1	075050054
XXL	1	075050056
XXXL	1	075050058

7505M

camouflage multipocket trousers, 100% cotton twill, 260 g/m²

XS	1	075050246
S	1	075050248
M	1	075050250
L	1	075050252
XL	1	075050254
XXL	1	075050256
XXXL	1	075050258

7515DG

multipocket Bermuda shorts, 100% prewashed cotton twill, 260 g/m², military green

XS	1	075150046
S	1	075150048
M	1	075150050
L	1	075150052
XL	1	075150054
XXL	1	075150056
XXXL	1	075150058

7515B

multipocket Bermuda shorts, 100% prewashed cotton twill, 260 g/m², beige

XS	1	075150146
S	1	075150148
M	1	075150150
L	1	075150152
XL	1	075150154
XXL	1	075150156
XXXL	1	075150158

7505B

multipocket trousers, 100% prewashed cotton twill, 260 g/m², beige

XS	1	075050146
S	1	075050148
M	1	075050150
L	1	075050152
XL	1	075050154
XXL	1	075050156
XXXL	1	075050158

7525

prewashed stretch work jeans, 68% denim cotton, 29% polyester, 3% stretch fabric, 10 ounces

XS	1	075250046
S	1	075250048
M	1	075250050
L	1	075250052
XL	1	075250054
XXL	1	075250056
XXXL	1	075250058

7515M

camouflage multipocket Bermuda shorts, 100% cotton twill, 260 g/m²

XS	1	075150246
S	1	075150248
M	1	075150250
L	1	075150252
XL	1	075150254
XXL	1	075150256
XXXL	1	075150258

7546BL

three-button polo shirt, pique cotton, 220 g/m², blue

XS	2	075460000
S	2	075460001
M	2	075460002
L	2	075460003
XL	2	075460004
XXL	2	075460005
XXXL	2	075460006

7546O

three-button polo shirt, pique cotton, 220 g/m², orange

XS	2	075460300
S	2	075460301
M	2	075460302
L	2	075460303
XL	2	075460304
XXL	2	075460305
XXXL	2	075460306

7548BL

work t-shirt, 100% jersey cotton, 180 g/m², blue

XS	5	075480000
S	5	075480001
M	5	075480002
L	5	075480003
XL	5	075480004
XXL	5	075480005
XXXL	5	075480006

7546G

three-button polo shirt, pique cotton, 220 g/m², grey

XS	2	075460100
S	2	075460101
M	2	075460102
L	2	075460103
XL	2	075460104
XXL	2	075460105
XXXL	2	075460106

7547BL

technical polo shirt, CoolDry®, 155 g/m², blue

XS	2	075470000
S	2	075470001
M	2	075470002
L	2	075470003
XL	2	075470004
XXL	2	075470005
XXXL	2	075470006

7548G

work t-shirt, 100% jersey cotton, 180 g/m², grey

XS	5	075480100
S	5	075480101
M	5	075480102
L	5	075480103
XL	5	075480104
XXL	5	075480105
XXXL	5	075480106

7546N

three-button polo shirt, pique cotton, 220 g/m², black

XS	2	075460200
S	2	075460201
M	2	075460202
L	2	075460203
XL	2	075460204
XXL	2	075460205
XXXL	2	075460206

7547G

technical polo shirt, CoolDry®, 155 g/m², grey

XS	2	075470100
S	2	075470101
M	2	075470102
L	2	075470103
XL	2	075470104
XXL	2	075470105
XXXL	2	075470106

7548N

work t-shirt, 100% jersey cotton, 180 g/m², black

XS	5	075480200
S	5	075480201
M	5	075480202
L	5	075480203
XL	5	075480204
XXL	5	075480205
XXXL	5	075480206

7548O

work t-shirt, 100% jersey cotton, 180 g/m², orange

XS	5	075480300
S	5	075480301
M	5	075480302
L	5	075480303
XL	5	075480304
XXL	5	075480305
XXXL	5	075480306

7555

lightweight sleeveless jacket, multi-pocket style, T/C twill 180 g/m², blue

S	1	075550101
M	1	075550102
L	1	075550103
XL	1	075550104
XXL	1	075550105

7575A

sleeveless jacket, waterproof ripstop nylon 200 g/m², padded and lined, black

XS	1	075750200
S	1	075750201
M	1	075750202
L	1	075750203
XL	1	075750204
XXL	1	075750205
XXXL	1	075750206

7577N

sleeveless jacket, 100% 50D microfibre polyester, padded, lined, black
Elastic insert at armhole

XS	1	075770000
S	1	075770001
M	1	075770002
L	1	075770003
XL	1	075770004
XXL	1	075770005
XXXL	1	075770006

7578G

sleeveless jacket, ripstop nylon, waterproof, padded, lined, anthracite grey
Stretch armhole

XS	1	075780000
S	1	075780001
M	1	075780002
L	1	075780003
XL	1	075780004
XXL	1	075780005
XXXL	1	075780006

7622G

fleece jacket, 280 g/m², with polyester inserts, anthracite grey/black

XS	1	076220000
S	1	076220001
M	1	076220002
L	1	076220003
XL	1	076220004
XXL	1	076220005
XXXL	1	076220006

7632G

fleece pullover, 280 g/m², with polyester inserts,
anthracite grey/black

XS	1	076320000
S	1	076320001
M	1	076320002
L	1	076320003
XL	1	076320004
XXL	1	076320005
XXXL	1	076320006

7634N

microfleece sweatshirt, long zip, 180 g/m², black

XS	1	076340000
S	1	076340001
M	1	076340002
L	1	076340003
XL	1	076340004
XXL	1	076340005
XXXL	1	076340006

7635N

microfleece sweater, short-zipped, 180 g/m² black

XS	1	076350500
S	1	076350501
M	1	076350502
L	1	076350503
XL	1	076350504
XXL	1	076350505
XXXL	1	076350506

7635G

microfleece sweater, short-zipped, 180 g/m²
anthracite grey

CE

XS	1	076350510
S	1	076350511
M	1	076350512
L	1	076350513
XL	1	076350514
XXL	1	076350515
XXXL	1	076350516

7675N

jacket, stretch two-ply laminated softshell, 280 g/m²,
fleece-lined, black

CE

XS	1	076750000
S	1	076750001
M	1	076750002
L	1	076750003
XL	1	076750004
XXL	1	076750005
XXXL	1	076750006

7780N

anorak, 100% 230T dobby polyester,
waterproof, padded, lined, black
Detachable hood and sleeves

CE

XS	1	077800000
S	1	077800001
M	1	077800002
L	1	077800003
XL	1	077800004
XXL	1	077800005
XXXL	1	077800006

7641BL

hooded fleece sweatshirt, long zip,
80% cotton, 20% polyester, 320 g/m², blue

CE

XS	1	076410000
S	1	076410001
M	1	076410002
L	1	076410003
XL	1	076410004
XXL	1	076410005
XXXL	1	076410006

7682BL

jacket, stretch two-ply laminated softshell, 320 g/m²
waterproof, fleece-lined, blue/black
Detachable hood

CE

S	1	076820001
M	1	076820002
L	1	076820003
XL	1	076820004
XXL	1	076820005
XXXL	1	076820006

7815N

work trousers, multipocket style,
twisted T/C canvas, 280 g/m²
with polyester inserts, black

CE

XS	1	078150000
S	1	078150001
M	1	078150002
L	1	078150003
XL	1	078150004
XXL	1	078150005
XXXL	1	078150006

7641G

hooded fleece sweatshirt, long zip,
80% cotton, 20% polyester, 320 g/m², grey

CE

XS	1	076410100
S	1	076410101
M	1	076410102
L	1	076410103
XL	1	076410104
XXL	1	076410105
XXXL	1	076410106

7681BL

jacket in stretch two-ply laminated softshell,
285 g/m²,
lined in fleece, blue

CE

S	1	076810001
M	1	076810002
L	1	076810003
XL	1	076810004
XXL	1	076810005
XXXL	1	076810006

7817N

sleeveless work jacket, made of twisted T/C canvas, 280 g/m²
with mesh inserts, black

XS	1	078170000
S	1	078170001
M	1	078170002
L	1	078170003
XL	1	078170004
XXL	1	078170005
XXXL	1	078170006

7820

work trousers, twisted T/C canvas, 280 g/m², Cordura® and Reflex 3M Scotchlite™ insets, black/grey

XS	1	078200000
S	1	078200001
M	1	078200002
L	1	078200003
XL	1	078200004
XXL	1	078200005
XXXL	1	078200006
XXXXL	1	078200007

7821

work Bermuda shorts, twisted T/C canvas, 280 g/m², black/grey

XS	1	078210000
S	1	078210001
M	1	078210002
L	1	078210003
XL	1	078210004
XXL	1	078210005
XXXL	1	078210006
XXXXL	1	078210007

7823

work overalls, twisted T/C canvas, 280 g/m², Cordura® and Reflex 3M Scotchlite™ insets, black/grey

XS	1	078230000
S	1	078230001
M	1	078230002
L	1	078230003
XL	1	078230004
XXL	1	078230005
XXXL	1	078230006
XXXXL	1	078230007

7825

work overalls, twisted T/C canvas, 280 g/m², Cordura® and Reflex 3M Scotchlite™ insets, black/grey

XS	1	078250000
S	1	078250001
M	1	078250002
L	1	078250003
XL	1	078250004
XXL	1	078250005
XXXL	1	078250006
XXXXL	1	078250007

7827

sleeveless work jacket, twisted T/C canvas, 280 g/m²,
Reflex 3M Scotchlite™ insets, black/grey

XS	1	078270000
S	1	078270001
M	1	078270002
L	1	078270003
XL	1	078270004
XXL	1	078270005
XXXL	1	078270006
XXXXL	1	078270007

7829

work jacket, twisted T/C canvas, 280 g/m², Cordura® and Reflex 3M Scotchlite™ insets, black/grey

XS	1	078290000
S	1	078290001
M	1	078290002
L	1	078290003
XL	1	078290004
XXL	1	078290005
XXXL	1	078290006
XXXXL	1	078290007

7860E

work trousers, lightweight, T/C twill, 180 g/m², with Oxford inserts, grey

XS	1	078600900
S	1	078600901
M	1	078600902
L	1	078600903
XL	1	078600904
XXL	1	078600905
XXXL	1	078600906
XXXXL	1	078600907

7861E

work Bermuda shorts, lightweight, T/C twill, 180 g/m², grey

XS	1	078610900
S	1	078610901
M	1	078610902
L	1	078610903
XL	1	078610904
XXL	1	078610905
XXXL	1	078610906
XXXXL	1	078610907

7863E

work overalls, lightweight T/C twill, 180 g/m², with Oxford inserts, grey

XS	1	078630900
S	1	078630901
M	1	078630902
L	1	078630903
XL	1	078630904
XXL	1	078630905
XXXL	1	078630906
XXXXL	1	078630907

7865E

work overalls, lightweight T/C twill, 180 g/m², with Oxford inserts, grey

XS	1	078650900
S	1	078650901
M	1	078650902
L	1	078650903
XL	1	078650904
XXL	1	078650905
XXXL	1	078650906
XXXXL	1	078650907

7867E

sleeveless work jacket, multipocket style, lightweight, T/C twill, 180 g/m², with Oxford inserts, grey

XS	1	078670900
S	1	078670901
M	1	078670902
L	1	078670903
XL	1	078670904
XXL	1	078670905
XXXL	1	078670906
XXXXL	1	078670907

7869E

work jacket, lightweight, T/C twill, 180 g/m²
with Oxford inserts, grey

CE

BetaEASY

LIGHT

XS	1	078690900
S	1	078690901
M	1	078690902
L	1	078690903
XL	1	078690904
XXL	1	078690905
XXXL	1	078690906
XXXXL	1	078690907

7870

work trousers in T/C twill, 180 g/m²,
with T/C ripstop insets, blue

CE

XS	1	078700000
S	1	078700001
M	1	078700002
L	1	078700003
XL	1	078700004
XXL	1	078700005
XXXL	1	078700006

7871

work shorts, T/C twill, 180 g/m²
with T/C ripstop insets, blue

CE

XS	1	078710000
S	1	078710001
M	1	078710002
L	1	078710003
XL	1	078710004
XXL	1	078710005
XXXL	1	078710006

7873

work overalls, T/C twill 180 g/m²,
T/C ripstop insets, blue

CE

XS	1	078730000
S	1	078730001
M	1	078730002
L	1	078730003
XL	1	078730004
XXL	1	078730005
XXXL	1	078730006

7875

lightweight work overalls in T/C twill,
180 g/m², with T/C ripstop insets, blue

CE

XS	1	078750000
S	1	078750001
M	1	078750002
L	1	078750003
XL	1	078750004
XXL	1	078750005
XXXL	1	078750006

7877

sleeveless work jacket in T/C twill,
180 g/m², with T/C ripstop insets, blue

CE

XS	1	078770000
S	1	078770001
M	1	078770002
L	1	078770003
XL	1	078770004
XXL	1	078770005
XXXL	1	078770006

7879

work jacket in T/C twill, 180 g/m², with T/C ripstop insets, blue

XS	1	078790000
S	1	078790001
M	1	078790002
L	1	078790003
XL	1	078790004
XXL	1	078790005
XXXL	1	078790006

7900E

work trousers, multipocket style, in T/C canvas, 260 g/m², Oxford insets, grey

XS	1	079000900
S	1	079000901
M	1	079000902
L	1	079000903
XL	1	079000904
XXL	1	079000905
XXXL	1	079000906
XXXXL	1	079000907

7901E

work Bermuda shorts in T/C canvas, 260 g/m², grey

XS	1	079010900
S	1	079010901
M	1	079010902
L	1	079010903
XL	1	079010904
XXL	1	079010905
XXXL	1	079010906
XXXXL	1	079010907

7903E

work overalls in T/C canvas, 260 g/m², Oxford insets, grey

XS	1	079030900
S	1	079030901
M	1	079030902
L	1	079030903
XL	1	079030904
XXL	1	079030905
XXXL	1	079030906
XXXXL	1	079030907

7904E

work bomber jacket, T/C canvas, 260 g/m², padded, lined, "Oxford" insets, grey

XS	1	079040900
S	1	079040901
M	1	079040902
L	1	079040903
XL	1	079040904
XXL	1	079040905
XXXL	1	079040906
XXXXL	1	079040907

7905E

work overalls in T/C canvas, 260 g/m², Oxford insets, grey

XS	1	079050900
S	1	079050901
M	1	079050902
L	1	079050903
XL	1	079050904
XXL	1	079050905
XXXL	1	079050906
XXXXL	1	079050907

7907E

sleeveless work jacket, multipocket style, in T/C canvas, 260 g/m², Oxford insets, grey

XS	1	079070900
S	1	079070901
M	1	079070902
L	1	079070903
XL	1	079070904
XXL	1	079070905
XXXL	1	079070906
XXXXL	1	079070907

7909E

work jacket in T/C canvas, 260 g/m², Oxford insets, grey

XS	1	079090900
S	1	079090901
M	1	079090902
L	1	079090903
XL	1	079090904
XXL	1	079090905
XXXL	1	079090906
XXXXL	1	079090907

7910Y

work trousers in prewashed stretch cotton twill, 240 g/m², mud brown

XS	1	079100100
S	1	079100101
M	1	079100102
L	1	079100103
XL	1	079100104
XXL	1	079100105
XXXL	1	079100106

7911Y

work Bermuda shorts, prewashed stretch cotton twill, 240 g/m², mud brown

XS	1	079110100
S	1	079110101
M	1	079110102
L	1	079110103
XL	1	079110104
XXL	1	079110105
XXXL	1	079110106

7913Y

work overalls, prewashed stretch cotton twill, 240 g/m², mud brown

XS	1	079130100
S	1	079130101
M	1	079130102
L	1	079130103
XL	1	079130104
XXL	1	079130105
XXXL	1	079130106

7930P

work trousers, 100% cotton, 260 g/m², payne grey

XS	1	079300100
S	1	079300101
M	1	079300102
L	1	079300103
XL	1	079300104
XXL	1	079300105
XXXL	1	079300106

7930IP

work trousers, 100% cotton, 260 g/m², flannelette lining, 115 g/m², payne grey

XS	1	079300200
S	1	079300201
M	1	079300202
L	1	079300203
XL	1	079300204
XXL	1	079300205
XXXL	1	079300206

7931P

work shorts, 100% cotton, 260 g/m², payne grey

XS	1	079310100
S	1	079310101
M	1	079310102
L	1	079310103
XL	1	079310104
XXL	1	079310105
XXXL	1	079310106

7933P

work overalls, 100% cotton, 260 g/m², payne grey

XS	1	079330100
S	1	079330101
M	1	079330102
L	1	079330103
XL	1	079330104
XXL	1	079330105
XXXL	1	079330106

7935P

work overalls, 100% cotton, 260 g/m², payne grey

XS	1	079350100
S	1	079350101
M	1	079350102
L	1	079350103
XL	1	079350104
XXL	1	079350105
XXXL	1	079350106

7937P

sleeveless work jacket, 100% cotton, 260 g/m², payne grey

XS	1	079370100
S	1	079370101
M	1	079370102
L	1	079370103
XL	1	079370104
XXL	1	079370105
XXXL	1	079370106

7939P

work jacket, 100% cotton, 260 g/m², payne grey

XS	1	079390100
S	1	079390101
M	1	079390102
L	1	079390103
XL	1	079390104
XXL	1	079390105
XXXL	1	079390106

7930D

work trousers, 100% cotton, 260 g/m²,
davy grey

XS	1	079300000
S	1	079300001
M	1	079300002
L	1	079300003
XL	1	079300004
XXL	1	079300005
XXXL	1	079300006

7931D

work shorts, 100% cotton, 260 g/m²,
davy grey

XS	1	079310000
S	1	079310001
M	1	079310002
L	1	079310003
XL	1	079310004
XXL	1	079310005
XXXL	1	079310006

7933D

work overalls, 100% cotton, 260 g/m²,
davy grey

XS	1	079330000
S	1	079330001
M	1	079330002
L	1	079330003
XL	1	079330004
XXL	1	079330005
XXXL	1	079330006

7935D

work overalls, 100% cotton, 260 g/m²,
davy grey

XS	1	079350000
S	1	079350001
M	1	079350002
L	1	079350003
XL	1	079350004
XXL	1	079350005
XXXL	1	079350006

7937D

sleeveless work jacket, 100% cotton,
260 g/m²,davy grey

XS	1	079370000
S	1	079370001
M	1	079370002
L	1	079370003
XL	1	079370004
XXL	1	079370005
XXXL	1	079370006

7939D

work jacket, 100% cotton, 260 g/m²,
davy grey

XS	1	079390000
S	1	079390001
M	1	079390002
L	1	079390003
XL	1	079390004
XXL	1	079390005
XXXL	1	079390006

7970

waterproof trousers in PVC Tricot, blue

XS	1	079700000
S	1	079700001
M	1	079700002
L	1	079700003
XL	1	079700004
XXL	1	079700005
XXXL	1	079700006

7973

waterproof overalls in PVC Tricot, blue

XS	1	079730000
S	1	079730001
M	1	079730002
L	1	079730003
XL	1	079730004
XXL	1	079730005
XXXL	1	079730006

7979

waterproof jacket in PVC Tricot, blue

S	1	079790001
M	1	079790002
L	1	079790003
XL	1	079790004
XXL	1	079790005
XXXL	1	079790006

7971E

waterproof trousers, PVC-coated polyester, with thermo-taped seams, blue

XS	1	079710000
S	1	079710001
M	1	079710002
L	1	079710003
XL	1	079710004
XXL	1	079710005
XXXL	1	079710006

7978E

waterproof jacket, PVC-coated polyester, with thermo-taped seams, blue

XS	1	079780000
S	1	079780001
M	1	079780002
L	1	079780003
XL	1	079780004
XXL	1	079780005
XXXL	1	079780006

7991N

technical underpants, 100% polyester, 130 g/m², black

S	1	079910001
M	1	079910002
L	1	079910003
XL	1	079910004
XXL	1	079910005

7992N

technical undershirt, long-sleeved,
100% polyester, 130 g/m², black

S	1	079920001
M	1	079920002
L	1	079920003
XL	1	079920004
XXL	1	079920005

7993

technical underpants,
74% polyamide, 24% polyester, 2% spandex, black
Based on seamless technology, which has a containing function and makes it easier to perform movements

S	1	079930001
M/L	1	079930002
XL/XXL	1	079930004

7994

technical undershirt, long-sleeved,
75% nylon, 25% polyester, black/grey
Based on seamless technology, which has a containing function and makes it easier to perform movements

S	1	079940001
M/L	1	079940002
XL/XXL	1	079940004

7995

technical undershirt, short-sleeved,
75% nylon, 25% polyester, black/grey
Based on seamless technology, which has a containing function and makes it easier to perform movements

S	1	079950001
M/L	1	079950002
XL/XXL	1	079950004

7984

work belt, 90% polyester, 10% cotton,
one-size-fits-all, 130 cm long (can be shortened), 35 mm wide
anthracite grey

7984	1	079840130

7800G

work knee pads pair

7800G	1	078000500

7980

pocket rain hat, PU nylon, black

M	5	079800002
L	5	079800003
XL	5	079800004

7981

cap, wool and Thinsulate™ 150 g/m², black

M	5	079810002
XL	5	079810004

7982G

cap, T/C canvas 270 g/m², grey

7982	5	079820009

7982B

cap, T/C canvas, 280 g/m², black

7982N	5	079820109

7061TC

safety glasses with clear polycarbonate lenses

EASY

7061TC	1	070610001

7071BC

safety glasses with clear polycarbonate lenses

AIR

EN166F - 1F

7071BC	1	070710009

7071BD

safety glasses with polycarbonate lenses

AIR

EN166 - 1F

7071BD	1	070710019

7076BC

safety glasses with clear polycarbonate lenses

SPORT

EN166F-1F
EN170
UV 5-3.1

7076BC	1	070760009

7076BD

safety glasses with polycarbonate lenses

SPORT

EN166F-1F
EN170
UV 5-2.5

7076BD	1	070760019

7076BP

safety glasses with polarized polycarbonate lenses

SPORT

EN1836-2005

7076BP	1	070760029

7091BC

safety glasses with semitransparent polycarbonate lenses

DRIVE

EN166F - 1F
EN170
EN172
UV 5-3.1

7091BC	1	070910002

7091BD

safety glasses with dark polycarbonate lenses

DRIVE

EN166F - 1F
EN170
EN172
UV 5-2.5

7091BD	1	070910012

7093BC

safety glasses with clear polycarbonate lenses

IMPACT

EN166F-1F
EN170
UV400

7093BC	1	070930009

7093BD

safety glasses with dark polycarbonate lenses

IMPACT

EN166F-1F
EN172
UV5-2.5

7093BD	1	070930019

7051MP

eye protector
with polycarbonate visor

EN166

7051MP	5	070510001

7190C

PVC ear protectors

• attenuation values: from 15.5 dB at 63 Hz to 37 dB at 8000 Hz

EN 352-1

7190C	2	071900002

7195A

7195A		071950004

C62M/W

mannequin

C62M/W	1	062000360

C62EV/CP

footwear display stand, 15 positions

C62EV/CP	1	062000401

C62E/B

clothing display stand



C62E/B	1	062000550

C62E/B2

packed clothing display



C62E/B2	1	062000552

C62E/D

clothing display stand complete with fitting room



C62E/D	1	062000600

C62

floor workwear and safety footwear display

C62/1	1 m	1 062000001
C62/2	2 m	1 062000002
C62/3	3 m	1 062000003
C62/4	4 m	1 062000004

accessories



C62/R	1	062000050

6200AP/S10

set of 10 hangers

6200AP/S10	1	062000331

Since 1930 Robur has been manufacturing accessory lines for cables according to the acknowledged quality standards of Beta Utensili, whose products are complementary to those of Robur.

Expertise, organization and technology are the key ingredients of ongoing growth resulting from awareness of market requirements.

Since 1984 Robur has been headquartered in a state-of-the-art production facility in Sulmona.

MAXIMUM WORKING LOAD

WLL: working load limit (for lifting accessories)

WFL: workforce limit (for accessories other than lifting accessories)

BF: Maximum force achieved by the item during the static traction test

LC: lashing capacity

Key

8240F — item number

eye bolts, FORGED
stainless steel A4

CE

DIN 580:2010

size

n.° of tools per box

code number

ø mm	mm	WLL kg		
* M10	1,5	400	1	082400410
* M12	1,75	600	1	082400412
* M14	2	1000	1	082400414
* M16	2	1200	1	082400416
* M20	2,5	2000	1	082400420
* M24	3	2700	1	082400424
M30	3,5	3200	1	082400430

(*) WLL increased compared to DIN standard according to Technical Specifications R/FT/8240F (guaranteed for stainless steel / stainless steel fits)

4 different types of certificates

140 updated product specifications

Item	Test Report 2.2 (UNI EN 10204)	Test Certificate 3.1(UNI EN 10204)	Manufacturer's Certificate	CE Declaration of Conformity
8001Z	✓	✓		✓
8002ZD	✓			
8003ZD	✓			
8004ND	✓			
8005Z	✓			✓
8006Z	✓			✓
8007Z	✓			✓
8008N	✓			✓
8009FD	✓			
8009Z	✓			✓
8010Z	✓			✓
8016	✓			✓
8016DA	✓			✓
8016DF	✓			✓
8016FR	✓			
8016U	✓		✓	✓
8018E	✓			
8018T	✓			
8020	✓			
8021	✓			
8025	✓	✓		✓
8026A	✓	✓		✓
8028	✓	✓		✓
8029	✓	✓		✓
8029R	✓	✓		✓
8030	✓	✓		✓
8031	✓	✓		✓
8040EN	✓	✓		✓
8040EZ	✓	✓		✓
8042EN	✓	✓		✓
8042EZ	✓	✓		✓
8044	✓	✓		✓
8048	✓			
8049	✓	✓		✓
8051S	✓	✓		✓
8055S	✓	✓		✓
8057	✓	✓		✓
8058	✓	✓		✓
8060	✓	✓		✓
8061F	✓	✓		✓
8062	✓	✓		✓
8064S	✓	✓		✓
8065SC	✓	✓		✓
8074	✓			
8080	✓			

Item	Test Report 2.2 (UNI EN 10204)	Test Certificate 3.1(UNI EN 10204)	Manufacturer's Certificate	CE Declaration of Conformity
8085	✓	✓		✓
8086	✓	✓		✓
8090	✓	✓		✓
8090F	✓	✓		✓
8091			✓	✓
8092			✓	✓
8094			✓	✓
8096			✓	✓
8097			✓	✓
8098			✓	✓
8100	✓	✓		✓
8105	✓			
8109	✓			
8114	✓			
8116	✓			
8150	✓		✓	✓
8153	✓		✓	✓
8156	✓		✓	✓
8157	✓		✓	✓
8158	✓		✓	✓
8159	✓		✓	✓
8160	✓		✓	✓
8161	✓		✓	✓
8166	✓			
8170	✓		✓	✓
8173	✓		✓	✓
8176	✓		✓	✓
8177	✓		✓	✓
8178	✓		✓	✓
8180	✓			
8181	✓			
8182	✓			
8182S	✓			
8185	✓			
8186	✓			
8187	✓			
8188C	✓			
8188CG/25	✓			
8188F	✓			
8188F/35	✓			
8188FG2	✓			
8188FG3	✓			
8302Z	✓			
8303Z	✓			

Item	Test Report 2.2 (UNI EN 10204)	Test Certificate 3.1(UNI EN 10204)	Manufacturer's Certificate	CE Declaration of Conformity
8317DZ	✓			
8317SZ	✓			
8381SL	✓			
8381SP	✓			
8383C	✓			
8383P	✓			
8515V	✓			
8515Z	✓			
8531	✓			
8532	✓			
8535	✓			
8205	✓			
8206	✓			
8207	✓			
8209	✓			
8210	✓			
8216	✓			✓
8220	✓			
8225	✓			
8227	✓			
8228	✓			
8240	✓			
8240F	✓	✓		✓
8242	✓			
8242F	✓	✓		✓
8249	✓			
8250	✓			
8264	✓			
8267	✓			
8272	✓			
8273	✓			
8274	✓			
8274G	✓			
8276	✓			
8276G	✓			
8278	✓			
8280	✓			
8282	✓			
8284	✓			
8285	✓			
8286	✓			
8287	✓			
8290	✓			
8381SX	✓			

8001Z

turnbuckle bodies,
galvanized

Ø mm	Ø "	L mm	WFL kg		
M5	3/16	80	115	1	080010105
M6	1/4	80	160	1	080010106
M8	5/16	105	300	1	080010108
M10	3/8	125	470	1	080010110
M11	7/16	135	580	1	080010111
M12	1/2	140	690	1	080010112
M14	9/16	170	940	1	080010114
M16	5/8	190	1290	1	080010116
M18	11/16	205	1660	1	080010118
M20	3/4	220	2130	1	080010120
M22	7/8	240	2630	1	080010122
M24	1"	260	3060	1	080010124
M27	1"1/8	270	4000	1	080010127
M30	1"3/16	280	4860	1	080010130
M33	1"1/4	290	6040	1	080010133
M36*	1"3/8	300	6500	1	080010198
M39*	1"1/2	300	7900	1	080010199

8001TZ

pipe turnbuckle bodies,
galvanized

DIN 1478

Ø mm	Ø "	L mm	WFL kg		
M12	1/2	125	690	1	080010512
M16	5/8	170	1290	1	080010516
M20	3/4	200	2130	1	080010520
M24	1	255	3060	1	080010524
M30	1.3/16	255	4860	1	080010530

8002ZD

turnbuckle eyes
right thread, galvanized

Ø mm	Ø "	E mm	WFL kg		
M5	3/16	37	115	200	080020105
M6	1/4	40	160	150	080020106
M8	5/16	52	300	100	080020108
M10	3/8	60	470	100	080020110
M11	7/16	65	580	1	080020111
M12	1/2	72	690	50	080020112
M14	9/16	85	940	1	080020114
M16	5/8	95	1290	1	080020116
M18	11/16	103	1660	1	080020118
M20	3/4	110	2130	1	080020120
M22	7/8	120	2630	1	080020122
M24	1"	130	3060	1	080020124
M27	1"1/8	135	4000	1	080020127
M30	1"3/16	140	4860	1	080020130
M33	1"1/4	148	6040	1	080020133
M36*	1"3/8	150	6500	1	080020198
M39*	1"1/2	150	7900	1	080020199

left-handed thread

Ø mm	Ø "	E mm	WFL kg		
M5	3/16	37	115	1	080020305
M6	1/4	40	160	1	080020306
M8	5/16	52	300	1	080020308
M10	3/8	60	470	1	080020310
M11	7/16	65	580	1	080020311
M12	1/2	72	690	1	080020312
M14	9/16	85	940	1	080020314
M16	5/8	95	1290	1	080020316
M18	11/16	103	1660	1	080020318
M20	3/4	110	2130	1	080020320
M22	7/8	120	2630	1	080020322
M24	1"	130	3060	1	080020324
M27	1"1/8	135	4000	1	080020327
M30	1"3/16	140	4860	1	080020330
M33	1"1/4	148	6040	1	080020333
M36*	1"3/8	150	6500	1	080020398
M39*	1"1/2	150	7900	1	080020399

8004ND

turnbuckle stubs
right-handed thread, self-coloured



Ø mm	Ø "	E mm	WFL kg		
M5	3/16	40	115	1	080040005
M6	1/4	44	160	1	080040006
M8	5/16	53	300	1	080040008
M10	3/8	63	470	1	080040010
M11	7/16	68	580	1	080040011
M12	1/2	70	690	1	080040012
M14	9/16	85	940	1	080040014
M16	5/8	95	1290	1	080040016
M18	11/16	103	1660	1	080040018
M20	3/4	110	2130	1	080040020
M22	7/8	120	2630	1	080040022
M24	1"	130	3060	1	080040024
M27	1"1/8	135	4000	1	080040027
M30	1"3/16	140	4860	1	080040030
M33	1"1/4	150	6040	1	080040033
M36*	1"3/8	150	6500	1	080040098
M39*	1"1/2	150	7900	1	080040099

*** Whitworth thread**

left-handed thread

Ø mm	Ø "	E mm	WFL kg		
M5	3/16	40	115	1	080040105
M6	1/4	44	160	1	080040106
M8	5/16	53	300	1	080040108
M10	3/8	63	470	1	080040110
M11	7/16	68	580	1	080040111
M12	1/2	70	690	1	080040112
M14	9/16	85	940	1	080040114
M16	5/8	95	1290	1	080040116
M18	11/16	103	1660	1	080040118
M20	3/4	110	2130	1	080040120
M22	7/8	120	2630	1	080040122
M24	1"	130	3060	1	080040124
M27	1"1/8	135	4000	1	080040127
M30	1"3/16	140	4860	1	080040130
M33	1"1/4	150	6040	1	080040133
M36*	1"3/8	150	6500	1	080040198
M39*	1"1/2	150	7900	1	080040199

8003ZD

turnbuckle hooks
right thread, galvanized



Ø mm	Ø "	E mm	WFL kg		
M5	3/16	40	25	150	080030105
M6	1/4	40	45	120	080030106
M8	5/16	52	95	100	080030108
M10	3/8	60	140	70	080030110
M11	7/16	65	165	1	080030111
M12	1/2	70	300	30	080030112
M14	9/16	85	420	1	080030114
M16	5/8	95	570	1	080030116
M18	11/16	103	700	1	080030118
M20	3/4	110	900	1	080030120
M22	7/8	120	1100	1	080030122
M24	1"	130	1300	1	080030124
M27	1"1/8	135	2300	1	080030127

left-handed thread

Ø mm	Ø "	WFL kg	E mm		
M5	3/16	40	25	1	080030305
M6	1/4	40	45	1	080030306
M8	5/16	52	95	1	080030308
M10	3/8	60	140	1	080030310
M11	7/16	65	165	1	080030311
M12	1/2	70	300	1	080030312
M14	9/16	85	420	1	080030314
M16	5/8	95	570	1	080030316
M18	11/16	103	700	1	080030318
M20	3/4	110	900	1	080030320
M22	7/8	120	1100	1	080030322
M24	1"	130	1300	1	080030324
M27	1"1/8	135	2300	1	080030327

8009FD

turnbuckle jaws
right-handed thread, galvanized



Ø mm	Ø "	E mm	WFL kg		
M8	5/16	53	300	1	080090208
M10	3/8	63	470	1	080090210
M12	1/2	70	690	1	080090212
M14	9/16	85	940	1	080090214
M16	5/8	95	1290	1	080090216
M18	11/16	103	1660	1	080090218
M20	3/4	110	2130	1	080090220
M22	7/8	120	2630	1	080090222
M24	1"	130	3060	1	080090224
M27	1"1/8	135	4000	1	080090227
M30	1"3/16	140	4860	1	080090230

left-handed thread

Ø mm	Ø "	E mm	WFL kg		
M8	5/16	53	300	1	080090408
M10	3/8	63	470	1	080090410
M12	1/2	70	690	1	080090412
M14	9/16	85	940	1	080090414
M16	5/8	95	1290	1	080090416
M18	11/16	103	1660	1	080090418
M20	3/4	110	2130	1	080090420
M22	7/8	120	2630	1	080090422
M24	1"	130	3060	1	080090424
M27	1"1/8	135	4000	1	080090427
M30	1"3/16	140	4860	1	080090430

8005Z

eye and eye turnbuckles, galvanized



Ø mm	Ø "	L min mm	WFL kg		
M5	3/16	118	115	400	080050105
M6	1/4	130	160	300	080050106
M8	5/16	158	300	200	080050108
M10	3/8	192	470	100	080050110
M11	7/16	206	580	80	080050111
M12	1/2	226	690	60	080050112
M14	9/16	256	940	15	080050114
M16	5/8	290	1290	1	080050116
M18	11/16	358	1660	1	080050118
M20	3/4	358	2130	1	080050120
M22	7/8	400	2630	1	080050122
M24	1"	436	3060	1	080050124
M27	1"1/8	474	4000	1	080050125
M30	1"3/16	498	4860	1	080050130
M33	1"1/4	516	6040	1	080050126
M36*	1"3/8	532	6500	1	080050136
M39*	1"1/2	544	7900	1	080050139

*** Whitworth**

special packaging

Ø mm	Ø "			
M5	3/16	30	1	080050705
M6	1/4	30	1	080050706
M8	5/16	20	1	080050708
M10	3/8	15	1	080050710
M11	7/16	15	1	080050711
M12	1/2	15	1	080050712

8005TZ

eye and eye turnbuckles, pipe bodies, galvanized

DIN 1478

Ø mm	Ø "	WFL kg		
M12	1/2	690	1	080050512
M16	5/8	1290	1	080050516
M20	3/4	2130	1	080050520
M24	1"	3060	1	080050524
M30	1.3/16	4860	1	080050530

8006Z

hook and eye turnbuckles, galvanized



Ø mm	Ø "	L min mm	WFL kg		
M5	3/16	121	25	400	080060105
M6	1/4	132	45	250	080060106
M8	5/16	170	95	180	080060108
M10	3/8	204	140	100	080060110
M11	7/16	221	165	70	080060111
M12	1/2	244	300	15	080060112
M14	9/16	284	420	1	080060114
M16	5/8	322	570	1	080060116
M18	11/16	373	700	1	080060118
M20	3/4	391	900	1	080060120
M22	7/8	433	1100	1	080060122
M24	1"	470	1300	1	080060124
M27	1"1/8	503	2300	1	080060127

special packaging

Ø mm	Ø "			
M5	3/16	30	1	080060705
M6	1/4	30	1	080060706
M8	5/16	20	1	080060708
M10	3/8	15	1	080060710
M11	7/16	15	1	080060711

8007Z

hook and hook turnbuckles, galvanized



Ø mm	Ø "	L min mm	WFL kg		
M5	3/16	124	25	30	080070105
M6	1/4	134	45	30	080070106
M8	5/16	181	95	20	080070108
M10	3/8	211	140	15	080070110
M11	7/16	231	165	15	080070111
M12	1/2	262	300	15	080070112
M14	9/16	312	420	1	080070114
M16	5/8	354	570	1	080070116
M18	11/16	388	700	1	080070118
M20	3/4	424	900	1	080070120
M22	7/8	466	1100	1	080070122
M24	1"	504	1300	1	080070124
M27	1"1/8	532	2300	1	080070127

8008N

stub and stub turnbuckles self-coloured



Ø mm	Ø "	L min mm	WFL kg		
M5	3/16	160	115	1	080080205
M6	1/4	180	160	1	080080206
M8	5/16	210	300	1	080080208
M10	3/8	250	470	1	080080210
M11	7/16	270	580	1	080080211
M12	1/2	280	690	1	080080212
M14	9/16	340	940	1	080080214
M16	5/8	380	1290	1	080080216
M18	11/16	410	1660	1	080080218
M20	3/4	440	2130	1	080080220
M22	7/8	480	2630	1	080080222
M24	1"	520	3060	1	080080224
M27	1"1/8	560	4000	1	080080227
M30	1"3/16	560	4860	1	080080230
M33	1"1/4	600	6040	1	080080233
M36*	1"3/8	600	6500	1	080080236
M39*	1"1/2	600	7900	1	080080239

*** Whitworththread**

8009Z

jaw and jaw turnbuckles, galvanized



Ø mm	Ø "	L min mm	WFL kg		
M8	5/16	192	300	1	080090008
M10	3/8	234	470	1	080090010
M12	1/2	274	690	1	080090012
M14	9/16	342	940	1	080090014
M16	5/8	372	1290	1	080090016
M18	11/16	406	1660	1	080090018
M20	3/4	406	2130	1	080090020
M22	7/8	466	2630	1	080090022
M24	1"	486	3060	1	080090024
M27	1"1/8	510	4000	1	080090027
M30	1"3/16	566	4860	1	080090030

8010Z

eye and jaw turnbuckles, galvanized



Ø mm	Ø "	L min mm	WFL kg		
M8	5/16	175	300	1	080100008
M10	3/8	215	470	1	080100010
M12	1/2	250	690	1	080100012
M14	9/16	299	940	1	080100014
M16	5/8	331	1290	1	080100016
M18	11/16	382	1660	1	080100018
M20	3/4	382	2130	1	080100020
M22	7/8	433	2630	1	080100022
M24	1"	461	3060	1	080100024
M27	1"1/8	492	4000	1	080100027
M30	1"3/16	529	4860	1	080100030

8105

eye and eye turnbuckles high tensile steel, hot dip galvanized

ØxE "	≈ mm	WFL kg		
3/8x6	M10x150	540	1	081050010
1/2x9	M12x230	1000	1	081050012
5/8x9	M16x230	1590	1	081050016
3/4x9	M20x230	2360	1	081050020
7/8x12	M22x300	3270	1	081050022
1"x6	M24x150	4540	1	081050024
1"x12	M24x300	4540	1	081050025
1"1/4x12	M33x300	6890	1	081050031

Other sizes available upon request

Robur ISO 9001

8109

jaw and jaw turnbuckles
high tensile steel, hot dip galvanized



ØxE "	≈ mm	WFL kg		
3/8x6	M10x150	540	1	081090010
1/2x9	M12x230	1000	1	081090012
5/8x9	M16x230	1590	1	081090016
3/4x9	M20x230	2360	1	081090020
7/8x12	M22x300	3270	1	081090022
1"x6	M24x150	4540	1	081090024
1"x12	M24x300	4540	1	081090025
1"1/4x12	M33x300	6890	1	081090031

Other sizes available upon request

8016U

wire rope clips EN 13411-5, type A
malleable cast iron body
galvanized

CE



EN 13411-5

Ø mm	Ø "	N x T	Nm		
5	3/16	3x156	2,0	300	080160605
6,5	1/4	3x192	3,5	150	080160606
8	5/16	4x320	6	70	080160608
10	3/8	4x320	9	60	080160610
12	1/2	4x384	20	25	080160612
14	9/16	4x448	33	15	080160614
16	5/8	4x512	49	10	080160616
19	3/4	4x512	68	15	080160619
22	7/8	5x680	107	10	080160622
26	1"	5x760	147	15	080160626
30	1"1/8	6x984	212	5	080160630
34	1"1/4	6x1080	296	5	080160634
40	1"1/2	6x1176	363	3	080160640

WITH BATCH DELIVERY NUMBER

8016

wire rope clips,
hot forged steel body,
galvanized

CE



Ø mm	Ø "	N x T	Nm		
3	1/8	3x80	1,25	500	080160003
5	3/16	3x110	2,46	300	080160005
6	1/4	3x120	4,24	200	080160006
8	5/16	5x210	4,24	150	080160008
10	3/8	5x240	10,20	70	080160010
11	7/16	5x260	10,20	70	080160011
12-13	1/2	5x300	20,11	40	080160013
14	9/16	5x295	20,11	35	080160014
16	5/8	5x335	20,11	30	080160016
18	11/16	5x380	34,43	30	080160018
20	3/4	5x540	34,43	30	080160020
22	7/8	7x595	34,43	25	080160022
24-26	1"	7x700	54,77	15	080160026
28	1"1/16	8x840	54,77	1	080160028
30-32	1"1/8	8x990	54,77	1	080160030
34-36	1"1/4	8x1155	85,14	1	080160034
38-40	1"1/2	8x1320	85,14	1	080160040

special packaging

Ø mm	"			
3	1/8	100	1	080160703
5	3/16	50	1	080160705
6	1/4	50	1	080160706
8	5/16	30	1	080160708
10	3/8	30	1	080160710
11	7/16	25	1	080160711
12-13	1/2	15	1	080160713

8016DA

wire rope clips with high nuts,
hot forged steel body,
galvanized

CE



Ø mm	N x T	Nm	D mm		
5	3x110	2,46	5	300	080160093
6	3x120	4,24	6	200	080160092
8	5x210	4,24	6	150	080160098
10	5x240	10,20	8	70	080160096

8016DF

wire rope clips with flanged nuts,
hot forged steel body,
galvanized

CE



Ø mm	N x T	Nm	D1 mm		
6	3x120	4,24	14,2	200	080160066
8	5x210	4,24	14,2	150	080160068
10	5x240	10,20	17,9	70	080160070

8016FR

wire rope clips,
cold pressed steel body,
galvanized

CE



Ø mm	Ø mm	N x T	Nm		
3	1/8	3x80	1,25	500	080160253
5	3/16	3x110	2,46	300	080160255
6	1/4	3x120	4,24	200	080160256
8	5/16	5x210	4,24	150	080160258
10	3/8	5x240	10,20	70	080160260
12-13	1/2	5x300	20,11	40	080160263

8018E

wire rope clips, ENEL type,
hot forged steel body, hot-dip galvanized



Ø mm	A mm	L mm	Nm		
4÷6	M6	34	4,24	100	080180001

8018T

wire rope clips, TELECOM type
malleable cast iron body
galvanized

Ø mm	A mm	L mm	Nm		
8÷10	M8	42	10,20	200	080180003

8317DZ

duplex wire rope clips
galvanized

Ø mm	L mm	L1 mm		
2	30	14	50	083170002
3	35	15	50	083170003
4	40	18	50	083170004
5	50	21	25	083170005
6	60	25	20	083170006
8	76	33	10	083170008
10	95	37	10	083170010

8317SZ

simplex wire rope clips
galvanized

Ø mm	L mm	L1 mm		
2	15	14	100	083170102
3	18	16	100	083170103
4	20	19	100	083170104
5	24	23	50	083170105
6	30	27	30	083170106
8	36	34	20	083170108
10	42	37	10	083170110

8020

thimbles, italian light type,
galvanized



Ø mm	S mm	B mm	D mm		
2-3	0,6	16	16	350	080200003
4	0,7	19	18	300	080200004
5	0,8	24	22	300	080200005
6	1,0	28	26	200	080200006
8	1,2	33	30	180	080200008
10	1,5	38	34	120	080200010
12	1,8	44	46	160	080200012
14	2,0	49	50	100	080200014
16	2,0	57	59	150	080200016
18	2,5	68	69	100	080200018
20	3,0	78	77	70	080200020
22	3,0	88	84	60	080200022
25	3,5	92	91	40	080200025
28	4,0	109	115	10	080200028

special packaging

Ø mm	S mm			
2-3	0,6	150	1	080200703
4	0,7	150	1	080200704
5	0,8	100	1	080200705
6	1,0	100	1	080200706
8	1,2	50	1	080200708
10	1,5	30	1	080200710

8021

thimbles, heavy type,
galvanized



Ø mm	S mm	B mm	D mm		
5	1,7	29	28	120	080210005
6	1,8	33	30	100	080210006
8	2,5	36	37	100	080210008
10	2,5	42	43	80	080210010
12	2,5	48	50	100	080210012
14	2,7	58	57	70	080210014
16	3,0	61	62	50	080210016
18	3,5	71	71	70	080210018
20	4,0	79	79	60	080210020
22	4,0	87	84	50	080210022
24	4,0	93	92	40	080210024
26	4,0	103	103	35	080210026
28	5,0	107	116	1	080210028
30	5,0	118	121	1	080210030
32	5,5	138	135	1	080210032
35	6,0	140	147	1	080210035
40	6,0	173	170	1	080210040

8025

large dee shackles,
hot forged carbon steel, GRADE 4
galvanized

CE



Ø mm	"	B x C mm	WLL kg		
5	3/16	21x10	70	250	080250005
6	1/4	25x12	100	250	080250006
8	5/16	33x16	250	150	080250008
10	3/8	42x20	400	180	080250010
11	7/16	46x22	500	130	080250011
12	1/2	50x24	600	100	080250012
14	9/16	57x28	800	70	080250014
16	5/8	61x32	1000	15	080250016
18	11/16	65x36	1300	15	080250018
20	3/4	70x40	1600	10	080250020
22	7/8	74x44	2000	10	080250022
25	1"	80x48	2800	5	080250025

special packaging

Ø mm	"			
5	3/16	25	1	080250705
6	1/4	25	1	080250706
8	5/16	25	1	080250708
10	3/8	15	1	080250710
11	7/16	12	1	080250711
12	1/2	12	1	080250712
14	9/16	10	1	080250714

8026A

dee shackles,
hot forged carbon steel, GRADE 4
UNI 1947 type A, galvanized

CE



Ø mm	Ø "	B x C mm	WLL kg		
12	1/2	42x20	630	35	080260012
14	9/16	46x22	800	30	080260014
16	5/8	50x24	1000	20	080260016
18	11/16	54x26	1300	15	080260018
20	3/4	58x28	1600	10	080260020
22	7/8	69x32	2000	10	080260022
25	1"	79x36	2500	5	080260025
28	1.1/8	90x40	3150	1	080260028
32	1.1/4	100x45	4000	1	080260032
36	1.3/8	110x50	5000	1	080260036
40	1.9/16	120x55	6300	1	080260040
42	1.5/8	131x60	8000	1	080260042
45	1.3/4	143x65	10000	1	080260045
50	2"	155x70	12500	1	080260050

8531

dee FISHING shackles,
hot-dip galvanized

Ø mm	D mm	WFL kg		
20	18	1600	1	085310018
22	20	2500	1	085310020

8532

dee FISHING shackles
with square head screw pin,
black painted

Ø mm	D mm	WFL kg		
20	20	1600	1	085320020
22	22	2500	1	085320022

Robur
ISO 9001

8028

bow shackles,
hot forged carbon steel, GRADE 4
galvanized

CE



Ø mm	"	B x C mm	WLL kg		
5	3/16	20x16	80	1	080280105
6	1/4	24x20	100	1	080280106
8	5/16	32x24	200	1	080280108
10	3/8	40x33	300	1	080280110
11	7/16	44x36	400	1	080280111
12	1/2	48x39	500	1	080280112
14	9/16	56x46	600	1	080280114
16	5/8	64x46	800	1	080280116
18	11/16	71x59	950	1	080280118
20	3/4	80x65	1100	1	080280120
22	7/8	88x72	1500	1	080280122
25	1"	100x81	2000	1	080280125
28	1.1/8	112x91	2600	1	080280128
32	1.1/4	128x104	3200	1	080280132
38	1.1/2	152x124	4500	1	080280138

8029R

bow shackles with screw collar pins,
high tensile steel, GRADE 6,
hot-dipped galvanized body

CE



EN 13889

ØD mm (")	ØC mm	H mm	WLL kg		
8 (5/16)	20	12	500	1	080290106
10 (3/8)	22	13	750	1	080290108
11 (7/16)	26	17	1000	1	080290110
13 (1/2)	29	18	1500	1	080290111
16 (5/8)	33	21	2000	1	080290112
19 (3/4)	43	27	3250	1	080290116
22 (7/8)	51	31	4750	1	080290120
25 (1")	58	35	6500	1	080290122
28 (1.1/8)	68	43	8500	1	080290124
32 (1.1/4)	75	48	9500	1	080290128
35 (1.3/8)	84	53	12000	1	080290132
38 (1.1/2)	94	59	13500	1	080290135
42 (1.5/8)	99	62	17000	1	080290138
50 (2")	128	75	25000	1	080290145

8029

bow shackles with screw collar pin
high tensile steel, GRADE 6
hot-dipped galvanized body

CE

EN 13889

Ø mm	WLL kg		
11	1000	1	080290011
13	1500	1	080290013
16	2000	1	080290016

*Sizes not included in EN13889 standard

Ø mm	WLL kg		
19	3250	1	080290019
22	4750	1	080290022
25	6500	1	080290025
28	8500	1	080290028
32	9500	1	080290032
35	12000	1	080290035
38	13500	1	080290038
42	17000	1	080290042
50	25000	1	080290050
* 57	35000	1	080290057
* 65	42500	1	080290065
* 70	55000	1	080290070

*Sizes not included in EN13889 standard

8030

bow shackles
with square sunken hole screw pin
high tensile steel, GRADE 6
hot-dip galvanized body

CE

Ø mm	WLL kg		
16	2000	1	080300016
19	3250	1	080300019
22	4750	1	080300022
25	6500	1	080300025

8031

bow shackles with safety bolt
high tensile steel, GRADE 6
hot-dipped galvanized body

CE

EN 13889

Ø mm	WLL kg		
11	1000	1	080310011
16	2000	1	080310016
19	3250	1	080310019
22	4750	1	080310022
25	6500	1	080310025
28	8500	1	080310028
32	9500	1	080310032
35	12000	1	080310035
38	13500	1	080310038
42	17000	1	080310042
50	25000	1	080310050
* 70	55000	1	080310070

*Sizes not included in EN13889 standard



*sizes not shown in the Standard

8040EZ

lifting eye bolts, DIN 580
galvanized

CE



DIN 580

Ø mm	P mm	E mm	WLL kg		
* M6	1	11	90	60	080400406
M8	1,25	13	140	60	080400408
M10	1,5	17	230	50	080400410
M12	1,75	20,5	340	25	080400412
* M14	2	20,5	480	25	080400414
M16	2	27	700	1	080400416
* M18	2,5	27	930	1	080400418
M20	2,5	30	1200	1	080400420
* M22	2,5	30	1450	1	080400422
M24	3	36	1800	1	080400424
* M27	3	41	2400	1	080400427
M30	3,5	45	3200	1	080400430
* M33	3,5	54	3900	1	080400433
* M33F	2	54	3900	1	080400434
M36	4	54	4600	1	080400436
* M36F	3	54	4600	1	080400437
M42	4,5	63	6300	1	080400442
* M42F	3	63	6300	1	080400443
M48	5	68	8600	1	080400448
* M48F	3	68	8600	1	080400449
M56	5,5	78	11500	1	080400456
* M56F	4	78	11500	1	080400457
M64	6	90	16000	1	080400464
* M64F	4	90	16000	1	080400465

*Sizes not included in DIN standard

8040EN

lifting eye bolts, DIN 580
self-coloured

CE

DIN 580

Ø mm	P mm	E mm	WLL kg		
* M6	1	11	90	60	080400306
M8	1,25	13	140	60	080400308
M10	1,5	17	230	50	080400310
M12	1,75	20,5	340	25	080400312

*Sizes not included in DIN standard

Ø mm		E mm	WLL kg		
* M14	2	20,5	480	25	080400314
M16	2	27	700	1	080400316
* M18	2,5	27	930	1	080400318
M20	2,5	30	1200	1	080400320
* M22	2,5	30	1450	1	080400322
M24	3	36	1800	1	080400324
* M27	3	41	2400	1	080400327
M30	3,5	45	3200	1	080400330
* M33	3,5	54	3900	1	080400333
* M33F	2	54	3900	1	080400334
M36	4	54	4600	1	080400336
* M36F	3	54	4600	1	080400337
M42	4,5	63	6300	1	080400342
* M42F	3	63	6300	1	080400343
M48	5	68	8600	1	080400348
* M48F	3	68	8600	1	080400349
M56	5,5	78	11500	1	080400356
* M56F	4	78	11500	1	080400357
M64	6	90	16000	1	080400364
* M64F	4	90	16000	1	080400365

***Sizes not included in DIN standard**

8042EZ

lifting eye nuts, DIN 582
galvanized

CE



DIN 582

Ø mm		F mm	WLL kg		
* M6	1	14	90	60	080420406
M8	1,25	20	140	60	080420408
M10	1,5	25	230	50	080420410
M12	1,75	30	340	30	080420412
* M14	2	30	480	30	080420414
M16	2	35	700	1	080420416
* M18	2,5	35	930	1	080420418
M20	2,5	40	1200	1	080420420
* M22	2,5	40	1450	1	080420422
M24	3	50	1800	1	080420424
* M27	3	55	2400	1	080420427
M30	3,5	60	3200	1	080420430
M36	4	70	4600	1	080420436
* M36F	3	70	4600	1	080420437
M42	4,5	80	6300	1	080420442
* M42F	3	80	6300	1	080420443
M48	5	90	8600	1	080420448
* M48F	3	90	8600	1	080420449

***Sizes not included in DIN standard**

8042EN

lifting eye nuts, DIN 582
self-coloured

CE

DIN 582

Ø mm		F mm	WLL kg		
* M6	1	14	90	60	080420306
M8	1,25	20	140	60	080420308
M10	1,5	25	230	50	080420310
M12	1,75	30	340	30	080420312
* M14	2	30	480	30	080420314
M16	2	35	700	1	080420316
* M18	2,5	35	930	1	080420318

***Sizes not included in DIN standard**

Ø mm		F mm	WLL kg		
M20	2,5	40	1200	1	080420320
* M22	2,5	40	1450	1	080420322
M24	3	50	1800	1	080420324
* M27	3	55	2400	1	080420327
M30	3,5	60	3200	1	080420330
M36	4	70	4600	1	080420336
* M36F	3	70	4600	1	080420337
M42	4,5	80	6300	1	080420342
* M42F	3	80	6300	1	080420343
M48	5	90	8600	1	080420348
* M48F	3	90	8600	1	080420349

***Sizes not included in DIN standard**

8044

lifting eye nuts, UNI 2948
self-coloured

CE

UNI 2948

Ø mm		WLL kg		
M8	1,25	80	1	080440008
M10	1,5	160	1	080440010
M12	1,75	250	1	080440012
M14	2	250	1	080440014
M16	2	400	1	080440016
M20	2,5	630	1	080440020
M24	3	1000	1	080440024
M30	3,5	1600	1	080440030

8049

adjustable lifting eyebolts,
double swivel ring,
high-tensile alloy steel

CE



Ø mm	A mm	L1 mm	WLL kg		
M8	31,5	14	300	1	080490008
M10	31,5	17	600	1	080490010
M12	31,5	21	1000	1	080490012
M16	45	27	1600	1	080490016
M20	45	30	2500	1	080490020
M24	60,5	36	4000	1	080490024
M30	60,5	45	6300	1	080490030

WLL (t)

	A°	M8	M10	M12	M16	M20	M24	M30
	0°	0,3	0,6	1	1,6	2,5	4	6,3
	0°	0,6	1,2	2	3,2	5	8	12,6
	90°	0,3	0,6	1	1,6	2,5	4	6,3
	90°	0,6	1,2	2	3,2	5	8	12,6
	0° 45°	0,4	0,8	1,4	2,2	3,5	5,6	8,8
	45° 60°	0,3	0,6	1	1,6	2,5	4	6,3
	0° 45°	0,6	1,3	2,1	3,4	5,3	8,4	13,2
	45° 60°	0,3	0,6	1	1,6	2,3	4	6,3

8048

eye tie rods right thread
self-coloured

UNI 6058

ØxL mm	F mm		
M8x50	6	1	080480108
M8x65	6	1	080480109
M10x80	8	1	080480110
M10x100	8	1	080480210
M10x130	8	1	080480111
M12x95	10	1	080480112
M12x125	10	1	080480113
M14x110	12	1	080480114
M16x130	14	1	080480116
M18x150	16	1	080480118
M20x160	18	1	080480120
M22x180	18	1	080480122
M24x200	20	1	080480124
M27x220	22	1	080480127

8074

carabine hooks,
galvanized



DIN 5299

DxL mm	A mm	WFL kg		
4x40	6	20	100	080740040
5x50	7	30	100	080740050
6x60	8	40	100	080740060
7x70	9	60	50	080740070
8x80	11	75	50	080740080
9x90	12	100	25	080740090
10x100	13	120	25	080740100
11x120	16	140	20	080740101
12x140	22	140	15	080740102
13x160	24	200	10	080740103

8080

quick links,
galvanized



DxL mm	A mm	WFL kg		
3,5x36	5	20	100	080800003
4x40	6	30	100	080800004
5x49	6	50	100	080800005
6x57	8	60	100	080800006
7x66	8	100	50	080800007
8x74	11	140	50	080800008
9x80	11	160	25	080800009
10x89	11	220	25	080800010
12x105	15	300	20	080800012

8114

eye and eye swivels,
italian "Marche" type,
carbon steel, galvanized

A mm	B mm	D mm	WFL kg		
8	30	16	250	1	081140008
10	38	18	300	1	081140010
12	42	20	650	1	081140012
14	48	22	820	1	081140014
16	57	24	1000	1	081140016
18	64	26	1600	1	081140018
20	72	30	2000	1	081140020
22	80	34	2500	1	081140022

8116

eye and eye swivels,
carbon steel, galvanized



A mm	B mm	WFL kg		
6	23	140	1	081160006
8	30	250	1	081160008
10	38	300	1	081160010
12	42	650	1	081160012
14	48	820	1	081160014
16	57	1000	1	081160016
18	64	1600	1	081160018
20	72	2000	1	081160020
22	80	2500	1	081160022

8300

scaffold eye bolts
complete with bars and dowels
galvanized

A x ø mm	E mm	L mm	WFL kg		
M12x18	50	220	850	20	083000012

8345

spare dowels for scaffold eye bolts

8345T12 8300 M12 ø18	20	083450025

8302Z

fastening eye bolts,
right thread, galvanized

Ø mm	E mm	F mm	WFL kg		
M5	48	8	115	200	083020005
M6	55	10	160	150	083020006
M8	60	12	300	100	083020008
M10	73	14	470	100	083020010
M12	90	17	690	50	083020012

8303Z

fastening hooks
right thread, galvanized



Ø mm	C mm	E mm	WFL kg		
M5	6,0	48	25	150	083030005
M6	8,0	55	45	120	083030006
M8	10,0	60	95	100	083030008
M10	12,5	73	140	70	083030010
M12	16,0	90	220	30	083030012

8381SL

U bolts for pipes, light type,
galvanized

D mm	D gas	E mm		
11	1/8"	M6	100	083810201
14	1/4"	M6	100	083810202
18	3/8"	M6	100	083810203
22	1/2"	M6	100	083810204
27	3/4"	M6	100	083810205
34	1"	M6	100	083810206
43	1"1/4	M6	100	083810207
49	1"1/2	M8	50	083810208
61	2"	M8	50	083810209
77	2"1/2	M8	25	083810210
89	3"	M8	25	083810211
102	3"1/2	M8	25	083810212
115	4"	M8	25	083810213

8381SP

U bolts for pipes, heavy type,
galvanized



D mm	D gas	E mm		
22	1/2"	M8	100	083810301
27	3/4"	M8	100	083810302
34	1"	M8	100	083810303
43	1"1/4	M8	100	083810304
49	1"1/2	M10	50	083810305
61	2"	M10	50	083810306
77	2"1/2	M10	50	083810307
89	3"	M10	25	083810308
102	3"1/2	M12	25	083810309
115	4"	M12	25	083810310

8383C

square U bolts,
hot galvanized

Flanged nuts



A mm	E mm	B mm	D mm		
70	M10	110	8,55	130	083830070
80	M10	120	8,55	110	083830080
90	M10	130	8,55	100	083830090
100	M10	155	8,55	90	083830100
120	M10	175	8,55	70	083830120

8383P

plates for square U bolts
hot galvanized



	L mm		
8383P/150 8383C/70-80 /90-100	150	150	083830214
8383P/170 8383C/100-120	170	120	083830217

Robur

8515Z

wire tenders, galvanized



D mm	H mm	L mm		
20	25	93	100	085150002
24,5	30	100	70	085150003

8515V

wire tenders,
galvanized and painted



D mm	H mm	L mm		
20	25	93	100	085150102
24,5	30	100	70	085150103

8535

fishing hooks,
galvanized



R mm	C mm	F mm	L mm		
26	27,5	34	156	1	085350006
30	36,5	40	185	1	085350007

8051S

eye hooks, italian type
carbon steel, galvanized

CE

WLL kg	C mm	F mm		
250	14	12	1	080510202
500	18	16,5	1	080510205

8055S

eye hooks,
alloy steel, painted

CE



EN 1677-2
GRADO 8

WLL kg	C mm	F mm		
1250	20	19	1	080550110
1600	22	25	1	080550115
2500	23	28	1	080550120
3200	27	32	1	080550130
5400	32	40	1	080550145
8000	41	51	1	080550170
11500	53	64	1	080550215
16000	58	70	1	080550260
22000	78	90	1	080550320

8057

self-locking eye hooks
alloy steel, painted

CE



EN 1677-3
GRADO 8

WLL kg	C mm	F mm	Ø mm		
2000	33	25	7-8	1	080570020
3150	44	32	10	1	080570032
5300	54	40	13	1	080570053

8058

self-locking Clevis hooks,
alloy steel, painted

CE

EN 1677-3
GRADO 8

WLL kg	C mm	F mm	Ø mm		
2000	33	10	7-8	1	080580020
3150	44	13	10	1	080580032
5300	54	16	13	1	080580053

8060

Clevis chain hooks,
alloy steel, painted

CE

EN 1677-2
GRADO 8

WLL kg	C mm	F mm	Ø mm		
1120	20	7,5	6	1	080600011
2000	25	9,5	7-8	1	080600020
3150	33	12,0	10	1	080600032
5300	43	15,5	13	1	080600053
8000	48	19	16	1	080600080

8061F

jaw grab hooks with safety lock
alloy steel, painted

CE



EN 1677-1
GRADO 8

WLL kg	C mm	H mm	Ø mm		
1120	41	72	6	1	080610111
2000	54	96	7-8	1	080610120
3150	75	124	10	1	080610131
5300	93	154	13	1	080610153
8000	108	179	16	1	080610180

8062

slip hooks
alloy steel, painted



WLL kg	C mm	F mm		
1500	19	10-13	1	080620013
2000	21	16	1	080620016
3000	26	18	1	080620018
5000	34	22-25	1	080620025

8064S

swivel hooks
carbon steel, painted



EN 1677-5
GRADO 4

WLL kg	B mm	C mm		
800	31	20	1	080640107
1000	40	22	1	080640110
1600	47	23	1	080640115
2000	47	27	1	080640120
3200	64	35	1	080640130
5000	77	43	1	080640150
7500	90	53	1	080640175
10000	96	58	1	080640199

8065SC

swivel load hooks
carbon steel, painted



EN 1677-5
GRADO 4

WLL kg	B mm	C mm		
800	31	20	1	080650107
1000	40	22	1	080650110
1600	47	23	1	080650115
2000	47	27	1	080650120
3200	64	35	1	080650130
5000	77	43	1	080650150

8050D

spare latch kit for hooks

8050D1 8055/1250 8064S-8065SC/800	1	080500945
8050D2 8055S/1600 8064S-8065SC/1000	1	080500946
8050D3 8055/2500-3200 8064S-8065SC/1600-2000	1	080500947
8050D4 8055S/5400 8064S-8065SC/3200	1	080500948
8050D5 8055S/8000 8064S-8065SC/5000	1	080500949
8050D6 8055S/11500 8064S/7500	1	080500950
8050D7 8060/3150	1	080500951
8050D8 8060/5300	1	080500952
8050D7A 8060/2000	1	080500968
8050D10 8062/1500	1	080500954
8050D11 8062/2000	1	080500955
8050D12 8062/3000	1	080500956
8050D13 8062/5000	1	080500957
8050D22 8055S/16000 8064S/10000	1	080500966
8050D23 8055S/22000	1	080500967
8050D24 8051S/250	1	080500969
8050D25 8051S/500	1	080500970
8050D26 8061F/1120	1	080500971
8050D27 8061F/2000	1	080500972
8050D28 8061F/3150	1	080500973
8050D29 8061F/5300	1	080500974
8050D30 8061F/8000	1	080500975
8050D31 8060/1120	1	080500976
8050D32 8060/8000	1	080500977

8085

master links
alloy steel, painted

WLL means the use with 1 chain sling.



EN 1677-4
GRADO 8

WLL kg	Ø mm	B mm	C mm		
* **1500**	7	110	60	1	080850016
2000	8	110	60	1	080850020
3150	10	135	75	1	080850032
5300	13	160	90	1	080850054
8000	16	180	100	1	080850080
11200	19	200	110	1	080850190

*** If you match it with a chain 6mm in ø, WLL= 1120 kg**

8086

master link assemblies
alloy steel, painted

*** WLL means the use with 3 or 4 chain slings and ß angle < 45°.**



EN 1677-4
GRADO 8

WLL kg	Ø mm	B mm	C mm		
* **3150**	7	135	75	1	080860021
4250	8	160	90	1	080860042
6700	10	180	100	1	080860067
11200	13	200	110	1	080860100
17000	16	260	140	1	080860117

***If you match it with a chain 6 mm in Ø, WLL=2360 Kg.**

8090

connecting links
alloy steel, painted



EN 1677-1
GRADO 8

WLL kg	Ø mm	ØC max	A mm		
1120	6	13	7	1	080900011
2000	7-8	18	9,5	1	080900020
3150	10	22	12	1	080900032
5300	13	26	17	1	080900053
8000	16	32	22	1	080900080

8090F

connecting links for polyester slings,
alloy steel, painted



EN 1677-1
GRADO 8

WLL kg	A mm	C mm	Ø mm		
2000	10,5	40	7-8	1	080900220
3150	12	50	10	1	080900232
5300	17	60	13	1	080900253
8000	21	75	16	1	080900280

Robur

8100

lifting chains,
alloy steel, GRADE 8
self-coloured

CE



EN 818-2
GRADO 8

WLL kg	A mm	B mm	C mm		
1120	18	7,8	6	1	081000011
1500	21	9,1	7	1	081000016
2000	24	10,4	8	1	081000020
3150	30	13	10	1	081000032
5300	39	16,9	13	1	081000053
8000	48	20,8	16	1	081000080

CHAIN SLINGS
Grade 8

WLL Ton UNI EN 818



Ø D mm		0° < β ≤ 45° Factor 1,4	45° < β ≤ 60° Factor 1
6	1,12	1,6	1,12
7	1,5	2,12	1,5
8	2	2,8	2
10	3,15	4,25	3,15
13	5,3	7,5	5,3
16	8	11,2	8



Ø D mm		0° < β ≤ 45° Factor 2,1	45° < β ≤ 60° Factor 1,5
6	1,12	2,36	1,7
7	1,5	3,15	2,24
8	2	4,25	3
10	3,15	6,7	4,75
13	5,3	11,2	8
16	8	17	11,2

8091

chain slings, 1 leg
in plastic case

CE



UNI EN 818-4

D mm	L m	WLL ton		
6	1	1,12	1	080910061
6	2	1,12	1	080910062
6	3	1,12	1	080910063
6	4	1,12	1	080910064
7	1	1,5	1	080910071
7	2	1,5	1	080910072
7	3	1,5	1	080910073
7	4	1,5	1	080910074
8	1	2	1	080910081
8	2	2	1	080910082
8	3	2	1	080910083
8	4	2	1	080910084
10	1	3,15	1	080910101
10	2	3,15	1	080910102
10	3	3,15	1	080910103
10	4	3,15	1	080910104
13	1	5,3	1	080910131
13	2	5,3	1	080910132
13	3	5,3	1	080910133
13	4	5,3	1	080910134
16	1	8	1	080910161
16	2	8	1	080910162
16	3	8	1	080910163
16*	4	8	1	080910164

*** Wooden packing suited to weight**

8092

chains sling, 2 legs
in plastic case

CE

UNI EN 818-4

D mm	L m	WLL ton		
6	1	1,6	1	080920061
6	2	1,6	1	080920062
6	3	1,6	1	080920063
6	4	1,6	1	080920064
7	1	2,12	1	080920071
7	2	2,12	1	080920072
7	3	2,12	1	080920073
7	4	2,12	1	080920074
8	1	2,8	1	080920081
8	2	2,8	1	080920082
8	3	2,8	1	080920083
8	4	2,8	1	080920084
10	1	4,25	1	080920101
10	2	4,25	1	080920102
10	3	4,25	1	080920103
10	4	4,25	1	080920104
13	1	7,5	1	080920131
13	2	7,5	1	080920132
13*	3	7,5	1	080920133
13*	4	7,5	1	080920134
16	1	11,2	1	080920161
16*	2	11,2	1	080920162
16*	3	11,2	1	080920163
16*	4	11,2	1	080920164

*** Wooden packing suited to weight**

8094

chain sling, 4 legs
in plastic case

UNI EN 818-4

D mm	L m	WLL ton		
6	1	2,36	1	080940061
6	2	2,36	1	080940062
6	3	2,36	1	080940063
6	4	2,36	1	080940064
7	1	3,15	1	080940071
7	2	3,15	1	080940072
7	3	3,15	1	080940073
7	4	3,15	1	080940074
8	1	4,25	1	080940081
8	2	4,25	1	080940082
8*	3	4,25	1	080940083
8*	4	4,25	1	080940084
10	1	6,7	1	080940101
10*	2	6,7	1	080940102
10*	3	6,7	1	080940103
10*	4	6,7	1	080940104
13*	1	11,2	1	080940131
13*	2	11,2	1	080940132
13*	3	11,2	1	080940133
13*	4	11,2	1	080940134
16*	1	17	1	080940161
16*	2	17	1	080940162
16*	3	17	1	080940163
16*	4	17	1	080940164

*** Wooden packing suited to weight**

8096

chain sling,
1 leg with grab hook,
in plastic case

UNI EN 818-4

D mm	L m	WLL ton		
6	1	1,12	1	080960061
6	2	1,12	1	080960062
6	3	1,12	1	080960063
6	4	1,12	1	080960064
7	1	1,5	1	080960071
7	2	1,5	1	080960072
7	3	1,5	1	080960073
7	4	1,5	1	080960074
8	1	2	1	080960081
8	2	2	1	080960082
8	3	2	1	080960083
8	4	2	1	080960084
10	1	3,15	1	080960101
10	2	3,15	1	080960102
10	3	3,15	1	080960103
10	4	3,15	1	080960104
13	1	5,3	1	080960131
13	2	5,3	1	080960132
13	3	5,3	1	080960133
13	4	5,3	1	080960134
16	1	8	1	080960161
16	2	8	1	080960162
16	3	8	1	080960163
16*	4	8	1	080960164

*** Wooden packing suited to weight**

8097

chain sling,
2 legs with grab hooks,
in plastic case

UNI EN 818-4

D mm	L m	WLL ton		
6	1	1,6	1	080970061
6	2	1,6	1	080970062
6	3	1,6	1	080970063
6	4	1,6	1	080970064
7	1	2,12	1	080970071
7	2	2,12	1	080970072
7	3	2,12	1	080970073
7	4	2,12	1	080970074
8	1	2,8	1	080970081
8	2	2,8	1	080970082
8	3	2,8	1	080970083
8	4	2,8	1	080970084
10	1	4,25	1	080970101
10	2	4,25	1	080970102
10	3	4,25	1	080970103
10	4	4,25	1	080970104
13	1	7,5	1	080970131
13	2	7,5	1	080970132
13*	3	7,5	1	080970133
13*	4	7,5	1	080970134
16	1	11,2	1	080970161
16*	2	11,2	1	080970162
16*	3	11,2	1	080970163
16*	4	11,2	1	080970164

*** Wooden packing suited to weight**

8098

chain sling
4 legs with grab hooks,
in plastic case

CE

UNI EN 818-4

D mm	L m	WLL ton		
6	1	2,36	1	080980061
6	2	2,36	1	080980062
6	3	2,36	1	080980063
6	4	2,36	1	080980064
7	1	3,15	1	080980071
7	2	3,15	1	080980072
7	3	3,15	1	080980073
7	4	3,15	1	080980074
8	1	4,25	1	080980081
8	2	4,25	1	080980082
8*	3	4,25	1	080980083
8*	4	4,25	1	080980084
10	1	6,7	1	080980101
10*	2	6,7	1	080980102
10*	3	6,7	1	080980103
10*	4	6,7	1	080980104
13*	1	11,2	1	080980131
13*	2	11,2	1	080980132
13*	3	11,2	1	080980133
13*	4	11,2	1	080980134
16*	1	17	1	080980161
16*	2	17	1	080980162
16*	3	17	1	080980163
16*	4	17	1	080980164

*** Wooden packing suited to weight**

POLYESTER SLINGS

				β= 0°÷45°	β= 45°÷60°
30	1 t	0,8 t	2 t	1,4 t	1 t
60	2 t	1,6 t	4 t	2,8 t	2 t
90	3 t	2,4 t	6 t	4,2 t	3 t
120	4 t	3,2 t	8 t	5,6 t	4 t
150	5 t	4,0 t	10 t	7,0 t	5 t
180	6 t	4,8 t	12 t	8,4 t	6 t
240	8 t	6,4 t	16 t	11,2 t	8 t
300	10 t	8,0 t	20 t	14,0 t	10 t

8150

web slings, purple 1t
high-tenacity polyester (PES) belt

CE

UNI EN 1492-1

L m	H mm	WLL ton		
1	30	1	1	081500010
1,5	30	1	1	081500015
2	30	1	1	081500020
2,5	30	1	1	081500025
3	30	1	1	081500030
4	30	1	1	081500040
5	30	1	1	081500050
6	30	1	1	081500060
8	30	1	1	081500080

8153

web slings, green 2t
high-tenacity polyester (PES) belt

CE



UNI EN 1492-1

L m	H mm	WLL ton		
1	60	2	1	081530010
1,5	60	2	1	081530015
2	60	2	1	081530020
2,5	60	2	1	081530025
3	60	2	1	081530030
4	60	2	1	081530040
5	60	2	1	081530050
6	60	2	1	081530060
8	60	2	1	081530080
10	60	2	1	081530100

8156

web slings, yellow 3t
high-tenacity polyester (PES) belt

CE



UNI EN 1492-1

L m	H mm	WLL ton		
1,5	90	3	1	081560015
2	90	3	1	081560020
2,5	90	3	1	081560025
3	90	3	1	081560030
4	90	3	1	081560040
5	90	3	1	081560050
6	90	3	1	081560060
8	90	3	1	081560080
10	90	3	1	081560100

8157

web slings, grey 4t
high-tenacity polyester (PES) belt

CE

UNI EN 1492-1

L m	H mm	WLL ton		
2	120	4	1	081570020
3	120	4	1	081570030
4	120	4	1	081570040
5	120	4	1	081570050
6	120	4	1	081570060
8	120	4	1	081570080
10	120	4	1	081570100

8158

web slings, red 5t
high-tenacity polyester (PES) belt

CE

UNI EN 1492-1

L m	H mm	WLL ton		
2	150	5	1	081580020
3	150	5	1	081580030
4	150	5	1	081580040
5	150	5	1	081580050
6	150	5	1	081580060
8	150	5	1	081580080
10	150	5	1	081580100

8159

webslings, 6t
high-tenacity polyester (PES)
brown

CE

UNI EN 1492-1

L m	H mm	WLL ton		
3	180	6	1	081590030
4	180	6	1	081590040
5	180	6	1	081590050
6	180	6	1	081590060
8	180	6	1	081590080
10	180	6	1	081590100

8160

webslings, 8t
high-tenacity polyester (PES)
blue

CE

UNI EN 1492-1

L m	H mm	WLL ton		
5	240	8	1	081600050
6	240	8	1	081600060
8	240	8	1	081600080
10	240	8	1	081600100

8161

webslings, 10t
high-tenacity polyester (PES)
orange

CE

UNI EN 1492-1

L m	H mm	WLL ton		
5	300	10	1	081610050
6	300	10	1	081610060
8	300	10	1	081610080
10	300	10	1	081610100

8170

round slings, purple 1t
high-tenacity polyester (PES) belt

CE



UNI EN 1492-2

L m	H mm	WLL ton		
0,5	45	1	1	081700010
1	45	1	1	081700020
1,5	45	1	1	081700030
2	45	1	1	081700040
3	45	1	1	081700060
4	45	1	1	081700080

8173

round slings, green 2t
high-tenacity polyester (PES) belt

CE

UNI EN 1492-2

L m	H mm	WLL ton		
0,5	50	2	1	081730010
1	50	2	1	081730020
1,5	50	2	1	081730030
2	50	2	1	081730040
2,5	50	2	1	081730050
3	50	2	1	081730060
4	50	2	1	081730080

8176

round slings, yellow 3t
high-tenacity polyester (PES) belt

CE

UNI EN 1492-2

L m	H mm	WLL ton		
1	60	3	1	081760020
1,5	60	3	1	081760030
2	60	3	1	081760040
2,5	60	3	1	081760050
3	60	3	1	081760060
4	60	3	1	081760080
5	60	3	1	081760100

8177

round slings, grey 4t
high-tenacity polyester (PES) belt

CE

UNI EN 1492-2

L m	H mm	WLL ton		
1	65	4	1	081770020
1,5	65	4	1	081770030
2	65	4	1	081770040
2,5	65	4	1	081770050
3	65	4	1	081770060
4	65	4	1	081770080
5	65	4	1	081770100
6	65	4	1	081770120
8	65	4	1	081770160

8178

round slings, red 5t
high-tenacity polyester (PES) belt

CE



UNI EN 1492-2

L m	H mm	WLL ton		
1	70	5	1	081780020
1,5	70	5	1	081780030
2	70	5	1	081780040
2,5	70	5	1	081780050
3	70	5	1	081780060
4	70	5	1	081780080
5	70	5	1	081780100
6	70	5	1	081780120
8	70	5	1	081780160

8166

anti-abrasion sheaths for slings,
high-tenacity polyester (PES),
with elastomer underlayer

H mm	ø mm	L m		
70	45	3	1	081660073
80	52	3	1	081660083
110	70	3	1	081660103

RATCHET TIE DOWNS

8180

ratchet tie down with single hook, LC 750kg
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm		
4	3700	300	1	081800004
6	5700	300	1	081800006
8	7700	300	1	081800008

LC = 750 kg

8181

ratchet tie down with single hook, LC 1000kg
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm		
4	3700	300	1	081810004
6	5700	300	1	081810006
8	7700	300	1	081810008

LC = 1000 kg

8182

ratchet tie down with single hook, LC 2000kg
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm		
6,5	6000	500	1	081820065
8,5	8000	500	1	081820085
10,5	10000	500	1	081820105

LC = 2000 kg

8182S

ratchet tie down with double hook, LC 2000kg
high-tenacity polyester (PES) belt



EN 12195-2

L m	L2 mm	L1 mm		
8,5	8000	500	1	081820285
10,5	10000	500	1	081820305

LC = 2000 kg

8185

ring ratchet tie down, LC 1500kg
high-tenacity polyester (PES) belt

EN 12195-2

L m		
5	1	081850005
8	1	081850008

8186

ring ratchet tie down, LC 2000kg
high-tenacity polyester (PES) belt



EN 12195-2

L m		
5	1	081860005
8	1	081860008

8187

ring ratchet tie down, LC 4000kg
high-tenacity polyester (PES) belt

EN 12195-2

L m		
5	1	081870005
8	1	081870008

8188F

cam buckle straps, LC 230 kg,
high-grade polypropylene (PP) belt

EN 12195-2

L m		
1,5	10	081880215
2,5	10	081880225
5,0	6	081880250

8188F/35

cam buckle straps, LC 500 kg,
high-tenacity polypropylene (PP) belt



EN 12195-2

L m		
4	3	081880290

8188C

ring ratchet tie downs, LC 750 kg,
high-tenacity polyester (PES) belt

EN 12195-2

L m		
5	3	081880350

8188CG/25

ratchet tie downs with S-hooks and Eyes,
LC 375 kg
high-tenacity polyester (PES) strap

EN 12195-2

L m	L1 mm	L2 mm		
3	480	170	1	081880430
5	480	170	1	081880450

8188FG2

cam buckle strap with S-hooks and Eyes,
LC 250 kg
high-grade polypropylene (PP) belt

EN 12195-2

L m	L1 mm	L2 mm		
3	450	170	1	081880530

8188FG3

cam buckle straps with 3 S-hooks and Eyes,
LC 250 kg
high-grade polypropylene (PP) belt

EN 12195-2

L max m	L min m	L1 mm	L2 mm		
3,5	0,85	450	170	1	081880630

Robur
INOX AISI 316
Ni Cr Mo

8205

eye and eye turnbuckle
AISI 316



A mm	B mm	ø F mm	WFL kg		
M4	62	8	75	10	082050204
M5	72	11	115	10	082050205
M6	92	12	160	5	082050206
M8	122	14	300	5	082050208
M10	150	16	470	1	082050210
M12	201	18	690	1	082050212
M14	225	22	940	1	082050214
M16	244	26	1290	1	082050216
M20	295	29	2130	1	082050220
M24	350	33	3060	1	082050224

8206

hook and eye turnbuckle
AISI 316



A mm	B mm	ø F mm	WFL kg		
M5	72	11	25	10	082060205
M6	92	12	45	5	082060206
M8	122	14	95	5	082060208
M10	150	16	140	1	082060210
M12	201	18	300	1	082060212
M14	225	22	420	1	082060214
M16	244	26	570	1	082060216
M20	295	29	875	1	082060220

8207

hook and hook turnbuckle
AISI 316



A mm	B mm	C mm	WFL kg		
M5	72	9	25	10	082070205
M6	92	9	45	5	082070206
M8	122	10	95	5	082070208
M10	150	12	140	1	082070210
M12	201	14	300	1	082070212
M14	225	15	420	1	082070214
M16	244	16	570	1	082070216
M20	295	19	875	1	082070220

8209

jaw and jaw turnbuckle
AISI 316



A mm	B mm	ø F mm	WFL kg		
M5	72	5	115	5	082090205
M6	92	6	160	5	082090206
M8	122	8	300	5	082090208
M10	150	10	470	1	082090210
M12	201	12	690	1	082090212
M14	225	14	940	1	082090214
M16	244	16	1290	1	082090216
M20	295	20	2130	1	082090220
M24	350	24	3060	1	082090224

8210

jaw and jaw pipe turnbuckle
AISI 316



A mm	B mm	ø F mm	WFL kg		
M5	81	5	115	3	082100205
M6	92	6	160	3	082100206
M8	112	8	300	1	082100208
M10	121	10	470	1	082100210
M12	150	12	690	1	082100212
M14	169	14	940	1	082100214
M16	190	16	1290	1	082100216
M20	220	20	2130	1	082100220

8216

wire rope clips
AISI 316



ø F mm	"	T	N		
2	5/64	80	3	15	082160202
3	1/8	80	3	15	082160203
4	5/32	80	3	10	082160204
5	3/16	110	3	10	082160205
6	1/4	120	5	10	082160206
8	5/16	210	5	5	082160208
10	3/8	240	5	5	082160210
12-13	1/2	300	5	5	082160213
16	5/8	335	5	5	082160216
20	3/4	540	5	5	082160220

8220

thimbles
AISI 316



ø F mm	D mm	A mm	C mm		
2	4,5	21	7,5	15	082200202
3	6	24	10	15	082200203
4	6,6	28	11	10	082200204
5	8,5	30	13	10	082200205
6	10	37	15	10	082200206
8	12,5	51	23	5	082200208
10	14,6	56	27	5	082200210
12	18	68	32	5	082200212
14	19	69	34	5	082200214
16	22	83	37	5	082200216
18	23	81	38	1	082200218
20	27,8	105	45	1	082200220

8225

dee shackles
AISI 316



ø D mm	"	A mm	WFL kg		
4	5/32	8	50	10	082250204
5	3/16	11	70	10	082250205
6	1/4	13	100	5	082250206
8	5/16	17	250	5	082250208
10	3/8	21	400	3	082250210
12	1/2	25	600	3	082250212
16	5/8	32	1000	1	082250216
19	3/4	38	1600	1	082250219
22	7/8	43	2000	1	082250222
25	1	46	2800	1	082250225

8227

long dee shackles
AISI 316

ø D mm	"	A mm	WFL kg		
4	5/32	8	50	10	082270204
5	3/16	10	70	10	082270205
6	1/4	13,5	100	5	082270206
8	5/16	17	250	5	082270208
10	3/8	21	400	1	082270210
12	1/2	25	600	1	082270212

8228

bow shackles
AISI 316



ø D mm	A mm	B mm	WFL kg		
4	13	20	60	10	082280204
5	17	23	80	10	082280205
6	20	27	100	10	082280206
8	28	36	200	5	082280208
10	36	44	300	5	082280210
12	41	53	500	5	082280212
16	54	74	800	1	082280216
19	66	86	1100	1	082280219

8240

eye bolts
AISI 316



A mm	B mm	ø C mm	WFL kg		
M6	41	15	75	10	082400206
M8	50	20	140	10	082400208
M10	62	25	230	5	082400210
M12	74	30	340	5	082400212

8240F

eye bolts, FORGED
stainless steel A4

DIN 580:2010

ø mm	P mm	WLL kg		
* M10	1,5	400	1	082400410
* M12	1,75	600	1	082400412
* M14	2	1000	1	082400414
* M16	2	1200	1	082400416
* M20	2,5	2000	1	082400420
* M24	3	2700	1	082400424
M30	3,5	3200	1	082400430

(*) WLL increased compared to DIN standard according to Technical Specifications R/FT/8240F (guaranteed for stainless steel / stainless steel fits)

8242

eye nuts
AISI 316

A mm	B mm	ø C mm	WFL kg		
M6	27	15	75	10	082420206
M8	36	20	140	10	082420208
M10	45	25	230	5	082420210
M12	55	30	340	5	082420212

8242F

eye nuts, FORGED
stainless steel A4

CE

DIN 582:2010

ø mm	P mm	WLL kg		
* **M10**	1,5	400	1	082420410
* **M12**	1,75	600	1	082420412
* **M14**	2	1000	1	082420414
* **M16**	2	1200	1	082420416
* **M20**	2,5	2000	1	082420420
* **M24**	3	2700	1	082420424
M30	3,5	3200	1	082420430

(*) WLL ø M10÷M24
- increased according to Technical File R/FT/8242F
- guaranteed with stainless steel coupling

8249

fastening eyebolts, right thread
AISI 316

A mm	ø B mm	D mm	WFL kg		
M5	11	50	100	10	082490205
M6	13	55	160	10	082490206
M8	17	60	300	5	082490208
M10	21	80	470	5	082490210
M12	25	120	690	1	082490212

8250

spring snap-casting eye end
AISI 316

L mm	A mm	ø B mm	WFL kg		
50	25	8	45	5	082500205
70	31	12,5	90	5	082500207
100	47	20	190	1	082500210

8264

swivel eye bolt snap
AISI 316

B mm	L mm	C mm	WFL kg		
12	88	12	60	5	082640212
16	90	12	60	5	082640216
19	93	12	60	1	082640219
25	100	12	60	1	082640225

8267

swivel eye snap
AISI 316

A mm	L mm	B mm	WFL kg		
10	87	21	30	5	082670210
12	118	22	70	1	082670213

8272

eye and eye swivels
AISI 316



ø D mm	A mm	L mm	WFL kg		
4	11	50	90	5	082720204
5	13	60	115	5	082720205
6	15	66	140	5	082720206
8	19	90	250	3	082720208
10	23	112	300	1	082720210
13	33	148	650	1	082720213
16	38	184	1000	1	082720216
19	40	223	1600	1	082720219

8273

quick-release hooks
with swivel eyes
AISI 316 stainless steel

ø C x L mm	B mm	WFL kg	BF kg		
12x70	12	230	1100	1	082730012
16x85	14,50	440	2000	1	082730016
22x120	20	700	3500	1	082730022

8274

carabine hooks
AISI 316



ø A x L mm	ø C mm	D mm	WFL kg		
4,5x40	6,5	6	20	10	082740204
5x50	8	7	30	10	082740205
6x60	8,5	7,5	40	5	082740206
7x70	10	9	60	5	082740207
8x80	12	10	75	5	082740208
9x90	12,5	10,5	100	5	082740209
10x100	15	13	120	1	082740210
11x120	19	18	140	1	082740211
12x140	22	21	140	1	082740212
13x160	22	26	200	1	082740213

8274G

carabine hooks with screw nut
AISI 316



ø A x L mm	ø C mm	D mm	WFL kg		
6x60	8,5	6,5	40	5	082740306
8x80	12	8,5	75	5	082740308
10x100	15	12	120	3	082740310

8276

asymmetric carabine hooks
AISI 316



ø A x L mm	ø C mm	D mm	WFL kg		
6x60	8,5	10	40	5	082760206
8x80	12	14	75	5	082760208
10x100	15	18	120	3	082760210

8276G

asymmetric carabine hooks with screw nut
AISI 316



ø A x L mm	ø C mm	D mm	WFL kg		
6x60	8,5	9	40	3	082760306
8x80	12	12,5	75	3	082760308
10x100	15	16	120	3	082760310

8278

trapezoidal carabine hooks
AISI 316



ø A x L mm	B mm	C mm	WFL kg		
8x80	45	14	75	3	082780208
10x100	55	16	120	3	082780210

8280

quick links
AISI 316



ø D x L mm	A mm	B mm	WFL kg		
3,5x35	17	5	20	10	082800203
4x40	19	6	30	10	082800204
5x50	23	7	50	5	082800205
6x60	26	8	60	5	082800206
7x70	30	9	100	5	082800207
8x80	33	10	140	1	082800208
10x90	40	12	220	1	082800210
12x100	47	14	300	1	082800212

8282

S-hooks
AISI 316



ø D mm	A mm	B1 mm	B2 mm		
3	31	7,5	14	10	082820203
4	37	10,5	14,5	10	082820204
5	44	12,5	16	10	082820205
6	51	12,5	18	5	082820206
8	68	14	23	5	082820208

8284

pelican hooks
AISI 316 stainless steel

ø C mm	B mm	L mm	WFL kg		
6	11	73	200	3	082840006
8	14	98	300	3	082840008
10	23	143	450	1	082840010

8285

jaw terminals
AISI 316



ø A mm	ø C mm	ø D mm	WFL kg		
3	6,3	6	180	5	082850203
4	7,5	6	200	3	082850204
5	9	10	330	1	082850205
6	12,5	12	720	1	082850206
8	16	13	1120	1	082850208

8286

eye terminals
AISI 316

ø D mm	ø A mm	ø C mm	WFL kg		
3	6,5	6,3	180	5	082860203
4	8,5	7,5	200	3	082860204
5	10,6	9	330	1	082860205
6	13	12,5	720	1	082860206
8	14,7	16	1120	1	082860208

8287

swage studs
AISI 316



ø D mm	ø A mm	E mm	WFL kg		
3	6,3	M6	180	5	082870203
4	7,5	M8	200	3	082870204
5	9	M10	330	1	082870205
6	12,5	M12	720	1	082870206
8	16	M16	1120	1	082870208

8290

pad eyes
AISI 316

ø A mm	B mm	ø C mm	L mm		
5	18	4,3	40	5	082900205
6	22	5,2	44	5	082900206
8	23	5,2	51	5	082900208

8381SX

U bolts for pipes



AISI 304

D mm	D gas	E mm		
11	1/8"	M6	200	083810401
14	1/4"	M6	200	083810402
18	3/8"	M6	200	083810403
22	1/2"	M6	200	083810404
27	3/4"	M6	200	083810405
34	1"	M6	200	083810406
43	1"1/4	M6	200	083810407
49	1"1/2	M8	100	083810408
61	2"	M8	100	083810409

Beta Collection

A range of exclusive products designed and developed to epitomize Beta's character, it comprises over 200 original, first-rate items: sports equipment, technical clothing and a variety of tailored objects.

An ideal medium for promotional actions, a must for recreational moments.

The right style with a view to really enjoying Beta's true spirit.

9572MB

Beta-March F1 vintage T-shirt, 100% cotton

S	1	095720701
M	1	095720702
L	1	095720703
XL	1	095720704
XXL	1	095720705

9505

Sleeveless windproof/rainproof softshell jacket, black exterior / orange interior, orange and grey fabric insert on one shoulder, thermo-taped zips, reflective heart-side logo and back print

S	1	095050001
M	1	095050002
L	1	095050003
XL	1	095050004
XXL	1	095050005

9510

short-sleeved shirt, 100% poplin cotton, 110 g/m², orange fabric inserts and white piping trim, contrasting orange button, reflective heart-side logo and back print

XS	1	095100000
S	1	095100001
M	1	095100002
L	1	095100003
XL	1	095100004
XXL	1	095100005

9502

hooded padded jacket, anthracite grey ripstop nylon, orange interior thermal wadding, contrasting thermo-taped zips, contrasting sleeve piping trim, heart-side BETA logo

S	1	095020001
M	1	095020002
L	1	095020003
XL	1	095020004
XXL	1	095020005

9500

hooded sweatshirt, 100% sateen cotton, orange and white piping trim, 330 g/m², reflective heart-side logo and back print

S	1	095000001
M	1	095000002
L	1	095000003
XL	1	095000004
XXL	1	095000005

9572GG

t-shirt, 100% combed cotton, anthracite grey, 160 g/m², orange sweat protector, graphic print on front

XS	1	095720000
S	1	095720001
M	1	095720002
L	1	095720003
XL	1	095720004
XXL	1	095720005

9504

windproof/rainproof softshell jacket, black exterior / orange interior, orange and grey fabric insert on one shoulder, thermo-taped zips, reflective heart-side logo and back print

S	1	095040001
M	1	095040002
L	1	095040003
XL	1	095040004
XXL	1	095040005

9501

half-zipped sweatshirt, 100% sateen cotton, orange piping trim, 330 g/m², front and back printed BETA logos

S	1	095010001
M	1	095010002
L	1	095010003
XL	1	095010004
XXL	1	095010005

9572GB

t-shirt, 100% sateen cotton, denim blue, 160 g/m², orange sweat protector, graphic print on front

XS	1	095720100
S	1	095720101
M	1	095720102
L	1	095720103
XL	1	095720104
XXL	1	095720105

9572Q

t-shirt, 100% combed cotton, white, 160 g/m², orange sweat protector, graphic print on front

XS	1	095720600
S	1	095720601
M	1	095720602
L	1	095720603
XL	1	095720604
XXL	1	095720605

9536

softshell jacket, grey, 2-ply laminated, stretch, fleece-lined, 290 g/m²

S	1	095361011
M	1	095361012
L	1	095361013
XL	1	095361014
XXL	1	095361015

9572GC

t-shirt, 100% sateen cotton, coral red, 160 g/m², orange sweat protector, graphic print on front

XS	1	095720200
S	1	095720201
M	1	095720202
L	1	095720203
XL	1	095720204
XXL	1	095720205

9503G

jacket, nylon taslon T288,
heat sealed stitching, polyester mesh lining and nylon sleeve lining

S	1	095030011
M	1	095030012
L	1	095030013
XL	1	095030014
XXL	1	095030015

9535

t-shirt with double long sleeves, 100% cotton, 180 g/m², with print and appliqué on front, patch embroidered on sleeve

S	1	095350011
M	1	095350012
L	1	095350013
XL	1	095350014

9572H

t-shirt, 100% combed cotton, white, 160 g/m², orange sweat protector

XS	1	095720500
S	1	095720501
M	1	095720502
L	1	095720503
XL	1	095720504
XXL	1	095720505

9508K

long zip jacket, ripstop nylon, waterproof, folds into pocket

S	1	095080011
M	1	095080012
L	1	095080013
XL	1	095080014

9534W

three-button polo shirt,
carded pique cotton 220 g/m², white

S	1	095340011
M	1	095340012
L	1	095340013
XL	1	095340014
XXL	1	095340015

9534B

three-button polo shirt,
carded pique cotton 200 g/m², blue

S	1	095340051
M	1	095340052
L	1	095340053
XL	1	095340054
XXL	1	095340055

9537

fleece pullover, 100% polyester,
black antipilling finish

M	1	095370002
L	1	095370003
XL	1	095370004
XXL	1	095370005

9593 Breil®

Breil® quartz chronograph, steel case, 10 ATM water resistant, calendar, bilux steel bracelet

9593 Breil®	1	095930015

9593CA

chronograph, steel case, 5 ATM water resistant, leather strap

9593	1	095930025

9593 Miami

analogue watch, plastic case, 5 ATM water resistant, silicone strap

9593 Miami	1	095930030

9551

full face helmet by SUOMY®

S	1	095510055
M	1	095510057
L	1	095510059
XL	1	095510061
XXL	1	095510063

9552J

jet helmet by SUOMY®

S	1	095520055
M	1	095520057
L	1	095520059
XL	1	095520061

9553J/L

jet light helmet by SUOMY®

S	1	095530055
M	1	095530057
L	1	095530059
XL	1	095530061

9544

hard, cabin-sized trolley

9544	1 095440100

9545

PC trolley

9545	1 095450100

9557J

sports bag, 600 D polyester / PVC

cm	
58x27x30	1 095570011

9557N

"Racing" bag, made from waterproof PVC coated fabric

cm	
80x35x35	1 095570001

9541

sports computer rucksack,
600D polyester / PVC.
1680D and 420D/PU insets

cm	
43x39x16	1 095410000

9574O

work gloves

M	1 095740202
L	1 095740203
XL	1 095740204
XXL	1 095740205

9574B

work gloves

M	1 095740102
L	1 095740103
XL	1 095740104
XXL	1 095740105

9522C

vintage leather belt
with aluminium buckle
length: 140 cm; can be shortened

9522C	1 095220100

9525/ITA

cap with adjustable buckle strap,
100% cotton, 3D PVC transfer logo on front,
directly embroidered. One size fits all.

9525/ITA	5	095250050

9525

cap, 100% cotton, one-size-fits-all
adjustable buckle strap,
directly embroidered visor and sides

9525	5	095251011

9525/N

cap, 100% cotton, one-size-fits-all
adjustable buckle strap,
directly embroidered front, sides and back,
black

9525/N	5	095251021

9525/B

cap, 100% cotton, one size-fits-all
adjustable buckle strap,
directly embroidered front, sides and back,
white

9525/B	5	095251031

9521

umbrella, nylon T210, 3-section aluminium
frame, automatic open/close mechanism

9521	1	095210000

9521O/OB

"racing" umbrella, 190T nylon,
150 cm in diameter

9521O/OB	1	095210011

9530

jacket and trousers set, 100% patch polyester,
jacket lined with polyester mesh, 70 g/m2

S	1	095300011
M	1	095300012
L	1	095300013
XL	1	095300014

9599CB

Atala® city bike, 49 cm aluminium frame,
Shimano® 6 speed gear, V-brake®,
28" aluminium rims

9599CB	1	095990011

9598WAP

Atala® mountain bike, 48 cm aluminium frame,
front shock absorber, Shimano® 21 speed
gear, mechanical disc brakes, 26" aluminium
rims

9598WAP	1	095980000

9539C

protective cycling helmet, outer cap made from polycarbonate,
inner cap made from black, high-density EPS;
adjustable size 59-62

CE EN 1078

9539C	1	095391000

9539

biking jersey and bib shorts, short-sleeved jersey, breathable microfibre fabric,
long, invisible zip, three rear pockets,
silicone elastic at jersey end,
Lycra bib shorts, silicone elastic at leg end,
highly breathable, antibacterial seat padding

S	1	095390112
M	1	095390113
L	1	095390114
XL	1	095390115
XXL	1	095390116

9539G

winter jacket, breathable fabric, raised inside,
long zip, three rear pockets,
silicone elastic at jacket end

S	1	095390122
M	1	095390123
L	1	095390124
XL	1	095390125
XXL	1	095390126

9539P

overalls with front mini-zip, made of super Roubaix fabric, Coolmax® bottom

S	1	095390032
M	1	095390033
L	1	095390034
XL	1	095390035
XXL	1	095390036

9539R

sleeveless wind stopper jacket, bound fabric,
long zip, three rear pockets,
silicone elastic at jacket end

S	1	095390142
M	1	095390143
L	1	095390144
XL	1	095390145
XXL	1	095390146

9519M

short-sleeved running jersey, breathable microfibre fabric

S	1	095190201
M	1	095190202
L	1	095190203
XL	1	095190204
XXL	1	095190205

9519C

running singlet, breathable microfibre fabric

S	1	095190211
M	1	095190212
L	1	095190213
XL	1	095190214
XXL	1	095190215

9519P

running shorts, Lycra

S	1	095190221
M	1	095190222
L	1	095190223
XL	1	095190224
XXL	1	095190225

9528

football, TPU and EVA, 400 g

9528	1	095280000

9529O/B

set of football bibs, 100% polyester mesh, orange/black, two-coloured, reversible

9529O/B	1	095290007

9527

sports towel, 400 g, 75x130 cm

9527	1	095271000

9526

set of 500 chips, 13.5 g, in aluminium case

9526	1	095260000

9524SC

miniature Beta garage for collectors

1:43	1	095240043
1:18	1	095240018

9547WSK

"Kinder Work Station", workbench with tools, for children from 3 years of age

9547WSK	1	095473801

9546

steel thermos, 0.45-litre capacity

9546	1	095460100

9547

desk calculator

9547	1	095470000

9583

radio-controlled clock with weather station

9583	1	095830000

9594

clock complete with thermometer and hygrometer, 26 cm in diameter

Ø cm		
26	1	095940051

9586

multipurpose knife, stainless steel,
10 functions

9586	1 095861001

9581

petrol lighter

9581	1 095811001

9577F1

overalls, 65/35 polyester/cotton

S	1 095771001
M	1 095771002
L	1 095771003
XL	1 095771004
XXL	1 095771005
XXXL	1 095771006

9579C

work jacket, polyester/cotton

M	1 095791002
L	1 095791003
XL	1 095791004

9575

suction cup folder,
made from plasticized fabric,
with four suction cups on upper side

9575	1 095750001

9559

one-sided banner, TNT; modules: 3x0.8 m

9559	1 095591001

9590

flag, silk screen printed nylon

cm 140x215	1 095900001

9582LE

luminous sign, one-sided, for outdoor use

9582LE	1 095820010

9582LI

luminous sign, two-sided, for indoor use

9582LI	1 095820050

9592S/50P

set of 50 ballpoint pens, plastic

9592S/50P	1 095920201

9592P/P

ballpoint pens, customized

9592P/P	500 095920701

9596

badge holder, polyester, with metal clip
and mobile phone string

9596	10 095961001

9595M/10

10 aluminium key rings,
black

9595M/10	1	095950070

9595S/10P

10 key rings, EVA-type plastics

9595S/10P	1	095951001

9569

TNT shopper, 38x42 cm, long handles

9569	50	095691000

9569P

shopper, made of polyethylene,
folded sides

9569	44x34	50	095691001

9588S/10...

set of 10 notepads

9588S/10A 21x29 cm	1	095881001
9588S/10B 15x21 cm	1	095881002
9588S/10C 10x15 cm	1	095881003
9588S/10D 7,5x10,5 cm	1	095880054

9588/10PI

set of 10 notepads with adhesive sheets

9588/10PI 7,5x7,5 cm	1	095880055

9591S/...

stickers

* **9591 S/10A** 60x14,6 cm	1	095911001
* **9591 S/10B** 38x10,7 cm	1	095911002
° **9591 S/50C** 26x7,8 cm	1	095911003
° **9591 S/50D** 13x3,9 cm	1	095911004

9589A/36

pack of 36 rolls of packaging adhesive tape,
with Beta logo, tawny

9589A/36	1	095890035

9589B/36

pack of 36 rolls of packaging adhesive tape,
with Beta logo, white

9589B/36	1	095890036

FIELDS OF USE FOR TORQUE WRENCHES AND BARS

1Nm=0,10197 Kgfm=0,7375lbf.ft

Nm 0 10 20 30 40 50 60 70 80 90 100 200 300 400 500 600 700 800 900 1000 1500 2000

1/4"	590	0,3 – 4
	590/1	0,5 – 13,5
	603/5	1 – 5
	603/10	2 – 10
	606/2	4 – 20
3/8"	592/3	1 – 27
	592/4	3 – 40
	599DGT/6	12 – 60
	606/2X	4 – 20
	606/6	8 – 60
	606/10	20 – 100
	666/6	8 – 60
	666/10	20 – 100
1/2"	594/8	6 – 80
	594/21	20 – 215
	599DGT/10X	20 – 100
	599DGT/20	40 – 200
	599DGT/30	68 – 340
	599DGT/A10	20 – 100
	599DGTA/20	40 – 200
	606/10X	20 – 100
	606/20	40 – 200
	606/30	60 – 330
	606MQ/50	5 – 50
	666/10X	20 – 100
	666/20	40 – 200
	666/30	60 – 330
	667/20	40 – 200
	667/30	60 – 330
3/4"	596/80SL	40 – 800
	667/40	80 – 400
	677/50	100 – 500
	677/70	150 – 700
	677/100	300 – 1000
	678/55	110 – 550
	678/100	300 – 1000
	678/150	500 – 1500
1"	598/200SL	200 – 2000

Ø 8 mm	604B/5	1 – 5
	604B/10	2 – 10
Ø 16 mm	608/2	4 – 20
	668/5	8 – 60
	668/10	20 – 100
	668/20	40 – 200
	668/30	60 – 300
	668RG/6	8 – 60
	668RG/10	10 – 100
	668RG/20	20 – 200
	668RG/30	30 – 300
9x12 mm	669/6	8 – 60
	669/10	20 – 100
	669/20	40 – 200
	669RG/6	8 – 60
	669RG/10	10 – 100
	669RG/20	20 – 200
14x18 mm	669/30	60 – 300
	669RG/30	30 – 300

Kgfm 0 1 2 3 4 5 6 7 8 9 10 20 30 40 50 60 70 80 90 100 150 200

lbf.ft 0 10 20 30 40 50 60 70 100 200 300 400 500 600 700 1100 1500

ELIMINATED ITEMS – SUBSTITUTE/RECOMMENDED ITEMS

ELIMINATED ITEM
SUBSTITUTE ITEM
RECOMMENDED ITEM

357	003570001	357 F3	003570100
392 A	003920001	392 C	003920100
392 A/RG	003920051		
434 ASFNR6	004340301		
434 ASFNR8	004340302		
434 ASFNR10	004340303		
434 ASFNR12	004340304		
434 ASF1/4	004340305	433 ASF1/4	004330301
434 ASF5/16	004340306	433 ASF5/16	004330302
434 ASF3/8	004340307	433 ASF3/8	004330303
434 ASF7/16	004340308	433 ASF7/16	004330304
434 ASF1/2	004340309	433 ASF1/2	004330305
434 ASF9/16	004340310	433 ASF9/16	004330306
434 ASF5/8	004340311	433 ASF5/8	004330307
434 ASF3/4	004340312	433 ASF3/4	004330308
434 ASF7/8	004340313	433 ASF7/8	004330309
434 ASF1"	004340314	433 ASF1"	004330310
434 ASG1/8	004340401	433 ASG1/8	004330401
434 ASG1/4	004340402	433 ASG1/4	004330402
434 ASG3/8	004340403	433 ASG3/8	004330403
434 ASG1/2	004340404	433 ASG1/2	004330405
434 ASG5/8	004340405		
434 ASG3/4	004340406	433 ASG3/4	004330408
434 ASG7/8	004340407		
434 ASG1"	004340408	433 ASG1"	004330410
442 ASG1/8	004420255	440 ASG1/8	004400255
442 ASG1/4	004420256	440 ASG1/4	004400256
442 ASG3/8	004420257	440 ASG3/8	004400257
442 ASG1/2	004420258	440 ASG1/2	004400259
442 ASG5/8	004420259		
442 ASG3/4	004420260	440 ASG3/4	004400260
442 ASG7/8	004420261		
442 ASG1"	004420262	440 ASG1"	004400261
604 /5	006040001	604B /5	006040015
667 /C3	006670240	667 /40	006670140
855	008550001	855 P	008550010
861 /C26	008610950		
900 /C30	009000958	860 /C38P	008600878
920 TX/LS4	009200544	920 TX/L SB6	009200543
960 I	009600220		
980	009800003		
1080 140	010800004	1080 D15	010800015
1080 160	010800006	1080 D15	010800015
1081 S140	010810014	1082 140	010820004
1081 S160	010810016	1082 160	010820006
1088 140	010880004	1088 160	010880006
1088 BM140	010880034	1088 BM160	010880036
1151 S160	011510016	1150 160	011500006
1151 S180	011510018	1150 180	011500008
1151 S200	011510020	1150 200	011500010
1227 2,5X60	012270010	1257LP 3,0	012570030
1227 3X75	012270020	1257LP 3,5	012570035
1227 3X100	012270030		
1228 3X75	012280030	1257PH 0	012570063
1290 3X125	012900015	1290 3X100	012900012
1290 3,5X125	012900024	1290 3,5X100	012900021
1290 4X75	012900027	1290 3,5X75	012900018
1290 5,5X200	012900045	1290 5,5X150	012900042
1290 6,5X200	012900054	1290 6,5X150	012900051
1290 10X150	012900063	1290 10X200	012900066
1290 E 5,5X125	012900153		
1290 E 6,5X150	012900156	1260 E 6,5	012600156
1290 E 10X175	012900159	1260 E 10	012600159
1290 E 12X200	012900162	1260 E 12	012600162
1290 /S9	012900309	1290 /S9X	012900319
1292 4,5X150	012920015	1292 4,5X120	012920012
1292 6X200	012920023	1292 6X150	012920021
1292 E 6X150	012920153	1262 PH2 E6	012620153
1292 E 8X175	012920156	1262 PH3 E8	012620156
1292 E 10X200	012920159	1262 PH4 E10	012620159
1293 /S8PZ	012930205	1299 PZ/S6	012990306
1293 /S8H	012930209	1293 /S7	012930207
1293 /D11	012930405	1293 /S10	012930201
1293 /D7	012930407	1299 PZ/S6	012990306
1293 /D8H	012930411	1293 /S7	012930207
1294 5X150	012940021	1294 6,5X150	012940027
1294 5X200	012940024	1294 6,5X150	012940027
1294 8X150	012940030	1294 6,5X150	012940027
1294 L 2,5X200	012940203	1294 L 3X300	012940206
1294 L 5X300	012940212	1294 L 5X400	012940215
1454	014540001		
1461 /C3	014610030	1461 /C3B	014610031
1461 /C5	014610050	1461 /C5G	014610052
1461 /C5A	014610051		
1461 /C6	014610060	1461 /C6G	014610062
1461 /C7	014610070	1461 /C7B	014610071
1461 /C8	014610080	1461 /C8G	014610082
1461 /C9	014610090	1461 /C9B	014610091
1461 /C10	014610100	1461 /C18B	014610181
1461 /C11	014610110	1461 /C11G	014610112
1461 /C12	014610120	1461 /C12G	014610122
1461 R6/K3	014610601		
1472 FS	014720110	1472 FC	014720090
1476 B/1	014760020		
1479 TF	014790005		
1493 67-L14	014930204		
1530 B	015300011		
1530 /3	015300030	1530 /C5	015300300
1530 /4	015300040	1530 /C5	015300300
1531 /3	015310001	1530 /C5	015300300
1531 /4	015310002	1530 /C5	015300300
1531 /5	015310003	1530 /C5	015300300
1531 B	015310201		
1555 M	015550010		
1695	016950000		
1739 A	017390101	1739 B	017390151
1759 HD/2	017590062	1759 HD/3	017590063
1778 C	017780020	1778 W	017780025
1838 G	018380200	1838 LED/120	018380250
1842 BM	018420101	1842 XBM	018420201
1842 ABM	018420111	1842 XABM	018420211
1846 BM	018460101	1846 XBM	018460201
1846 ABM	018460111	1846 XABM	018460211
1846 R/BM	018460131	1846 R/XBM	018460231
1847	018470001	1847 P	018470010
1927 MCD	019270027	1927 MDA	019270028
1936 /5P	019360035	1936 /5A	019360025
1946 B	019460007	1946C 7,8	019460008
2011 ET/A	020110117	2011 ET/A	020110127
2011 ET/B	020110119	2011 ET/B	020110129
2029 ET/B	020290211	2029 ET/B	020290221
2029 BG-MQ	020290251	2029 BG-MQ	020290261
2032 ET/A	020320107	2032 ET/A	020320117
2032T ET/A	020320207	2032T ET/A	020320227
2033 ET/B	020330107	2033 ET/B	020330117
2034 ET/A	020340104	2034 ET/A	020340114
2036 ET/B	020360113	2036 ET/B	020360123
2055	020550200	2055 HB	020550210
2300 ST-O/VG1T	023000681	2300 ST-O/VG1M	023000685
2300 ST-G/VG1T	023000682	2300 ST-G/VG1M	023000686
2300 ST-R/VG1T	023000683	2300 ST-R/VG1M	023000687
2400 SL-O/VI3	024002404		
2400 SL-G/VI3	024002405		
2400 SL-R/VI3	024002406		
2400 SL-O/VG4T	024002427		
2400 SL-G/VG4T	024002428		
2400 SL-R/VG4T	024002429		
2400 S5-O/VG3	024002524		
2400 S5-G/VG3	024002525		
2400 S5-R/VG3	024002526		
2400 S6-O/VG3	024002634		
2400 S6-G/VG3	024002635		
2400 S6-R/VG3	024002636		
2400 S7-O/VI2T	024002704		
2400 S7-G/VI2T	024002705		
2400 S7-R/VI2T	024002706		
2400 SA7-O/VI2T	024002707		
2400 SA7-G/VI2T	024002708		
2400 SA7-R/VI2T	024002709		
2400 S7-O/VI3	024002714		
2400 S7-G/VI3	024002715		
2400 S7-R/VI3	024002716		
2400 SA7-O/VI3	024002717		
2400 SA7-G/VI3	024002718		
2400 SA7-R/VI3	024002719		
2400 S7-O/VG1T	024002724	2400 S7-O/VG1M	024002741
2400 S7-G/VG1T	024002725	2400 S7-G/VG1M	024002742
2400 S7-R/VG1T	024002726	2400 S7-R/VG1M	024002743
2400 SA7-O/VG1T	024002727	2400 SA7-O/VG1M	024002754
2400 SA7-G/VG1T	024002728	2400 SA7-G/VG1M	024002755
2400 SA7-R/VG1T	024002729	2400 SA7-R/VG1M	024002756
2400 S8-O/VI2T	024002804	2400 S8-O/VI2T	024002807
2400 S8-G/VI2T	024002805	2400 S8-G/VI2T	024002808
2400 S8-R/VI2T	024002806	2400 S8-R/VI2T	024002809
2424 T152	024240152	2424 T155	024240155
2500 /VG0	025000080		
2500 /VG2	025000083	2500 /VG2	025000084
2800 O/VI1	028000314		
2800 G/VI1	028000315		
2800 R/VI1	028000316		
2800 O/VG1	028000334		
2800 G/VG1	028000335		
2800 R/VG1	028000336		
2800 O/VG2	028000344	2800 O/VG2T	028000347
2800 G/VG2	028000345	2800 G/VG2T	028000348
2800 R/VG2	028000346	2800 R/VG2T	028000349
C30	030000001	C30 S	030000100
3000 /VI1	030000081		
3000 /VI3	030000092	3000 /VI3T	030000093
3000 /VG3	030000095	3000 /VG3T	030000097
3800 O/U2	038000065	3800 O/U2T	038000068
3800 G/U2	038000066	3800 G/U2T	038000069
3800 R/U2	038000067	3800 R/U2T	038000070
C38 A-O	038000301	C38 O	038000001
C38 A-R	038000302	C38 R	038000002
C38 A-G	038000303	C38 G	038000003
3900 O-7/VI2T	039000134		
3900 G-7/VI2T	039000135		
3900 R-7/VI2T	039000136		
3900 O-7/VG1T	039000144	3900 O-7/VG1M	039000147
3900 G-7/VG1T	039000145	3900 G-7/VG1M	039000148
3900 R-7/VG1T	039000146	3900 R-7/VG1M	039000149
3900 O-7/VG4T	039000167		
3900 G-7/VG4T	039000168		
3900 R-7/VG4T	039000169		
3900 O-8/VI2T	039000174	3900 O-8/VI2T	039000177
3900 G-8/VI2T	039000175	3900 G-8/VI2T	039000178
3900 R-8/VI2T	039000176	3900 R-8/VI2T	039000179
3939 SM-O/VG1T	039390201		
3939 SM-G/VG1T	039390202		
3939 SM-R/VG1T	039390203		
3939 MD-O/VG1T	039390251		
3939 MD-G/VG1T	039390252		
3939 MD-R/VG1T	039390253		
4100S /M2	041000084	4100S /SBK	041000104
4100H /M2	041000094	4100H /SBK	041000114
5904 VI/2T	059040162	5904 VI/2T	059040163
5904 VI/3	059040166	5904 VI/3T	059040167
5904 VG/1T	059040194	5904 VG/1M	059040197
5904 VG/4T	059040195		
5905 VG/2	059050143	5905 VG/2	059050144
5905 VG/0	059050162		

ELIMINATED ITEMS – SUBSTITUTE/RECOMMENDED ITEMS

ELIMINATED ITEM
SUBSTITUTE ITEM
RECOMMENDED ITEM

5908 VI/1	059080100		
5908 VG/1	059080110		
5908 VG/2	059080115	5908 VG/2T	059080117
5910 VI/3	059100052	5910 VI/3T	059100062
5910 VG/3	059100057	5910 VG/3T	059100067
5938 U2	059380061	5938 U2T	059380062
5940 M2	059400061	5940 SBK	059400071
5980 BG/MQ	059800224	5980 MQ	059800254
5980 ET/A	059800231	5980 ET/A	059800261
5980 ET/B	059800233	5980 ET/B	059800263
7195 MA	071950003	7195 A	071950004
7244B 35	072440235	7243C 35	072430335
7244B 36	072440236	7243C 36	072430336
7244B 37	072440237	7243C 37	072430337
7244B 38	072440238	7243C 38	072430338
7244B 39	072440239	7243C 39	072430339
7244B 40	072440240	7243C 40	072430340
7244B 41	072440241	7243C 41	072430341
7244B 42	072440242	7243C 42	072430342
7244B 43	072440243	7243C 43	072430343
7244B 44	072440244	7243C 44	072430344
7244B 45	072440245	7243C 45	072430345
7244B 46	072440246	7243C 46	072430346
7244B 47	072440247	7243C 47	072430347
7244B 48	072440248	7243C 48	072430348
7250NK 38	072500138	7250NKK 38	072500238
7250NK 39	072500139	7250NKK 39	072500239
7250NK 40	072500140	7250NKK 40	072500240
7250NK 41	072500141	7250NKK 41	072500241
7250NK 42	072500142	7250NKK 42	072500242
7250NK 43	072500143	7250NKK 43	072500243
7250NK 44	072500144	7250NKK 44	072500244
7250NK 45	072500145	7250NKK 45	072500245
7250NK 46	072500146	7250NKK 46	072500246
7250NK 47	072500147	7250NKK 47	072500247
7251NK 38	072510138	7251NKK 38	072510238
7251NK 39	072510139	7251NKK 39	072510239
7251NK 40	072510140	7251NKK 40	072510240
7251NK 41	072510141	7251NKK 41	072510241
7251NK 42	072510142	7251NKK 42	072510242
7251NK 43	072510143	7251NKK 43	072510243
7251NK 44	072510144	7251NKK 44	072510244
7251NK 45	072510145	7251NKK 45	072510245
7251NK 46	072510146	7251NKK 46	072510246
7251NK 47	072510147	7251NKK 47	072510247
7256NA 38	072560138	7254NA 38	072540138
7256NA 39	072560139	7254NA 39	072540139
7256NA 40	072560140	7254NA 40	072540140
7256NA 41	072560141	7254NA 41	072540141
7256NA 42	072560142	7254NA 42	072540142
7256NA 43	072560143	7254NA 43	072540143
7256NA 44	072560144	7254NA 44	072540144
7256NA 45	072560145	7254NA 45	072540145
7256NA 46	072560146	7254NA 46	072540146
7256NA 47	072560147	7254NA 47	072540147
7257NA 38	072570138	7255NA 38	072550138
7257NA 39	072570139	7255NA 39	072550139
7257NA 40	072570140	7255NA 40	072550140
7257NA 41	072570141	7255NA 41	072550141
7257NA 42	072570142	7255NA 42	072550142
7257NA 43	072570143	7255NA 43	072550143
7257NA 44	072570144	7255NA 44	072550144
7257NA 45	072570145	7255NA 45	072550145
7257NA 46	072570146	7255NA 46	072550146
7257NA 47	072570147	7255NA 47	072550147
7263NK 38	072630038	7263RK 38	072630138
7263NK 39	072630039	7263RK 39	072630139
7263NK 40	072630040	7263RK 40	072630140
7263NK 41	072630041	7263RK 41	072630141
7263NK 42	072630042	7263RK 42	072630142
7263NK 43	072630043	7263RK 43	072630143
7263NK 44	072630044	7263RK 44	072630144
7263NK 45	072630045	7263RK 45	072630145
7263NK 46	072630046	7263RK 46	072630146
7263NK 47	072630047	7263RK 47	072630147
7264NK 38	072640038	7264RK 38	072640138
7264NK 39	072640039	7264RK 39	072640139
7264NK 40	072640040	7264RK 40	072640140
7264NK 41	072640041	7264RK 41	072640141
7264NK 42	072640042	7264RK 42	072640142
7264NK 43	072640043	7264RK 43	072640143
7264NK 44	072640044	7264RK 44	072640144
7264NK 45	072640045	7264RK 45	072640145
7264NK 46	072640046	7264RK 46	072640146
7264NK 47	072640047	7264RK 47	072640147
7300AKK 36	073000136	7300BKK 36	073000236
7300AKK 37	073000137	7300BKK 37	073000237
7300AKK 38	073000138	7300BKK 38	073000238
7300AKK 39	073000139	7300BKK 39	073000239
7300AKK 40	073000140	7300BKK 40	073000240
7300AKK 41	073000141	7300BKK 41	073000241
7300AKK 42	073000142	7300BKK 42	073000242
7300AKK 43	073000143	7300BKK 43	073000243
7300AKK 44	073000144	7300BKK 44	073000244
7300AKK 45	073000145	7300BKK 45	073000245
7300AKK 46	073000146	7300BKK 46	073000246
7300AKK 47	073000147	7300BKK 47	073000247
7300AKK 48	073000148	7300BKK 48	073000248
7300CKK 36	073000336		
7300CKK 37	073000337		
7300CKK 38	073000338		
7300CKK 39	073000339		
7300CKK 40	073000340		
7300CKK 41	073000341		
7300CKK 42	073000342		
7300CKK 43	073000343		
7300CKK 44	073000344		
7300CKK 45	073000345		
7300CKK 46	073000346		
7300CKK 47	073000347		
7300CKK 48	073000348		
7300A 36	073000436	7300B 36	073000536
7300A 37	073000437	7300B 37	073000537
7300A 38	073000438	7300B 38	073000538
7300A 39	073000439	7300B 39	073000539
7300A 40	073000440	7300B 40	073000540
7300A 41	073000441	7300B 41	073000541
7300A 42	073000442	7300B 42	073000542
7300A 43	073000443	7300B 43	073000543
7300A 44	073000444	7300B 44	073000544
7300A 45	073000445	7300B 45	073000545
7300A 46	073000446	7300B 46	073000546
7300A 47	073000447	7300B 47	073000547
7300A 48	073000448	7300B 48	073000548
7302AKK 36	073020336		
7302AKK 37	073020337		
7302AKK 38	073020338		
7302AKK 39	073020339		
7302AKK 40	073020340		
7302AKK 41	073020341		
7302AKK 42	073020342		
7302AKK 43	073020343		
7302AKK 44	073020344		
7302AKK 45	073020345		
7302AKK 46	073020346		
7302AKK 47	073020347		
7302AKK 48	073020348		
7302A 36	073020436		
7302A 37	073020437		
7302A 38	073020438		
7302A 39	073020439		
7302A 40	073020440		
7302A 41	073020441		
7302A 42	073020442		
7302A 43	073020443		
7302A 44	073020444		
7302A 45	073020445		
7302A 46	073020446		
7302A 47	073020447		
7302A 48	073020448		
7316KKB 35	073160335	7313KKC 35	073130535
7316KKB 36	073160336	7313KKC 36	073130536
7316KKB 37	073160337	7313KKC 37	073130537
7316KKB 38	073160338	7313KKC 38	073130538
7316KKB 39	073160339	7313KKC 39	073130539
7316KKB 40	073160340	7313KKC 40	073130540
7316KKB 41	073160341	7313KKC 41	073130541
7316KKB 42	073160342	7313KKC 42	073130542
7316KKB 43	073160343	7313KKC 43	073130543
7316KKB 44	073160344	7313KKC 44	073130544
7316KKB 45	073160345	7313KKC 45	073130545
7316KKB 46	073160346	7313KKC 46	073130546
7316KKB 47	073160347	7313KKC 47	073130547
7316KKB 48	073160348	7313KKC 48	073130548
7323KK 35	073230135		
7323KK 36	073230136		
7323KK 37	073230137		
7323KK 38	073230138		
7323KK 39	073230139		
7323KK 40	073230140		
7323KK 41	073230141		
7323KK 42	073230142		
7323KK 43	073230143		
7323KK 44	073230144		
7323KK 45	073230145		
7323KK 46	073230146		
7323KK 47	073230147		
7323KK 48	073230148		
7325KK 35	073250135		
7325KK 36	073250136		
7325KK 37	073250137		
7325KK 38	073250138		
7325KK 39	073250139		
7325KK 40	073250140		
7325KK 41	073250141		
7325KK 42	073250142		
7325KK 43	073250143		
7325KK 44	073250144		
7325KK 45	073250145		
7325KK 46	073250146		
7325KK 47	073250147		
7325KK 48	073250148		
7328 38	073280038	7328EA 38	073280538
7328 39	073280039	7328EA 39	073280539
7328 40	073280040	7328EA 40	073280540
7328 41	073280041	7328EA 41	073280541
7328 42	073280042	7328EA 42	073280542
7328 43	073280043	7328EA 43	073280543
7328 44	073280044	7328EA 44	073280544
7328 45	073280045	7328EA 45	073280545
7328 46	073280046	7328EA 46	073280546
7328 47	073280047	7328EA 47	073280547
7328 N38	073280238	7328EN 38	073280738
7328 N39	073280239	7328EN 39	073280739
7328 N40	073280240	7328EN 40	073280740
7328 N41	073280241	7328EN 41	073280741
7328 N42	073280242	7328EN 42	073280742
7328 N43	073280243	7328EN 43	073280743
7328 N44	073280244	7328EN 44	073280744
7328 N45	073280245	7328EN 45	073280745
7328 N46	073280246	7328EN 46	073280746
7328 N47	073280247	7328EN 47	073280747

ELIMINATED ITEMS – SUBSTITUTE/RECOMMENDED ITEMS

ELIMINATED ITEM
SUBSTITUTE ITEM
RECOMMENDED ITEM

7329NV 38	073290438	7330NV 38	073300438
7329NV 39	073290439	7330NV 39	073300439
7329NV 40	073290440	7330NV 40	073300440
7329NV 41	073290441	7330NV 41	073300441
7329NV 42	073290442	7330NV 42	073300442
7329NV 43	073290443	7330NV 43	073300443
7329NV 44	073290444	7330NV 44	073300444
7329NV 45	073290445	7330NV 45	073300445
7329NV 46	073290446	7330NV 46	073300446
7329NV 47	073290447	7330NV 47	073300447
7329NV 48	073290448	7330NV 48	073300448
7333 36	073330136		
7333 37	073330137		
7333 38	073330138		
7333 39	073330139		
7333 40	073330140		
7333 41	073330141		
7333 42	073330142		
7333 43	073330143		
7333 44	073330144		
7333 45	073330145		
7333 46	073330146		
7333 47	073330147		
7333 48	073330148		
7398 C36	073980436	7398ST 36	073981036
7398 C37	073980437	7398ST 37	073981037
7398 C38	073980438	7398ST 38	073981038
7398 C39	073980439	7398ST 39	073981039
7398 C40	073980440	7398ST 40	073981040
7398 C41	073980441	7398ST 41	073981041
7398 C42	073980442	7398ST 42	073981042
7398 C43	073980443	7398ST 43	073981043
7398 C44	073980444	7398ST 44	073981044
7398 C45	073980445	7398ST 45	073981045
7398 C46	073980446	7398ST 46	073981046
7398 C47	073980447	7398ST 47	073981047
7398 C48	073980448	7398ST 48	073981048
7398 FT36	073980736	7398CX 36	073980936
7398 FT37	073980737	7398CX 37	073980937
7398 FT38	073980738	7398CX 38	073980938
7398 FT39	073980739	7398CX 39	073980939
7398 FT40	073980740	7398CX 40	073980940
7398 FT41	073980741	7398CX 41	073980941
7398 FT42	073980742	7398CX 42	073980942
7398 FT43	073980743	7398CX 43	073980943
7398 FT44	073980744	7398CX 44	073980944
7398 FT45	073980745	7398CX 45	073980945
7398 FT46	073980746	7398CX 46	073980946
7398 FT47	073980747	7398CX 47	073980947
7398 FT48	073980748	7398CX 48	073980948
7411 S	074110001	7410 S	074100001
7411 M	074110002	7410 M	074100002
7411 L	074110003	7410 L	074100003
7411 XL	074110004	7410 XL	074100004
7412 S	074120001	7410 S	074100001
7412 M	074120002	7410 M	074100002
7412 L	074120003	7410 L	074100003
7412 XL	074120004	7410 XL	074100004
7414 S	074140001	7410 S	074100001
7414 M	074140002	7410 M	074100002
7414 L	074140003	7410 L	074100003
7414 XL	074140004	7410 XL	074100004
7543BL /XS	075430000		
7543BL /S	075430001		
7543BL /M	075430002		
7543BL /L	075430003		
7543BL /XL	075430004		
7543BL /XXL	075430005		
7543BL /XXXL	075430006		
7543B /XS	075430100		
7543B /S	075430101		
7543B /M	075430102		
7543B /L	075430103		
7543B /XL	075430104		
7543B /XXL	075430105		
7543B /XXXL	075430106		
7549BL /XS	075490000	7547BL XS	075470000
7549BL /S	075490001	7547BL S	075470001
7549BL /M	075490002	7547BL M	075470002
7549BL /L	075490003	7547BL L	075470003
7549BL /XL	075490004	7547BL XL	075470004
7549BL /XXL	075490005	7547BL XXL	075470005
7549BL /XXXL	075490006	7547BL XXXL	075470006
7549G /XS	075490100	7547G XS	075470100
7549G /S	075490101	7547G S	075470101
7549G /M	075490102	7547G M	075470102
7549G /L	075490103	7547G L	075470103
7549G /XL	075490104	7547G XL	075470104
7549G /XXL	075490105	7547G XXL	075470105
7549G /XXXL	075490106	7547G XXXL	075470106
7619N /S	076190001		
7619N /M	076190002		
7619N /L	076190003		
7619N /XL	076190004		
7619N /XXL	076190005		
7619N /XXXL	076190006		
7621 BLU/XS	076210100	7622G XS	076220000
7621 BLU/S	076210101	7622G S	076220001
7621 BLU/M	076210102	7622G M	076220002
7621 BLU/L	076210103	7622G L	076220003
7621 BLU/XL	076210104	7622G XL	076220004
7621 BLU/XXL	076210105	7622G XXL	076220005
7621 BLU/XXXL	076210106	7622G XXXL	076220006
7631 BLU/XS	076310100	7632G XS	076320000
7631 BLU/S	076310101	7632G S	076320001
7631 BLU/M	076310102	7632G M	076320002
7631 BLU/L	076310103	7632G L	076320003
7631 BLU/XL	076310104	7632G XL	076320004
7631 BLU/XXL	076310105	7632G XXL	076320005
7631 BLU/XXXL	076310106	7632G XXXL	076320006
7640 D-GREY/XS	076400100	7641G XS	076410100
7640 D-GREY/S	076400101	7641G S	076410101
7640 D-GREY/M	076400102	7641G M	076410102
7640 D-GREY/L	076400103	7641G L	076410103
7640 D-GREY/XL	076400104	7641G XL	076410104
7640 D-GREY/XXL	076400105	7641G XXL	076410105
7640 D-GREY/XXXL	076400106	7641G XXXL	076410106
7640 D-BLUE/XS	076400120	7641BL XS	076410000
7640 D-BLUE/S	076400121	7641BL S	076410001
7640 D-BLUE/M	076400122	7641BL M	076410002
7640 D-BLUE/L	076400123	7641BL L	076410003
7640 D-BLUE/XL	076400124	7641BL XL	076410004
7640 D-BLUE/XXL	076400125	7641BL XXL	076410005
7640 D-BLUE/XXXL	076400126	7641BL XXXL	076410006
7680N /S	076800001	7682BL S	076820001
7680N /M	076800002	7682BL M	076820002
7680N /L	076800003	7682BL L	076820003
7680N /XL	076800004	7682BL XL	076820004
7680N /XXL	076800005	7682BL XXL	076820005
7680N /XXXL	076800006	7682BL XXXL	076820006
7695BL /S	076950001	7780N S	077800001
7695BL /M	076950002	7780N M	077800002
7695BL /L	076950003	7780N L	077800003
7695BL /XL	076950004	7780N XL	077800004
7695BL /XXL	076950005	7780N XXL	077800005
7695BL /XXXL	076950006	7780N XXXL	077800006
7908 E/M	079080902		
7908 E/XL	079080904		
7917Y /XS	079170100		
7917Y /S	079170101		
7917Y /M	079170102		
7917Y /L	079170103		
7917Y /XL	079170104		
7917Y /XXL	079170105		
7917Y /XXXL	079170106		
7919Y /XS	079190100		
7919Y /S	079190101		
7919Y /M	079190102		
7919Y /L	079190103		
7919Y /XL	079190104		
7919Y /XXL	079190105		
7919Y /XXXL	079190106		
8020 2-3K	080200103	8020 2-3	080200003
8020 4K	080200104	8020 4	080200004
8020 5K	080200105	8020 5	080200005
8020 6K	080200106	8020 6	080200006
8020 8K	080200108	8020 8	080200008
8020 10K	080200110	8020 10	080200010
8020 12K	080200112	8020 12	080200012
8020 14K	080200114	8020 14	080200014
8020 16K	080200116	8020 16	080200016
8020 18K	080200118	8020 18	080200018
8020 20K	080200120	8020 20	080200020
8020 22K	080200122	8020 22	080200022
8020 25K	080200125	8020 25	080200025
8020 28K	080200128	8020 28	080200028
8041E AL ZM8	080410108	8040EZ 8	080400408
8041E AL ZM10	080410110	8040EZ 10	080400410
8041E AL ZM12	080410112	8040EZ 12	080400412
8041E AL ZM14	080410114	8040EZ 14	080400414
8041E AL ZM16	080410116	8040EZ 16	080400416
8041E AL ZM18	080410118	8040EZ 18	080400418
8041E AL ZM20	080410120	8040EZ 20	080400420
8041E AL ZM22	080410122	8040EZ 22	080400422
8041E AL ZM24	080410124	8040EZ 24	080400424
8043E AL ZM8	080430108	8042EZ 8	080420408
8043E AL ZM10	080430110	8042EZ 10	080420410
8043E AL ZM12	080430112	8042EZ 12	080420412
8043E AL ZM14	080430114	8042EZ 14	080420414
8043E AL ZM16	080430116	8042EZ 16	080420416
8043E AL ZM18	080430118	8042EZ 18	080420418
8043E AL ZM20	080430120	8042EZ 20	080420420
8043E AL ZM22	080430122	8042EZ 22	080420422
8043E AL ZM24	080430124	8042EZ 24	080420424
8044 M18	080440018		
8044 M22	080440022		
8044 M27	080440027		
8044 M36	080440036		
8044 M42	080440042		
8050 D18	080500962		
8050 D19	080500963		
8050 D20	080500964		
8050 D21	080500965		
8069 1000	080690010		
8069 2000	080690020		
8069 3000	080690030		
8069 4000	080690040		
8069 5000	080690050		
8069 6000	080690060		
8069 8000	080690080		
9506 S	095060001		
9506 M	095060002		
9506 L	095060003		
9506 XL	095060004		
9506 XXL	095060005		

Index

	408
Adjustable wrenches	20-21, 177, 185
Amperometric clamps	163-164
Assortments of tools in thermoformed trays	291÷306
Automatic cable reels with inspection lamps	170-171
Automatic hose reel for compressed air or cold water	200
Barrel pumps	172
Beta Collection	**390÷399**
BetaEasy screwdrivers	104÷106
BetaGrip screwdrivers	109÷112, 179
BetaMax screwdrivers	112÷114, 181, 187
Bevel protractor	149
Bit reamers	154
Bits and bit holders	21-22, 56÷62, 107-108, 111, 177
Bits for drilling, threading and countersinking	37
Blister pack range	**309÷317**
Bolt cutters	97
Bonding guns	160
Bottle holders	218-219
Bristle brush	158
Brushes	158, 188
Cable cutters	100
Cable cutters for steel cables	100
Cable stripping tools and wire stripping pliers	100-101
Callipers	149-150
Cape chisels	10
Carpenter's pencil	151
Centre punches	9
Chalk line reels and powder	153
Circlip pliers	93
Combination pliers	101, 178, 187
Combination wrenches	10-11,21-22,181,183
Crimping pliers for terminals and terminals	143÷146
Crowfoot wrenches, 3/8" square drive	68
Cutting nippers for electronic purposes	103-104
Desoldering pumps	168
Diagonal and end cutting nippers	96-97, 103-104,,178,187
Dial indicators	148
Dies and assortments	37÷41
Digital litre counter for oil	173
Digital tachometer	164
Display units for sales points	**318÷329**
Double ended hexagon / bi-hex offset socket wrenches	82-83, 186
Double swivel end socket wrenches	13-14
Double-ended offset ring wrench for scaffolding bolts	15, 184
Drift punches	9, 183
Ear protectors	368
Electrician's scissors	99-100
Electronic torque meter with Dynatester transducer	45, 50
Engineer's scribers	150
Extractors for damaged screws and studs	120-121
Extra-flat chisels with straight cutters	98-116
Files	34, 116, 154÷157, 188

Index

	📖
Filtering mask	368
Fitting tool for ties and ties	160
Fixed frame hacksaw	157
Flare nut open ring wrenches	15, 21
Flat chisels	9-10, 183
Flexible magnetic pickup tools	153
Flexible pickup tools	153
Fluid extractor	172
Friction tape	146
Gas welding handles	23-24
Graduated rules	150
Hacksaw frames and blades	157-158, 188
Hammers	116÷120, 187-188
Hand crimper steel matrix	96
Hand punch steel punch and matrix	96
Hand sockets, accessories and assortments, 1/4"	62÷66
Hand sockets, accessories and assortments, 3/8"	66÷71
Hand sockets, accessories and assortments, 1/2"	71÷79, 177, 185
Hand sockets, accessories and assortments, 3/4"	79-80, 185-186
Hand sockets, accessories and assortments, 1"	81
Hand taps and assortments	34÷37, 39÷41
Heat guns	171-172
Heating plates for manual straight and slanted welding of plastic pipes	23
Heavy-duty cable cutters	98
Hi-torque hexagon nut spinners with handles	84-85, 177-178
Holesaws and hole cutters and accessories	41÷43
Hook wrenches	20, 185
Hot glue guns	172
Hub and wheel drum pullers	137
Hydraulic press	141, 174
Hydraulic pullers	141
Impact screwdrivers	114
Impact sockets, accessories and assortments	50÷56, 186-187
Inspection mirrors	154
Insulated tools, 1000V	**176÷179**
Insulating gloves	179
Insulating mat	179
Knives	167, 179, 188
Lamps	169÷171, 243
Lever clamps	142
Lever operated grease guns	161
Lifting airbag	167
Locking wire pliers	164
Long and extra-long nose pliers	92-93, 101-102, 178-179, 187
Lump hammers	119, 187
Magnetic tool holders	165
Magnetizer/demagnetizer	104
Mains testing screwdrivers	107
Masonry chisels	152,188
Measuring tapes	151
Metric feeler gauges	153
Micrometers	147-148
Microscrewdrivers	107-108
Mobile roller cabs	210÷220, 223÷232

Index

Mobile workstation	223
Morse taper extractors	34
Multimeters	163-164
Nut splitters	153
Nylon clamps	160
Nylon wire puller	146
Offset key wrenches for hexagon and Torx® head screws, with high torque handles	18÷20,105-106, 108÷114, 181
Offset key wrenches for hexagon and Torx® head screws	16÷20,181,184-185
Offset key wrenches with XZN® profile	20
Offset screwdrivers	106
Oil cans	161-162
Oil gun	172
Panel toolholders	240÷244
Paper roll holders	218-219
Parallel bench vices	142-143
Pen oiler	162
Pin punches	9, 183
Pincers	97
Pipe benders	29
Pipe cutters	24-25, 185
Pipe reamers	26
Pipe wrenches	28-29, 185
Pivoting clamp vices, for plumbing purposes	30
Pliers for electronic purposes	102÷104
Plumbing tools	23÷30
Pneumatic tools and accessories	**189÷202**
Polywelders and forms	23
Portable tool chests	209-210, 225, 230
Protractors	149
Pry bars	89-90, 152-153, 186
Pullers	135÷139, 141
Punch press	146-147
Punches	98
Radius gauges	153
Ratcheting wrenches	21÷23, 128
Ratchet-type shears for PVC pipes	25-26
Reversible screwdrivers	111-112
Revolving punch pliers	165
Ring wrenches	13÷15, 22-23, 128,177, 184
Riveting pliers and rivets	158÷160
Robur wire rope accessories	**370÷389**
Safety footwear	**332÷353**
Safety goggles	368
Scissors	99-100,167,178,188
Scrapers	128-129,154,166,188
Screw clamps	142
Screw pitch gauge	153
Screwdrivers with steel heads	106-107
Screwholding screwdrivers	107
Self-locking pliers	94÷96, 125, 128
Shears	98-99
Single and double open end wrenches	11÷13, 177, 183
Sledge hammers	119, 187
Slip joint pliers, boxed joints	94, 101, 178, 186

Index

	🕮
Slogging wrenches	13, 183-184
Soft face hammers	119-120, 188
Soldering irons	167-168
Sparkproof pick	188
Sparkproof safety valve wrenches	186
Sparkproof shovel	188
Sparkproof tools	**182÷188**
Special end mills for welding	33
Spirit levels and levelling staffs	151-152
Spring puller	157
Spring tweezers	91-92,178
Squares	148-149
Stainless steel helicoids	37
Stainless steel tools	**180÷181**
Stepped drills	33-34
Suction lifters	165
Support for impact wrenches	219
Tap wrenches and die stocks	36-37, 39
T-handle socket wrenches for hexagon and Torx® head screws	84÷87
T-handle wrenches with three male ends for hexagon and Torx® head screws	85-86, 176
Thermoformed tool trays	291÷306
Thermometers	164-165
Three-leg pullers	136-137, 141
Tool accessories for cabinets, drawers and panels	306÷308
Tool assortments	248÷290
Tool bags	204÷207
Tool boxes	207-208, 235
Tool cabinets	236, 238-239
Tool cases	204÷207
Tool chest trolleys	211
Tool pouches with belts	204
Tool rucksack	206
Tool trolleys, 2 wheels	205-206, 233-234
Tool trolleys, 4 wheels	220÷222, 236-237
Tool trunks	208
Torches	169
Torque angle indicators	46
Torque bars	47÷49
Torque multipliers	43÷45
Torque screwdrivers	44-45
Torque wrenches and bars	45÷50, 177
Tube flaring pliers	26-27
Tube flaring tools	26-27
Tubular socket wrenches	82-83, 86
Twist drills with cylindrical shanks	30÷33
Two-leg pullers	135÷137, 141
Utility knives	166-167
Voltage tester	133, 171
Welding machines	172
Wood rip saw	158
Workbenches	240÷247
Workshop verniers	147
Workwear	354÷369

Index of car vehicle tools

	🕮
Acid densimeter, glass body	162
Adjustable body blade holders with flexible flat blades	116
Adjustable self-locking pliers for brake hoses	125
Antifreeze densimeter, glass body	162
Ball joint pullers	140
Battery chargers	134
Battery fillers	162
Battery lug and post cleaner steel brush	158
Brake fluid extractor	125
Brake fluid tester	125
Brake spring pliers	126
Chain opening tool	141
Claw hammers	116-117
Compressors for shock absorber springs	139-140
Cooling system seal testers	162
Creepers	173
Curved angled spoons	115-116
Diesel injector test and calibrating hand pump	88
Digital common rail high pressure tester	89
Dollies	114-115
Engine brackets	174
Engine oil-filter wrenches	130-131
Exhaust pipe expanders	128
External butt-ended circlip pliers	122
Folding hydraulic crane	174
Four-way hexagon wheel nut wrenches	91
Gas oil filter wrenches	132
Gauge for tyre threads	153
Heavy vehicle tools	90, 140
Heavy vehicle wheel hub nut locking sockets	90
Homokinetic joint pullers	141
Hose clamp pliers	127
Hose pliers	129
Hydraulic bottle jacks	174
Hydraulic car jack with 6 wheels	175
Hydraulic pit and under bridge jack	174
Hydraulic press	174
Impact sockets for axle nuts	90
Impact sockets for wheel nuts	51-52
Instrument for controlling compression on petrol and Diesel engines	88-89
Jack stands	173
Leaf spring pin sockets	140
Motorcycle stands	175
Oil seal wrenches	132
Packing removal tool	137
Piston ring compressors	122
Plastic funnel	162

Index of car vehicle tools

Pneumatic valve grinder	122
Quick coupler pliers for fuel pipes	129
Reamers for cleaning injector seats	88
Seat with castors	173
Sliding gauges for brake discs and drums	147
Sockets for Diesel engine injectors	87
Sockets for Lambda probes	87
Sonoscobe probe	134
Spark plug pliers	128
Spark plug wrenches and sockets	87
Spring pulling hook wrenches	120, 157
Square impact sockets for Isuzu wheel nuts	54
Starters	133
Stopping knives made of stainless steel	116
Tester for batteries and recharging systems	134
Timing devices	122÷125
Tool for disc brake pistons	126
Tools for airbag	121
Tools for air-conditioning systems	129
Tools for common rail diesel injector	88
Tools for pulling out car radios	165
Tools for releasing electrical connectors	133
Tools for removing broken glow plugs	89
Tools for removing glass windows	165
Tools for silent blocks and oil seals	141
Tools for spark plug coils	127
Torsion bars for wheel nuts	55
Trim pin removers	128
Tyre inflator	200
Tyre levers	89
Universal clutch aligner	121
Valve depressors for disc removal	125
Valve seat removing tool	122
Valve spring compressors	122
Valve timing system pulley locking tools	125, 130, 137
Vapour extractor	88
Voltage tester	133, 171
Wheel balancing weight tool	91
Wheel hub nut locking sockets	90
Wheel lifter	173
Wrench for removing steering arms	141
Wrench for turbines	128
Wrenches for fuel tank floating ring nuts	129

Alphanumeric index

30	9
30BA	183
31	9
31BA	183
31BM	9
31L	9
31SE	9
32	9
32AU	9
32AUR	9
34	9
34BA	183
35	9
35PM	9
35PMR	9
36	9
37	10
37PM	10
37PMR	10
38/DS1	319
38/DS2	319
39BA	183
42	10
42AS	11
42BA	183
42BA/AS	183
42K	310
42MP	11
42LMP	11
42/SC9I-E	10
45	11
52	11
52MQ	177
53	12
55	12
55AS	12
55BA	183
55BA/AS	183
55K	310
55MP	12
58	13
58BA	183
73	13
78	13
78AS	13
78BA	184
78BA/AS	184
80	13
83	14
83AS	14
89BA	184
89MQ	177
90	14
90AS	14
90BA	184
90K	310
91	15
91BA	184
92	15
92BA	184
93	15
93BA	184
93C	15
93K	310
94	15
94K	310
95	15
95BA	185
95FTX	15
96	16
96BA/BP	185
96/SC9	16, 310
96AS	17
96AS/BG7	17
96BA	184
96/BG7	16, 311
96/BGS7	16, 311
96BP	18
96BP/AS	18
96BPA	18
96BPA/SC9	18, 310
96BPC	17
96BPC/SC9	17, 310
96L	17
96LBP	18
96LBP/SC	18, 310
96LC	17
96N	16
96N/ST6K	310
96T	18
96T/AS	18
96T/SPV	308
96TBP	19
96TK	311
97TX	19
97BTX	19
97BTX/SC	19, 311
97RTX	19
97TTX	20
98XZN	20
97TX/ST	19
99	20
99BA	185
99SQ	20
99ST	20
99 VN/…	20
100	20
100/KIT	20
110BA	185
110MQ	177
111	20
111G	21
111K	311
111N	21
120	21
123E1/4	21
123Q1/4	21
123Q3/8	21
123Q1/2	21
123/K4	21, 311
142	21
142/SC9I-E	21
142AS	22
142C	22
142K	311
142SN	22
188	22
192	22
192/S2	22, 311
194	22
195	22
195FTX	23
195K	311
195P	22
310	23
310B	23
310/C4	23
310/C8	23
311	23
312A	23
312B	23
312BR	24
312BR/A	24
312F	23
312G	23
312G/RC	24
312G/RM	23
312PC	24
330	24
330BA	185
330R/A	24
330R/I	24
331L	24
332	24
334	24
334R	24
334R/I	24
336	24
338	25
338R	25
338R/I	25
338RP	25
339A	25
339A/R	25
341	25
341B/RL	25
341B/RM	25
341RL	25
342	25
342A	25
342A/MOL	25
342A/RL	25
342MOL	25
342P	26
342P/RL	26
342RL	25
344	26
345	26
345SB	26
345SB/R	26
345U	26
349	26
349/SMAS	26
349/SMM	26
350	26
351C	26
351P	26
352	26
352C	27
352C/U	27
352P	27
352PR	27
352U	27
353N	27
353N/C6	27
353NM	27
355	27
357 F3	27
358	27
358RL	27
359	28
359CH	28
360	28
360R/…	28
362	28
362R/…	28
363	28
363BA	185
363R/…	28
365	28
365R/…	28
366	28
374	28
374R/…	29
375	28
376	28
378	28
378BA	185
383	29
383R	29
384	29
384RC	29
386A	29
386A/RC	29
386BA	185
388	29
388A	29
388C/C8	29
392C	29
392RG/C	29
393	29
395	29
395T	30
399	30
410	30
410A	30
410AS	30
410MIX/SEL19	30
412	31
412A	31
412/C150	31
412L	31
414	32
414/C116	32
415	32
415/C116	32
416	33
417	33
419	33
423	33
423A	33
424	33
425	33
426	34
426MD	34
426SB	34
427	34
428/C14	35
428FC	35
428FP	34
429/C14	35
429FC	35
429FP	35
430	35
430ASC	35
430ASW	35
431	36
433	36
433ASF	36
433ASG	36
434	36
435	36
435G	36
436	37
436L	37
436R	37
437C	37
437C/…	37
437C/RM14	37
437U/09	37
437U/E-M…	37
437U/PM	37
438A	37
438…	37
440	37
440A	38
440ASC	38
440ASF	38

Alphanumeric index

440ASG	38
440ASW	38
440B	38
441	38
441A	38
441B	39
442	39
443	39
444	39
444G	39
446/C30	39
446/C48	39
446/C110	40
446ASC/C37	40
446ASF/C29	40
446ASG/C23	40
446ASW/C36	40
447/C37	41
447/C53	41
447/C70	41
450	41
450/C9	42
450/C13	42
450/C21	42
450AD	41
450AL	41
450PA/1	42
450PA/2	42
450PR	42
451	42
451GA	42
451PA	42
451PR	43
452	43
452GA	43
560/C2	43
560/C4+	43
560/C6	43
560/C12	43
561	43
562/1 - 562/2	44
564/3R - 564/4R	44
565/1R - 565/2R - 565/3R	44
565/4R	44
565/5R	44
567/4R	44
567/5R	44
581	44
583	45
583/C31	45
588	45
590 ÷ 592/4	45
594/8 - 594/21	45
596/80SL - 598/200SL	45
599DGT	46
599DGT-A	46
600/1 - 600/2	46
603	46
604B	46
606/2 - 606/2X	47
606/6 ÷ 606/30	47
606MQ/50	177
608/2	47
611	47
612 ÷ 614	47
614/50	47
616 - 617 - 619	47
641	47
642	47
652	48
666	48
667	48
668	48
668RG	48
669	48
669RG	49
671B/C5	49
671B/C10	49
671/C10	49
671/C20	49
671/C30	49
677	49
678	50
678/C...	50
678/CV...	50
680/40	50
682	50
710	50
710/16	50
710/20	50
710/21	50
710/25	50
710/C10	51
710/OR... - 710/SP...	51
720	51
720/15	52
720/16	52
720/20	52
720/21	52
720/25	52
720/C6	53
720/C12	53
720/OR... - 720/SP...	53
720AS	51
720FTX	52
720IP	52
720L	51
720L/S3	51
720LPL	51
720LPL/C3	52
720LS	51
720ME	52
720ME/C8	52
720PL	51
720PL/C5	51
720T	53
720TX	52
720TX/C6	52
727/C16	53
727/ES16	53
727/ES16TX	53
727/ES22	53
727/ES22TX	53
727/ES32	54
727PI/16	53
727PI/22	53
727PI/32	54
728	54
728/15	54
728/16	54
728/21	54
728/22	54
728/25	54
728/22L	54
728/C10	55
728FTX	54
728L	54
728LS	54
728LS/S3	54
728LQ	54
728/OR - 728/SP	55
729	55
729/15	55
729/16	55
729/21	55
729/22	55
729/25	55
729L	55
729LS	55
729/OR... - 729/SP...	55
729T	55
730	56
730/15	56
733/15	56
850MQ	177, 311
851	56
851SR	56
855P	56, 311
855T	56
860/55	57
860/C27	57, 311
860LP	56
860PE	56
860PH	56
860PZ	56
860RTX	57
860TX	56
860MIX/A10	58, 311
860MIX/A31	58, 311
860PE/A10	57
860PHT/A31	58
860PHZ/A10	57
860PHZ/A31	57
860RTX/A10	58
860TX/A10	57, 311
860TX/A31	57
860/C38P	58
861/C61P	59
861LP	58
861PE	59
861PH	58
861PH/C	58
861PZ	58
861PZ/C	59
861RTX	59
861SP	59
861TQS	59
861TRW	59
861TX	59
861TX/C	59
862F	60
862F/A7	60, 312
862LP	59
862PE	60
862PH	59
862PH/L	60
862PZ	60
862TX	60
862TX/L	60
866LP	60
866PH	60
866PZ	60
866PE	60
866TX	60
867/...	61
867/C52	61
867PE	61
867PE/L	61
867RTX	61
867RTX/L	61
867TX	61
867TX/L	61
867XZN	61
867XZN/L	61
882	61
882M	62
882M1	61
882 MSR	62
882P	62
892	62
895	62
897	62
897L	62
900	62
900/...	64
900/16	64
900/20LK	312
900/25	64
900/25K	312
900/32	64
900/35A	64
900/40	64
900/42	64
900/55	65
900/55K	312
900/C11	65
900/C13-5	65
900/C13-8	65
900/C24	65
900AN	64
900AS	63
900AS/C10	66
900AS/MB-C17	66
900AS/C17-MBM	66
900AS/L	63
900AS/MB	63
900AS/MBL	63
900BG/30	64
900BG/30C	64
900BG/30K	312
900K	312
900FL	64
900FTX	63
900L	62
900LP	63
900LPH/SB7	63
900M/35	64
900M/55	65
900M/R55	81
900MB	62
900MB/C19	65
900MB/C28	66
900MB/L	63
900ME	63
900PH	63
900PT	64
900TX	64
900/R55	81
902R/C6	66
910/15	69
910/16	69
910/21 - 910/22	69
910/25	69
910/36A	69
910/40	69
910/42	69
910/46	69
910/55	69
910/55Q	69
910/R55	81
910/R55Q	81
910A	66
910A/AS	67
910A/C16	70
910A/C17	70
910AL	67
910AN	69
910AS	67

Alphanumeric index

910…/C10	70
910…/C29	71
910AS/C13	71
910AS/L	67
910AS/MBM-C18	71
910AS/SN	67
910A/C10	70
910A/C29	70
910B	66
910B/C16	70
910B/SN	67
910BL	67
910CF	68
910FTX	68
910FTX/L	68
910LH/SB7	68
910LP	68
910M/35	69
910M/55	69
910M/56	70
910M/R55	81
910ME	68
910PE	68
910PH	68
910PT	68
910TX	68
920/15	75
920/16	75
920/20 - 920/21 - 920/22	75
920/21K	312
920/25	75
920/25K	312
920/35A	75
920/36A	75
920/40	75
920/42	75
920/44	75
920/46	76
920/50	76
920/50F	76
920/55	76
920/55K	312
920/55LC	76
920/55Q	76
920/55X	76
920/56A	76
920…/C11	76
920…/C12…	77
920…/C20…	77-78
920…/C21…	78
920…/C33	78
920/C37	78
920/R50	81
920/R55	81
920/R55LC	82
920/R55Q	81
920/R55X	82
920A	71
920A/AS	72
920AK	312
920AL	71
920AN	75
920AS	72
920AS/C10	78
920AS/C15	79
920AS/C17X	79
920AS/L	72
920AS/MBM-C21	79
920B	71
920B/C30Q	78
920BL	72
920BP	73
920ES	74
920FTX	72
920FTX/L	72
920LH/SB7	73
920LP	73
920M/35	75
920M/35L	75
920M/55	76
920M/56	76
920M/R55	81
920ME	74
920MQ/21	177
920MQ/22	177
920MQ/55A	177
920MQ/A	177
920MQ/C16	177
920MQ/PE	177
920MQ/T	177
920PE	73
920PE/AS	73
920PE/LS4	73
920PH	73
920RTX	74
920TX	74
920TX/C17	79
920TX/LSB	74
920XZN	74
921BA	185
921BA/21 - 921BA/22	185
921BA/25	185
921BA/42	185
921BA/50	185
926BA	185
926BA/22	186
926BA/42	186
926BA/50	186
928/15	80
928/16	80
928/21 - 928/22	80
928/25	80
928/36A	80
928/42	80
928/55	80
928A	79
928A/C12	80
928AS	80
928AS/C12	80
928B	79
928ME	80
928/R55	82
928/R55X	82
929	81
929/15	81
929/21 - 929/22	81
929/42	81
929/55	81
929/C8	81
929/R55	82
930	82
932	82
933	83
935	83
935K	312
937	83
937BA	186
937K	312
940	83
941	83
942BX	83
942BX/DG	319
943BX	84
943BX/DG	319
943FL	84
943MQ	177
943MQ/BG	319
944BX	84
950	84
951	85
951AS	85
951K	312
951MQ	178
951TX	85
952	85
952AS	86
952FTX	86
952L	86
953	86
953TX	86
955	86
956C	86
956E	86
956L	86
957	87
959	87
959R	87
960	87
960A	87
960AD/TP2	89
960AVE	88
960AVL	88
960BT	87
960BT/B	87
960CMB	88
960CMD	88
960F	87
960G	87
960H/C4	88
960KI	88
960K/AVE	88
960KIT/1	88
960KPC	89
960KC-M8	89
960L	87
960M	87
960P	89
960PMC	88
960S	87
960SL	87
960SN	87
960PI	88
960TAP	89
960TP	89
960W	89
961BA	186
962	89
963	89
963BA	186
964	90
964BA	186
964BA/L	186
965	90
965BA	186
966BA	186
966/C3	90
966BA/V	186
969A	90
969B	90
969/C5	90
970B	90
970C	90
970EA	90
970EB	90
970OT	90
970Q	90
978 - 979	91
982	91
983	91
985	91
988/K4	91
989	91
990	91
991	91
992	91
993	91
993G	91
993MQ	178
993PL	91
994	91
994MQ	178
994PL	92
994TF	92
996	92
998	92
999	92
999/B6	92
999A	92
999B	92
999C	92
999D	92
999E	92
999G	92
1008	92
1008BM	92
1009	92
1009L/A	92
1009L/B	93
1009L/C	93
1010	93
1010BM	93
1010MQ	178
1032	93
1032K	312
1033	93
1034	93
1034K	313
1034L	93
1036	93
1036K	313
1037	93
1038	93
1038K	313
1039	93
1044	94
1044K	313
1044F	94
1044FK	313
1046	94
1046BA	186
1046K	313
1047	94
1047BM	94
1048	94
1048BM	94
1048MQ	178
1048K	313
1048V	94
1048VK	313
1050	94
1051	94
1051GM	94
1051L	95
1051XL	95
1052	95
1052K	313
1053	95
1054	95

Alphanumeric index

1055	95
1056	95
1057A	95
1058	95
1060	95
1061	95
1062	96
1062AL	96
1062GM	96
1063	96
1064	96
1065F	96
1065P	96
1077	96
1078	96
1080D	96
1082	96
1082BA	187
1082BM	96
1082BMK	313
1082MQ	178
1084	97
1084BM	97
1084BMK	313
1084MQ	178
1088	97
1088BM	97
1088MQ	178
1092V	97
1094V	97
1095N	97
1096	97
1096K	313
1098	97
1098K	313
1098PL	97
1098PLK	313
1101	97
1101R	98
1102	98
1104	98
1104R	98
1105	98
1105AD-50	98
1105/C15T	98
1105/C29T	98
1105T30	98
1105T50	98
1112	98
1112K	313
1114	99
1118	99
1120A	99
1120ARL - ARG	99
1122	99
1122K	313
1123	99
1123K	313
1124	99
1124K	313
1125	99
1126	99
1127	99
1127MQ	178
1128BCX	99, 314
1128BMX	99, 314
1128BSX	99, 314
1128BTX	99, 314
1128BM	100
1129BM	100
1130BMX	100, 314
1131CK	100
1132	100
1132BM	100
1132MQ	178
1133	100
1133RL	100
1134	100
1134A	100
1134A/RL	100
1134RL	100
1136	100
1137BA	187
1137BA/RC	187
1142BM	100
1142BMK	314
1142MQ	178
1143	100
1143R	101
1144	101
1144RC	101
1144D	101
1144D/RG	101
1144D/RL	101
1145	101
1145RG	101
1148A	101
1148A/R	101
1148B	101
1148B/R	101
1149F	101, 314
1150	101
1150BA	187
1150BM	101
1150BMK	314
1150MQ	178
1153	101
1162	101
1162BA	187
1162BM	102
1162BMK	314
1162MQ	178
1164	102
1164BM	102
1164BMK	314
1164MQ	179
1166	102
1166BA	187
1166BM	102
1166BMK	314
1166MQ	179
1168	102
1168BM	102
1168BMK	314
1168MQ	179
1171BM	102
1172BM	102
1172BM/P	102
1173BM	103
1175BM	103
1177BM	103
1177BM/Z	103
1178BM	103
1178BM/P	103
1182BM	103
1183BM	103
1184BM	103
1185BM	104
1186BM	104
1188BM	104
1190BM	104
1191BM	104
1191BM/L	104
1200MS	104
1201	104
1201DZ	105
1201K	314
1201N	104
1201NK	314
1202	105
1202K	314
1202N	105
1202NK	314
1203/D	105
1203/S10	105
1203/E1P	319
1203/E4P	320
1203/E5P	320
1203/E10P	320
1204	105
1204K	314
1207TX	105
1207TXK	315
1208RTX	106
1208RTXK	315
1209PZ	106
1209PZK	315
1229LP	106
1229LPH/A6	106
1229PH	106
1236B	106
1238B	106
1241	106
1242	106
1243/D7	107
1250	107
1251	107
1252/S5	107
1253	107, 315
1253A	107
1254	107, 315
1256LP	107
1256PE	107
1256PH	107
1256PZ	107
1256RTX	108
1256TX	108
1256/C36-2	107
1256/20	108
1256/30	108
1257BE	108
1257ES	108
1257ESB/S8	108
1257LP	108
1257LPH/S8	108
1257PH	108
1257TX	108
1260	109
1260K	315
1260E	109
1260EK	315
1260N	109
1260NK	315
1262	109
1262K	315
1262N	109
1262NK	315
1262E	109
1262EK	315
1262L	109
1263/D...	109
1263/E80	320
1263/E85	320
1263/E70	320
1263/E50	321
1263/E62	321
1263/E39	321
1263/E40	321
1264	110
1264K	315
1264L	110
1265ES	110
1266BP	110
1267TX	110
1267TXK	315
1268RTX	111
1268RTXK	316
1269N/PZ	111
1269N/PZK	316
1269PZ	111
1269PZK	316
1270BA	187
1272BA	187
1272MQ	179
1273MQ/D6	179
1273MQ/E1	321
1274MQ	179
1279MQ	179
1281BG	111
1281BG/A9	112
1281BG/B28A	112
1281BG-TX/A8	112
1281LP	111
1281LPH	111
1281PB	111
1281PE	111
1281PH	111
1281PM	111
1281PZ	111
1281RTX	112
1281TX	111
1290	112
1290K	316
1290/S...	112
1290N	112
1290NK	316
1292	112
1292K	316
1292L	113
1292N	113
1292NK	316
1293/D...	113
1293/S...	113
1293BP	113
1293BX/DA	321
1293BX/DD	322
1293BX/DE	322
1293BX/DE	322
1293BX/DF	322
1293ES	113
1294	113
1294K	316
1294L	114
1295	114
1295/C14	114
1297TX	114
1298RTX	114
1298RTXK	316
1299N/PZ	114
1299N/PZK	316
1299PZ	114
1299PZK	316
1302	114
1303	114
1304	115
1305	115
1305Z	115
1306	115

Alphanumeric index

1307	115
1308	115
1309	115
1310	115
1312	115
1313	115
1314	115
1326	115
1327	115
1328	115
1329	115
1330	115
1331	116
1335BM	116
1337/S5	116
1338	116
1338A - 1338B	116
1338R9 - 1338R12	116
1342	116
1342PM	116
1342PMR	116
1343	116
1345	116
1345P	116
1351	116
1353	116
1357/32 - 1357/40	116
1357Z/32 - 1357Z/40	116
1359T	117
1369/C11X	117
1370	117
1370/MR...	117
1370BA	187
1370BA/MR	187
1370F	117
1370F/MR...	117
1370FT	117
1370T	117
1374F	117
1374F/MR...	117
1375	118
1375/MR	118
1375A	118
1375B	118
1376X	118
1376X/MR	118
1376XT	118
1376XT/MR	118
1377	118
1377/MR...	118
1377BA	187
1378	118
1378/MR...	118
1379BA	187
1379F	118
1379F/MR...	118
1380	119
1380/MR...	119
1380BA	187
1380BA/MR	187
1380S	119
1380S/MR...	119
1380T	119
1381	119
1381/MR...	119
1381BA	187
1381BA/MR	188
1381T	119
1385	119
1385/MR	119
1390	119
1390BA	188
1390/MR...	119
1390R	120
1390N	120
1390NR	120
1391	120
1391A	120
1392	120
1392R	120
1393	120
1410/M	120
1428	120
1428/SB11	120
1428L	120
1428L/B3	120
1429	120
1429/SB7	121
1430/...	121
1433	121
1433/C11	121
1435	121
1435/1	121
1435/1R	121
1435R	121
1437/C12	121
1438	121
1438R	121
1439/K7	121
1440/...	122
1445/1 - 1445/2	122
1450GC	122
1452K	122
1452PN/K	122
1455SVP	122
1455SVP/R...	122
1458	122
1460F	122
1461BF	122
1461PMS	122
1461/C3B	122
1461/C5G	122
1461/C6B	123
1461/C6G	123
1461/C7B	123
1461/C8B	123
1461/C8G	123
1461/C9B	123
1461/C10A	123
1461/C10G	123
1461/C11A	123
1461/C11G	123
1461/C12A	123
1461/C12G	124
1461/C13A	124
1461/C13B	124
1461/C14	124
1461/C15	124
1461/C16	124
1461/C17	124
1461/C17B	124
1461/C18	124
1461/C18B	124
1461/C19	124
1461/C20G	125
1463/KIT	125
1467	125
1467LF	125
1468N	125
1469	125
1469C	125
1469C-R	125
1469D	125
1470	126
1470FT	126
1471	126
1471/S4	127
1471A	126
1471CF	126
1471CM	127
1471CM/E11	127
1471D	127
1471M/50	126
1471M/C22	126
1471M/P	126
1471M/W50	126
1471PN/B1	126
1471PN/B2	126
1471PN/B3	126
1471PN/B4	126
1471PN/B5	126
1471U	126
1472	127
1472AU	127
1472AU/P	127
1472FC	127
1472FC/L	127
1472TM	127
1473	127
1473A	127
1473Q	127
1474/C4	127
1474DL	128
1474L	128
1475U	128
1476	128
1476/RC	128
1476A	128
1476A/RC	128
1476C/1 - 1476C/2	128
1476T	128
1477D	128
1477D/S5	128
1477K/7	128
1478	128
1479	128
1479RB/1	128
1479RB/2	129
1479RB/3	129
1479U/13	129
1479U/32	129
1479N/S5	129
1481PL/A	129
1481PL/B	129
1481PL/C	129
1481PL/S3	129
1482/8 - 1482/10	129
1482A	129
1482G/...	129
1483K/22	129
1484	129
1485/KIT	130
1485R	130
1485R/P10	130
1485R/P17	130
1486M	130
1486T	130
1488 - 1488L	130
1488/1	130
1489/31T	130
1489/33	130
1489/33P	130
1489/E	130
1489/Y	130
1489R	130
1489/C14	130
1490/1 - 1490/2	131
1491	131
1491C	131
1491R	131
1492/1 - 1492/2	131
1492T	131
1493	131
1493/PF	131
1493/C30	131
1493/S-U	131
1493T	131
1493J	132
1493Z/1 - 2 - 3	132
1494	132
1494E	132
1494Q	132
1494T	132
1494XZN	132
1494/C14A	132
1495/C6	132
1495M	132
1495T	132
1496/A	132
1496/B	133
1496/C	133
1496/D	133
1497D	133
1497P	133
1497/C23	133
1498	133
1498B/12	133
1498B/24	133
1498C/24	133
1498CB/40	134
1498CB/M-40	134
1498CB/80	134
1498CB/120	134
1498CB/300	134
1498TB/ST	134
1499	134
1500/...	135
1500G/...	135
1500N/...	135
1500N/G...	135
1501/1 - 2 - 3	135
1501G/1 - 2 - 3	135
1501Z/S - P - R	135
1505	136
1506	136
1508/1 - 1508/2	136
1511/1 - 2 - 3	136
1515/1 - 2 - 3	136
1516/1 - 2 - 3	136
1517	136
1517G	136
1517GS	137
1517T	137
1517V	137
1518/...	137
1520/1 - 1520/2	137
1521/1 - 1521/2	137
1529	137
1530/C5	137
1532	137
1533/...	137
1533PR/1 - 2 - 3	137
1534/...	138
1535/C...	138
1539	138
1540	138
1542/1 - 1542/2	138
1544/...	138

Alphanumeric index

1545/C5	138
1547/C6	139
1547KP	139
1547P	139
1547PC/2	139
1547PL/2	139
1550/1	139
1550/MRC	139
1550/PS	139
1550/SR…	139
1555/QS	140
1555C	140
1555DS	139
1555S/MRC-C	139
1555S/BMW-RNT	140
1556/1A	140
1556/2A	140
1556/3A	140
1557	140
1557/S3	140
1557V	140
1559	140
1559V/8T	140
1560/1 - 1560/2	140
1560A	140
1561/…	141
1562D	141
1565/1 - 2 - 3	141
1566N	141
1566GO	141
1568/C15	141
1568R/CS3	141
1569	141
1570/3	141
1580/8I	141
1580GL	141
1585/5I - 6I - 7I	141
1585GI/5 - 6 - 7	142
1589PI/50 - 100 - 150	142
1589VI	142
1590	142
1591	142
1593	142
1594	142
1594A	142
1594A/RG	142
1595	142
1596	142
1596/RG	142
1599B	143
1599F	142
1599G	143
1599P	143
1599T	143
1601/PC	143
1602	143
1602/C9T	143
1602A	143
1603	143
1603A	143
1603B	143
1603BK	316
1604	144
1604/C9T	144
1605	144
1606	144
1606A	144
1606A/C9	144
1607	144
1608	144
1608/C9T	144
1608A	145
1609	145
1609A	145
1609B	145
1609C/C5	145
1609M	145
1610	145
1614	145
1616	145
1618	145
1620	145
1622	146
1624	146
1628	146
1630	146
1632	146
1634	146
1639NS-N	146
1639S	146
1640	146
1640A	146
1640K	146
1640P	146
1640Q	146
1640T	147
1650	147
1650FD	147
1650FT	147
1651DGT	147
1652	147
1654	147
1654DGT	147
1656	147
1657DGT/2	147
1658/…	147
1658/C4	147
1658DGT	148
1658SP/1	148
1659	148
1662/1 - 1662/2	148
1662AN	148
1662DGT	148
1662SPO	148
1662SP2	148
1666A	148
1668A	148
1670	149
1670A	149
1672	149
1672A	149
1674A	149
1676	149
1678/C3	149
1679	149
1680	149
1680A	149
1680B	149
1680C	150
1682	150
1683	150
1685/C7	150
1687/S4	150
1687A	150
1687AC	150
1687D	150
1687U	150
1688	150
1688A	150
1688BC	150
1688BC/R	150
1688M	151
1690F	151
1690L	151
1691BG	151, 316
1692	151, 316
1694/L	151
1694A/L	151
1694B/L	151
1696	151
1696A	151
1696B	151
1696D	151
1696S	152
1699L	152
1699L/1	152
1699Q	152
1700N	152
1700N/PM	152
1701BA	188
1701N	152
1701N/PM	152
1701NE/…	152
1701PMR	152
1702N	152
1702N/PM	152
1702PMR	152
1703BA/P	188
1703BA/PL	188
1704	152
1704A	153
1704C	153
1705	153
1705PT	153
1706DGT	153
1707	153
1707A/1 - 2 - 3	153
1708/8 - 13 - 20	153
1709/10 - 1709/18	153
1710	153
1712E/1 - 2 - 3	153
1712E/L1	153
1712TF	153
1713M	153
1714	154
1715	154
1715FL/A	154
1715FL/B	154
1716A	154
1716P	154
1716Q	154
1716R	154
1716U	154
1717A	154
1717B	154
1717BA	188
1717BA/1	188
1717C	154
1717D	154
1718A6/…	154
1718A8/…	154
1718A10/…	155
1718D6/…	155
1718D8/…	155
1718D10/…	155
1719BA	188
1719BMA	155
1719BMA6/S5	155
1719BMA8	155
1719BMA8/S	155
1719BMA10	156
1719BMA10/S5	156
1719BMB/P	156
1719BMC	156
1719BMD6	156
1719BMD8	156
1719BMD10	156
1719BM/RR	156
1719BM/RL	156
1719BMR	156
1719R/…	156
1720/…	157
1720/B	157
1720D/…	157
1720D/B	157
1721/B6	157
1723	157
1725	157
1725CR	157
1725MQ	179
1726	157
1726BM	157
1727	157
1727BA	188
1727BM	157
1728…	157
1728BA	188
1729	157
1729DM 450	158, 316
1729CG	158, 316
1729LR	158
1736A	158
1737	158
1737AC	158
1737B	158
1737BA	188
1737NX	158
1738	158
1739B	158
1740A	158
1740B	158
1741B	158, 316
1741B/C5	158
1741BP	159
1741RV…K	159
1741U	159, 317
1742	159
1742/C4	159
1742A	159
1742A/KR	160
1742A/C	160
1742KR	159
1742R-A/M…	159
1742R-AL/M…	159
1743	160
1743T	160
1748/C5	160
1748/…K	160
1748B/…K	160
1749	160
1749A	160
1749AC	160
1750	161
1750CG	161
1750M	161
1750R/1 - 1750R/2	161
1750RC	161
1750RP/1 - 1750RP/2	161
1750RT	161
1751	161
1751R	161
1752	161
1752R	161
1753	161
1753R	161
1754	161
1755	162
1756	162

Alphanumeric index

1756B	162
1757	162
1757A	162
1758	162
1759	162
1759A	162
1759B	162
1759HD/3	162
1759HD/RR	162
1760 400A	163
1760/2TM	165
1760/IR800	164
1760/IR1600	164
1760/RMS	163
1760/TC2	164
1760B	163
1760DGT	163
1760K/MT	163
1760PA/AC	164
1760PA/AC-DC	164
1760R/TC2	164
1761	165
1761RS/1	165
1762	165
1762K	317
1765/C24	165
1766	165
1766/8	165
1766A	165
1766G	165
1766I	165
1766L	165
1767PMC	165
1767PMR	165
1770	166
1770A	166
1770RL	166
1770BM	166, 317
1771	166, 317
1771BM	166, 317
1771RL	166
1772B	166
1772H	166
1772RL/2	166
1773A	166, 317
1773RL	166
1774	166
1774A	166
1774A/RL	166
1776BA	188
1777BM	166
1777MQ/C	179
1777MQ/U	179
1777RL/U	179
1777T	166, 317
1777BMT	167, 317
1778	167
1778D	167
1778SAFE	167
1778SOS	167
1778W	167
1778X	167
1779	167
1781	167
1783	167, 317
1784	167
1784BA	188
1800/100	167
1808	167
1812	167
1812E	167
1814M	168
1820/30 - 50 - 80	168
1822A/...	168
1823	168
1823/RS	168
1824R	168
1825ST250	168
1827	168
1827PC	168
1827PCL	168
1827PFL	168
1827/K	168
1830T	168
1834S	169
1834M	169
1834L	169, 317
1834XL	169
1835/1	169
1835/2	169
1836	169
1837	169, 317
1837E	169
1838/10LED	169
1838RV/10LED	169
1838LED/120	170
1838SL	170
1840BM	170
1840WBM	170
1841ABM	170
1841BM	170
1842XABM	170
1842XBM	170
1843BM	170
1843R/BM	170
1843R/WBM	170
1843WBM	170
1844ABM	171
1844BM	171
1844R/BM	171
1846XABM	171
1846XBM	171
1846R/XBM	171
1847P	171
1847K	171, 317
1848	171
1850B	171
1850C	172
1850U...	172
1851VK	172
1851VK-12C	172
1860R/C	172
1860K/140A	172
1860K/160A	172
1879	172
1880	172
1881	172
1882	172
1883	173
1883NC	173
1901/10	200
1901BM/8	200
1910	200
1914	200
1915B	200
1915C	201
1915C/L	201
1915D	201
1915E	201
1915E/XL	201
1916G	201
1916I	201
1917F	201
1917M	201
1917RS	201
1919F1/4	202
1919F1/2	202
1919FE1/4	201
1919L	202
1919ML	202
1919RB-F	202
1919RB-FE1/4	201
1919RF-F	202
1919RF-FE1/4	201
1919RM-F	202
1919RM-FE1/4	202
1919SC	202
1921B1	190
1921I	190
1921M1	190
1921M2	190
1921N3	190
1924B	190
1924CD	190
1927A	191
1927CD	191
1927DA	191
1927K4	191
1927MDA	191
1927P	191
1928CD	192
1928DA	192
1928DAL	192
1928K4	192
1930CD	192
1930HLA	193
1930LA	193
1930NCD	192
1930PA	193
1930ZL	193
1931AN10	194
1931CD6	193
1931CD10	193
1931CD13	194
1932B10	194
1932RS13	194
1933	194
1933AN90	195
1933I	194
1933IL	195
1933L	194
1934BV	195
1934MAV	195
1934MAV70	195
1935E	195
1935F	195
1936/5	196
1936/5A	196
1936/7	196
1937	196
1937R/P	196
1937N10	197
1937N10-GR	197
1937N20	197
1937N20-GR	197
1937M	196
1937M-01÷11	196
1938	197
1938R/L	197
1938R/S5	197
1940	197
1940HD	197
1940MT	197
1940MT/HD	197
1940S...	197
1940/S5	198
1942	198
1942LR	198
1942S	198
1944	198
1944AR	198
1944L	198
1944L/RA	198
1946	198
1946C4,8	198
1946C7,8	199
1947	199
1948	199
1948PR	199
1949BC	199
1949BC/RU	199
1949DGT	200
1949F	199
1949G	199
1949GP	200
1949GPE	200
1949R/NIP	200
1949T	199
1995MQ/T	179
1995MQ/G1 - G2	184
2001/B26	204
2005PA/D	204
2005PA/S	204
2009ID	204
2009N/BV	204
2011/BV	204
2011ET	204
2014N/VU2	204
2014N/VV	204
2029/VV	204
2029E	204
2029/RT	205
2032E	205
2032/TE	205
2032/TV	205
2032/VV	205
2033E	205
2033N/VV	205
2034	205
2034/VV	205
2036E	206
2036/TV	205
2041UC	206
2051N	206
2055HB	206
2060/VV	206
2080/VV	206
2252	173
2252KR4	173
2300ST/KIT	211
2400S/PF	218
2499PC	220
2499PF	219
2499PF/M	219
2499PP/M	219
2499S-R/PC	218
3000M/LT	173
3000M/RLS	173
3000S/PLM	223
3002	173
3003	173
3009	173
3010/T...	174
3011/T	174
3012	174
3012I	174
3014	174
3014SAR	174

Alphanumeric index

3014SAR/1	174
3014SAR/2	174
3025	174
3026 0,5	174
3027	175
3027/KP	175
3030/2T	175
3030/2TRP	175
3040	175
3040A/1	175
3040A/2	175
3040A/6-8-10	175
3041	175
3041A/11	175
3041A/15	175
3042	175
3042/K6P	175
3043	175
3043A/41÷47	175
5700LAMP	243
5902MT	278
5902MT/AS	279
5902VI	250
5904VG/1M	280
5904VG/2T	281
5904VG/3	282
5904VG/5T	283
5904VI/1T	251
5904VI/2T	252
5904VI/3T	253
5904VU/1M	259
5904VU/2M	260
5904VU/3T	261
5905VG/1	284
5905VG/2	285
5908VG/2T	286
5908VI/2T	254
5910VG/3T	287
5910VI/3T	255
5915VU/0	261
5915VU/1	263
5915VU/2	264
5915VU/3	265
5915VU/4	266
5915VU/AS	267
5923VU/1T	268
5938U/2T	269
5940SBK	288
5953VG	289
5953VI	256
5954VG	290
5954VI	257
5957U	270
5957VG	291
5957VI	258
5958U	271
5980/MQ	274
5980EL/A	275
5980EL/B	276
5980ET/A	272
5980ET/B	273
5980ID	277
6600 E/A10	330
6600 E/A20	330
6600 E/A30	330
6600 E/B10	330
6600 E/B20	330
6600 E/C10	331
6600 E/D10	331
6600 E/E10	331
6600 E/K10	331
6600 E/K20	331
6600 E/P10	333
6600 M/10	323
6600 M/21	323
6600 M/27	323
6600 M/30	323
6600 M/38	323
6600 M/39	323
6600 M/40	323
6600 M/47	324
6600 M/51	324
6600 M/52	324
6600 M/58	324
6600 M/60	324
6600 M/63	324
6600 M/73	324
6600 M/74	324
6600 M/75	324
6600 M/112	324
6600 M/116	325
6600 M/120	325
6600 M/125	325
6600 M/131	325
6600 M/152	325
6600 M/163	325
6600 M/171	325
6600 M/216	325
6600 M/221	325
6600 M/230	325
6600 M/234	325
6600 M/241	325
6600 M/244	326
6600 M/247	326
6600 M/251	326
6600 M/311	326
6600 M/315	326
6600 M/320	326
6600 M/326	326
6600 M/327	326
6600 M/330	326
6600 M/370	326
6600 M/377	326
6600 M/417	327
6600 M/418	327
6600 M/427	327
6600 M/430	327
6600 M/440	327
6600 M/456	327
6600 M/464	327
6600 M/472	327
6600 M/480	327
6600 M/485	327
6600 M/510	327
6600 M/519	328
6600 M/525	328
6600 M/532	328
6600 M/542	328
6600 M/550	328
6600 M/561	328
6600 M/583	328
6600 M/617	328
6600 M/635	328
6600 M/650	328
6600 M/657	328
6600 M/658	328
6600 M/714	329
6600 M/724	329
6600 M/818	329
6600 M/824	329
6600 M/835	329
6800 VE	323
6888	323
7051MP	368
7061TC	368
7071BC	368
7071BD	368
7076BC	368
7076BD	368
7076BP	368
7091BC	368
7091BD	368
7093BC	368
7093BD	368
7190C	368
7195A	368
7200BKK	335
7201BKK	335
7205BKK	335
7206BKK	336
7208RK	337
7210BKK	336
7211BK	336
7216BKK	336
7239V	342
7240B	333
7241B	333
7242B	334
7243B	334
7243C	334
7245B	335
7246B	333
7247B	334
7250NKK	339
7251NKK	340
7252NKK	339
7254NA	338
7255NA	338
7263RK	338
7264RK	339
7290AKK	340
7291AKK	340
7293NKK	341
7293RK	340
7293TKK	341
7294NKK	341
7294RK	341
7294TKK	342
7295TNV	342
7300B	344
7300BKK	344
7310BKK	337
7313KK	345
7313KKB	345
7313KKC	345
7314KK	346
7316KK	347
7318ESD	345
7320KK	346
7326NKK	342
7327NKK	343
7327R	343
7328EA	343
7328EN	344
7329B	337
7330B	338
7330NV	343
7334KK	346
7344RP	347
7345RP	347
7346RP	348
7347RP	348
7348RP	349
7349RP	347
7350RP	348
7360BKK	349
7361DKK	349
7361GKK	349
7365GKK	350
7367G	350
7368BKK	351
7368GKK	351
7368NKK	350
7369BKK	351
7369GKK	352
7398 TNT	352
7398AL	353
7398BF	352
7398CX	352
7398GEL	352
7398ST	352
7399 A/N...	353
7399B...	353
7399G...	353
7399M...	353
7410	353
7413	353
7415	353
7416	353
7417	353
7418	355
7505B	355
7505DG	355
7505M	355
7515B	355
7515DG	355
7515M	356
7525	355
7546BL	356
7546G	356
7546N	356
7546O	356
7547BL	356
7547G	356
7548BL	356
7548G	356
7548N	357
7548O	357
7555	357
7575A	357
7577N	357
7578G	357
7622G	357
7632G	357
7634N	357
7635G	358
7635N	358
7641BL	358
7641G	358
7675N	358
7681BL	358
7682BL	358
7780N	358
7800G	367
7815N	359
7817N	359
7820	359
7821	359
7823	359
7825	359
7827	360
7829	360
7860E	360
7861E	360
7863E	360
7865E	360
7867E	361
7869E	361

Alphanumeric index

7870	361
7871	361
7873	361
7875	361
7877	362
7879	362
7900E	362
7901E	362
7903E	362
7904E	362
7905E	363
7907E	363
7909E	363
7910Y	363
7911Y	363
7913Y	363
7930	365
7930IP	364
7931	364
7933	365
7935	365
7937	365
7939	366
7970	366
7971E	366
7973	366
7978E	366
7979	366
7980	367
7981	367
7982B	368
7982G	367
7984	367
7991N	367
7992N	367
7993	367
7994	367
7995	367
8001TZ	372
8001Z	372
8002ZD	372
8002ZS	372
8003ZD	372
8003ZS	372
8004ND	372
8004NS	372
8005TZ	373
8005Z	373
8006Z	373
8007Z	373
8008N	373
8009FD	372
8009FS	373
8009Z	373
8010Z	373
8016	374
8016DA	374
8016DF	374
8016FR	374
8016U	374
8018E	374
8018T	375
8020	375
8021	375
8025	375
8026A	375
8028	376
8029	376
8029R	376
8030	376
8031	376
8040EN	377
8040EZ	376
8042EN	377
8042EZ	377
8044	377
8048	377
8049	377
8050D	380
8051S	379
8055S	379
8057	379
8058	379
8060	379
8061F	379
8062	380
8064S	380
8065SC	380
8074	377
8080	378
8085	380
8086	380
8090	380
8090F	381
8091	381
8092	382
8094	382
8096	382
8097	383
8098	383
8100	381
8105	374
8109	374
8114	378
8116	378
8150	383
8153	383
8156	383
8157	384
8158	384
8159	384
8160	384
8161	384
8166	385
8170	384
8173	384
8176	385
8177	385
8178	385
8180	385
8181	385
8182	385
8182S	385
8185	385
8186	386
8187	386
8188C	386
8188CG/25	386
8188F	386
8188F/35	386
8188FG2	386
8188FG3	386
8205	386
8206	387
8207	387
8209	387
8210	387
8216	387
8220	387
8225	387
8227	387
8228	387
8240	387
8240F	388
8242	388
8242F	388
8249	388
8250	388
8264	388
8267	388
8272	388
8273	388
8274	388
8274G	389
8276	389
8276G	389
8278	389
8280	389
8282	389
8284	389
8285	389
8286	389
8287	389
8290	389
8300	378
8302Z	378
8303Z	378
8317DZ	375
8317SZ	375
8345	378
8381SL	378
8381SP	378
8381SX	391
8383C	378
8383P	379
8515V	379
8515Z	379
8531	375
8532	376
8535	379
8600 E/R	330
8600 R/10	329
8600 R/111	329
8600 R/222	329
8600 R/411	329
9500	391
9501	391
9502	391
9504	391
9505	391
9510	391
9521	395
9525	395
9526	397
9527	397
9528	397
9530	395
9535	392
9536	392
9537	393
9539	396
9541	394
9544	394
9545	394
9546	397
9547	397
9551	393
9559	398
9569	399
9575	398
9581	398
9583	397
9586	398
9590	398
9594	398
9596	399
9503G	392
9508K	392
9519C	397
9519M	396
9519P	397
9521O/OB	395
9522C	395
9524SC	397
9525/B	395
9525/ITA	395
9525/N	395
9529O/B	397
9534B	393
9534W	393
9539C	396
9539G	396
9539P	396
9539R	396
9547WSK	397
9552J	393
9553J/L	394
9557J	394
9557N	394
9569P	399
9572GB	392
9572GC	392
9572GG	392
9572H	392
9572MB	391
9572Q	392
9574B	394
9574O	394
9577F1	398
9579C	398
9582LE	398
9582LI	398
9588/10PI	399
9588S/10…	399
9588S/10…	399
9588S/10…	399
9588S/10…	399
9589A/36	399
9589B/36	399
9591S/…	399
9591S/…	399
9591S/…	399
9591S/…	399
9592P/P	398
9592S/50P	398
9593 Breil®	393
9593 Miami	393
9593CA	393
9595M/10	399
9595S/10P	399
9598WAP	396
9599CB	395
C1 - C2	307
C3 - C4	307
C5 - 2105	206
C6T - 2106	206
C9 - 2109	207
C9/RT	207
C10 - 2110	207
C10S - 2110S	207
C11 - 2111	207
C13	207
C15 - 2115	207
C15L - 2115L	207
C16 - 2116	207
CP17 - CP17L - 2117	208
C18 - 2118	208
C19 - 2119 - C19L - 2119L	208

Alphanumeric index

C20 - C20L - 2120	208
C22B	208
C22W	208
C22S - 2200S	209
C23SC - 2300SC	210
C23ST - 2300ST	210
CD23S	211
C24S/5 - 2400S5	213
C24S/6 - 2400S6	214
C24S/7 - 2400S7	215
C24S/8 - 2400S8	216
C24SA/7 - 2400SA7	217
C24SA-XL/7 - 2400SAXL7	218
C24SL - 2400SL	220
C25 - 2500	221
C28 - 2800	222
C30S - 3000S	222
C31	224
C38 - 3800	225
C38C	227
C38L	225
C38LA	225
C38T	226
C39/6 - 3900	228
C39/7 - 3900	229
C39/8 - 3900	230
C39/PM	230
C39/PU	231
C39MD - 3939MD	233
C39SM - 3939SM	232
C39T - 3900T	230
C41MS	235
C41S - 4100S	233
C41H - 4100H	234
C41H/CE	235
C42 MCH	236
C42H - 4200H	235
C42S - 4200S	234
C49	236
C51	237
CP52	237
CX52	237
C53 - 5300	239
C54 - 5400	240
C56	245
C56M	245
C57A - 5700A	240
C57B - 5700B	241
C57C	242
C57D	241
C57P - 5700P	242
C58A - 5800A	243
C58B - 5800B	244
C58C	244
C58M	245
C58M/PA	246
C58P/A - 5800UP/A	244
C58P/B - 5800UP/B	245
C59A - 5900A	246
C59B - 5900B	247
C59C - 5900C	249
C62	369
C62E/B	369
C62E/B2	369
C62E/D	369
C62EV/CP	369
C62M/W	369
C68	322
C68 G	322
C88 R/1	322
CB/2	308
GA	307
GA/C38-C	306
GA/C38-SX	306
GA/C38-DX	306
GA/C41	306
GL1 - GL2	307
GL3 - GL4	307
GM	308
KIT/GPS	307
MC10	291
MC82	291
MC91	291
MC131	291
MC153	291
MC220	291
M15	291
M16	292
M33	292
M38	292
M40	292
M45	292
M46	292
M50	292
M55	292
M63	292
M69	292
M75	292
M79	293
M82	293
M83	293
M85	293
M86	293
M91	293
M92	293
M112	293
M131	293
M132	293
M135	294
M145	294
M153	294
M170	294
M172	294
M174	294
M180	294
M199	294
M202	294
M204	294
M208	294
M220	294
M226	295
M227	295
M234	295
M236	295
M237	295
M240	295
M264	295
M285	295
M289	295
M300	295
M310	295
MB	307
S42/18	308
S55/8	308
S55/12	308
S951/6	308
S952	308
S 1719BM	308
SB	307
SGN	308
SL/C38	306
SL/C41	307
SL1 - SL2	307
SL3 - SL4	307
SP G9 - SP G11	308
ST1 - ST2	307
ST/C38-C	306
ST/C38-DX	306
ST/C38-SX	306
ST/C41	307
T10	296
T15	296
T16	296
T18	296
T19	296
T22	296
T31	296
T33	297
T34	297
T40	297
T41	297
T45	297
T46	297
T48	297
T50	297
T52	297
T53	297
T55	297
T56	298
T59	298
T63	298
T64	298
T65	298
T68	298
T73	298
T75	298
T75	298
T76	298
T77	298
T79	299
T80	299
T81	299
T82	299
T83	299
T85	299
T91	299
T92	299
T100	299
T101	299
T102	299
T103	300
T105	300
T106	300
T110	300
T112	300
T113	300
T120	300
T131	300
T132	300
T135	300
T136	300
T140	300
T142	301
T145	301
T146	301
T151	301
T153	301
T154	301
T155	301
T160	301
T161	301
T164	301
T167	301
T168	302
T170	302
T171	302
T172	302
T173	302
T175	302
T176	302
T177	302
T180	302
T183	302
T198	302
T199	302
T201	303
T202	303
T204	303
T205	303
T206	303
T207	303
T208	303
T209	303
T210	303
T212	303
T215	303
T220	304
T226	304
T227	304
T231	304
T233	304
T234	304
T236	304
T239	304
T241	304
T250	304
T256	305
T259	305
T264	305
T270	305
T273	305
T281	305
T286	305
T285	305
T289	305
T291	306
T296	306
TL1 - TL2	307
TL3 - TL4	307
TSPP	308
TV - TOV	307
VE1	307
VP1 - VP2	306
VP3 - VP4	306
VP-3SC	306
VP5	306
VP6	306
VP-LD	306
VP-LS	306

Notes

Notes

Notes

Notes

Notes

Notes

Notes

Beta 2014

www.beta-tools.com

2013 partnership



Valentino Rossi

998064811
8 014230 736235

Graphic cover by Enzo Herrera